




www.gillathletics.com
800-637-3090

500 SERIES VAULT BOXES 500, 502, & 504 INSTALLATION INSTRUCTIONS

INSTALLATION OF BOX IN NEW OR EXISTING RUNWAY




NOTICE: All installations should be conducted by experienced contractors and in accord with all applicable codes, laws and regulations. Suggested instructions herein are illustrative only and should be adapted to suit local requirements. Gill Athletics is not responsible for the manner in which these products are installed.



www.gillathletics.com
800-637-3090

500 SERIES VAULT BOXES 500, 502, & 504 INSTALLATION INSTRUCTIONS

INSTALLATION OF BOX IN GYM FLOOR



NOTICE: All installations should be conducted by experienced contractors and in accord with all applicable codes, laws and regulations. Suggested instructions herein are illustrative only and should be adapted to suit local requirements. Gill Athletics is not responsible for the manner in which these products are installed.

THIS WARNING IS GIVEN IN COMPLIANCE
WITH CALIFORNIA'S PROPOSITION 65:

WARNING

This product contains chemicals known to the
State of California to cause cancer, birth defects
or other reproductive harm.

suggestions@gillathletics.com
Copyright ©2024 by Gill Athletics. All rights reserved.

GILL ATH
03/19/2024
500-502-504_inst2




www.gillathletics.com
800-637-3090


502 - ALUMINUM VAULT BOX SPECIFICATIONS

SPECIFICATIONS

The 502 Aluminum Vault Box is fabricated from 6061 structural aluminum tempered to a T6 condition. The box is cut and folded from 1/8" [3.2mm] thick sheet. Outer edges of the box are folded down to eliminate sharp edges. Two outer side wings secure the box position when placed in concrete.



PLAN VIEW



SIDE VIEW




www.gillathletics.com
800-637-3090


50201 - ALUMINUM VAULT BOX LID SPECIFICATIONS

The 50201 Aluminum Vault Box Lid is designed to fit the 500, 502, 504, and 505 vault boxes. These lids are manufactured from 1/4" [6.4mm] thick 6061-T6 aluminum plate. Two angled vertical supports are welded in place to stiffen and support the lid in the box. When covered with 1/2" [12mm] thick runway material, the lid fits flush with the runway surface. A flush mount version, the 50202, is also available. This lid fits flush with the top of the box without runway material. Measurements in brackets are in centimeters. These lids can be safely and effectively used with stainless steel vault boxes without causing accelerated corrosion.

Note: Track surfacing is not included.



TOP VIEW (50201)



SIDE VIEW OF 50201 LID IN BOX