
00 00 0005 Ph O shares and @ DATE W/s a O s



Main Diagram

Table accounts_account		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* ldx	name	varchar(200)
*	account_type	varchar(100)
	account_image	varchar(100)
*	is_active	boolean
Indexes		
Type	Name	On
Pk	accounts_account_pkey	id
	accounts_account_name_1d0ba595_like	name

Table auth_group		
ldx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
* ldx	name	varchar(150)
Indexes		
Туре	Name	On
Pk	auth_group_pkey	id
	auth_group_name_a6ea08ec_like	name

Table auth_group_permissions		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	group_id	integer
* Unq	permission_id	integer
Indexes		
Type	Name	On
Pk	auth_group_permissions_pkey	id
Unq	auth_group_permissions_group_id_permission_id_0cd325b0_uniq	group_id, permission_id
	auth_group_permissions_group_id_b120cbf9	group_id
	auth_group_permissions_permission_id_84c5c92e	permission_id
Foreign Keys		
Type	Name	On
	auth_group_permissions_group_id_b120cbf9_fk_auth_group_id (group_id) ref auth_group (id)	

Table auth_permission		
ldx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(255)
* Unq	content_type_id	integer
* Unq	codename	varchar(100)
Indexes		
Type	Name	On
Pk	auth_permission_pkey	id

 $auth_group_permissio_permission_id_84c5c92e_fk_auth_perm\ (\ permission_id\)\ ref\ auth_permission\ (\ id\)$

Table auth_permission

Table auth_user_groups

Unq auth_permission_content_type_id_codename_01ab375a_uniq content_type_id, codename auth_permission_content_type_id_2f476e4b content_type_id

Foreign Keys

Type Name On

auth_permission_content_type_id_2f476e4b_fk_django_co (content_type_id) ref django_content_type (id)

Table auth_user		
Name	Data Type	
id	integer GENERATED BY DEFAULT AS IDENTITY	
password	varchar(128)	
last_login	timestamptz	
is_superuser	boolean	
username	varchar(150)	
first_name	varchar(150)	
last_name	varchar(150)	
email	varchar(254)	
is_staff	boolean	
is_active	boolean	
date_joined	timestamptz	
Indexes		
Name	On	
auth_user_pkey	id	
auth_user_username_6821ab7c_like	username	
	Name id password last_login is_superuser username first_name last_name email is_staff is_active date_joined Name auth_user_pkey	

ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	user_id	integer
* Unq	group_id	integer
Indexes		
Туре	Name	On
Pk	auth_user_groups_pkey	id
Unq	auth_user_groups_user_id_group_id_94350c0c_uniq	user_id, group_id
	auth_user_groups_user_id_6a12ed8b	user_id
	auth_user_groups_group_id_97559544	group_id
Foreign Keys		

Type Name On

auth_user_groups_user_id_6a12ed8b_fk_auth_user_id (user_id) ref auth_user (id)

auth_user_groups_group_id_97559544_fk_auth_group_id (group_id) ref auth_group (id)

Table auth_user_user_permissions		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	user_id	integer
* Unq	permission_id	integer
Indexes		
Туре	Name	On
Pk	auth_user_user_permissions_pkey	id

Table auth_user_user_permissions			
Unq	auth_user_user_permissions_user_id_permission_id_14a6b6 32_uniq	user_id, permission_id	
	auth_user_user_permissions_user_id_a95ead1b	user_id	
	auth_user_user_permissions_permission_id_1fbb5f2c	permission_id	
Foreign	Foreign Keys		
Туре	Name	On	
	auth_user_user_permissions_user_id_a95ead1b_fk_auth_user_id (user_id) ref auth_user (id)		

 $auth_user_user_permi_permission_id_1fbb5f2c_fk_auth_perm \ (\ permission_id \) \ ref \ auth_permission \ (\ id \)$

Table	Table credit_cards_creditcard		
ldx	Name	Data Type	
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY	
*	name	varchar(200)	
*	on_card_name	varchar(200)	
*	flag	varchar(200)	
*	validation_date	date	
*	security_code	integer	
*	credit_limit	decimal(10,2)	
*	max_limit	decimal(10,2)	
* ldx	associated_account_id	bigint	
Indexes	3		
Туре	Name	On	
Pk	credit_cards_creditcard_pkey	id	
	credit_cards_creditcard_associated_account_id_92857bd1	associated_account_id	
Foreign Keys			
Туре	Name	On	
	credit_cards_creditc_associated_account_i_92857bd1_fk_ac	counts_ (associated_account_id) ref accounts_account (id)	
Constraints			
	Name	Definition	

Table credit_cards_creditcardbill		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	year	varchar
*	month	varchar
*	invoice_beginning_date	date
*	invoice_ending_date	date
*	closed	boolean
* ldx	credit_card_id	bigint
Indexes		
Туре	Name	On
Pk	credit_cards_creditcardbill_pkey	id
	credit_cards_creditcardbill_credit_card_id_989345fa	credit_card_id
Foreign Keys		
Туре	Name	On
	credit_cards_creditc_credit_card_id_989345fa_fk_credit_ca (credit_card_id) ref credit_cards_creditcard (id)	

security_code >= 0

 $credit_cards_creditcard_security_code_check$

Table	credit_cards_creditcardexpense	
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	description	varchar(200)
*	value	decimal(10,2)
*	date	date
*	horary	time
*	category	varchar(200)
*	installment	integer
*	payed	boolean
* ldx	card_id	bigint
Indexes		
Type	Name	On
Pk	credit_cards_creditcardexpense_pkey	id
	credit_cards_creditcardexpense_card_id_44f33461	card_id
Foreign	Keys	
Туре	Name	On
	credit_cards_creditc_card_id_44f33461_fk_credit_ca (card_i	d) ref credit_cards_creditcard (id)
Constra	ints	
	Name	Definition
	credit_cards_creditcardexpense_installment_check	installment >= 0
Table	django_admin_log	
Table Idx	django_admin_log Name	Data Type
		Data Type integer GENERATED BY DEFAULT AS IDENTITY
ldx	Name	
ldx	Name id	integer GENERATED BY DEFAULT AS IDENTITY
ldx	Name id action_time	integer GENERATED BY DEFAULT AS IDENTITY timestamptz
ldx * Pk *	Name id action_time object_id	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text
ldx	Name id action_time object_id object_repr	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200)
ldx * Pk * * Idx	Name id action_time object_id object_repr action_flag change_message content_type_id	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint
Idx * Pk * * Idx * Idx	Name id action_time object_id object_repr action_flag change_message content_type_id user_id	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text
Idx * Pk * * Idx * Idx Indexes	Name id action_time object_id object_repr action_flag change_message content_type_id user_id	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer
Idx * Pk * * Idx * Idx Indexes Type	Name id action_time object_id object_repr action_flag change_message content_type_id user_id Name	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer
Idx * Pk * * Idx * Idx Indexes	Name id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer
Idx * Pk * * Idx * Idx Indexes Type	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id
ldx * Pk * * Idx * Idx Indexes Type Pk	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer
ldx * Pk * * Idx * Idx Indexes Type Pk Foreign	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6 Keys	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id user_id
ldx * Pk * * Idx * Idx Indexes Type Pk	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6 Keys Name	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id user_id On
ldx * Pk * * Idx * Idx Indexes Type Pk Foreign	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6 Keys Name django_admin_log_content_type_id_c4bce8eb_fk_django_cc	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id user_id On (content_type_id) ref django_content_type (id)
Idx * Pk * * Idx * Idx Indexes Type Pk Foreign Type	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6 Keys Name django_admin_log_content_type_id_c4bce8eb_fk_django_cc django_admin_log_user_id_c564eba6_fk_auth_user_id (use	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id user_id On (content_type_id) ref django_content_type (id)
ldx * Pk * * Idx * Idx Indexes Type Pk Foreign	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6 Keys Name django_admin_log_content_type_id_c4bce8eb_fk_django_cc django_admin_log_user_id_c564eba6_fk_auth_user_id (use ints	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id user_id On of content_type_id) ref django_content_type (id) r_id) ref auth_user (id)
Idx * Pk * * Idx * Idx Indexes Type Pk Foreign Type	id action_time object_id object_repr action_flag change_message content_type_id user_id Name django_admin_log_pkey django_admin_log_content_type_id_c4bce8eb django_admin_log_user_id_c564eba6 Keys Name django_admin_log_content_type_id_c4bce8eb_fk_django_cc django_admin_log_user_id_c564eba6_fk_auth_user_id (use	integer GENERATED BY DEFAULT AS IDENTITY timestamptz text varchar(200) smallint text integer integer On id content_type_id user_id On (content_type_id) ref django_content_type (id)

Table django_content_type		
ldx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
* Unq	app_label	varchar(100)

Table django_content_type		
* Unq	model	varchar(100)
Indexes		
Туре	Name	On
Pk	django_content_type_pkey	id
Unq	django_content_type_app_label_model_76bd3d3b_uniq	app_label, model

Table django_migrations		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	арр	varchar(255)
*	name	varchar(255)
*	applied	timestamptz
Indexes		
Туре	Name	On
Pk	django_migrations_pkey	id

Table (django_session	
ldx	Name	Data Type
* Pk	session_key	varchar(40)
*	session_data	text
* ldx	expire_date	timestamptz
Indexes		
Туре	Name	On
Pk	django_session_pkey	session_key
	django_session_expire_date_a5c62663	expire_date

Table expenses_expense		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	description	varchar(100)
*	value	decimal(10,2)
*	date	date
*	horary	time
*	category	varchar(200)
*	payed	boolean
* ldx	account_id	bigint
Indexes		
Туре	Name	On
Pk	expenses_expense_pkey	id
	expenses_expense_account_id_c68dc435	account_id
Foreign Keys		
Type	Name	On
	expenses_expense_account_id_c68dc435_fk_accounts_account_id (account_id) ref accounts_account (id)	

Table loans_loan		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	description	varchar(200)

oans_loan		
value	decimal(10,2)	
payed_value	decimal(10,2)	
date	date	
horary	time	
category	varchar(200)	
payed	boolean	
account_id	bigint	
benefited_id	bigint	
creditor_id	bigint	
Name	On	
loans_loan_pkey	id	
loans_loan_account_id_cba48d74	account_id	
loans_loan_benefited_id_8cbac7d0	benefited_id	
loans_loan_creditor_id_f05bacaf	creditor_id	
Foreign Keys		
Name	On	
loans_loan_account_id_cba48d74_fk_accounts_account_id (account_id) ref accounts_account (id)		
loans_loan_benefited_id_8cbac7d0_fk_members_benefited_id	d (benefited_id) ref members_benefited (id)	
loans_loan_creditor_id_f05bacaf_fk_members_creditor_id (creditor_id) ref members_creditor (id)		
	payed_value date horary category payed account_id benefited_id creditor_id Name loans_loan_pkey loans_loan_account_id_cba48d74 loans_loan_benefited_id_8cbac7d0 loans_loan_creditor_id_f05bacaf Keys Name loans_loan_account_id_cba48d74_fk_accounts_account_id (loans_loan_benefited_id_8cbac7d0_fk_members_benefited_id	

Table members_benefited		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(200)
* ldx	document	varchar(200)
*	phone	varchar(200)
	email	varchar(200)
*	sex	varchar(200)
*	active	boolean
Indexes		
Type	Name	On
Pk	members_benefited_pkey	id
	members_benefited_document_855631b7_like	document

I able	Table members_creditor		
ldx	Name	Data Type	
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY	
*	name	varchar(200)	
* ldx	document	varchar(200)	
*	phone	varchar(200)	
	email	varchar(200)	
*	sex	varchar(200)	
*	active	boolean	
Indexes	3		
Туре	Name	On	
Pk	members_creditor_pkey	id	
	members_creditor_document_779b86bb_like	document	

 τ

Table members_member		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(200)
* ldx	document	varchar(200)
*	phone	varchar(200)
	email	varchar(200)
*	sex	varchar(200)
*	active	boolean
Indexes		
Type	Name	On
Pk	members_member_pkey	id
	members_member_document_f99705cd_like	document

Table revenues_revenue		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	description	varchar(200)
*	value	decimal(10,2)
*	date	date
*	horary	time
*	category	varchar(200)
*	received	boolean
* ldx	account_id	bigint
Indexes	3	
Туре	Name	On
Pk	revenues_revenue_pkey	id
	revenues_revenue_account_id_27d289ea	account_id
Foreign Keys		
Туре	Name	On
	revenues_revenue_account_id_27d289ea_fk_accounts_acco	ount_id (account_id) ref accounts_account (id)

Table transfers_transfer		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	description	varchar(200)
*	value	decimal(10,2)
*	date	date
*	horary	time
*	category	varchar(200)
*	transfered	boolean
* ldx	destiny_account_id	bigint
* ldx	origin_account_id	bigint
Indexes		
Туре	Name	On
Pk	transfers_transfer_pkey	id
	transfers_transfer_destiny_account_id_c1b07089	destiny_account_id
	transfers_transfer_origin_account_id_b20470b2	origin_account_id
Foreign Keys		

Table transfers_transfer

Type Name On

 $transfers_transfer_destiny_account_id_c1b07089_fk_accounts_ (\ destiny_account_id\)\ ref\ accounts_account\ (\ id\)$

transfers_transfer_origin_account_id_b20470b2_fk_accounts_ (origin_account_id) ref accounts_account (id)