



Main Diagram

Table auth_group		
Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
* Idx	name	varchar(150)
Indexes		
Type	Name	On
Pk	auth_group_pkey	id
	auth_group_name_a6ea08ec_like	name

Table auth_group_permissions		
Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	group_id	integer
* Unq	permission_id	integer
Indexes		
Type	Name	On
Pk	auth_group_permissions_pkey	id
Unq	auth_group_permissions_group_id_permission_id_0cd325b0_uniq	group_id, permission_id
	auth_group_permissions_group_id_b120cbf9	group_id
	auth_group_permissions_permission_id_84c5c92e	permission_id
Foreign Keys		
Type	Name	On
	auth_group_permissions_group_id_b120cbf9_fk_auth_group_id (group_id) ref auth_group (id)	
	auth_group_permissio_permission_id_84c5c92e_fk_auth_perm (permission_id) ref auth_permission (id)	

Table auth_permission		
Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(255)
* Unq	content_type_id	integer
* Unq	codename	varchar(100)
Indexes		
Type	Name	On
Pk	auth_permission_pkey	id
Unq	auth_permission_content_type_id_codename_01ab375a_uniq	content_type_id, codename
	auth_permission_content_type_id_2f476e4b	content_type_id
Foreign Keys		
Type	Name	On
	auth_permission_content_type_id_2f476e4b_fk_django_co (content_type_id) ref django_content_type (id)	

Table auth_user		
Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	password	varchar(128)
	last_login	timestampz
*	is_superuser	boolean

Table auth_user

* Idx	username	varchar(150)
*	first_name	varchar(150)
*	last_name	varchar(150)
*	email	varchar(254)
*	is_staff	boolean
*	is_active	boolean
*	date_joined	timestampz

Indexes

Type	Name	On
Pk	auth_user_pkey	id
	auth_user_username_6821ab7c_like	username

Table auth_user_groups

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	user_id	integer
* Unq	group_id	integer

Indexes

Type	Name	On
Pk	auth_user_groups_pkey	id
Unq	auth_user_groups_user_id_group_id_94350c0c_uniq	user_id, group_id
	auth_user_groups_user_id_6a12ed8b	user_id
	auth_user_groups_group_id_97559544	group_id

Foreign Keys

Type	Name	On
	auth_user_groups_user_id_6a12ed8b_fk_auth_user_id (user_id)	ref auth_user (id)
	auth_user_groups_group_id_97559544_fk_auth_group_id (group_id)	ref auth_group (id)

Table auth_user_user_permissions

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	user_id	integer
* Unq	permission_id	integer

Indexes

Type	Name	On
Pk	auth_user_user_permissions_pkey	id
Unq	auth_user_user_permissions_user_id_permission_id_14a6b632_uniq	user_id, permission_id
	auth_user_user_permissions_user_id_a95ead1b	user_id
	auth_user_user_permissions_permission_id_1fbb5f2c	permission_id

Foreign Keys

Type	Name	On
	auth_user_user_permissions_user_id_a95ead1b_fk_auth_user_id (user_id)	ref auth_user (id)
	auth_user_user_permi_permission_id_1fbb5f2c_fk_auth_perm (permission_id)	ref auth_permission (id)

Table core_apiauditlog

Idx	Name	Data Type
* Pk	id	uuid

Table core_apiauditlog

*	session_id	varchar(40)
* Idx	method	varchar(10)
* Idx	endpoint	varchar(500)
*	full_url	varchar(200)
* Idx	ip_address	inet
*	user_agent	text
	referrer	varchar(200)
*	request_headers	jsonb
	request_body	jsonb
* Idx	response_status	integer
	response_size	integer
*	response_time_ms	double precision
*	db_queries_count	integer
	db_time_ms	double precision
*	resource_type	varchar(50)
*	resource_id	varchar(100)
* Idx	is_suspicious	boolean
* Idx	risk_score	smallint
*	api_version	varchar(10)
*	rate_limit_hit	boolean
*	error_message	text
*	additional_data	jsonb
* Idx	timestamp	timestamptz
Idx	user_id	integer

Indexes

Type	Name	On
Pk	core_apiauditlog_pkey	id
	core_apiauditlog_user_id_1b306e7d	user_id
	core_apiaud_user_id_95cb53_idx	user_id, timestamp
	core_apiaud_endpoin_c02b02_idx	endpoint, method
	core_apiaud_ip_addr_9177d4_idx	ip_address, timestamp
	core_apiaud_respons_8e271e_idx	response_status, timestamp
	core_apiaud_is_susp_09c123_idx	is_suspicious, risk_score

Foreign Keys

Type	Name	On
	core_apiauditlog_user_id_1b306e7d_fk_auth_user_id (user_id) ref auth_user (id)	

Constraints

Name	Definition
core_apiauditlog_response_status_check	response_status >= 0
core_apiauditlog_response_size_check	response_size >= 0
core_apiauditlog_db_queries_count_check	db_queries_count >= 0
core_apiauditlog_risk_score_check	risk_score >= 0

Table core_campaign

Idx	Name	Data Type
*	created_at	timestamptz
*	updated_at	timestamptz
* Pk	id	uuid

Table core_campaign

*	name	varchar(200)
*	description	text
* Idx	status	varchar(20)
*	target_platforms	jsonb
*	target_audience	text
	budget	decimal(10,2)
* Idx	start_date	timestampz
Idx	end_date	timestampz
*	goals	jsonb
*	tags	jsonb
*	is_active	boolean
*	is_public	boolean
* Idx	owner_id	integer

Indexes

Type	Name	On
Pk	core_campaign_pkey	id
	core_campaign_owner_id_ca3e5993	owner_id
	core_campai_owner_i_a90e68_idx	owner_id, status
	core_campai_start_d_c3f578_idx	start_date, end_date

Foreign Keys

Type	Name	On
	core_campaign_owner_id_ca3e5993_fk_auth_user_id (owner_id) ref auth_user (id)	

Table core_sourcesite

Idx	Name	Data Type
*	created_at	timestampz
*	updated_at	timestampz
* Pk	id	uuid
*	name	varchar(200)
* Idx	url	varchar(200)
*	description	text
* Idx	category	varchar(50)
* Idx	is_public	boolean
* Idx	is_active	boolean
*	monitor_frequency	integer
	last_checked	timestampz
Idx	next_check	timestampz
*	content_selectors	jsonb
*	exclude_patterns	jsonb
*	custom_headers	jsonb
*	min_content_length	integer
*	language	varchar(10)
*	total_posts_discovered	integer
*	successful_extractions	integer
*	failed_extractions	integer
*	last_error	text
*	error_count	integer
*	auto_create_campaigns	boolean

Table core_sourcesite

* Idx owner_id integer

Indexes

Type	Name	On
Pk	core_sourcesite_pkey	id
	core_sourcesite_url_d229f6e4_like	url
	core_sourcesite_owner_id_295437f9	owner_id
	core_source_owner_i_cd902a_idx	owner_id, is_active
	core_source_next_ch_f5a474_idx	next_check
	core_source_categor_226900_idx	category, is_public

Foreign Keys

Type	Name	On
	core_sourcesite_owner_id_295437f9_fk_auth_user_id (owner_id) ref auth_user (id)	

Constraints

Name	Definition
core_sourcesite_total_posts_discovered_check	total_posts_discovered >= 0
core_sourcesite_successful_extractions_check	successful_extractions >= 0
core_sourcesite_monitor_frequency_check	monitor_frequency >= 0
core_sourcesite_error_count_check	error_count >= 0
core_sourcesite_failed_extractions_check	failed_extractions >= 0
core_sourcesite_min_content_length_check	min_content_length >= 0

Table core_systemmetrics

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	created_at	timestampz
*	updated_at	timestampz
*	total_api_calls_today	integer
*	successful_api_calls_today	integer
*	failed_api_calls_today	integer
	avg_response_time_ms	double precision
*	total_content_pieces	integer
*	total_published_content	integer
*	total_campaigns	integer
*	total_embeddings_created	integer
*	total_images_generated	integer
*	ai_processing_cost_today	decimal(10,2)
*	active_users_today	integer
*	new_users_today	integer
*	premium_users	integer
*	system_status	varchar(20)
* Unq	metrics_date	date

Indexes

Type	Name	On
Pk	core_systemmetrics_pkey	id
Unq	core_systemmetrics_metrics_date_key	metrics_date

Constraints

Name	Definition
core_systemmetrics_successful_api_calls_today_check	successful_api_calls_today >= 0

Table core_systemmetrics

core_systemmetrics_failed_api_calls_today_check	failed_api_calls_today >= 0
core_systemmetrics_total_content_pieces_check	total_content_pieces >= 0
core_systemmetrics_total_published_content_check	total_published_content >= 0
core_systemmetrics_total_campaigns_check	total_campaigns >= 0
core_systemmetrics_total_embeddings_created_check	total_embeddings_created >= 0
core_systemmetrics_total_images_generated_check	total_images_generated >= 0
core_systemmetrics_active_users_today_check	active_users_today >= 0
core_systemmetrics_new_users_today_check	new_users_today >= 0
core_systemmetrics_premium_users_check	premium_users >= 0
core_systemmetrics_total_api_calls_today_check	total_api_calls_today >= 0

Table core_userprofile

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	created_at	timestampz
*	updated_at	timestampz
*	company	varchar(200)
*	job_title	varchar(100)
*	phone_number	varchar(20)
*	api_quota	integer
*	api_usage_current_month	integer
*	quota_reset_date	timestampz
*	plan_type	varchar(20)
*	is_premium	boolean
*	timezone	varchar(50)
*	language	varchar(10)
*	email_notifications	boolean
*	preferences	jsonb
*	total_content_created	integer
*	total_images_generated	integer
*	total_embeddings_created	integer
* Unq	user_id	integer

Indexes

Type	Name	On
Pk	core_userprofile_pkey	id
Unq	core_userprofile_user_id_key	user_id

Foreign Keys

Type	Name	On
	core_userprofile_user_id_5141ad90_fk_auth_user_id (user_id) ref auth_user (id)	

Constraints

Name	Definition
core_userprofile_total_content_created_check	total_content_created >= 0
core_userprofile_api_quota_check	api_quota >= 0
core_userprofile_total_embeddings_created_check	total_embeddings_created >= 0
core_userprofile_total_images_generated_check	total_images_generated >= 0
core_userprofile_api_usage_current_month_check	api_usage_current_month >= 0

Table django_admin_log

Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
*	action_time	timestampz
	object_id	text
*	object_repr	varchar(200)
*	action_flag	smallint
*	change_message	text
Idx	content_type_id	integer
* Idx	user_id	integer

Indexes

Type	Name	On
Pk	django_admin_log_pkey	id
	django_admin_log_content_type_id_c4bce8eb	content_type_id
	django_admin_log_user_id_c564eba6	user_id

Foreign Keys

Type	Name	On
	django_admin_log_content_type_id_c4bce8eb_fk_django_co (content_type_id) ref django_content_type (id)	
	django_admin_log_user_id_c564eba6_fk_auth_user_id (user_id) ref auth_user (id)	

Constraints

Name	Definition
django_admin_log_action_flag_check	action_flag >= 0

Table django_content_type

Idx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
* Unq	app_label	varchar(100)
* Unq	model	varchar(100)

Indexes

Type	Name	On
Pk	django_content_type_pkey	id
Unq	django_content_type_app_label_model_76bd3d3b_uniq	app_label, model

Table django_migrations

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	app	varchar(255)
*	name	varchar(255)
*	applied	timestampz

Indexes

Type	Name	On
Pk	django_migrations_pkey	id

Table django_session

Idx	Name	Data Type
* Pk	session_key	varchar(40)
*	session_data	text
* Idx	expire_date	timestampz

Indexes

Table django_session

Type	Name	On
Pk	django_session_pkey	session_key
	django_session_expire_date_a5c62663	expire_date

Table embeddings_embedding

Idx	Name	Data Type
* Pk	id	uuid
*	origin	varchar(20)
*	content	text
	title	varchar(500)
*	embedding_vector	jsonb
*	metadata	jsonb
	metadata.text_length	_number
	metadata.processed_at	_string
	metadata.source_fields	_array
	metadata.original_source	_object
	metadata.original_source.data	_string
	metadata.original_source.titulo	_string
	metadata.original_source.conteudo	_string
	metadata.original_source.consultor	_string
	metadata.original_source.produto_ofertado	_string
	metadata.original_source.cliente	_string
	metadata.elasticsearch_id	_string
	metadata.elasticsearch_index	_string
	metadata.elasticsearch_score	_number
*	created_at	timestampz
*	updated_at	timestampz

Indexes

Type	Name	On
Pk	embeddings_embedding_pkey	id

Table embeddings_enhancedembedding

Idx	Name	Data Type
*	created_at	timestampz
*	updated_at	timestampz
* Pk	id	uuid
*	title	varchar(500)
*	content	text
* Idx	content_hash	varchar(64)
*	embedding_vector	jsonb
*	model_name	varchar(100)
*	token_count	integer
	object_id	uuid
* Idx	source_type	varchar(50)
	source_url	varchar(200)
Idx	quality_score	double precision
* Idx	language	varchar(10)
*	topics	jsonb

Table embeddings_enhancedembedding

*	keywords	jsonb
* Idx	is_processed	boolean
*	processing_error	text
*	metadata	jsonb
*	similarity_search_count	integer
	last_accessed	timestampz
Idx	campaign_id	uuid
Idx	content_type_id	integer
* Idx	knowledge_base_id	uuid

Indexes

Type	Name	On
Pk	embeddings_enhancedembedding_pkey	id
	embeddings__knowled_68b555_idx	knowledge_base_id, source_type
	embeddings__quality_3c0512_idx	quality_score
	embeddings__campaig_5d974b_idx	campaign_id, is_processed
	embeddings__languag_122dcb_idx	language, source_type
	embeddings_enhancedembedding_content_hash_e982c36b_1ike	content_hash
	embeddings_enhancedembedding_campaign_id_92ded2a0	campaign_id
	embeddings_enhancedembedding_content_type_id_bd49772c	content_type_id
	embeddings_enhancedembedding_knowledge_base_id_d89400b1	knowledge_base_id

Foreign Keys

Type	Name	On
	embeddings_enhancede_campaign_id_92ded2a0_fk_core_camp	(campaign_id) ref core_campaign (id)
	embeddings_enhancede_content_type_id_bd49772c_fk_django_co	(content_type_id) ref django_content_type (id)
	embeddings_enhancede_knowledge_base_id_d89400b1_fk_embedding	(knowledge_base_id) ref embeddings_knowledgebase (id)

Constraints

Name	Definition
embeddings_enhancedembedding_token_count_check	token_count >= 0
embeddings_enhancedembedding_similarity_search_count_c heck	similarity_search_count >= 0

Table embeddings_knowledgebase

Idx	Name	Data Type
*	created_at	timestampz
*	updated_at	timestampz
* Pk	id	uuid
*	name	varchar(200)
*	description	text
*	embedding_model	varchar(100)
*	dimension	integer
*	is_public	boolean
* Idx	is_active	boolean
*	total_embeddings	integer
*	total_tokens	bigint
* Idx	owner_id	integer

Indexes

Table embeddings_knowledgebase

Type	Name	On
Pk	embeddings_knowledgebase_pkey	id
	embeddings__owner_i_0c4c02_idx	owner_id, is_active
	embeddings_knowledgebase_owner_id_91ac4334	owner_id

Foreign Keys

Type	Name	On
	embeddings_knowledgebase_owner_id_91ac4334_fk_auth_user_id (owner_id) ref auth_user (id)	

Constraints

	Name	Definition
	embeddings_knowledgebase_dimension_check	dimension >= 0
	embeddings_knowledgebase_total_embeddings_check	total_embeddings >= 0
	embeddings_knowledgebase_total_tokens_check	total_tokens >= 0

Table sites_scrapedpost

Idx	Name	Data Type
*	created_at	timestampz
*	updated_at	timestampz
* Pk	id	uuid
*	title	varchar(500)
* Idx	url	varchar(200)
*	content	text
*	summary	text
*	keywords	jsonb
*	language	varchar(10)
* Idx	status	varchar(20)
	processing_started_at	timestampz
	processing_completed_at	timestampz
*	word_count	integer
*	reading_time_minutes	integer
Idx	quality_score	double precision
	featured_image_url	varchar(200)
*	images	jsonb
*	author	varchar(200)
Idx	published_date	timestampz
* Idx	scraped_at	timestampz
*	ai_analysis	jsonb
*	content_themes	jsonb
	sentiment_score	double precision
*	error_message	text
*	retry_count	integer
Idx	processed_by_id	integer
* Idx	source_site_id	uuid

Indexes

Type	Name	On
Pk	sites_scrapedpost_pkey	id
	sites_scrapedpost_url_4181fbb9_like	url
	sites_scrapedpost_processed_by_id_7bff59e3	processed_by_id
	sites_scrapedpost_source_site_id_40528875	source_site_id

Table sites_scrapedpost

sites_scrap_source__2243a8_idx	source_site_id, status
sites_scrap_scraped_0159f7_idx	scraped_at, status
sites_scrap_quality_d67c1c_idx	quality_score
sites_scrap_publish_dd2f7c_idx	published_date

Foreign Keys

Type	Name	On
	sites_scrapedpost_processed_by_id_7bff59e3_fk_auth_user_id (processed_by_id)	ref auth_user (id)
	sites_scrapedpost_source_site_id_40528875_fk_core_sourcesite_id (source_site_id)	ref core_sourcesite (id)

Constraints

Name	Definition
sites_scrapedpost_word_count_check	word_count >= 0
sites_scrapedpost_reading_time_minutes_check	reading_time_minutes >= 0
sites_scrapedpost_retry_count_check	retry_count >= 0

Table sites_site

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(200)
*	url	varchar(200)
*	category	varchar(200)
*	enable_recursive_crawling	boolean
*	max_depth	integer
*	max_pages	integer
	allow_patterns	text
	deny_patterns	text
	content_selectors	text
*	created_at	timestampz
*	updated_at	timestampz
*	monitored	boolean

Indexes

Type	Name	On
Pk	sites_site_pkey	id

Constraints

Name	Definition
sites_site_max_depth_check	max_depth >= 0
sites_site_max_pages_check	max_pages >= 0

Table texts_contentpiece

Idx	Name	Data Type
*	created_at	timestampz
*	updated_at	timestampz
* Pk	id	uuid
*	title	varchar(200)
*	content	text
* Idx	content_type	varchar(20)
*	target_platforms	jsonb
* Idx	status	varchar(20)
*	tags	jsonb

Table texts_contentpiece		
*	metadata	jsonb
* Idx	is_published	boolean
Idx	published_at	timestampz
Idx	scheduled_for	timestampz
*	view_count	integer
	engagement_score	double precision
*	performance_metrics	jsonb
Idx	campaign_id	uuid
* Idx	creator_id	integer
Indexes		
Type	Name	On
Pk	texts_contentpiece_pkey	id
	texts_contentpiece_campaign_id_fafce987	campaign_id
	texts_contentpiece_creator_id_1109d638	creator_id
	texts_conte_creator_fc bd0e_idx	creator_id, status
	texts_conte_campaig_b01deb_idx	campaign_id, content_type
	texts_conte_schedul_1f5722_idx	scheduled_for
	texts_conte_is_publ_3f60be_idx	is_published, published_at
Foreign Keys		
Type	Name	On
	texts_contentpiece_campaign_id_fafce987_fk_core_campaign_id (campaign_id) ref core_campaign (id)	
	texts_contentpiece_creator_id_1109d638_fk_auth_user_id (creator_id) ref auth_user (id)	
Constraints		
	Name	Definition
	texts_contentpiece_view_count_check	view_count >= 0

Table texts_text		
Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	theme	varchar(200)
*	platform	varchar(200)
*	content	text
*	created_at	timestampz
*	updated_at	timestampz
*	is_approved	boolean
Indexes		
Type	Name	On
Pk	texts_text_pkey	id

Table token_blacklist_blacklistedtoken		
Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	blacklisted_at	timestampz
* Unq	token_id	bigint
Indexes		
Type	Name	On
Pk	token_blacklist_blacklistedtoken_pkey	id
Unq	token_blacklist_blacklistedtoken_token_id_key	token_id

Table token_blacklist_blacklistedtoken

Foreign Keys

Type	Name	On
	token_blacklist_blacklistedtoken_token_id_3cc7fe56_fk (token_id)	ref token_blacklist_outstandingtoken (id)

Table token_blacklist_outstandingtoken

Idx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	token	text
	created_at	timestamptz
*	expires_at	timestamptz
Idx	user_id	integer
* Idx	jti	varchar(255)

Indexes

Type	Name	On
Pk	token_blacklist_outstandingtoken_pkey	id
	token_blacklist_outstandingtoken_user_id_83bc629a	user_id
	token_blacklist_outstandingtoken_jti_hex_d9bdf6f7_like	jti

Foreign Keys

Type	Name	On
	token_blacklist_outs_user_id_83bc629a_fk_auth_user (user_id)	ref auth_user (id)

Table unipost_image_generator_aiimagerequest

Idx	Name	Data Type
* Idx	created_at	timestamptz
*	updated_at	timestamptz
* Pk	id	uuid
	object_id	uuid
*	original_text	text
*	ai_prompt	text
*	user_prompt_modifications	text
*	final_prompt	text
*	model_name	varchar(100)
*	image_size	varchar(20)
*	style	varchar(50)
*	quality	varchar(20)
* Idx	status	varchar(20)
	processing_started_at	timestamptz
	processing_completed_at	timestamptz
	estimated_cost	decimal(8,4)
	actual_cost	decimal(8,4)
*	error_message	text
*	retry_count	integer
Idx	campaign_id	uuid
Idx	content_type_id	integer
* Idx	requester_id	integer

Indexes

Type	Name	On
Pk	unipost_image_generator_aiimagerequest_pkey	id

Table unipost_image_generator_aiimagerequest

unipost_ima_request_cb3b8c_idx	requester_id, status
unipost_ima_campaig_2e266d_idx	campaign_id, status
unipost_ima_status_b3457f_idx	status, created_at
unipost_image_generator_aiimagerequest_campaign_id_92a1d85e	campaign_id
unipost_image_generator_aiimagerequest_content_type_id_b2f13239	content_type_id
unipost_image_generator_aiimagerequest_requester_id_1d3a2443	requester_id

Foreign Keys

Type	Name	On
	unipost_image_genera_campaign_id_92a1d85e_fk_core_camp	(campaign_id) ref core_campaign (id)
	unipost_image_genera_content_type_id_b2f13239_fk_django_co	(content_type_id) ref django_content_type (id)
	unipost_image_genera_requester_id_1d3a2443_fk_auth_user	(requester_id) ref auth_user (id)

Constraints

Name	Definition
unipost_image_generator_aiimagerequest_retry_count_check	retry_count >= 0

Table unipost_image_generator_enhancedgeneratedimage

Idx	Name	Data Type
*	created_at	timestamptz
*	updated_at	timestamptz
* Pk	id	uuid
*	image_path	varchar(500)
*	original_url	varchar(200)
	file_size	integer
*	file_format	varchar(10)
* Idx	width	integer
* Idx	height	integer
*	aspect_ratio	varchar(20)
*	api_response	jsonb
*	revised_prompt	text
Idx	quality_score	double precision
*	content_analysis	jsonb
*	download_count	integer
	last_accessed	timestamptz
* Idx	is_approved	boolean
	approved_at	timestamptz
Idx	approved_by_id	integer
* Idx	image_request_id	uuid

Indexes

Type	Name	On
Pk	unipost_image_generator_enhancedgeneratedimage_pkey	id
	unipost_ima_image_r_d2fbac_idx	image_request_id, is_approved
	unipost_ima_width_404a0c_idx	width, height
	unipost_ima_quality_adba29_idx	quality_score
	unipost_image_generator_en_approved_by_id_647d84b4	approved_by_id
	unipost_image_generator_en_image_request_id_402fe34e	image_request_id

Foreign Keys

Type	Name	On
------	------	----

Table unipost_image_generator_enhancedgeneratedimage

unipost_image_genera_approved_by_id_647d84b4_fk_auth_user (approved_by_id) ref auth_user (id)

unipost_image_genera_image_request_id_402fe34e_fk_unipost_i (image_request_id) ref
unipost_image_generator_aiimagerequest (id)

Constraints

Name	Definition
unipost_image_generator_enhancedgeneratedimage_file_size_check	file_size >= 0
unipost_image_generator_enhancedgeneratedimage_width_check	width >= 0
unipost_image_generator_enhancedgeneratedimage_height_check	height >= 0
unipost_image_generator_enhancedgeneratedimage_download_count_check	download_count >= 0

Table unipost_image_generator_generatedimage

Idx	Name	Data Type
* Pk	id	uuid
*	original_text	text
*	generated_prompt	text
*	image_path	varchar(500)
*	dalle_response	jsonb
*	generation_metadata	jsonb
*	created_at	timestampz
*	updated_at	timestampz
* Idx	embedding_id	uuid

Indexes

Type	Name	On
Pk	unipost_image_generator_generatedimage_pkey	id
	unipost_image_generator_generatedimage_embedding_id_dee1bd03	embedding_id

Foreign Keys

Type	Name	On
	unipost_image_genera_embedding_id_dee1bd03_fk_embedding	(embedding_id) ref embeddings_embedding (id)