
Main Diagram 19-09-2025 DbSchema.com © DATE Wise Coders





Schemalia

Main Diagram

Table auth_group		
ldx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY
* ldx	name	varchar(150)
Indexes		
Туре	Name	On
Pk	auth_group_pkey	id
	auth_group_name_a6ea08ec_like	name

Table auth_group_permissions		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	group_id	integer
* Unq	permission_id	integer
Indexes		
Туре	Name	On
Pk	auth_group_permissions_pkey	id
Unq	auth_group_permissions_group_id_permission_id_0cd325b0_uniq	group_id, permission_id
	auth_group_permissions_group_id_b120cbf9	group_id
	auth_group_permissions_permission_id_84c5c92e	permission_id
Foreign Keys		
Туре	Name	On
auth_group_permissions_group_id_b120cbf9_fk_auth_group_id (group_id) ref auth_group (id)		_id (group_id) ref auth_group (id)
	auth_group_permissio_permission_id_84c5c92e_fk_auth_perm (permission_id) ref auth_permission (id)	

Table auth_permission			
ldx	Name	Data Type	
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY	
*	name	varchar(255)	
* Unq	content_type_id	integer	
* Unq	codename	varchar(100)	
Indexes			
Туре	Name	On	
Pk	auth_permission_pkey	id	
Unq	auth_permission_content_type_id_codename_01ab375a_uniq content_type_id, codename		
	auth_permission_content_type_id_2f476e4b	content_type_id	
Foreign Keys			
Туре	Name	On	
	auth_permission_content_type_id_2f476e4b_fk_django_co (d	content_type_id) ref django_content_type (id)	

Table	Table auth_user		
ldx	Name	Data Type	
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY	
*	password	varchar(128)	
	last_login	timestamptz	
*	is_superuser	boolean	

Table auth_user		
* ldx	username	varchar(150)
*	first_name	varchar(150)
*	last_name	varchar(150)
*	email	varchar(254)
*	is_staff	boolean
*	is_active	boolean
*	date_joined	timestamptz
Indexes		
Type	Name	On
Pk	auth_user_pkey	id
	auth_user_username_6821ab7c_like	username

Table auth_user_groups		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	user_id	integer
* Unq	group_id	integer
Indexes		
Туре	Name	On
Pk	auth_user_groups_pkey	id
Unq	auth_user_groups_user_id_group_id_94350c0c_uniq	user_id, group_id
	auth_user_groups_user_id_6a12ed8b	user_id
	auth_user_groups_group_id_97559544	group_id
Foreign Keys		
Туре	Name	On
	auth_user_groups_user_id_6a12ed8b_fk_auth_user_id (user_id) ref auth_user (id)	
	auth_user_groups_group_id_97559544_fk_auth_group_id(group_id)ref auth_group(id)	

Table auth_user_user_permissions		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
* Unq	user_id	integer
* Unq	permission_id	integer
Indexes		
Туре	Name	On
Pk	auth_user_user_permissions_pkey	id
Unq	auth_user_user_permissions_user_id_permission_id_14a6b6 32_uniq	user_id, permission_id
	auth_user_user_permissions_user_id_a95ead1b	user_id
	auth_user_user_permissions_permission_id_1fbb5f2c	permission_id
Foreign Keys		
Туре	Name	On
	auth_user_user_permissions_user_id_a95ead1b_fk_auth_user_id (user_id) ref auth_user (id)	
	auth_user_user_permi_permission_id_1fbb5f2c_fk_auth_perm (permission_id) ref auth_permission (id)	

Table (Table django_admin_log	
ldx	Name	Data Type
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY

Table (django_admin_log	
*	action_time	timestamptz
	object_id	text
*	object_repr	varchar(200)
*	action_flag	smallint
*	change_message	text
ldx	content_type_id	integer
* ldx	user_id	integer
Indexes		
Type	Name	On
Pk	django_admin_log_pkey	id
	django_admin_log_content_type_id_c4bce8eb	content_type_id
	django_admin_log_user_id_c564eba6	user_id

Foreign Keys

Type Name On

django_admin_log_content_type_id_c4bce8eb_fk_django_co (content_type_id) ref django_content_type (id)

django_admin_log_user_id_c564eba6_fk_auth_user_id (user_id) ref auth_user (id)

Constraints

Name Definition

django_admin_log_action_flag_check action_flag >= 0

Table (Table django_content_type		
ldx	Name	Data Type	
* Pk	id	integer GENERATED BY DEFAULT AS IDENTITY	
* Unq	app_label	varchar(100)	
* Unq	model	varchar(100)	
Indexes			
Туре	Name	On	
Pk	django_content_type_pkey	id	
Unq	django_content_type_app_label_model_76bd3d3b_uniq	app_label, model	

Table django_migrations		
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	арр	varchar(255)
*	name	varchar(255)
*	applied	timestamptz
Indexes		
Туре	Name	On
Pk	django_migrations_pkey	id

Table django_session		
ldx	Name	Data Type
* Pk	session_key	varchar(40)
*	session_data	text
* ldx	expire_date	timestamptz
Indexes		
Туре	Name	On
Pk	django_session_pkey	session_key

* Pk id uuid * origin varchar(20) * content text title varchar(500) * embedding_vector jsonb * metadata metadata.site_url metadata.site_name metadata.site_name metadata.craped_at metadata.chunk_index metadata.processed_at metadata.total_chunks metadata.total_chunks _ number	Table d	ljango_session	
IdxNameData Type* Pkiduuid* originvarchar(20)* contenttexttitlevarchar(500)* embedding_vectorjsonb* metadatajsonbmetadata.site_url_stringmetadata.site_name_stringmetadata.scraped_at_stringmetadata.chunk_index_numbermetadata.processed_at_stringmetadata.total_chunks_number		django_session_expire_date_a5c62663	expire_date
IdxNameData Type* Pkiduuid* originvarchar(20)* contenttexttitlevarchar(500)* embedding_vectorjsonb* metadatajsonbmetadata.site_url_stringmetadata.site_name_stringmetadata.scraped_at_stringmetadata.chunk_index_numbermetadata.processed_at_stringmetadata.total_chunks_number			
* Pk id uuid * origin varchar(20) * content text title varchar(500) * embedding_vector jsonb * metadata metadata.site_url metadata.site_name metadata.site_name metadata.craped_at metadata.chunk_index metadata.processed_at metadata.total_chunks metadata.total_chunks _ number	Table e	embeddings_embedding	
varchar(20) content text title varchar(500) metadata metadata.site_url jsonb metadata.site_name _string metadata.scraped_at _string metadata.chunk_index _number metadata.processed_at _string metadata.total_chunks _number	ldx	Name	Data Type
title varchar(500) embedding_vector jsonb metadata site_url _string metadata.scraped_at _string metadata.chunk_index _number metadata.processed_at _string metadata.total_chunks _number	* Pk	id	uuid
title varchar(500) embedding_vector jsonb metadata metadata.site_url _string metadata.site_name _string metadata.scraped_at _string metadata.chunk_index _number metadata.processed_at _string metadata.total_chunks _number	*	origin	varchar(20)
metadata jsonb metadata.site_url _string metadata.site_name _string metadata.scraped_at _string metadata.chunk_index _number metadata.processed_at _string metadata.total_chunks _number	*	content	text
metadata jsonb metadata.site_url _string metadata.site_name _string metadata.scraped_at _string metadata.chunk_index _number metadata.processed_at _string metadata.total_chunks _number		title	varchar(500)
metadata.site_urlstring metadata.site_namestring metadata.scraped_atstring metadata.chunk_indexnumber metadata.processed_atstring metadata.total_chunksnumber	*	embedding_vector	jsonb
metadata.site_name _string metadata.scraped_at _string metadata.chunk_index _number metadata.processed_at _string metadata.total_chunks _number	*	metadata	jsonb
metadata.scraped_atstring metadata.chunk_indexnumber metadata.processed_atstring metadata.total_chunksnumber		metadata.site_url	_string
metadata.chunk_indexnumber metadata.processed_atstring metadata.total_chunksnumber		metadata.site_name	_string
metadata.processed_atstring metadata.total_chunksnumber		metadata.scraped_at	_string
metadata.total_chunksnumber		metadata.chunk_index	_number
		metadata.processed_at	_string
		metadata.total_chunks	_number
created_at timestamptz	*	created_at	timestamptz
* updated_at timestamptz	*	updated_at	timestamptz
indexes	Indexes		
Type Name On	Type	Name	On
Pk embeddings_embedding_pkey id	Pk	embeddings_embedding_pkey	id

Table	sites_site	
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	name	varchar(200)
*	url	varchar(200)
*	category	varchar(200)
*	enable_recursive_crawling	boolean
*	max_depth	integer
*	max_pages	integer
	allow_patterns	text
	deny_patterns	text
	content_selectors	text
*	created_at	timestamptz
*	updated_at	timestamptz
Indexes		
Туре	Name	On
Pk	sites_site_pkey	id
Constra	ints	
	Name	Definition
	sites_site_max_depth_check	max_depth >= 0
	sites_site_max_pages_check	max_pages >= 0

Table t	exts_text	
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	theme	varchar(200)

Table 1	texts_text	
*	platform	varchar(200)
*	content	text
*	created_at	timestamptz
*	updated_at	timestamptz
*	is_approved	boolean
Indexes		
Туре	Name	On
Pk	texts_text_pkey	id

Table '	en_blacklist_blacklistedtoken	
ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	blacklisted_at	timestamptz
* Unq	token_id	bigint
Indexes		
Type	Name	On
Pk	token_blacklist_blacklistedtoken_pkey	id
Unq	token_blacklist_blacklistedtoken_token_id_key	token_id
Foreign	Keys	
Туре	Name	On
	token_blacklist_blacklistedtoken_token_id_3cc7fe56_fk (toke	n_id) ref token_blacklist_outstandingtoken (id)

ldx	Name	Data Type
* Pk	id	bigint GENERATED BY DEFAULT AS IDENTITY
*	token	text
	created_at	timestamptz
*	expires_at	timestamptz
ldx	user_id	integer
* ldx	jti	varchar(255)
Indexes	3	
Туре	Name	On
Pk	token_blacklist_outstandingtoken_pkey	id
	token_blacklist_outstandingtoken_user_id_83bc629a	user_id
	token_blacklist_outstandingtoken_jti_hex_d9bdf6f7_like	jti
Foreign	Keys	
Туре	Name	On
	token_blacklist_outs_user_id_83bc629a_fk_auth_user (user_id) ref auth_user (id)	