SOEN331: Introduction to Formal Methods for Software Engineering Assignment 2 on Object-Z specification

Tarek Ait Hamouda (40044119), Abhijit Gupta (40066502), Ethel Narra Pangan (40061530)

February 28, 2019

1 Map

```
[Description, Coordinate]
Point == Coordinate \times Coordinate
Message ::== ok \mid location\_already\_known \mid no\_location\_found
  locations: Description \rightarrow Point
 _ INIT _____
  locations = \{\}
 \_AddLocationOK _____
  \Delta(locations)
  newDescription?: Description
 newPoint?: Point
 newDescription? \not\in dom\ locations
  locations' = locations \cup \{newDescription? \rightarrow newPoint?\}
 \_DeleteLocationOK \_\_\_
  \Delta(locations)
  location?: locations
  location? \in locations
 locations' = locations \setminus \{location\}
  \_ModifyLocationOK ______
  \Delta(locations)
  desc?: Description
 newPoint?: Point
  desc? \in dom\ locations
 locations' = locations \oplus \{desc? \rightarrow newPoint?\}
 \_FindLocationOK \_
  desc?: Description
 point!: Point
  desc? \in domlocations
  point! = locations(desc?)
  _ Success _____
 result!: Message
 result! = ok
```

<i>Map2</i>
Map
$count: \mathbb{N}$
count >= 0
count = 0
$_AddLocationOK$ $___$
$\Delta(count)$
count' = count + 1
DeleteLocationOK
$\Delta(count)$
count' = count - 1
ModifyLocationOK
count' = count
FindLocationOK
count' = count