
	13.	0.TUU [15]
	0 ns	200 ns
data address bus[21:0]	-	72227777727777777
data_address_bus[31:0]		
la frame		
la iready		
tready		
deviceSelect		
l request_A		
larequest_B		
larequest_C		
<mark>l</mark> clk clk	7477	
🔚 reset	Ц	
場 cbe		
両 no_data[3:0]	\Diamond	0010
■ forceadd[31:0]		000000000000000000000000000000000000000
odeviceA[31:0]	\Box	000000000000000000000000000000000000000
₹ deviceB[31:0]	Ф	000000000000000000000000000000000000000
₩ deviceC[31:0]		000000000000000000000000000000000000000
initialize_memory_A0[31:0]	\Box	000000000000000000000000000000000000000
initialize_memory_A1[31:0]	Ф	000000000000000000000000000000000000000
initialize_memory_A2[31:0]		000000000000000000000000000000000000000
initialize_memory_A3[31:0]		000000000000000000000000000000000000000
initialize_memory_A4[31:0]		000000000000000000000000000000000000000
initialize_memory_A5[31:0]	\Box	000000000000000000000000000000000000000
initialize_memory_A6[31:0]		000000000000000000000000000000000110
initialize_memory_A7[31:0]		000000000000000000000000000000111
initialize_memory_A8[31:0]		000000000000000000000000000000000000000
initialize_memory_A9[31:0]		000000000000000000000000000000000000000
initialize_memory_B0[31:0]		000000000000000000000000000000000000000
initialize_memory_B1[31:0]	T	000000000000000000000000000000000000000
initialize_memory_B2[31:0]		000000000000000000000000000000000000000
initialize_memory_B3[31:0]	一	000000000000000000000000000000000000001101
initialize_memory_B4[31:0]		000000000000000000000000000000001110
initialize_memory_B5[31:0]	THE STATE OF THE S	0000000000000000000000000000001111
initialize_memory_B6[31:0]		000000000000000000000000000000000000000
initialize_memory_B7[31:0]		000000000000000000000000000000000000000

13.400 ns



🔚 grant_A 🔚 grant_B U grant_C

i[31:0]