

# INTERNET APPLICATIONS PROGRAMMING

-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Final\_Exam

Question 20

Not answered


0.00 out of 2.00

Flag question

The section that contains information about the HTML5 document is called

Select one:

- a. title section
- b. head section
- c. body section
- d. DocType section



# -1-30801207-INTERNET APPLICATIONS

Time le

External JavaScript are practical when the same code is used in many different web pages.

Select one:

- a. False
- b. True

[Clear my choice](#)



JavaScript strings are text, written within double or single quotes:

Select one:

- a. False
- b. True

[Clear my choice](#)



## JavaScript Can Change HTML Attribute Values

Select one:

- a. True
- b. False

[Clear my choice](#)



# 21-1-30801207-INTERNET APPLI

The browser interprets the contents of the head section firstly.

Select one:

- a. True
- b. False

[Clear my choice](#)

T

Time left 0:01:51

In JavaScript, you can access output devices from JavaScript by calling `window.alert()`.

Select one:

- a. False
- b. True

[Clear my choice](#)




In JavaScript, ..... are text, written within double or single quotes.

Select one:

- a. Literals
- b. Variables
- c. Strings
- d. Numbers

[Clear my choice](#)



on 8

answered

out of 2.00

g question

All selectors in jQuery start with the dollar sign and square brackets: \$[]

Select one:

- a. False
- b. True



Time

JavaScript variables declared within a JavaScript function, become global to script.

Select one:

- a. False
- b. True

[Clear my choice](#)

F.

2021-1-30801207-INTERNET A

JavaScript Can Show HTML Elements

Select one:

- a. True
- b. False

[Clear my choice](#)



021-1-30801207-INTERNET

Variable values in JavaScript are called:

Select one:

- a. Numbers
- b. Strings
- c. Variables
- d. Literals



[Clear my choice](#)

021-1-30801207-INTERNET APP

JavaScript cannot be placed in external files:

Select one:

- a. False
- b. True

[Clear my choice](#)



# 2022/2021-1-30801208-INTERNET APPLICATION

Question 5

Not yet  
answered

Marked out of  
1.00

Flag question

JavaScript local variables can be accessed anywhere in the script.

Select one:

- a. False
- b. True

only be accessed from within the function.

F

# INTERNET PROGRAMMING-1

► Summer semester 2021/2020 ►

2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Exam

15

Answered

Point of 2.00

Question

With an external style sheet, you can change the look of an entire website by changing just one file.

Select one:

- a. False
- b. True



Question 8

Not yet  
answered

Marked out of  
1.00

Flag question

You can place an external JavaScript reference in head or body as you like.

Select one:

- a. True
- b. False



oid

# 2022/2021-1-30801208-INTERNET APPLIC

**Question 2**

Not yet  
answered

Marked out of  
1.00

 Flag question

JavaScript uses the var keyword to declare variables.

Select one:

- a. True
- b. False




# 21-1-30801207-INTERNET APP

In JavaScript, to write into the HTML output, we will use

Select one:

- a. window.getElementById()
- b. window.alert()
- c. document.write()
- d. innerHTML



[Clear my choice](#)

nirbid

# 2022/2021-1-30801208-INTERNET APPLICATIONS I

Question **6**

Not yet  
answered

Marked out of  
1.00

 Flag question

JavaScript object properties are written as name:value pairs, separated by commas.

Select one:

- a. True
- b. False



Time left 0:05:3

Question 7

Not yet  
answered

Marked out of  
1.00

 Flag question

A JavaScript function is defined with the function keyword, followed by a name, followed by braces {}

followed by  
parentheses () .

Select one:

- a. True
- b. False



Next page

Question 4

Not yet  
answered

Marked out of  
1.00

Flag question

JavaScript objects are variables too, but can contain many values.

Select one:

- a. True
- b. False

372

T

10

JavaScript local variables can only be accessed from within the function.

Select one:

417

- a. False
- b. True



Question **9**

Not yet  
answered

Marked out of  
1.00

Flag question

In JavaScript , if you access a method without the () parentheses, it will return

Select one:

420

- a. function title
- b. function result
- c. function definition.
- d. function name

C

### JavaScript Cannot Show HTML Elements

Select one:

- a. True
- b. False



2021-1-30801208-INTERNET A

3

### JavaScript Cannot Hide HTML Elements

Select one:

- a. False
- b. True

F

# 2/2021-1-30801208-INTERNET APPLICA

1

ed

1 out of

question

The browser interprets the contents of the head section firstly.

Select one:

- a. False
- b. True



**Question 4**

Not yet  
answered

Marked out of  
1.00

 Flag question

### JavaScript Can Show HTML Elements

Select one:

- a. True
- b. False



External JavaScript are practical when the same code is used in many different web pages.

Select one:

- a. False
- b. True



In JavaScript, the change in the state of an object is known as an Event.

Select one:

- a. False
- b. True



You can place an external JavaScript reference in head or body as you like.

Select one:

a. True

b. False



In JavaScript, you can access output devices from JavaScript by calling `window.alert()`.

Select one:

- a. False
- b. True



Time left 0:05:42

Question 5

Not yet

Answered

Marked out of

0.00

Flag question

You can place an external JavaScript reference in head or body as you like.

Select one:

- a. True
- b. False



1/2020-3-30201207-INTERNET APPLICATIONS PROJECT  
Final Exam

Question 10

1 answered

1 out of 2.00

Next question

### JavaScript Can Hide HTML Elements

Select one

a. True

b. False



n 13

answered

out of 2.00

question

HTML

HTTP provides a library of custom graphical user interface (GUI) controls.

Select one:

- a. False
- b. True

F

# INTERNET APPLICATIONS PROGRAMMING-1

30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Final\_Exam

ion 18

answered

1 out of 2.00

g question

JavaScript code can be placed in the body, or in the head section of an HTML page, or in both.

Select one

- a. True
- b. False



Question 16

Not answered

0 out of 2.00

Next question

JavaScript cannot be placed in external files.

Select one:

- a. True
- b. False

F

# APPLICATIONS PROGRAMMING-1

Home ► Summer semester 2021/2020 ►

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Final\_Exam

## Question 17

Not yet answered

Marked out of 2.00

Flag question

PHP also stores all global variables in an array called \$GLOBALS

Select one:

- a. False
- b. True



Next

QUIZ NAVIGATION

# 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1

Home ► Summer semester 2021/2020 ►

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ►

Final\_Exam

## Question 1

Not yet answered

Marked out of 2.00

► Flag question

In PHP, a session is a small file that the server embeds on the user's computer.

Select one:

- a. True
- b. False

*(Handwritten mark: A blue oval drawn around option b.)*



Nex

# INTERNET APPLICATIONS PROGRAMMING

0801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Final

on 19

answered

out of 2.00

question

In jQuery, `html()` method sets or returns the value of form fields

Select one:

- a. False  
 b. True

F

The restrictions placed on the data.

Select one:

- a. Attribute
- b. Relation
- c. Constraint
- d. Parameter

C

Question 7

Not yet answered

Marked out of 2.00

Flag question

Comments start with <-- and end with -->

Select one:

- a. True
- b. False

F

on 3

answered

out of 2.00

question

In PHP, the ..... sorts associative arrays in ascending order, according to the value

Select one:

- a. arsort()
- b. sort()
- c. rsort()
- d. asort()



N

The browser interprets the contents of the body section firstly.

Select one:

- a. False
- b. True

[Clear my choice](#)



on 12

answered

out of 2.00

question

In PHP, to modify a cookie, just set (again) the cookie using the ..... function:

Select one:

- a. isset()
- b. getCookie
- c. setNewcookie
- d. setcookie()



D


The browser interprets the contents of the head section firstly.

Select one:

- a. True  
 b. False

[Clear my choice](#)





n 14

answered


out of 2.00

question

To select elements with a specific class, write a ..... character, followed by the class name.

Select one:

- a. Underscore (\_)
- b. Dollar sign(\$)
- c. period (.)
- d. hash (#)



Next pa

# QUESTION

## 50001200 - INTERNET APPLICATIONS

Time left

In JavaScript, you can access output devices from JavaScript by calling `window.print()`.

Select one:

- a. True
- b. False



Next

n 2

answered

out of 2.00

question

In PHP, a variable starts with the \$ sign, followed by the name of the variable

Select one:

- a. True
- b. False



# 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1

Home ► Summer semester 2021/2020 ►

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ►

Final\_Exam

## Question 4

Not yet answered

Marked out of 2.00

► Flag question

An Internet Domain Name System (DNS) server maintains a database of hostnames and their corresponding IP addresses and performs the translations automatically.

Select one:

- a. True  
 b. False



Next

In JavaScript, the change in the state of an object is known as

Select one:

- a. Event Handling
- b. Event.
- c. Action
- d. Event Handlers

[Clear my choice](#)

B

# INTERNET APPLICATIONS PROGRAMMING-1

Home ► Summer semester 2021/2020 ►

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Final\_Exam

## Question 9

Not yet answered

Marked out of 2.00

Flag question

In jQuery, to chain an action, you simply remove the action from the previous actions.

you simply append the action to the previous action

Select one:

- a. False
- b. True



Next

11

answered

out of 2.00

question

In PHP, Indexed array is an array with named keys

Indexed arrays - Arrays with a numeric index

Select one:

- a. False
- b. True



# APPLICATIONS PROGRAMMING-1

Home ► Summer semester 2021/2020 ►

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Final Exam

Question 5

yet answered

Marked out of 2.00

Flag question

In PHP, echo instruction has no return value while print instruction has a return value of 1 so it can be used in expressions.

Select one:

- a. True
- b. False

T.

Next

External JavaScript are practical when the same code is used in many different web pages.

Select one:

- a. False
- b. True



JavaScript objects are variables too, but can contain many values.

Select one:

- a. False
- b. True



# INTERNET APPLICATIONS PROGRAMMING-1

Home ► Summer semester 2021/2020 ►

1/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ►  
Final Exam

Question 6

Not answered

0 out of 2.00

Next question

JavaScript local variables can be accessed anywhere in the script.

Select one:

- a. False
- b. True



N

In JavaScript ending statements with semicolon is required.

not required

Select one:

- a. False
- b. True



Next page

In JavaScript, to write into an HTML element, we will use

Select one:

- a. document.write()
- b. window.alert()
- c. window.getElementById()
- d. innerHTML

*Ap*

Clear my choice



## JavaScript Can Change HTML Attribute Values

Select one:

- a. False
- b. True



JavaScript cannot be placed in external files:

Select one:

- a. True
- b. False



0

## ▶ 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING

**Question 9**

Not yet answered

Marked out of 1.00

Flag question

JavaScript objects contain only one value.

Select one:

a. True

b. False



F

## Question 1

Not yet answered

Marked out of 1.00

 Flag question

In JavaScript, the change in the state of an object is known as an Event.

Select one:

- a. True
- b. False



In JavaScript, the process of reacting over the events is called

Select one:

- a. Action.
- b. Event execution.
- c. Event Handling.
- d. Event Handlers.



JavaScript uses the \$(dollar sign) keyword to declare variables.

Select one:

- a. True
- b. False

F

# 1-1-30801208-INTERNET APPLICATIONS PROGRAMMING

Tim

In JavaScript, you cannot skip the window keyword in alert dialog, thus specifying the window keyword is compulsory.

Select one:

- a. False
- b. True



Fixed values in JavaScript are called:

Select one:

- a. Numbers
- b. Variables
- c. Literals
- d. Strings



Time left

Question 2

Not yet

Answered

Marked out of

0.0

Flag question

JavaScript objects are variables too, but can contain many values.

Select one:

- a. False
- b. True



Next

JavaScript local variables can be accessed anywhere in the script.

Select one:

- a. False
- b. True



on 6

answered

out of 1.00

question

JavaScript object properties are written as

C

Select one:

- a. value:name pairs, separated by commas.
- b. name:value pairs, separated by semi colon.
- c. name:value pairs, separated by commas.
- d. value:name pairs, separated by semi colon.

2022/2021-1-30801207-  
INTERNET APPLICATIONS  
PROGRAMMING-2



Time left 0:12:48

Question 2

Not yet answered

Marked out of 1.00

Flag question

The browser interprets the contents of the body section firstly.

Select one:

- a. True
- b. False

F

021-1-30801208-INTERNET

JavaScript can be placed in external files:

Select one:

- a. False
- b. True



# 21-1-30801208-INTERNET APPLICATI

JavaScript code can be placed only in the body section of an HTML page.

Select one:

- a. False
- b. True



21-1-30801207-INTERNET APP

JavaScript Cannot Change HTML Styles (CSS)

Select one:

- a. False
- b. True



021-1-30801208-INTERNET AP

### JavaScript Can Change HTML Styles (CSS)

Select one:

- a. False
- b. True



In JavaScript ending statements with semicolon is not required, but highly recommended.

Select one:

- a. False
- b. True



Next

A hyperlink references or links to only HTML5 documents.

Select one:

- a. False
- b. True



021-1-30801208-INTERNET APPLIC.

The browser interprets the contents of the body section firstly.

Select one:

- a. True
- b. False

F

21-1-30801208-INTERNET APP

JavaScript local variables can be accessed anywhere in the script.

Select one:

- a. True
- b. False



JavaScript object properties are written as

Select one:


- a. name:value pairs, separated by commas.
- b. value:name pairs, separated by commas.
- c. name:value pairs, separated by semi colon.
- d. value:name pairs, separated by semi colon.

A

You can place an external JavaScript reference in head only.

Select one:


- a. False
- b. True



A JavaScript function is defined with the function keyword, followed by a name, followed by

Select one:

- a. " "
- b. Angle Brackets
- c. ()
- d. { }



# INTERNET APPLICATIONS

0-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ► Quiz

In JavaScript, the first character in variable name must be a letter, or an underscore (\_), or a dollar sign (\$).

Select one:

- a. True
- b. False



N

In JavaScript which way you can access object methods:

Select one:

- a. `objectName,methodName()`
- b. `objectName.methodName()`
- c. `objectName[methodName]`
- d. `objectName;methodName()`

B

Marked out of 1.00

Flag question

Server-side programming technologies are used to build web pages and applications that are run on the client.

Select one:

- a. False
- b. True

[Clear my choice](#)



 Flag question

jQuery is currently the most popular of hundreds of JavaScript libraries.

Select one:

- a. True
- b. False

[Clear my choice](#)



Question 10

Not yet  
answered

Marked out of  
1.00

 Flag question

The alt attribute of img element specifies the image location

Select one:

- a. True  
 b. False

 Clear my choice

F

[Previous page](#)

Flag question

A get request typically sends data to a server.

Select one:

a. True

b. False

[Clear my choice](#)



Next

Not yet answered

Marked out of 1.00

 Flag question

TCP ensured that messages were properly routed from sender to receiver and that they arrived intact.

Select one:

a. False

b. True

 Clear my choice



Next page

Time left

A get request typically gets (or retrieves) information from a server based on a user-submitted search term.

Select one:

a. False

b. True

[Clear my choice](#)



[Next page](#)

http://192.168.1.100:8080

Jump to:

PT internet and web programming

You are logged in as 31918001030@louisville.edu (0.09.060)  
2022/09/21 3:30:20 2022 INTERNET 499 MB/1000 MB 100% 0.0%

P Type escape key to

 Flag question

The part of middle tier that enforces rules and ensures that data is reliable before the application updates a database or presents data to users is called.

Select one:

- a. Business controller
- b. Logic controller
- c. Presentation controller
- d. None

[Clear my choice](#)

Business logic



Marked out of 1.00

Flag question

Currently, the standard does not exist to which software vendors must adhere when creating web browsers.

Select one:

a. False

b. True

[Clear my choice](#)



[Previous page](#)

Flag question

HTML5 provides some capabilities for controlling a document's presentation, it is better to mix presentation with content.

Select one:

a. True

b. False

 Clear my choice

F

The alpha parameter in RGBA color is a number between 0.0 and 1.0.

Select one:

- a. False
- b. True

[Clear my choice](#)



# 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMG-2

Home / My courses / 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMG-2 / General / Quiz\_1

Duration **10**

Not yet  
answered

Marked out of  
1.00

Flag question

Time left 0:00

CSS was designed to style portable web pages that dependent on their content and structure.

Select one:

- A. True  
 B. False

[Clear my choice](#)

T

Server-side programming—the applications that respond to requests from client-side web browsers

Select one:

a. False

b. True

[Clear my choice](#)

T

21-1-30801207-INTERNET APPL

External JavaScript cannot be referenced with a full URL.

Select one:

- a. False
- b. True




Time left 0:01:01

A JavaScript function is defined with the function keyword, followed by a name, followed by

Select one:

- a. `..`
- b. Angle Brackets
- c. `( )`
- d. `{}`



Finish attempt ...

In JavaScript you access an object method with the following syntax: `objectName.methodName()`

Select one:

- a. False
- b. True



JavaScript objects are written with parentheses () ,

Select one:

- a. True
- b. False

JavaScript objects are written with curly braces {}.



In JavaScript, if you access a method without the () parentheses, it will return


Select one:

- a. function title
- b. function definition.
- c. function name
- d. function result



External JavaScript are practical when the same code is used in many different web pages.

Select one:



a. True



b. False



[Clear my choice](#)

The browser interprets the contents of the head section firstly.

Select one:

- a. False
- b. True



Next page

JavaScript cannot be placed in external files:

Select one:

a. True

b. False



Next page

External JavaScript are practical when the same code is used in many different web pages.

Select one:



a. True



b. False



## JavaScript Can Change HTML Styles (CSS)

Select one:

- a. True
- b. False



HTTP provides a library of custom graphical user interface (GUI) controls.

Select one:

- a. True
- b. False

[Clear my choice](#)



In JavaScript ending statements with semicolon is required.

Select one:



a. False



b. True



Next page

Time left 0:01:32

Quiz

A JavaScript function is defined with the function keyword, followed by a **name**, followed by

Select one:

- a. ()
- b. {}
- c. Angle Brackets
- d. //

[Clear my choice](#)

A

[Next page](#)

# 022/2021-1-30801207-INTERNET APPLICATIONS PROGR

ne / My courses / 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2 / General / Quiz 1


Question 2

The communication protocol that is used to send information over the web is called

Select one:

- a. None
- b. IP
- c. HTTP
- d. TCP

Q1



Time left 0:04:24

In JavaScript, you can access output devices from JavaScript by calling `window.print()`.

Select one:

- a. False
- b. True

[Clear my choice](#)



[Next page](#)



2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 >

HTTPS combines HTTP with the Secure Sockets Layer (SSL) and the more recent Transport Layer Security (TLS) cryptographic schemes.

Select one:

- a. False
- b. True



...

المزيد



تعديل



Time

JavaScript code can be placed in the body, or in the head section of an HTML page, or in both.

Select one:

- a. True
- b. False

[Clear my choice](#)

T

021-1-30801207-INTERNET

JavaScript objects are written with.....

Select one:

- a. ()
- b. {}
- c. .
- d. Angle brackets

A

**Question 4**

Not yet  
answered

Marked out of  
1.00

 Flag question

A website resides in a computer named a

Select one:

- a. None
- b. Hosting
- c. Server
- d. Internet

CSS was designed to style portable web pages independently of their content and structure.

Select one:

- a. True
- b. False



الخطوات اثنين سالم عباس



31918001050

# 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2

Home / My courses / 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2 / General / Quiz\_1

Question 1  
Not yet answered  
Marked out of 1.00  
Flag question

It is difficult to develop web pages that render correctly on all versions of each browser.

Select one:

- a. False
- b. True

[Clear my choice](#)

Time left 0:13:22

[Next page](#)

Quiz navigation

- [1](#)
  - [2](#)
  - [3](#)
  - [4](#)
  - [5](#)
  - [6](#)
  - [7](#)
  - [8](#)
  - [9](#)
- [10](#)

[Finish attempt...](#)


الإجابة والحقائق

[Jump to...](#)

P1 Internet and web programming



Type here to search



1:36 PM  
10/31/2021

Void elements in HTML5 have not an end tags.

Select one:

- a. False
- b. True



Previous page

Jump to...

1

s3.ebalqa.courses/nirbit



## Question 1

Not yet answered

Marked out of 1.00

Flag question



Although HTML5 provides some capabilities for controlling a document's presentation, it is better not to mix presentation with content.

Select one:

- a. True  
 b. False



Next page

## QUIZ NAVIGATION

1 2 3 4 5 6 7 8



العربية

الإنجليزية



[Done](#)[Edit](#)[Home](#)   [Summer semester 2021/2020](#)[2021/2020-3-30801207-INTERNET](#)[APPLICATIONS PROGRAMMING-1](#)[General](#)   [Quiz\\_1](#)**Question 2**

Not yet answered


Marked out of 1.00

 [Flag question](#)

An Internet Domain Name System (DNS) server maintains a database of hostnames and their corresponding IP addresses and performs the translations automatically.

Select one:

- a. True  
 b. False

[Next page](#)**QUIZ NAVIGATION**

العربية

الإنجليزية

[More](#)

## INTERNET APPLICATIONS PROGRAMMING-I

00001207 INTERNET APPLICATIONS PROGRAMMING-I > General > Q&A

Although browsers share a common set of features, each browser might handle pages differently.

Select one:

- a. False
- b. True



b

QUESTION 1 OF 12 (20%)  
LOG IN





/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 >

HTML5 provides some capabilities for controlling a document's presentation, it is better to mix presentation with content.

Select one:

- a. True
- b. False

[Next page](#)

...

العزيز



تعديل



Browsers are available in only one version at the same platforms.

Select one:

- a. False
- b. True

F





General QUIZ\_1

**Question 9**

Not yet answered

Marked out of 1.00

Flag question



The protocol for communicating over the ARPANET known as

Select one:

- a. None
- b. UDP
- c. SMP
- d. TCP



Next page



العربية

الإنجليزية



A hyperlink references or links to other resources, such as HTML5 documents and images.

Select one:

- a. True
- b. False



Next page

The title element is a nested element.

Select one:

- a. True
- b. False



The communication protocol that is used to send information over the web is called.

Select one:

- a. None
- b. TCP
- c. IP
- d. HTTP

 Next page

## RNET APPLICATIONS PROGRAMMING-1

CS7 INTERNET APPLICATIONS PROGRAMMING-1 > General > Quiz 1

Server-side programming technologies are used to build web pages and applications that run on the client.

Select one.

a. False

b. True

Y

This was requested on 2023-07-20T14:50:00+00:00 and will expire on 2023-07-20T14:50:00+00:00. It can be reused for other applications. (PRODUCTION)





red  
1.00  
ion

HTTPS combines HTTP with the Secure Sockets Layer (SSL) and the more recent Transport Layer Security (TLS) cryptographic schemes.

Select one:

- a. False
- b. True



Next page

## General Quiz\_1

## Question 7

Not yet answered


Marked out of 1.00

 Flag question

HTTP provides a library of custom graphical user interface (GUI) controls.

Select one:

- a. False  
 b. True

 Next page

## QUIZ NAVIGATION

1	2	3	4	5	6	7	8
9	10						


[Finish attempt ...](#)

Time left 0:05:45

The protocol for communicating over the ARPANET known as

Select one:

- a. None
- b. UDP
- c. SMP
- d. TCP



# 2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2

Courses / 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2 / General / Quiz

Time

The part of packet that checks the correctness of packets at their destinations is called.

Select one:


- a. None
- b. Error control
- c. Sequencing information
- d. Address information



size

https://mrbidmoodle/mod/quiz/attempmgmt.php?attempt=3439&cmid=9670&page=2#

N



DELL



HTTP provides a library of custom graphical user interface (GUI) controls.

Select one:

- a. True
- b. False

Forms can contain only visual components.

Forms can contain visual and nonvisual components.

Select one:

a. False

b. True




# INTERNET APPLICATIONS

30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ► Quiz\_2

The form method that appends form data to the browser request, which contains the protocol (HTTP) and the requested resource's URL is called.

Select one:

- a. post
- b. fetch
- c. set
- d. get



The alt attribute of img element specifies the image location

Select one:

- a. False
- b. True



The communication protocol that is used to send information over the web is called.

Select one:

- a. None
- b. TCP
- c. IP
- d. HTTP



A start tag consists of the element name in .....

Select one:

- a. angle brackets
- b. parenthesis
- c. square brackets
- d. double equations



<br> tag renders a horizontal line with extra space above and below it in most browsers.

Select one:

- a. True
- b. False



Next page

**Question 1**

Not yet  
assessed

Marked out of  
1.00

Flag question

The text input inserts a text field into the form, which allows the user to input data.

Select one:

- a. False
- b. True

[Clear my choice](#)



→ Duty\_1

Jump to...



To link internally to an element with its id attribute set, use the syntax #id

Select one:

- a. True
- b. False



The opacity property take a value from 10 - 100

Select one:

- a. False
- b. True

[Clear my choice](#)



display property specifies whether or not an element should be visible

Select one:

- a. True
- b. False

[Clear my choice](#)



# 2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2

Courses / 2022/2021-1-30801207-INTERNET APPLICATIONS PROGRAMMING-2 / General / Quizzes

Time

The part of packet that checks the correctness of packets at their *destinations* is called.

Select one:

- a. None
- b. Error control
- c. Sequencing information
- d. Address information



With an internal style sheet, you can change the look of an entire website by changing just one file.

Select one:

- a. False
- b. True



Marked out of 1.00

Flag question

With display property in CSS a block-level element always starts on a new line and takes up the full width available.

Select one:

- a. True  
 b. False

T

Marked out of 1.00

Flag question

You can change the look of an entire website by changing just one file via.

Select one:

- a. internal style sheet
- b. Online style sheet
- c. inline style sheet
- d. external style sheet

✓



 Flag question

A get request typically sends data to a server.

Select one:

- a. True
- b. False



Marked out of 1.00

 Flag question

The CSS margin properties are used to create space around elements, outside of any defined borders.

Select one:

- a. False
- b. True



Previous page

Next page 

The shorthand property for border with values 5px solid red is:

Select one:

- a. border: 5px solid red;
- b. border-width: 5px solid red;
- c. border-style: 5px solid red;
- d. border-color: 5px solid red;



Marked out of 1.00

 Flag question

**Server-side** programming—the applications that respond to requests from client-side web browsers.

Select one:

- a. False
- b. True



[Previous page](#)

[Next page](#)

**Question 8**

Not yet answered

Marked out of 1.00

 Flag question

Currently, the standard does not exist to which software vendors must adhere when creating web browsers.

Select one:

- a. False
- b. True



Not yet answered

Marked out of 1.00

 Flag question

The Internet and web programming technologies are designed to be non-portable

Select one:

- a. False
- b. True



Each computer on the Internet has a unique IP address.

Select one:

- a. True
- b. False

[Clear my choice](#)



Browsers are available in many versions and on many different platforms.

Select one:

- a. True
- b. False

[Clear my choice](#)



A post request typically posts (or sends) data to a server.

Select one:

- a. False
- b. True

[Clear my choice](#)



It is difficult to develop web pages that render correctly on all versions of each browser

Select one:

- a. False
- b. True

[Clear my choice](#)



HTML5 provides some capabilities for controlling a document's presentation, it is better to mix presentation with content.

Select one:

- a. False
- b. True

[Clear my choice](#)



Currently, the software vendors must take the standards when creating web browsers.

Select one:

- a. True
- b. False

[Clear my choice](#)



software vendors must adhere when  
creating web browsers.

JavaScript is non-portable scripting language.

Select one:

- a. False
- b. True

[Clear my choice](#)



CSS was designed to style portable web pages independently of their content and structure.

Select one:

- a. False
- b. True

[Clear my choice](#)



Internet Browsers share a common set of features, thus all of them render pages in same way.

Select one:

- a. True
- b. False

[Clear my choice](#)





2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 +

Each computer on the Internet has a unique TCP address.

Select one:

- a. False
- b. True



Next page

...

المزيد



تعديل





3901207 INTERNET APPLICATIONS PROGRAMMING-1 ➤ General ➤ Quiz 1

HTTP is used to specify the presentation, or styling, of elements on a web page.

Select one:

a. False  
 b. True

...

المزيد


تعديل



The packets contained only address and error-control.

Select one:

- a. True
- b. False



HTML is a special type of computer language called a markup language designed to specify the content and structure of web pages in a portable manner.

Select one:

- a. True
- b. False



2021/2020-3-30801207-INTERNET

APPLICATIONS PROGRAMMING-1

General Quiz\_1

**Question 6**

Not yet answered

Marked out of 1.00

 Flag question

A post request typically posts (or sends) data to a server.

Select one:

- a. True  
 b. False

[Next page](#)**QUIZ NAVIGATION**

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

9	10
---	----



العربية

الإنجليزية



الغزو



تعديل



**Question 3**

Not yet answered

Marked out of 1.00

 Flag question



JavaScript is non-portable scripting language.

Select one:

- a. True
- b. False



[Next page](#)

**QUIZ NAVIGATION**

1	2	3	4	5	6	7	8
9	10						

[Finish attempt ...](#)

Time left 0:12:05





## برمجة تطبيقات الانترنت

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1

Web-based applications work on one layer.

Select one:

- a. True
- b. False



...

الغاء



تعديل



Browsers are available in only one version at the same platforms.

Select one:

- a. False
- b. True



Next

# جميع انواع Input في Html

<input type="text">

xyz

<input type="password">

\*\*\*\*\*

<input type="radio">

No  Yes

<input type="checkbox">

<input type="button">

Button

<input type="color">



<input type="email">

xyz@gmail.com

<input type="file">

Choose File image.jpg

<input type="hidden">



Submit Image

<input type="number">

898

The text-transform property is used to specify uppercase and lowercase letters in a text.

Select one:

- a. True
- b. False

[Clear my choice](#)



With an internal style sheet, you can change the look of an entire website by changing just one file.

Select one:

- a. False
- b. True

[Clear my choice](#)



The selector points to the ..... you want to style.

Select one:

- a. HTTP element
- b. HTML element
- c. XML element
- d. CSS element



[Clear my choice](#)

The CSS margin properties are used to create space around elements, outside of any defined borders.

Select one:

- a. False
- b. True

[Clear my choice](#)



The lower opacity value, the more transparent:

Select one:

- a. False
- b. True

[Clear my choice](#)



If you only want to style a specific input type text, which attribute selector you can use:

Select one:

- a. `input(type="text")`
- b. `input{type="text")`
- c. `input[type="text"]`
- d. `input" type="text"`



[Clear my choice](#)

Question 3

Answer saved

Marked out of  
1.00


Flag question

If the padding property has two values: padding: 25px 50px; then

Select one:

- a. top and left paddings are 25px
- b. top and bottom paddings are 50px
- c. top and bottom paddings are 25px
- d. right and left paddings are 25px

[Clear my choice](#)



[Previous page](#)

4  
aved  
out of  
question

To select an element with a specific id, write a.....character, followed by the id of the element.

Select one:

- a. hash (#)
- b. Dollar sign(\$)
- c. Underscore (\_)
- d. period (.)

[Clear my choice](#)



visibility property specifies how an element should be displayed

Select one:

- a. True
- b. False

[Clear my choice](#)



stion 8

wer saved

iked out of

0

Flag question

If the padding property has two values: padding: 25px 50px; then

Select one:

- a. right and left paddings are 50px
- b. top and left paddings are 50px
- c. top and right paddings are 25px
- d. top and bottom paddings are 50px

[Clear my choice](#)



[Previous page](#)

In CSS the display: inline-block does not allow setting a width and height on the element.

Select one:

- a. True
- b. False

[Clear my choice](#)



Jump to...

2

saved

out of

question

ous page

The line that is drawn around elements, OUTSIDE the borders, to make the element "stand out" is called.

Select one:

- a. Content
- b. Margin
- c. Padding
- d. Outline

[Clear my choice](#)



The lower opacity value, the more transparent:

Select one:

- a. False
- b. True

[Clear my choice](#)



HTML can control the layout of multiple web pages all at once

Select one:

- a. False
- b. True

[Clear my choice](#)



The alpha parameter in RGBA color is a number between 0.0 and 1.0.

Select one:

- a. False
- b. True

[Clear my choice](#)



Time left 0:1:45

Quiz navig


1 2  
10

Finish atten

In CSS Box Model, the transparent area around data of element and inside border is called

Select one:

- a. Padding
- b. Border
- c. Margin
- d. Content



Next page

70°F Ha

of

question

us page



DELL

The packets contained only address and error-control.

Select one:

a. True

b. False






In CSS, a color can be specified using a hexadecimal value in the form:

Select one:

- a. #rrggbb
- b. #ggbrrr
- c. #ggrrbb
- d. #rrbbgg

[Clear my choice](#)



in a numbered list, each item in the list must be defined by a <nl> tag

Select one:

- True
- False



Browsers are available in only one version at the same platforms.

Select one:

- a. False
- b. True



Next

Question 6

yet answered

Marked out of 2.00

Flag question

The attribute used to choose the type of font in HTML is ?

Select one:

- a. Text-type
- b. font
- c. Face
- d. Character
- e. non of the above



# -INTERNET APPLICATIONS

20-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ► Mid Exam

The ::first-line pseudo-element is used to add a special style to the first letter of a text.

Select one:

- a. False
- b. True

Next page

HTML is a special type of computer language called a markup language designed to specify the content and structure of web pages in a portable manner.

Select one:

- a. True
- b. False



a tag with a slash before the element indicates the start of an instruction

Select one:

- a. false
- b. true



Nex

# 207-INTERNET APPLICATIONS

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ► Mid Exa

7

answered

out of 2.00

question

CSS was designed to style portable web pages that dependent on their content and structure.

Select one:

- a. True
- b. False



Next

# AB-1

2021/2020-3-30801208-INTERNET APPLICATIONS PRO

ion 2

t answered

d out of 2.00

ag question

1. HTML stands for:

Select one:

- a. None of the above.
- b. Huge Text Makeup Language.
- c. Hypertext Markup Language.
- d. Huge Makeup Language.
- e. Hypertext Makeup Language.


# INTERNET APPLICATIONS

0-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Mid

The CSS that is used if one single HTML page has a unique style is called.

Select one:

- a. external style sheet
- b. inline style sheet
- c. Online style sheet
- d. internal style sheet



8

wered

: of 2.00

question

an attribute is used to modify an element ?

Select one:



True



False



# LAB-1

► 2021/2020-3-30801208-INTERNET APPLICATIONS PROGRAM

8

answered  
out of 2.00  
question

<a> and </a> are the tags used for ?

Select one:

- a. Adding links to your page
- b. Audio-voiced text
- c. adding image
- d. Aligning text
- e. non of the above

Question 14

Not yet answered

Marked out of 2.00

Flag question

GET may be used for sending sensitive data.

Select one:

- a. True
- b. False

# 30801207-INTERNET APPLICATIONS

2020 ► 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ►

## Question 5

Not yet answered

Marked out of 2.00

Flag question

In HTML5 the form is defined by a form element

Select one:

- a. True
- b. False

20

▶ 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING

Question 14

Not yet answered

Marked out of 2.00

Flag question

Web-based applications work on one layer.

Select one:

- a. True
- b. False



In JavaScript ending statements with semicolon is required.

Select one:

- a. False
- b. True

20

## ▶ 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING

**Question 9**

Not yet answered

Marked out of 1.00

Flag question

JavaScript objects contain only one value.

Select one:

- a. True
- b. False

ion 8

et answered

ed out of 2.00

ag question

The protocol for communicating over the ARPANET known as

Select one:

- a. None
- b. SMP
- c. UDP
- d. TCP



A hyperlink references or links to only HTML5 documents.

Select one:

- a. False
- b. True

The \_\_\_\_\_ attribute indicates the number of rows in a frameset.

Select one:

- a. ROWS
- b. TD
- c. TR
- d. HORIZONTAL

a tag with a slash before the element indicates the start of an instruction

Select one:

- a. false
- b. true



Next page

In JavaScript which way you can access object methods:

Select one:

- a. `objectName,methodName()`
- b. `objectName.methodName()`
- c. `objectName[methodName]`
- d. `objectName;methodName()`

B

**Question 4**

Not yet answered

Marked out of 2.00

Flag question

External stylesheets are stored in

Select one:

- a. CSS files
- b. XML file
- c. HTTP file
- d. HTML file

10

Answered

out of 1.00

question

JavaScript cannot be placed in external files:

Select one:



- a. False
- b. True

# 3-INTERNET APPLICATIONS

1

020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB-1 ►

**Which attribute you'll use with TD tag  
to merge two cells horizontally?**

Select one:

- a. colspan = 2
- b. merge = row2
- c. merge = colspan2
- d. rowspan = 2

Next pag

on 6

answered

1 out of 2.00

g question

Although HTML5 provides some capabilities for controlling a document's presentation, it is better not to mix presentation with content.

Select one:

- a. False
- b. True

You can place an external JavaScript reference in head or body as you like.

Select one:

- a. False
- b. True

# 08-INTERNET APPLICATIONS

## 3-1

1/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB-1 ►

**The \_\_\_\_\_ attribute in frame tag  
specifies the web page to load into  
that frame.**

Select one:

- a. Id
- b. Name
- c. Src
- d. Href

# AB-1

2021/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB-1

the title is displayed in the status bar of the browser's window

Select one:

True

False

Next

**If you want to merge two or more rows  
in a table which attribute you can use?**

Select one:

- a. Colmerge
- b. Rowspan
- c. Rowmerge
- d. Colspan

## 020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB-1 ►

in a numbered list, each item in the list must be defined by a <nl> tag

Select one:

True

False

Next page

on 6

answered

out of 1.00

question

JavaScript object properties are written as

Select one:

- a. value:name pairs, separated by commas.
- b. name:value pairs, separated by semi colon.
- c. name:value pairs, separated by commas.
- d. value:name pairs, separated by semi colon.

You can place an external JavaScript reference in head only.

Select one:

- a. False
- b. True

# INTERNET APPLICATIONS

0-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ► General ► Quiz

In JavaScript, the first character in variable name must be a letter, or an underscore (\_), or a dollar sign (\$).

Select one:

- a. True
- b. False

N

# 207-INTERNET APPLICATIONS

2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMM-1 ► General ► Mid Exam

9

Answered

out of 2.00

question

The part of packet that allows packets to be routed to their destinations is called.

Select one:

- a. None
- b. Error control
- c. Address information
- d. Sequencing information



Next ▶

on 3

answered

out of 2.00

question

The class selector selects HTML elements with a specific.....

Select one:

- a. element group
- b. element id
- c. element name
- d. class attribute



A JavaScript function is defined with the function keyword, followed by a name, followed by

Select one:

- a. “ ”
- b. Angle Brackets
- c. ()
- d. { }



# INTERNET APPLICATIONS

2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Mid Exam

The display: hide; is commonly used with JavaScript to hide and show elements without deleting and recreating them

Select one:

- a. False
- b. True



Next page

# INTERNET APPLICATIONS

30801207-INTERNET APPLICATIONS PROGRAMMING-1 ► General ► Mid Exam

Using method = "post" appends form data to the browser request, which contains the protocol (HTTP) and the requested resource's URL.

Select one:

- a. False
- b. True

Next page

0

vered

of 2.00

estion

To select elements with a specific class, write a .....character, followed by the class name.

Select one:

- a. Underscore (\_)
- b. hash (#)
- c. period (.)
- d. Dollar sign(\$)



Next ▶

# 8-INTERNET APPLICATIONS

-1

2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB-1 ►

In HTML form `<input type="text">` is used for

Select one:

- a. One paragraph
- b. Block of text
- c. None
- d. One line text

Next page

# 8-INTERNET APPLICATIONS

## -1

2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING

**Each cell of the table can be represented by using \_\_\_\_\_**

Select one:

- a. <tr>
- b. <th>
- c. <thead>
- d. <td>

In JavaScript ending statements with semicolon is not required, but highly recommended.

Select one:

- a. False
- b. True

Next ▶

n 17

answered

out of 2.00

question

In PHP, echo instruction has no return value while print instruction has a return value of 1 so it can be used in expressions.

Select one:

- a. False
- b. True

Next page

11

Answered

out of 2.00

question

PHP \$\_REQUEST is a PHP super global variable which is used to collect data after submitting an HTML form without looking to sending method.

Select one:

- a. True
- b. False



Next page

on 7

answered

1 out of 2.00

ing question

In PHP, a session is often used to identify a user.

Select one:

- a. True
- b. False

# 08-INTERNET APPLICATIONS PROGRAMMING

## B-1

21/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING

attributes are always placed in the ending tag

Select one:

True

False



tion 19

et answered

ed out of 2.00

Flag question

The img element attribute which contains text that is displayed if the client cannot render the image is called.

Select one:

- a. Name attribute
- b. id attribute
- c. src attribute
- d. alt attribute



1/2020

► 2021/2020-3-30801207-INTERNET APPLICATIONS PROC

### Question 9

Not yet answered

Marked out of 2.00

 Flag question

#### JavaScript Can Hide HTML Elements

Select one:

- a. True
- b. False





# 08-INTERNET APPLICATIONS

## B-1

21/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB-1 ►

Which tag allows you to add a row in a table?

Select one:

- a. <tr> and </tr>
- b. <cr> and </cr>
- c. <td> and </td>
- d. <th> and </th>



# -INTERNET APPLICATION

1

20-3-30801208-INTERNET APPLICATIONS PROGRAMMING LA

The attribute used to choose the type of font in HTML is ?

Select one:

- a. Text-type
- b. non of the above
- c. Character
- d. font
- e. Face

Ne

20

answered

out of 2.00

question

In PHP, the ..... keyword is used to access a global variable from within a function.

Select one:

- a. global
- b. public
- c. local
- d. static



Finish attempt .

# 8-INTERNET APPLICATIONS

## QUESTION

/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING

**What is the default type of ‘type’ attribute of <input> element?**

Select one:

- a. Special characters
- b. Numerals
- c. Text
- d. Password

# 30801207-INTERNET APPLICATIONS

0 ► 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMG-1 ►

tion 10

et answered

ed out of 2.00

flag question

A JavaScript function is defined with the function keyword, followed by a name, followed by braces {}

Select one:

- a. True
- b. False

Next page

# 8-INTERNET APPLICATIONS

-1

/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LAB

## Action attribute in HTML forms specifies that

Select one:

- a. Which HTTP method is used
- b. Where to submit form
- c. Which action is going on
- d. The auto completion of form

Nex

n 5

answered

out of 2.00

question

The universal selector (#) selects all HTML elements on the page.

Select one:

- a. False
- b. True



Next pa

# 08-INTERNET APPLICATION

## 3-1

1/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING L

A group of frames is called as \_\_\_\_\_

Select one:

- a. Index
- b. Form
- c. List
- d. Frameset

# 8-INTERNET APPLICATION

-1

/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING

Which of these HTML tag does not use an end tag?

Select one:

- a. I
- b. U
- c. B
- d. BR
- e. center

2

answered

out of 2.00

question

jQuery provides a library of custom graphical user interface (GUI) controls.

Select one:

- a. True
- b. False

Next

on 13

answered

out of 2.00

g question

You can place an external JavaScript reference in head or body as you like.

Select one:

- a. True
- b. False

Next page

on 18

answered

1 out of 2.00

g question

GET method has no limits on the amount of information to send.

Select one:

- a. False
- b. True

Ne

on 6

answered

1 out of 2.00

g question

JavaScript local variables can be accessed anywhere in the script.

Select one:

- a. True
- b. False



Next

on 4

answered

1 out of 2.00

g question

jQuery selectors does not allow you to select and manipulate HTML element(s).

Select one:

- a. True
- b. False



Next p

on 3

answered

out of 2.00

g question

In jQuery, to chain an action, you simply append the action to the previous action.

Select one:

- a. False
- b. True

Nex

1/2020

► 2021/2020-3-30801207-INTERNET APPLICATIONS PROGRAMMING

### Question 15

Not yet answered

Marked out of 2.00

 Flag question

AJAX refers to Asynchronous jQuery and XML.

Select one:

- a. False
- b. True



tion 12

et answered

ed out of 2.00

ag question

The network of internet operated with a technique called

Select one:

- a. Packet switching
- b. None
- c. Error control
- d. Packets

**Question 8**

Not yet answered

Marked out of 2.00

Flag question

The id selector uses the ..... of an HTML element to select a specific element.

Select one:

- a. element name
- b. element class
- c. element group
- d. element id

Next p

# 08-INTERNET APPLICATION

## B-1

21/2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING LA

Which tag can set the background color for your page?

Select one:

- a. <font>
- b. <body>
- c. <background>
- d. <head>
- e. none of the above

B

# 3-INTERNET APPLICATIONS

## -1

2020-3-30801208-INTERNET APPLICATIONS PROGRAMMING

To change the size of an image in HTML use what ?

Select one:

- a. height and width
- b. pliers
- c. Non of the above
- d. bigger and smaller
- e. margin left and margin right

on 16

answered

out of 2.00

g question

If the web server cannot locate a requested document, it returns an error indication to the web browser known as a

Select one:

- a. 402 error
- b. 403 error
- c. 401 error
- d. 404 error

Next pag