

Name: _____

Math 3108 – Linear Algebra
Section 101 – Brigham
Exam 2
October 21, 2022

Directions:

- 1) All cell phones and other electronic noisemaking devices must be turned off or completely silenced (i.e. not on vibrate) for the duration of the exam.
- 2) No calculators, books, or other materials are permitted.
- 3) Show **ALL** your work! Correct answers which are not properly justified will not receive full credit.
- 4) Failure to follow directions specific to a problem will result in the loss of points.
- 5) Circle, box, or underline each final answer if necessary for clarity. Label all graphs.
- 6) If you work a problem two different ways, clearly indicate which one you want us to grade, preferably by crossing out the one you do not want us to look at. If you use two methods, one of which is wrong, and neither method is crossed out, you will not receive full credit.
- 7) Answers must be exact (like $\sqrt{2}$), not approximate (like 1.414), unless a problem specifically indicates otherwise.
- 8) Simplify where appropriate. Quantities such as $\sqrt{9}$ and $\cos \pi$ should be calculated.
- 9) If you need extra room, you may use the back of the previous page. However, you must indicate you are doing so by clearly writing “BPP” on the relevant problem.
- 10) This packet has six sheets of paper, including this cover page. Do NOT remove the staple or remove any sheet from this packet.
- 11) Once this exam begins, you will have 50 minutes to complete your solutions.

Page	1	2	3	4	5	Sum
Points Earned						
Maximum Points	15	20	18	22	25	100

DO NOT OPEN THIS EXAM
UNTIL TOLD TO DO SO

Name: _____

Multiple Choice and True/False. Circle the correct answer.

1. (10 pts) Let A be a 4×4 matrix where the column space of A is isomorphic to $\mathbb{R}^4$. Label the following as True or False.

- i) _____ The equation $A\mathbf{x} = \mathbf{0}$ has at least one non-trivial solution.
- ii) _____ A^T is invertible..
- iii) _____ The null space of A spans $\mathbb{R}^4$.
- iv) _____ $\det A^T = 0$.
- v) _____ The linear transformation $\mathbf{x} \mapsto A\mathbf{x}$ maps $\mathbb{R}^4$ onto $\mathbb{R}^4$.

2. (2 points) The set $\left\{ \begin{bmatrix} x \\ y \end{bmatrix} : x \text{ and } y \text{ are real numbers} \right\}$ is a subspace of $\mathbb{R}^3$.

- i) Always true
- ii) Sometimes true
- iii) Never true

3. (3 points) Let A be an $m \times n$ matrix. Which of the following is a subspace of $\mathbb{R}^m$?

- i) $\text{Col } A$ (the column space of A)
- ii) $\text{Nul } A$ (the null space of A)
- iii) Both $\text{Col } A$ and $\text{Nul } A$.
- iv) Neither $\text{Col } A$ nor $\text{Nul } A$.

Name: _____

Open Answer. Show ALL your work!

4. (8 points) Use the method of your choice to calculate A^{-1} given $A = \begin{bmatrix} 3 & -4 \\ 1 & -2 \end{bmatrix}$. Then, use the inverse you found to solve $A\mathbf{x} = \mathbf{b}$ given $\mathbf{b} = \begin{bmatrix} 5 \\ 1 \end{bmatrix}$.

5. (12 points) Find the LU -factorization of the matrix $A = \begin{bmatrix} 1 & -2 & -4 & -3 \\ 2 & -7 & -7 & -6 \\ -4 & -1 & 9 & 8 \end{bmatrix}$.

Name: _____

6. (9 points) Find the coordinate vector $[x]_B$ of $\mathbf{x} = \begin{bmatrix} 7 \\ 4 \end{bmatrix}$ relative to the basis

$$B = \left\{ \begin{bmatrix} 2 \\ -1 \end{bmatrix}, \begin{bmatrix} 3 \\ 6 \end{bmatrix} \right\}.$$

7. (9 points) The set $B = \{1 - t^2, t - t^2, 2 - 2t + t^2\}$ forms a basis for $\mathbf{P}_2$. Find the vector $\mathbf{v}$ determined by the coordinate vector $[\mathbf{v}]_B = \begin{bmatrix} -2 \\ 1 \\ 0 \end{bmatrix}$.

Name: _____

8. Consider the matrix $A = \begin{bmatrix} 1 & 3 & -1 & 0 \\ 0 & 2 & -4 & -2 \\ -2 & -6 & 2 & 3 \\ 1 & 5 & -6 & 2 \end{bmatrix}$.

a) (9 points) Use any valid combination of cofactor expansion and/or row operations to calculate the determinant $\det A$.

b) (4 points) Find $\det A^T$ using as few steps as possible.

9. (9 points) Let $H = \left\{ \begin{bmatrix} a-3b \\ a+2b-c \\ c-b \\ 4b+a \end{bmatrix} : a, b, c \text{ are real} \right\}$. Is H a subspace of $\mathbb{R}^4$? Explain.

Name: _____

10. (5 points) The pivot positions of A are underlined. Find a basis for the column space of

$$A = \begin{bmatrix} \underline{4} & -8 & 1 & 7 & -4 & 2 \\ -1 & 2 & \underline{2} & -4 & 3 & -4 \\ 3 & -6 & -2 & 8 & \underline{7} & 5 \\ 4 & -8 & 2 & 6 & 5 & \underline{7} \end{bmatrix} A.$$

11. (10 points) Find a basis for the null space of $B = \begin{bmatrix} 1 & -2 & 0 & 2 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$.

12. (10 points) Use coordinate vectors to test the linear independence of the sets of polynomials: $(1-t)^2, t-2t^2+t^3, (1-t)^3$