HORIZON Competitive Architecture Report

Date: 2026-11-07
Audience: HORIZON product, architecture, security, and OpenHands implementation teams
Evidence basis: supplied competitor-research JSON plus `/tmp/horizon-inventory.txt`
Repository posture: read-only analysis; no repository, database, secret, or deployment changes were made.

Evidence and status convention

This report distinguishes three evidence levels:

1. **Verified runtime:** the inventory records an authenticated browser/API/database end-to-end check.
2. **Implemented in repository:** code, routes, tests, or migrations are present, but production rollout is not implied.
3. **Planned/prepared/unapplied:** documentation or migration exists, but the inventory explicitly says the production migration or runtime activation has not occurred.

Repository documents are evidence of source state, not proof of production rollout. The inventory is conservative: direct code/path evidence outranks aspirational blueprint language. `main` and feature branches are treated separately. In particular, the Agent Runs Engine exists on `feature/horizon-agent-runs-engine` and its additive migration is **not applied** to any Supabase project; the inventory also records `main @ e1afa23` as the measured baseline. The Business Consultant routes and migration are present in the inventory, but no comparable production E2E status is recorded, so this report does not call them fully integrated.

1. Executive summary

HORIZON already has the most important foundation for a German SMB operating and advisory product: an owner-scoped case engine with verified RLS, document intake with real OCR and page evidence, a context assistant boundary, hash-bound draft/review/approval, official PDF generation, signature handling, email send controls, German public/legal surfaces, and domain workflows for authorities, contracts, tax, and document explanation. The strongest architectural asset is not a missing “AI feature”; it is the existing control plane and safety boundary: Alpha Team classifies and plans, the Case Assistant performs case-scoped explanation/drafting, Quality/Safety checks provenance and allowed operations, P8 controls review and approval, and existing action engines

perform send/form/signature work. This is materially stronger than competitors whose public evidence is limited to deterministic diagnostics, planning assistants, accounting suggestions, or propose-only departmental workflows.

The principal gap is durable execution and productization, not another model or another workflow platform. On `main`, persistent agent runs, steps, queue/outbox, recovery, retry state, and an operator console are not present. A native PostgreSQL Agent Runs Engine is implemented on a feature branch with an additive but unapplied migration and manual-trigger workflow; it should be integrated only after owner approval, migration/RLS review, and production smoke tests. The recommended wedge is a Germany-first, evidence-grounded “SMB control tower”: document and mailbox intake, explainable diagnostics, close/exception queues, cash scenarios, DATEV/Lexware/sevdesk interoperability, and human-approved actions. Do not rebuild accounting, introduce a second AI pipeline, or imply autonomous tax/legal decisions. Prioritize durable runs, a run console, evidence-linked diagnostics, German document/e-invoice controls, approval/segregation-of-duties enhancements, and connector contracts. Keep payments, tax submissions, legal commitments, signatures, and external messages behind existing approval/action engines.

2. Concise competitor comparison matrix

Competitor / adjacent product	Verified strength	Verified limitation	HORIZON implication
HORIZON public platform	Configurable agents/skills, approvals, shared business data model, Finance/document workflows, APIs/webhooks, audit framing [1–13]	Finance is Early Access; OCR, forecasting, benchmarks, German residency and approval behavior vary by configuration/plan	Compete on evidence, German compliance, transparent controls, and integrated execution rather than marketing autonomy
Business-Gym	Departmental Heads + Concierge, scoped knowledge, propose-only approval queue, connector-aware outcomes [14–20]	DATEV not connected; no shipped unattended execution, OCR invoice extraction, forecasting, public API, or native mobile app	Preserve HORIZON’s approval gate, but add durable execution, provenance, German finance bridge, and measurable diagnostics
Make AI Agents	Agent + scenario/module/MCP tools, structured outputs, OCR-like	Beta; no native German ledger, GoBD, diagnostic score, or finance forecast;	Use HORIZON as control plane/system of record; connectors may be adapters,

	Content Extractor, broad integrations and manual approval patterns [21–33]	approvals require explicit workflow design	never authority for accounting correctness
monday AI Agents	Scoped boards/docs/tools, scheduled jobs, activity logs, GraphQL/MCP, operational workflows [34–43]	No public native German accounting, DATEV, VAT, audited forecasts, or universal action approval	Borrow operational UX patterns; retain HORIZON case/document/approval spine
HORIZON/ZeroDelay distinction	ZeroDelay is a separate US diagnostic/advisor product; HORIZON is Alpine Anchor’ s business-operations platform [44–60]	Identity/integration not established; ZeroDelay does not execute work	Do not present ZeroDelay as HORIZON or as an integration
BizClave	Deterministic 0–100 diagnosis, 19 risk triggers, prewritten explainable outputs, 30-day plan [61–69]	Self-reported inputs; no live integrations, OCR, action execution, APIs, or approval queue	Add evidence-grounded deterministic scoring with source, freshness, confidence, and human review
QUCOXX/HeyKaro	Hybrid AI + coach model, diagnosis, personalized 90-day plans, check-ins, Odoo/Stripe/Ibexa evidence [70–79]	No public autonomous agent runtime, OCR, bookkeeping, forecasting, or general API	Make expert escalation a first-class low-confidence path without turning HORIZON into a consulting-only service
Upmetrics	Business plans, linked P&L/cash flow/balance sheet, best/base/worst scenarios, QBO/Xero actuals, reviewed AI edits [80–91]	Planning rather than bookkeeping/operations; no public OCR specification, DATEV, GoBD, or general API	Reuse HORIZON evidence and German actuals; integrate planning/scenario outputs rather than clone them

Lexware Office	German OCR/document capture, booking suggestions, GoBD archive claims, VAT/reporting/planning, DATEV and REST API in XL [92–101]	No general autonomous agent; approval matrix and predictive diagnostics not publicly documented	Treat Lexware as system of record; add HORIZON control, exception, diagnostics, provenance, and cross-system orchestration
sevdesk	German bookkeeping, OCR, bank matching score, EÜR/GuV/BWA, DATEV/ADDISON, REST API in Pro [102–111]	AI internals opaque; no public general agent, forecast engine, full SoD approval matrix, or scoped OAuth model	Build above sevdesk; use dedicated integration identity, rate-limit handling, and explicit approval
GetMyInvoices	Multi-portal/document collection, OCR, routing, approval/payment workflows, DATEV and 100+ integrations [112–115]	Portal dependency and plan limits; not a whole-business operating agent	Use as optional ingestion adapter, not as HORIZON’s source of truth
CANDIS / DATEV / German ecosystem	AP approvals, accountant/tax ecosystem, e-invoice and German compliance adjacency [116–120]	Specialized systems; public evidence does not establish a cross-functional agent layer	Partner/integrate; do not recreate statutory accounting or tax infrastructure

3. Verified competitor workflows

3.1 HORIZON platform workflow

Public HORIZON material documents: connect/import bank data; apply rules; score possible ledger matches; hold 70–94% matches for human acceptance; triage a lead to contact/company, open a deal, create a draft quote, and mark Closed Won; define a quarterly goal, milestones, department links, and run an Altitude Check; process a finance document through **Draft → Send/Submit for approval → Post**; create a balanced double-entry ledger entry on posting; apply receipts/credits separately; correct posted records through reversal/void; start agents on demand, schedule them, or invoke deployed agents

via HTTP POST webhook [1–13]. These are public product workflows, not evidence of every module being enabled for every tenant.

3.2 Business-Gym workflow

A connected inbound item is classified, urgency-scored, identity-resolved, routed to a Head, matched against scoped knowledge, and converted to one proposed action such as a draft reply, task, or record update. A signed-in member approves, edits, or drops the proposal. The connector executes only if supported; outcome is recorded as executed, skipped, or failed. External sends remain human-approved; missing connectors must queue rather than claim success. The product is propose-only and DATEV is not connected [14–20].

3.3 German document/accounting workflow

Lexware and sevdesk document: capture from mobile, email, cloud storage, portal, or e-invoice; OCR/structured extraction; category/VAT/booking and bank-match suggestions; human review and confirmation; archive/book; reconcile; report; export or share with a tax adviser [92–111]. GetMyInvoices documents portal/email/app capture, AI text recognition, tags/rules, approval/payment routing, and synchronization to accounting/DMS/DATEV [112–115]. These systems are useful authorities for German finance operations but do not publicly establish HORIZON-like cross-functional agent orchestration.

3.4 Diagnostic and planning workflows

BizClave collects 53 self-reported answers, applies deterministic weighted scoring and 19 risk triggers, and assembles a report with score, status, section scores, strengths, red flags, recommendation, and a 30-day plan. Upmetrics collects business-plan inputs, drafts narrative sections, links assumptions to P&L/cash flow/balance sheet, compares best/realistic/worst cases, and imports QBO/Xero actuals one way for variance/reforecasting [61–69, 80–91]. HORIZON should combine their explainability and scenario patterns with live evidence, not copy their standalone-report limitations.

4. Current HORIZON implementation inventory

A — Fully implemented/integrated or runtime-verified

Capability	Evidence and exact location	Status caveat
Governance and implementation ledger	`PROJECT_RULES.md`, `AGENTS.md`, `AI_WORKFLOW.md`, `docs/HORIZON_MASTER_MAP.md`, `docs/HORIZON_BUILD_LEDGER.md`	Documentation and verified repository state; owner freeze acceptance remains distinct from code existence

Auth, onboarding, MFA, session routing	`app/auth/callback/route.ts`, `app/auth/logout/route.ts`, `lib/supabase/proxy.ts`, `lib/supabase/auth-routing.ts`; routes `/{locale}/auth/login`, `/auth/sign-up`, `/onboarding/profile`, `/onboarding/tour`, `/onboarding/finish`; applied migration `supabase/migrations/20260925020000_profiles_onboarding_update_id_grant.sql`	Fresh-user and second-login E2E recorded; email delivery itself was rate-limited, link path was verified
Shared case engine and owner-scoped RLS	`lib/horizon/case/repository.ts`; migrations `20260919150000_horizon_case_engine.sql`, `20260920090100_horizon_case_engine_rls_policies.sql`; tables `cases`, `extracted_facts`, related case entities	Live two-user RLS checks recorded: foreign reads empty, spoofed insert denied, anon denied
Document intake/OCR/evidence	`lib/documents/extraction-contract.ts`; `lib/office/workflow/pdf-ocr.ts`, `lib/office/workflow/documents.ts`, `lib/horizon/intake/*`; routes `/api/documents/upload`, `/api/documents/extract`, `/api/office/documents/[id]/ocr`, `/api/office/documents/[id]/extract`, `/api/horizon/cases/[id]/documents`; tables `source_documents`, `document_pages`, `document_analysis_results`	Real PDF OCR and page evidence verified; text-free PDF correctly routes to `NEEDS_CONFIRMATION`
Alpha Team control plane	`lib/horizon/agent/team.ts`, `lib/horizon/agent/skills.ts`, `lib/horizon/agent/safety.ts`, `skills/*/*.md`; `GET/POST /api/horizon/alpha-team`	Registry, seven skills, deny-by-default policy, deterministic routing, case/document owner validation, and plan output are evidenced
Case Assistant rails	`app/api/horizon/cases/[id]/assistant/route.ts`, `lib/horizon/ai/context.ts`,	Auth/ownership/malformed-body/provider-gate behavior verified; provider key is an

	`lib/horizon/ai/guard.ts`, `lib/horizon/ai/module-rails.ts`	operational dependency, not a missing route
Draft/review/approval/release	`lib/horizon/case/approval.ts`, `release.ts`, `review-actions.ts`; `app/api/office/drafts/[id]/approve`, `/export`; case draft routes	Hash binding, acknowledgement, pre-approval download denial, post-approval release, and idempotent re-approval verified
Official PDF/form engine	`lib/horizon/pdf/*`; `app/api/steuer/pdf`, `/api/horizon/cases/[id]/tax-form`; `components/guide/official-form-panel.tsx`	9/9 mappings and real PDF artifacts verified; no ELSTER transmission claimed
Signature and send action boundaries	`lib/horizon/pdf/signature-actions.ts`, `signature-plan.ts`; `lib/horizon/send/*`; email route/action surfaces	Visual signing and real SMTP send verified; QES/PAdES and two-signature assessment remain owner decisions; production credentials unresolved
German task modules	`lib/horizon/jobcenter/registry.ts`, `lib/horizon/steuer/registry.ts`, `lib/horizon/kuendigung/*`; routes for Jobcenter, Arbeitsagentur, Steuer, Kündigung, contract radar, document explanation	P12–P17 authenticated E2E recorded; module-specific external transmission remains bounded
Audit/idempotency spine	`audit_events`; migrations `20260920090000_horizon_audit_events_reconcile.sql`, `20260928090000_audit_events_insert_grant_restore.sql`, `20261105120000_service_request_id_idempotency.sql`, `20261106160000_service_request_artifact_idempotency.sql`	Existing audit and idempotency must be reused, not duplicated

B — Implemented, not fully integrated

Capability	Exact evidence	Why B
Agent Runs Engine	`lib/horizon/agent-runs/{repository,lifecycle,executor,registry,assistant,service,dispatcher}.ts`	Code, tests, dispatcher, and manual-trigger workflow exist on `feature/horizon-agent-runs-`

	; routes `/api/horizon/agent-runs`, `/[id]`, `/[id]/cancel`, `/[id]/retry`, `/events`, `/dispatch`; workflow `.github/workflows/horizon-agent-runs.yml`; migration `supabase/migrations/20261107000000_horizon_agent_runs_engine.sql`	`engine`; migration is additive but unapplied; no production Supabase rollout; no operator console
Business Consultant	`lib/horizon/business-consultant/{contract,diagnosis,finance,playbook,runs,specialists,service}.ts`; UI `components/business/business-consultant-dashboard.tsx`, `business-profile-form.tsx`; routes `/api/horizon/business-consultant/*`, `/api/horizon/business-profile`	Routes, tests, and migrations `20261107120000_horizon_business_profiles.sql`, `20261108120000_horizon_business_consultant.sql` are inventoried; no production E2E status or applied-migration evidence is recorded, so do not call it fully integrated
Notifications/background pattern	`lib/notifications/service.ts`; `/api/notifications/run`; `.github/workflows/notifications.yml`	Existing cron-to-authenticated-route pattern is usable, but it is not a durable agent queue

C — Partial

Capability	Evidence	Missing or constrained
P1 public layer	Public/legal routes exist in BG/DE; `/{locale}/security` is public trust page and `/{locale}/konto/sicherheit` is account security; `app/[locale]` surfaces	Owner reopened P1; content/design and refreeze remain open; legacy compatibility routes remain
P7 AI execution	Rails and refusal behavior are strong; provider configuration is absent in the recorded runtime	No verified successful provider-backed answer in the inventory; cloud fallback is disabled by default
P10 signatures	`lib/horizon/pdf/signature-*` and E2E visual signing work	QES/PAdES and joint two-signature path remain owner decisions
Business diagnostics	Business Consultant code contains	No evidence of production rollout, score governance,

	diagnosis/finance/playbook contracts; competitor evidence shows why diagnostics matter	source-linked score cards, freshness, or benchmark validation
Durable execution	Feature branch engine is substantial	Production migration, worker scheduling, operator UI, and rollout controls are absent
Integration layer	Google connect/callback, email connection/send, partner adapter paths exist	No verified DATEV/Lexware/sevdesk connector; no public connector scope/health/audit contract

D — Missing

Gap	Evidence-based conclusion
Production durable run/step/event persistence	On `main`, inventory says no `agent_runs` / `agent_steps`; feature migration unapplied
Production queue/worker/recovery/scheduler	No queue, worker, `pg_cron`, `pg_net`, Realtime subscription, or production schedule is evidenced; feature workflow is manual trigger only
Operator console	No route renders run state; blueprint lists it as future
German accounting-system connectors	DATEV is not connected in repository evidence; no verified Lexware Office or sevdesk adapter
E-invoice/OCR accounting control tower	General document OCR exists, but no verified ZUGFeRD/XRechnung field schema, VAT arithmetic validator, duplicate detector, or accounting exception queue
Cash-flow forecast and scenario engine	Existing finance/business consultant routes do not evidence a production forecast with formulas, source periods, uncertainty, or forecast-vs-actual lineage
Configurable AP approval matrix/SoD	Existing user approval is strong for artifacts, but no evidence of preparer/reviewer/owner thresholds, substitutes, or separation-of-duties policies for accounting operations

Public/general HORIZON API and connector marketplace	Existing internal routes exist; no evidence of a versioned external API, scoped API keys, webhooks, connector health catalog, or partner contract
German data residency and procurement trust package	Inventory does not evidence EU/German hosting, DPA/subprocessor register, certifications, RTO/RPO, or model-provider data-use commitments

E — Improve

Area	Improvement target
Evidence UX	Every AI answer, diagnostic, draft, and recommendation should expose source entity/page, extraction status, freshness, confidence, missing evidence, and trace/run ID
Cost and provider controls	Surface local-first/cloud-fallback state, provider/model version, token/cost estimate, per-tenant budget, timeout, and safe refusal; never silently send personal documents to cloud providers
Run observability	Add lifecycle timeline, step outcome, retry reason, safe error, dead-letter state, connector health, and operator re-drive/cancel controls
Approval semantics	Preserve hash-bound approval; add action class, amount/risk threshold, required roles, separation-of-duties, delegation/substitute, expiry, and immutable decision reason
German localization/compliance	Add German-language legal/operational copy, e-invoice schemas, VAT checks, GoBD retention/export guidance, DATEV-compatible exchange, and tax-adviser handoff status
Product positioning	Replace broad autonomous claims with precise human-assisted, evidence-grounded, approval-gated capability language

Test and release gates	Require applied-migration proof, two-tenant RLS tests, worker crash/retry tests, connector contract tests, and production smoke tests before classifying a module A

5. Functional gap matrix

Capability	Competitor evidence	HORIZON current state	Gap	Priority
Durable agent runs	Business-Gym and Make expose run/outcome concepts; Make exposes steps/tool calls [14–33]	Engine code exists only on feature branch; migration unapplied	Production durability, recovery, and visibility	P0
Operator run console	Make/monday expose execution activity [21–43]	No run UI	Users/operators cannot inspect or recover a run	P0
Evidence-grounded diagnostics	BizClave deterministic scoring [61–69]; competitors lack live evidence	Business Consultant contracts exist; rollout/score provenance not evidenced	Versioned rubric, formula, evidence, freshness, confidence	P0
German document intelligence	Lexware/sevdesk/GetMyInvoices document workflows [92–115]	General OCR and page evidence verified	E-invoice parsing, VAT/duplicate/total validation, exception routing	P1
German accounting connectors	Lexware/sevdesk/DATEV ecosystem [92–120]	No verified DATEV/Lexware/sevdesk adapter	Read-only ingestion first, controlled writes later	P1
Forecast/scenarios	Upmetrics and Lexware planning [80–91, 92–101]	No verified production forecast engine	Transparent 13-week cash and base/upside/downside scenarios	P1

AP approval/SoD	HORIZON public approvals are configurable but SoD off by default; CANDIS adjacent [1–13, 116–120]	Artifact approval exists	Finance action policy, four-eyes, thresholds, substitutes	P1
Connector/API governance	HORIZON App API and Make/monday APIs [1–13, 21–43]	Internal APIs and Google/email routes	Versioning, scopes, webhook signatures, health, rate limits	P1
Local/EU data posture	Competitors disclose differing US/Germany/EU claims [1–13, 14–20, 80–91, 92–115]	No repository proof of residency/certification	DPA, subprocessors, region options, provider data policy	P1
Human expert escalation	QUCOXX/HeyKaro coach model [70–79]	Approval and safety exist	Structured advisor escalation and feedback capture	P2
Benchmark/quality publication	Public competitors mostly lack independent metrics; Lexware reports vendor acceptance claims [92–101]	No published score/evaluation standard	Internal evaluation harness, score definitions, drift and release reports	P2
Mobile/push operations	Business-Gym lacks native mobile/push [14–20]	Responsive routes exist; no evidence of push	Mobile-first approval and optional notifications	P3

6. Prioritized roadmap

Group A — High-impact extensions

A1. Productionize native Agent Runs Engine — P0

- **Business value:** converts one-shot AI features into reliable, auditable work without adding a second workflow platform.
- **User benefit:** runs can resume after timeouts, show safe failure, and avoid duplicate work.
- **Reuse:** `lib/horizon/agent/team.ts`, `skills/*`, `lib/horizon/agent/safety.ts`, Case Assistant, P8 approval, existing `audit_events`.
- **Exact location:** feature branch `feature/horizon-agent-runs-engine`; `lib/horizon/agent-runs/*`; `app/api/horizon/agent-runs/*`; `.github/workflows/horizon-agent-runs.yml`; migration `supabase/migrations/20261107000000_horizon_agent_runs_engine.sql`.
- **API/service changes:** enable existing create/list/detail/cancel/retry/events/dispatch routes; add authenticated scheduled trigger only after rollout approval; no second AI pipeline.
- **DB/RLS:** apply additive migration only after review; tables are `agent_runs`, `agent_steps`, `agent_run_events`; preserve owner-scoped RLS, composite FKs, unique `(owner_id,idempotency_key)`, unique `(owner_id,trace_id)`, `SKIP LOCKED`, bounded attempts, dead-letter.
- **Agent integration:** Alpha Team remains Conductor; run engine dispatches bounded specialist steps; Case Assistant remains execution surface; Safety Gate remains deny-by-default.
- **Dependencies:** owner approval, Supabase migration review, worker credential design without service-role bypass, crash/retry tests, production smoke tests.
- **Complexity:** High. **Priority:** P0.

A2. Run/operator console — P0

- **Business value:** reduces support cost and makes autonomous-looking behavior governable.
- **User benefit:** see run status, blockers, evidence, approval needs, retries, and safe retry/cancel controls.
- **Reuse:** existing Horizon sidebar/layout, notification mailbox, API routes, audit spine.
- **Exact location:** add a localized protected route adjacent to `app/[locale]/dashboard` and `components/layout/horizon-sidebar.tsx`; consume `/api/horizon/agent-runs/*`; do not create a second run store.
- **API/service changes:** use existing detail/events routes; add read-only aggregation only if the current API cannot support timeline pagination.
- **DB/RLS:** no new tables; read through run RLS and existing audit records.

- **Agent integration:** display Alpha plan, skill version, Safety Gate decision, Case Assistant handoff, approval state, and action-engine result.
- **Dependencies:** A1 migration/API activation.
- **Complexity:** Medium. **Priority:** P0.

A3. Evidence-grounded SMB diagnosis and scorecard — P0

- **Business value:** differentiates HORIZON from self-report-only BizClave and generic assistants.
- **User benefit:** understand why a score exists and what evidence is missing.
- **Reuse:** Business Consultant diagnosis/finance/playbook services, document pages/facts, cases, Alpha Quality agent, audit events.
- **Exact location:** existing `lib/horizon/business-consultant/{diagnosis,finance,playbook,runs,service}.ts` and `/api/horizon/business-consultant/{diagnosis,finance,documents,profile,specialists,actions}`; UI `components/business/business-consultant-dashboard.tsx`.
- **API/service changes:** return versioned rubric, component metrics, source references, period/freshness, confidence/coverage, missing evidence, and recommended next action; keep arithmetic deterministic and LLM explanation-only.
- **DB/RLS:** first use existing `cases`, `source_documents`, `document_pages`, `document_analysis_results`, `extracted_facts`, `audit_events`; add persistence only if current service cannot retain score version/evidence references. Any migration must be additive and owner-scoped.
- **Agent integration:** Alpha routes to Business Consultant specialist; Quality/Safety validates evidence; Case Assistant explains; approval controls external recommendations.
- **Dependencies:** determine applied status of Business Consultant migrations; define rubric with German tax/accounting professionals; provider configuration for explanations.
- **Complexity:** High. **Priority:** P0.

A4. Document control tower for German invoices/e-invoices — P1

- **Business value:** fills the clearest public gap between HORIZON’s OCR and German accounting operations.
- **User benefit:** fewer posting errors, duplicates, missing VAT evidence, and manual document chasing.

- **Reuse:** `lib/documents/extraction-contract.ts`, `lib/office/workflow/pdf-ocr.ts`, document routes, `source_documents`, `document_pages`, `extracted_facts`, P8 approval.
- **Exact location:** extend `app/api/documents/extract`, `/api/office/documents/[id]/ocr`, `/api/horizon/cases/[id]/documents`; add a bounded validation service under `lib/horizon/intake/` rather than a new document engine.
- **API/service changes:** parse XRechnung/ZUGFeRD where permitted, validate required fields, VAT arithmetic, total/line reconciliation, duplicate fingerprints, supplier changes, and confidence thresholds; return exception categories and reviewer actions.
- **DB/RLS:** reuse document tables; persist only normalized extraction/provenance fields not already available. Preserve original storage object and page references. RLS follows document/case ownership.
- **Agent integration:** Document Intake Agent extracts; deterministic validator checks; Quality agent routes exceptions; Finance specialist drafts explanation; approval precedes booking/export.
- **Dependencies:** schema libraries, German accounting review, retention/DPA review, connector target selection.
- **Complexity:** High. **Priority:** P1.

A5. Read-only German finance bridge — P1

- **Business value:** creates a defensible Germany-first wedge without replacing Lexware/sevdesk/DATEV systems of record.
- **User benefit:** one HORIZON view across documents, cases, deadlines, finance signals, and accountant handoff.
- **Reuse:** partner adapter seam, Business Consultant finance service, notifications, audit/idempotency, approval/action engines.
- **Exact location:** extend `lib/partners/adapter.ts` and add provider adapters under a new narrowly scoped `lib/horizon/connectors/`; routes under `/api/horizon/connectors/*` only after API contract approval.
- **API/service changes:** begin with read-only Lexware XL, sevdesk Buchhaltung Pro, and DATEV-compatible import/export where contractually available; require provider/version, scopes, rate limits, retry, disable path, and source mapping.
- **DB/RLS:** store encrypted connection metadata and tenant-scoped sync cursors only after explicit schema approval; never store provider secrets in application tables unencrypted; no service-role bypass.
- **Agent integration:** connectors provide normalized evidence to Business Consultant and Alpha specialists; no connector may bypass Safety Gate or write directly from

model output.

- **Dependencies:** vendor contracts/API access, DPA, German tax-accountant validation, secret storage, rate-limit tests.
- **Complexity:** High. **Priority:** P1.

A6. Controlled cash/close cockpit — P1

- **Business value:** converts finance data into recurring, explainable operational value.
- **User benefit:** see runway, overdue receivables, VAT reserve, missing receipts, close blockers, and base/upside/downside scenarios.
- **Reuse:** Business Consultant finance, deterministic services, notifications, run engine, existing cases and documents.
- **Exact location:** `lib/horizon/business-consultant/finance.ts`, `diagnosis.ts`, dashboard component, and a protected finance route; do not create a new forecast engine until formulas and ownership are documented.
- **API/service changes:** add periodized actuals, assumptions, scenario outputs, variance explanations, and source links; numerical calculations must be deterministic or external validated service, not free-form LLM arithmetic.
- **DB/RLS:** initially compute from normalized read models or existing records; persist approved forecast snapshots only if users need historical comparison. Owner/tenant RLS required.
- **Agent integration:** agent explains drivers and drafts tasks; it cannot post, pay, submit taxes, or alter accounting source without approval.
- **Dependencies:** finance connector A5, accounting review, forecast methodology, data freshness policy.
- **Complexity:** High. **Priority:** P1.

Group B — Differentiation

B1. Approval policy and four-eyes layer — P1

- **Business value:** makes HORIZON safer than generic automation and addresses the documented weakness that approvals can be opt-in or incomplete.
- **User benefit:** predictable reviewer routing, thresholds, delegation, expiry, and visible decision history.
- **Reuse:** P8 hash-bound approval, `lib/horizon/agent/safety.ts`, `lib/office/workflow/approval.ts`, `audit_events`, notifications.

- **Exact location:** extend approval service and approval UI around `lib/horizon/case/approval.ts`, `lib/horizon/case/review-actions.ts`, and `app/api/office/drafts/[id]/approve`.
- **API/service changes:** add action class, required role, amount/risk threshold, SoD conflict check, substitute, SLA/escalation, and reason fields; preserve existing hash binding.
- **DB/RLS:** use existing approval/audit records if possible; otherwise additive policy/decision tables with owner/tenant RLS and immutable append-only decisions.
- **Agent integration:** Safety Gate computes required approval; agent proposes only; action engine executes only after valid approval.
- **Dependencies:** legal/accounting policy, role model, notification delivery.
- **Complexity:** Medium-high. **Priority:** P1.

B2. Provenance and evaluation harness — P2

- **Business value:** turns "quality" claims into measurable release criteria.
- **User benefit:** confidence that answers and scores cite the right page/fact and fail safely when evidence is missing.
- **Reuse:** `lib/horizon/agent/safety.ts`, `lib/horizon/ai/*`, existing tests, audit events, local-first orchestration in `docs/AI_ORCHESTRATION.md`.
- **Exact location:** add tests and contracts beside `lib/horizon/ai/*`, `lib/horizon/business-consultant/*`, and `lib/horizon/agent-runs/*`.
- **API/service changes:** return trace ID, prompt/model/skill versions, evidence IDs, refusal code, and confidence/coverage; redact sensitive payloads from journals.
- **DB/RLS:** use run references/audit events; do not persist prompts or document contents by default.
- **Agent integration:** Quality agent and run engine emit structured evaluation artifacts; no chain-of-thought storage.
- **Dependencies:** labeled German cases, privacy review, provider test fixtures.
- **Complexity:** Medium. **Priority:** P2.

B3. Advisor escalation and partner-assisted migration — P2

- **Business value:** captures QUCOXX-style human trust while keeping software repeatable.
- **User benefit:** a clear path when evidence is incomplete, legal/tax ambiguity exists, or a migration needs expert review.

- **Reuse:** cases, tasks/deadlines, notifications, review/approval, Business Consultant.
- **Exact location:** add an advisor/escalation case intent and UI to existing guide/case workspace; no separate CRM.
- **API/service changes:** create escalation task with evidence packet, owner, SLA, reviewer response, and resolution link.
- **DB/RLS:** reuse cases/tasks/audit; add only missing status fields after schema review.
- **Agent integration:** low-confidence or prohibited operation routes to human; feedback is structured, not silently used for model training.
- **Dependencies:** partner operating model, DPA, support process.
- **Complexity:** Medium. **Priority:** P2.

B4. External API and connector contract — P1/P2

- **Business value:** creates distribution and avoids one-off integrations.
- **User benefit:** secure, predictable connections with clear read/write boundaries.
- **Reuse:** existing internal routes, partner adapter, Google/email integrations, AI orchestration connector contract.
- **Exact location:** versioned `/api/v1` namespace only after internal route contracts stabilize; document under `docs/`.
- **API/service changes:** scoped keys/OAuth, signed webhooks, idempotency, pagination, rate limits, provider health, dry-run, disable/revoke, and audit correlation.
- **DB/RLS:** connection metadata tenant-scoped; secrets externalized/encrypted; webhook replay protection and event IDs required.
- **Agent integration:** tools expose explicit read/write scopes; model never receives unrestricted credentials.
- **Dependencies:** security review, billing/plan policy, support/SLA, DPA.
- **Complexity:** High. **Priority:** P1 for private integrations; P2 for public API.

Group C — Future expansion

C1. Mobile approval/push — P3

- **Business value:** improves time-to-decision without weakening approval.
- **User benefit:** review from mobile browser or push deep link.
- **Reuse:** responsive localized routes, notifications, hash-bound approval.

- **Exact location:** existing account/workspace routes; optional push service only after privacy review.
- **API/service/DB:** no new core tables; signed short-lived approval links may be considered only for low-risk workflow approvals, never payments or system-of-record writes.
- **Agent integration:** notification only; action remains server-side approval-gated.
- **Dependencies:** provider, consent, mobile QA.
- **Complexity:** Medium. **Priority:** P3.

C2. Capital layer — P3 / explicitly deferred

The Master Map places Capital outside the current active sequence. Existing `lib/capital/*` and research are reference/preserved material, not evidence of production integration. Resume only after control, contract, document, diagnostics, and approval foundations are stable and after separate legal/product authorization. Never imply BlackRock/Aladdin affiliation or licensed access based on repository research.

7. Exact implementation map

Step	Implementation action	Files/services	Exit evidence
0	Freeze evidence baseline	`main @ e1afa23`, feature branch, inventory snapshot, current migration list	Branch/status report; no undocumented production claims
1	Decide and document Agent Runs rollout	`docs/HORIZON_AGENT_RUNS_ENGINE_ASSESSMENT.md`, migration `20261107000000...`, RLS SQL tests	Owner approval; migration review; explicit worker auth decision
2	Apply additive run schema in a disposable project	`agent_runs`, `agent_steps`, `agent_run_events`; RLS tests	Cross-owner reads/writes denied; claim/recovery tests pass
3	Activate authenticated dispatcher	`lib/horizon/agent-runs/dispatcher.ts`, existing dispatch route, workflow	One idempotent run, bounded retry, crash recovery, dead-letter verified

4	Integrate Alpha → Run → Case Assistant	`registry.ts`, `assistant.ts`, `service.ts`, `app/api/horizon/alpha-team/route.ts`	Trace ID and references flow; no duplicate model pipeline
5	Build operator console	localized app route, sidebar, run API	User sees status/steps/blockers/approval and can cancel/retry safely
6	Reconcile Business Consultant deployment	`20261107120000_horizon_business_profiles.sql`, `20261108120000_horizon_business_consultant.sql`, service/routes	Applied/unapplied status proven; tenant isolation tested; production E2E recorded
7	Implement score contract	`diagnosis.ts`, `finance.ts`, dashboard/routes	Versioned deterministic score with evidence/freshness/coverage and refusal behavior
8	Implement German document validators	extraction contract, OCR routes, validation service	Fixture tests for PDF, scan, XRechnung/ZUGFeRD where supported; duplicate/VAT/total exceptions
9	Add read-only finance adapters	`lib/partners/adapter.ts`, connector modules/routes	Provider scope, rate-limit, sync cursor, disable, and provenance tests
10	Add approval policy/SoD	approval services/UI, audit/notifications	Four-eyes and threshold cases pass; no self-approval; immutable decision evidence
11	Add cash/close cockpit	Business Consultant finance + dashboard	Forecast formulas documented; actual-vs-scenario lineage; no autonomous posting/payment
12	Production readiness gate	tests, typecheck, lint, build, migration	OpenHands receives a task-by-task verified

		status, RLS smoke, security review	implementation packet

8. Recommended architecture: reuse, do not duplicate

Plain Text

```
User / external intake
  → HORIZON API and canonical case/service-request provisioning
  → Alpha Team / Horizon Conductor
  → Agent Runs Engine (durability only; once applied)
  → specialist skill/SOP contract
  → existing document/OCR and confirmed-fact surfaces
  → existing Case Assistant (explanation/drafting only)
  → Quality & Safety Gate (provenance, refusal, allowed-operation policy)
  → existing Draft/Review
  → existing hash-bound User Approval
  → existing action engine: PDF/forms, signature, email/send, module-specific a
  → audit_events + run/step/outcome references
```

Reuse rules

- **Alpha Team** owns classification, specialist selection, skill metadata, and plan creation. It must not send mail, sign documents, post accounting records, or enter third-party accounts.
- **Safety Gate** owns deny-by-default operation evaluation, provenance requirements, external-action flags, and refusal conditions. Do not create a parallel policy engine.
- **Agent Runs Engine** owns durable run/step/event state, idempotency, queue claim, retry/backoff, deadlines, cancellation, recovery, and run observability. It must not own cases, documents, prompts as a second source of truth, approvals, or external actions.
- **Business Consultant** owns the domain contract for profiles, diagnosis, finance, specialists, and action-plan explanation. It should consume normalized evidence and return source-linked results; it must not become a second case engine.
- **Document Center** means the existing document/OCR/extraction path: `source_documents`, `document_pages`, `document_analysis_results`, `extracted_facts`, storage, extraction contract, review. New invoice controls belong as validators/adapters on this path.
- **Approvals** remain the only authorization boundary for high-impact operations. Hash-binding and release gates must be preserved.

- **Existing action engines** remain authoritative for PDF generation, signature, email/send, Kündigung, Steuer, and other bounded module actions.

9. Required database/API changes, only where justified

Justified now, subject to approval

1. **Apply the prepared additive Agent Runs migration** only after owner approval and RLS review. It creates `agent_runs`, `agent_steps`, and `agent_run_events`; it does not modify existing case/document tables. Composite ownership FKs and per-owner idempotency are required.
2. **Add only missing score/diagnostic persistence** if Business Consultant cannot retain version, source references, freshness, and reviewer decision in existing case/document/audit structures. Prefer references to existing entities over copying document content.
3. **Add connector metadata/sync cursors** only for approved providers. Store tenant/owner, provider/version, scopes, encrypted reference to secret, cursor, last sync, health, and revocation state. Do not store raw access tokens in plaintext.
4. **Add approval policy records** only if existing P8 records cannot represent required role/threshold/SoD/delegation semantics. Use append-only decisions and owner/tenant RLS.

Not justified

- A second workflow engine such as Hatchet or Trigger.dev. The inventory explicitly recommends native PostgreSQL and states the queue footprint does not justify extra services. DBOS is only a future fallback and should not be introduced now.
- A new users, cases, documents, facts, or approval database.
- A model/provider-specific table that stores prompts, full document contents, or chain-of-thought by default.
- Autonomous payment, tax submission, legal acceptance, signature, or external message execution.
- Production application of `20261108120000_horizon_business_consultant.sql` or other migration merely because the file exists; applied status must be proven first.

10. Dependencies, security/RLS, and German legal/operational risks

Dependencies

- Owner approval for migration/RLS and the feature-branch merge path.
- A production-safe scheduler/worker trigger that does not rely on a service-role bypass.
- Configured AI provider credentials and documented local-first/cloud-fallback policy. `AI_ALLOW_CLOUD_FALLBACK` is false by default in the repository orchestration guidance.
- German tax/accounting subject-matter review for VAT, GoBD, E-Rechnung, DATEV, retention, booking, and adviser handoff.
- Vendor/API agreements for Lexware, sevdesk, DATEV, banks, storage, email, and model providers.
- DPA, subprocessor, residency, deletion, incident, RTO/RPO, and support/SLA review before handling production financial or special-category data.

Security and RLS requirements

- Every case, document, run, step, event, diagnostic, connection, and approval query must scope by authenticated owner/tenant before writing.
- Preserve the verified case RLS behavior: cross-owner read returns no rows, spoofed-owner insert fails, cross-owner update affects zero rows, and anon access is denied.
- Use composite foreign keys such as `(case_id, owner_id)` to prevent a valid case ID from being bound to another owner.
- Do not use a service-role worker to bypass RLS. The repository safety blueprint explicitly forbids that shortcut; workers must use canonical helpers under verified ownership rules.
- Treat provider connections as least-privilege tools: separate read-only analysis credentials from write credentials, make writes explicit, log provider/version/scope, and support revocation.
- Do not persist prompts, document contents, images, tokens, or provider responses in the redacted local AI journal. Persist references, versions, safe error codes, and audit metadata.
- Enforce idempotency at both API and database levels. A retry is a new step attempt, never an overwrite of history.
- Never allow the model to be the authorization boundary. “Ask for approval” in a prompt is not an approval mechanism; only signed-in server-side approval state may authorize the action.

German legal and operational risks

- **AI Act/high-risk boundary:** benefits, employment, credit, migration, law enforcement, and access to essential services may trigger high-risk obligations. Keep the first release explanation/drafting/coordination-oriented with human oversight, logging, documentation, quality data, robustness, cybersecurity, and accuracy controls [1].
- **GoBD and auditability:** preserve originals, extraction evidence, immutable history, timestamps, correction/reversal semantics, retention/export, and clear distinction between suggestion and booked record. A generic OCR result is not a compliant accounting record.
- **E-invoicing/VAT:** validate XRechnung/ZUGFeRD format, VAT IDs/rates, totals, dates, duplicate invoices, reverse charge and German-specific exceptions with qualified professionals. Do not claim tax correctness from model output.
- **GDPR/DSGVO:** document lawful basis, processor roles, data minimization, deletion/retention, subject rights, data transfers, subprocessor inventory, and special-category handling. Financial, employment, health, immigration, and benefits documents require heightened care.
- **Residency and transfers:** public competitor claims vary between US, EU, and German hosting. HORIZON must not advertise German/EU residency, certification, or compliance until contractually and technically verified.
- **Advice/liability:** label diagnostics and forecasts as decision support; route legal/tax/accounting uncertainty to a qualified human. Preserve customer confirmation and disclaimers without making them a substitute for controls.
- **Operational failure:** connectors expire, APIs rate-limit, portals change, OCR fails, and provider outages occur. Every connector needs health, retry, timeout, dead-letter, disable, reconciliation, and manual recovery behavior.

11. Final implementation sequence suitable for OpenHands

OpenHands should execute the following sequence as separate, reviewable tasks. No task should silently apply a migration, alter secrets, deploy, or broaden external write permissions.

1. **Baseline and branch reconciliation.** Confirm current branch, commit, working tree, migration history, and whether Business Consultant or Agent Runs migrations are applied. Produce a status artifact; do not infer production state from filenames.
2. **Agent Runs contract review.** Read `docs/HORIZON_AGENT_RUNS_ENGINE_ASSESSMENT.md`, `lib/horizon/agent-runs/*`, all route tests, migration contract tests, and RLS SQL tests. Confirm no frozen surface changes.

3. **Disposable database validation.** Apply the Agent Runs migration to a disposable database only. Run isolation, claim-scope, worker-recovery, lifecycle, repository, service, dispatcher, and API tests. Record exact results.
4. **Owner/RLS decision gate.** Stop if production migration approval, worker identity, or RLS policy is unresolved. Do not substitute service-role access.
5. **Production migration gate.** If approved, apply only the additive Agent Runs migration through the reviewed migration process. Verify tables, constraints, indexes, policies, and rollback/forward recovery plan.
6. **Dispatcher smoke test.** Create one owner-scoped idempotent run, dispatch one bounded specialist step, force a safe retry, verify a terminal result/dead-letter path, and confirm audit/run references. Test a second owner and anon access.
7. **Operator console.** Implement the minimal localized run/status view using existing APIs and layout. Add cancel/retry only where server-side authorization and idempotency are proven.
8. **Alpha/Case Assistant integration.** Verify the trace and plan metadata handoff from `POST /api/horizon/alpha-team` to the existing Case Assistant. Confirm that Alpha does not duplicate assistant execution and that no external action bypasses P8.
9. **Business Consultant reconciliation.** Establish whether `20261107120000_horizon_business_profiles.sql` and `20261108120000_horizon_business_consultant.sql` are applied. Run tenant-isolation tests and authenticated E2E before classifying the module beyond B/C.
10. **Diagnostic contract.** Define one initial German SMB rubric with deterministic formulas, version, source references, freshness, coverage, confidence, missing evidence, and human review. Implement explanation only through existing assistant/safety boundaries.
11. **Document control validation.** Add fixtures and tests for scanned PDF, text PDF, accepted e-invoice formats, missing fields, duplicate fingerprint, VAT/total mismatch, supplier change, and low confidence. Reuse the shared extraction contract and Document Center.
12. **Read-only connector pilot.** Select one provider first—Lexware, sevdesk, or DATEV-compatible exchange. Implement least-privilege connection, cursor, health, rate-limit, retry, provenance, and disable behavior. No write-back until reconciliation and approval tests pass.
13. **Approval/SoD extension.** Add preparer/reviewer/owner and threshold semantics to the existing P8 path. Test self-approval rejection, delegation expiry, duplicate approval, hash mismatch, and audit completeness.

14. **Cash/close cockpit.** Add deterministic period comparisons and scenarios after connector evidence is stable. Label assumptions, actuals, forecast, and uncertainty; keep posting/payment/tax submission disabled without explicit approval.
15. **Security and legal gate.** Review GDPR/DPA/subprocessors, data residency, GoBD retention, e-invoice/VAT correctness, AI provider transfer terms, special-category data, and high-risk AI Act exposure.
16. **Release verification.** Run the full relevant test suite, typecheck, lint, build, migration status check, two-tenant RLS smoke tests, connector contract tests, and authenticated browser E2E. Report failures rather than claiming completion.
17. **Only then expand.** Consider additional providers, advisor escalation, mobile/push, public API, and Capital as separately approved increments. Do not introduce a second workflow engine or duplicate case/document/approval engines.

References

Repository and regulatory evidence

[1] https://digital-strategy.ec.europa.eu/en/policies/regulatory-framework-ai

[2] https://github.com/tarifberatung24-blip/VZGplattform

[3] https://github.com/tarifberatung24-blip/VZGplattform/blob/main/docs/HORIZON_BUILD_LEDGER.md

[4] https://github.com/tarifberatung24-blip/VZGplattform/blob/main/docs/HORIZON_ALPHA_TEAM_BLUEPRINT_BG.md

[5] https://github.com/tarifberatung24-blip/VZGplattform/blob/main/docs/HORIZON_AGENT_RUNS_ENGINE_ASSESSMENT.md

[6] https://github.com/tarifberatung24-blip/VZGplattform/blob/main/docs/AI_ORCHESTRATION.md

Competitor and adjacent-product sources

[7] https://horizonplatform.ai/

[8] https://horizonplatform.ai/features

[9] https://horizonplatform.ai/agents

[10] https://horizonplatform.ai/pricing/

[11] https://horizonplatform.ai/faq/

[12] https://horizonplatform.ai/legal/security-overview/

[13] https://horizonplatform.ai/legal/services-privacy-policy/

[14] https://docs.horizonplatform.ai/platform/workspace/connections/overview/

[15] https://docs.horizonplatform.ai/platform/workspace/approvals/

[16] https://docs.horizonplatform.ai/api/app-api/
[17] https://docs.horizonplatform.ai/api/webhooks/
[18] https://docs.horizonplatform.ai/finance/overview/
[19] https://docs.horizonplatform.ai/finance/concepts/documents-and-posting/
[20] https://docs.business-gym.ai/
[21] https://docs.business-gym.ai/what-is-business-gym
[22] https://docs.business-gym.ai/inbound-approve-execute
[23] https://docs.business-gym.ai/heads
[24] https://docs.business-gym.ai/integrations
[25] https://docs.business-gym.ai/integrations/data-sources
[26] https://docs.business-gym.ai/approvals/who-can-approve-and-where
[27] https://www.make.com/ai-agents
[28] https://help.make.com/make-ai-agents
[29] https://help.make.com/make-ai-agents-app
[30] https://help.make.com/make-ai-agent-new-best-practices
[31] https://help.make.com/sub-agents-and-tool-output-filtering-are-now-available-in-the-make-ai-agent-new-app
[32] https://help.make.com/input-files-for-ai-agents
[33] https://www.make.com/blog/make-ai-content-extractor
[34] https://www.make.com/en/pricing
[35] https://developers.make.com/api-documentation
[36] https://www.make.com/en/security
[37] https://n8n.io/
[38] https://zapier.com/ai
[39] https://www.microsoft.com/en-us/microsoft-copilot/microsoft-copilot-studio
[40] https://support.monday.com/hc/en-us/articles/33347027353746-AI-Agents-on-monday-com
[41] https://support.monday.com/hc/en-us/articles/38411699315346-Build-and-configure-your-AI-agent
[42] https://support.monday.com/hc/en-us/articles/38411316441874-Run-and-manage-your-AI-agents
[43] https://support.monday.com/hc/en-us/articles/30934592475410-AI-Permissions
[44] https://support.monday.com/hc/en-us/articles/11065311570066-Get-started-with-AI-workflows
[45] https://support.monday.com/hc/en-us/articles/28588158981266-Get-started-with-monday-MCP
[46] https://developer.monday.com/api-reference/
[47] https://monday.com/pricing

[48] https://monday.com/trustcenter
[49] https://monday.com/w/agents
[50] https://zerodelay.ai/
[51] https://zerodelay.ai/about/
[52] https://bizclave.app/
[53] https://www.bizclave.app/how-it-works
[54] https://www.bizclave.app/assessments/current-business-analysis
[55] https://www.bizclave.app/privacy-policy
[56] https://www.bizclave.app/terms-of-use
[57] https://heykaro.ai/
[58] https://heykaro.ai/pricing/
[59] https://heykaro.ai/privacy-policy/
[60] https://heykaro.ai/terms-and-conditions/
[61] https://www.snk.de/en/projects/qucoxx-ai-platform-for-consulting-developed-with-ibexa-dxp-and-snk/
[62] https://openfellas.com/en_US/customer-success-story-qucoxx
[63] https://upmetrics.co/
[64] https://upmetrics.co/features/financial-forecasting
[65] https://upmetrics.co/integrations/quickbooks-forecast
[66] https://upmetrics.co/integrations/xero-forecast
[67] https://bizclave.app/
[68] https://www.bizclave.app/about
[69] https://www.bizclave.app/how-it-works
[70] https://www.bizclave.app/assessments/current-business-analysis
[71] https://www.bizclave.app/privacy-policy
[72] https://www.bizclave.app/terms-of-use
[73] https://sevdesk.de/
[74] https://www.weclapp.com/en/solutions/sme/
[75] https://www.personio.com/product/
[76] https://heykaro.ai/
[77] https://heykaro.ai/pricing/
[78] https://heykaro.ai/privacy-policy/
[79] https://heykaro.ai/terms-and-conditions/
[80] https://www.snk.de/en/projects/qucoxx-ai-platform-for-consulting-developed-with-ibexa-dxp-and-snk/
[81] https://openfellas.com/en_US/customer-success-story-qucoxx
[82] https://upmetrics.co/

[83] https://upmetrics.co/features/financial-forecasting
[84] https://upmetrics.co/integrations/quickbooks-forecast
[85] https://upmetrics.co/integrations/xero-forecast
[86] https://upmetrics.co/terms-and-policies/privacy-policy
[87] https://upmetrics.co/terms-and-policies/security-policy
[88] https://www.lexware.de/funktionen/belegerfassung/
[89] https://www.lexware.de/wissen/buchhaltung-finanzen/kuenstliche-intelligenz-in-der-buchhaltung/
[90] https://www.lexware.de/partner/public-api/
[91] https://developers.lexware.io/
[92] https://www.lexware.de/funktionen/datev-schnittstelle/
[93] https://sevdesk.de/produktuebersicht/
[94] https://sevdesk.de/belege-erfassen/
[95] https://sevdesk.de/online-banking/
[96] https://hilfe.sevdesk.de/de/articles/9374668-sevdesk-api
[97] https://api.sevdesk.de/
[98] https://www.lexware.de/funktionen/belegerfassung/
[99] https://www.lexware.de/funktionen/digitaler-rechnungseingang/
[100] https://www.lexware.de/preise/
[101] https://developers.lexware.io/
[102] https://sevdesk.de/
[103] https://sevdesk.de/belege-erfassen/
[104] https://sevdesk.de/online-banking/
[105] https://api.sevdesk.de/
[106] https://www.getmyinvoices.com/en/integrations-interfaces/
[107] https://www.datev.de/web/de/marktplatz/getmyinvoices
[108] https://sevdesk.de/rechnungsprogramm-online/
[109] https://office.lexware.de/steuerberater/funktionen/belege-erfassen/
[110] https://www.getmyinvoices.com/en/integrations-interfaces/
[111] https://www.datev.de/web/de/marktplatz/getmyinvoices
[112] https://sevdesk.de/online-banking/
[113] https://www.lexware.de/funktionen/datev-schnittstelle/
[114] https://www.getmyinvoices.com/en/pricing/
[115] https://www.getmyinvoices.com/en/dpa/
[116] https://www.getmyinvoices.com/downloads/security/getmyinvoices_iso-27001-zertifikat.pdf
[117] https://www.candis.io/en/product/invoice-approval

[118] https://www.datev.de/web/de/marktplatz/getmyinvoices
[119] https://www.getmyinvoices.com/en/integrations-interfaces/
[120] https://sevdesk.de/integrationen/getmyinvoices/
[121] https://www.getmyinvoices.com/en/pricing/
[122] https://www.candis.io/en/product/invoice-approval
[123] https://www.datev.de/web/de/unternehmen/loesungen/loesungen-fuer-unternehmen/unternehmen-online
[124] https://www.datev.de/web/de/unternehmen/
[125] https://www.lexware.de/funktionen/e-rechnung/
[126] https://sevdesk.de/e-rechnung-software/