

# **Training Materials**

## **Basic ATC Course**

### **RT Procedure & Phraseology**



**DECEMBER-2021**

**CIVIL AVIATION ACADEMY**

## 1.1 DEFINITIONS OF PRINCIPAL TERMS

**Aerodrome control service.** Air traffic control service for aerodrome traffic.

**Aerodrome traffic.** All traffic on the manoeuvring area of an aerodrome and all aircraft flying in the vicinity of an aerodrome.

*Note.- An aircraft is in the vicinity of an aerodrome when it is in, entering or leaving an aerodrome traffic circuit.*

**Aerodrome traffic circuit.** The specified path to be flown by aircraft operating in the vicinity of an aerodrome.

**Air traffic.** All aircraft in flight or operating on the manoeuvring area of an aerodrome.

**Blind transmission.** A transmission from one station to another station in circumstances where two-way communication cannot be established but where it is believed that the called station is able to receive the transmission.

**Manoeuvring area.** That part of an aerodrome to be used for the "take-off", landing and taxiing of aircraft, excluding aprons.

**Movement area.** That part of an aerodrome to be used for the "take-off", landing and taxiing of aircraft, consisting of the manoeuvring area and the apron(s).

**VFR flight.** A flight conducted in accordance with the visual flight rules.

**Visual approach.** An approach by an IFR flight when either part or all of an instrument approach procedure is not completed and the approach is executed in visual reference to terrain.

## 1.2 COMMONLY USED ABBREVIATIONS

*Note.- The abbreviations listed below are normally spoken using the constituent letters, rather than the spelling alphabet, except that those indicated by an asterisk are normally spoken as complete words.*

|      |                                        |
|------|----------------------------------------|
| ACC  | Area control centre or area control    |
| ATC  | Air traffic control (in general)       |
| ATD  | Actual time of departure               |
| ATIS | Automatic terminal information service |
| ATS  | Air traffic services                   |

|       |                                                                                                                                                                                                                                                                                   |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ATZ   | Aerodrome traffic zone                                                                                                                                                                                                                                                            |
| CAVOK | Visibility, cloud and present weather better than prescribed values or conditions                                                                                                                                                                                                 |
| CTR   | Control zone                                                                                                                                                                                                                                                                      |
| ETA   | Estimated time of arrival or estimating arrival                                                                                                                                                                                                                                   |
| ETD   | Estimated time of departure or estimating departure                                                                                                                                                                                                                               |
| IFR   | Instrument flight rules                                                                                                                                                                                                                                                           |
| ILS   | Instrument landing system                                                                                                                                                                                                                                                         |
| IMC   | Instrument meteorological conditions                                                                                                                                                                                                                                              |
| NDB   | Non-directional radio beacon                                                                                                                                                                                                                                                      |
| NOTAM | A notice distributed by means of telecommunication containing information concerning the establishment, condition or change in any aeronautical facility, service, procedure or hazard, the timely knowledge of which is essential to personnel concerned with flight operations. |
| PAPI  | Precision approach path indicator                                                                                                                                                                                                                                                 |
| QNH   | Altimeter sub-scale setting to obtain elevation when on the ground                                                                                                                                                                                                                |
| RVR   | Runway visual range                                                                                                                                                                                                                                                               |
| SID   | Standard instrument departure                                                                                                                                                                                                                                                     |
| TMA   | Terminal control area                                                                                                                                                                                                                                                             |
| VFR   | Visual flight rules                                                                                                                                                                                                                                                               |
| VHF   | Very high frequency (30 to 300 MHz)                                                                                                                                                                                                                                               |
| VIP   | Very important person                                                                                                                                                                                                                                                             |
| VMC   | Visual meteorological conditions                                                                                                                                                                                                                                                  |
| VOR   | VHF omnidirectional radio range                                                                                                                                                                                                                                                   |

## **2. GENERAL OPERATING PROCEDURES**

### **2.1 INTRODUCTION**

Radiotelephony (RTF) provides the means by which pilots and ground personnel communicate with each other. The information and instructions transmitted are of vital importance in the safe and expeditious operation of aircraft. Incidents and accidents have occurred in which a contributing factor has been the use of non-standard procedures and phraseology. The importance of using correct and precise standardized phraseology cannot be overemphasized.

### **2.2 TRANSMITTING TECHNIQUE**

2.2.1 The following transmitting techniques will assist in ensuring that transmitted speech is clear and satisfactorily received:

#### **a. Listen**

Before transmitting check that the receiver volume is set and listen to make sure you do not interrupt another transmission.

#### **b. Microphone**

Be familiar with your microphone. Do not turn your head or vary the distance from the microphone. Distortion will result from:

- talking too close to the microphone
- touching the mike with the lips
- holding the boom of the microphone

#### **c. Voice**

Use a normal conversational tone, speak clearly and enunciate each word. Maintain the speaking volume at a constant level.

*Note: You should depress transmit switch before speaking and do not release it until after you finish. A common fault is to release the button too soon.*

#### **d. Rate of Speech**

The correct rate of speech is about 100 words per minute, but if it is known that the information needs to be written down, speak slower. ATC controllers can be very bad at this.

#### **e. Hesitation ... and avoid hesitation sounds such as er and urn!**

#### **f. Abbreviations**

Some abbreviations, which by common and frequent use are understood, need not be spelled out e.g. ILS, VOR, NDB, GPS, Q-CODES (QFE, QNH, QDR)

### **g. Long Messages**

If you have a long message pause occasionally. This allows time to check that the frequency is still clear and gives time for receiver to request repetition or clarification of parts not received.

2.2.2 An irritating and potentially dangerous situation in radiotelephony is a "stuck" microphone button. Operators should always ensure that the button is released after a transmission and the microphone placed in an appropriate place ensuring that it will not inadvertently be switched on.

## **2.3 TRANSMISSION OF LETTERS**

The words in the table below shall be used when using the phonetic spelling.

*Note. - Syllables to be emphasized are underlined.*

| <b>Letter</b> | <b>Word</b> | <b>Pronunciation</b>               |
|---------------|-------------|------------------------------------|
| A             | Alfa/alfa   | <u>AL</u> FAH                      |
| B             | Bravo       | <u>BRAH</u> VOH                    |
| C             | Charlie     | <u>CHAR</u> LEE or <u>SHAR</u> LEE |
| D             | Delta       | <u>DELL</u> THA                    |
| E             | Echo        | <u>ECK</u> OH                      |
| F             | Foxtrot     | <u>FOKS</u> TROT                   |
| G             | Golf        | GOLF                               |
| H             | Hotel       | HO <u>TELL</u>                     |
| I             | India       | <u>IN</u> DEE AH                   |
| J             | Juliett     | <u>JEW</u> LEE ETT                 |
| K             | Kilo        | <u>KEY</u> LOH                     |
| L             | Lima        | <u>LEE</u> MAH                     |
| M             | Mike        | MIKE                               |
| N             | November    | NO <u>VEM</u> BER                  |

|   |         |                                           |
|---|---------|-------------------------------------------|
| O | Oscar   | <u>OSS</u> CAH                            |
| P | Papa    | PAH <u>PAH</u>                            |
| Q | Quebec  | KEH <u>BECK</u>                           |
| R | Romeo   | <u>ROW</u> ME OH                          |
| S | Sierra  | SEE <u>AIR</u> RAH                        |
| T | Tango   | <u>TANG</u> GO                            |
| U | Uniform | <u>YOU</u> NEE FORM or <u>OO</u> NEE FORM |
| V | Victor  | <u>VIK</u> TAH                            |
| W | Whiskey | <u>WISS</u> KEY                           |
| X | X-ray   | <u>ECKS</u> RAY                           |
| Y | Yankee  | <u>YANG</u> KEE                           |
| Z | Zulu    | <u>ZOO</u> LOO                            |

## 2.4 TRANSMISSION OF NUMBERS

**2.4.1** When the language used for communication is English, numbers shall be transmitted using the following pronunciation:

*Note. - The syllables printed in capital letters are to be stressed; for example, the two syllables in ZE-RO are given equal emphasis, whereas the first syllable of FOW-er is given primary emphasis.*

| Numbers or Numeral Element | Word  | Pronunciation |
|----------------------------|-------|---------------|
| 0                          | ZERO  | ZEE-RO        |
| 1                          | One   | WUN           |
| 2                          | Two   | TOO           |
| 3                          | Three | TREE          |
| 4                          | Four  | FOW-er        |
| 5                          | Five  | FIFE          |
| 6                          | Six   | SIX           |
| 7                          | Seven | SEV-en        |
| 8                          | Eight | AIT           |

|          |      |             |
|----------|------|-------------|
| 9        | Nine | NIN-er      |
| Decimal  |      | DAY-SEE-MAL |
| Hundred  |      | HUN-dred    |
| Thousand |      | TOU-SAND    |

**2.4.2** All numbers, except as specified in 2.4.3, shall be transmitted by pronouncing each digit separately.

|                                                                                                  |                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>aircraft call signs</i><br>UBG 123<br>BBC 084<br>S2-AGO (helicopter)<br>HYT 9072              | <i>transmitted as</i><br>Bangla Star <b>one two three</b><br>Bangladesh <b>zero eight four</b><br><b>Sierra Two Alpha Golf Oscar</b><br><b>Hotel Yankee Tango nine zero seven two</b><br>(when RTF call sign is unknown) or<br>Quick Air <b>nine zero seven two</b> (when RTF<br>call sign is known) |
| <i>flight levels</i><br>FL 180<br>FL 200                                                         | <i>transmitted as</i><br>flight level <b>one eight zero</b><br>flight level <b>two zero zero</b>                                                                                                                                                                                                     |
| <i>headings</i><br>220 degrees<br>070 degrees                                                    | <i>transmitted as</i><br>heading <b>two two zero</b><br>heading <b>zero seven zero</b>                                                                                                                                                                                                               |
| <i>wind direction and speed</i><br>270 degrees 10 knots<br>090 degrees 10 knots gusting 20 knots | <i>transmitted as</i><br>wind <b>two seen zero</b> degrees <b>one zero</b> knots<br>wind <b>zero nine zero</b> degrees <b>one zero</b> knots<br>gusting <b>two zero</b> knots                                                                                                                        |
| <i>transponder codes</i><br>4756<br>4103                                                         | <i>transmitted as</i><br>squawk <b>four seven five six</b><br>squawk <b>four one zero three</b>                                                                                                                                                                                                      |
| <i>runway</i><br>14<br>32                                                                        | <i>transmitted as</i><br>runway <b>one four</b><br>runway <b>three two</b>                                                                                                                                                                                                                           |
| <i>altimeter setting</i><br>1 010<br>1 000                                                       | <i>transmitted as</i><br>QNH <b>one zero one zero</b><br>QNH <b>one zero zero zero</b>                                                                                                                                                                                                               |

**2.4.3** All numbers used in the transmission of altitude, cloud height, visibility and runway visual range (RVR) information, which contain whole hundreds and whole thousands, shall be transmitted by pronouncing each digit in the number of hundreds or thousands followed by the word HUNDRED or THOUSAND as appropriate. Combinations of thousands and whole hundreds shall be transmitted by pronouncing each digit in the number of thousands followed by the word THOUSAND followed by the number of hundreds followed by the word HUNDRED.

|                                            |                                                                                                                                  |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <i>altitude</i><br>500<br>1 500<br>4 000   | <i>transmitted as</i><br><b>five hundred</b> feet<br><b>one thousand five hundred</b> feet<br><b>four thousand</b> feet          |
| <i>cloud height</i><br>2200<br>4 300       | <i>transmitted as</i><br><b>two thousand two hundred</b><br><b>four thousand three hundred</b>                                   |
| <i>visibility</i><br>2 500<br><br>800      | <i>transmitted as</i><br>visibility <b>two thousand</b><br><b>five hundred</b> meter<br>visibility <b>eight hundred</b><br>meter |
| <i>runway visual range</i><br>600<br>1 700 | <i>transmitted as</i><br>RVR <b>six hundred</b><br>RVR <b>one thousand seven hundred</b>                                         |

### 2.4.3 TRANSMISSION OF CHANNEL

| <i>Channel</i> | <i>Transmitted as</i>               |
|----------------|-------------------------------------|
| 119.3          | ONE ONE NIN-er DECIMAL THREE        |
| 121.8          | ONE TWO ONE DECIMAL EIGHT           |
| 118.010        | ONE ONE EIGHT DECIMAL ZERO ONE ZERO |

### 2.5 TRANSMISSION OF TIME

**2.5.1** All-time references should be made in Co-ordinated Universal Time (UTC). This used to be called Greenwich Mean Time (GMT). This time zone is sometimes referred to as Zulu (Z). Time is always in the 24 hour clock. 2400 is midnight and 0001 begins the new day.

**2.5.2** When transmitting time, only the minutes of the hour are normally be required. Each digit should be pronounced separately. However, the hour should be included if there is any possibility of confusion is likely to result.

| TIME                                             | TRANSMITTED & PRONOUNCED AS         |
|--------------------------------------------------|-------------------------------------|
| 0920 (09:20)<br>(two zero or zero nine two zero) | TOO ZE-RO or ZE-RO NIN-er TOO ZE-RO |



|                                                     |                                    |
|-----------------------------------------------------|------------------------------------|
| 1643 (16:43)<br>(four three or one six four three)  | FOW-er TREE or WUN SIX FOW-er TREE |
| 2057 (20:57)<br>(five seven or two zero five seven) | FIFE SEVen or TOO ZERO FIFE SEVen  |

**2.5.3** Pilots may check the time with the appropriate ATS unit. Time checks shall be given to the nearest half minute.

## **2.6 STANDARD WORDS AND PHRASES**

The following words and phrases shall be used in radiotelephony communications as appropriate and shall have the meaning given below.

| Word/Phrase     | Meaning                                                                                                                                                                                  |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACKNOWLEDGE     | "Let me know that you have received and understood this message."                                                                                                                        |
| AFFIRM          | "Yes."                                                                                                                                                                                   |
| APPROVED        | "Permission for proposed action granted."                                                                                                                                                |
| BREAK           | "I hereby indicate the separation between portions of the message."<br><i>Note. - To be used where there is no clear distinction between the text and other portions of the message.</i> |
| BREAK BREAK     | "I hereby indicate the separation between messages transmitted to different aircraft in a very busy environment."                                                                        |
| CANCEL          | "Annul the previously transmitted clearance."                                                                                                                                            |
| CHECK           | "Examine a system or procedure."                                                                                                                                                         |
| CLEARED         | "Authorized to proceed under the conditions specified."                                                                                                                                  |
| CONFIRM         | "I request verification of: (clearance, instruction, action, information)."                                                                                                              |
| CONTACT         | "Establish communications with . . ."                                                                                                                                                    |
| CORRECT         | "True" or "accurate".                                                                                                                                                                    |
| CORRECTION      | "An error has been made in this transmission (or message indicated). The correct version is..."                                                                                          |
| DISREGARD       | "Ignore."                                                                                                                                                                                |
| HOW DO YOU READ | "What is the readability of my transmission?"                                                                                                                                            |
| I SAY AGAIN     | "I repeat for clarity or emphasis."                                                                                                                                                      |

| Word/Phrase  | Meaning                                                                                                                                                                                                                             |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MONITOR      | "Listen out on (frequency)."                                                                                                                                                                                                        |
| NEGATIVE     | "No" or "Permission not granted" or "That is not correct" or "not capable".                                                                                                                                                         |
| OUT          | "This exchange of transmissions is ended and no response is expected."<br><i>Note.- Not normally used in VHF communications.</i>                                                                                                    |
| OVER         | "My transmission is ended and I expect a response from you."<br><i>Note.- Not normally used in VHF communications.</i>                                                                                                              |
| READ BACK    | "Repeat all, or the specified part of this message back to me exactly as received."                                                                                                                                                 |
| RECLEARED    | "A change has been made to your last clearance and this new clearance supersedes your previous clearance or part thereof."                                                                                                          |
| REPORT       | "Pass me the following information ...."                                                                                                                                                                                            |
| MAINTAIN     | Continue in accordance with the condition(s) specified or in its literal sense, e.g. "maintain VFR."                                                                                                                                |
| REQUEST      | "I should like to know. . ." or "I wish to obtain."                                                                                                                                                                                 |
| ROGER        | "I have received all of your last transmission."<br><i>Note.- Under no circumstances to be used in reply to a question requiring "READ BACK" or a direct answer in the affirmative (AFFIRM) or negative (NEGATIVE).</i>             |
| SAY AGAIN    | "Repeat all, or the following part, of your last transmission."                                                                                                                                                                     |
| SPEAK SLOWER | "Reduce your rate of speech."                                                                                                                                                                                                       |
| STANDBY      | "Wait and I will call you."<br><i>Note. - The caller would normally re-establish contact if the delay is lengthy. STANDBY is not an approval or denial.</i>                                                                         |
| UNABLE       | "I cannot comply with your request, instruction, or clearance."<br><i>Note.-UNABLE is normally followed by a reason.</i>                                                                                                            |
| WILCO        | (Abbreviation for "will comply".)<br>" I understand your message and will comply with it."                                                                                                                                          |
| WORDS TWICE  | a) As a request:<br>"Communication is difficult. Please send every word or group of words twice."<br><br>b) As information:<br>"Since communication is difficult, every word or group of words in this message will be sent twice." |

- The phrase "**GO AHEAD** (proceed with your message)" has been deleted, in its place the use of the calling aeronautical station's call sign **followed by the answering aeronautical station's call** sign shall be considered the invitation to proceed with transmission by the station calling.

**2.7 The suffix indicates the type of unit or service provided as shown in the list below:**

| <b>Unit or service</b>   | <b>Call sign suffix</b> |
|--------------------------|-------------------------|
| Area control centre      | CONTROL                 |
| Approach control         | APPROACH                |
| Aerodrome control        | TOWER                   |
| Surface movement control | GROUND                  |

## **2.8 RADIO TEST PROCEDURES**

**2.8.1 Test** transmissions should take the following form:

- a) the identification of the aeronautical station being called;
- b) the aircraft identification;
- c) the words "RADIO CHECK"; and
- d) the frequency being used.

**2.8.2 Replies** to test transmissions should be as follows:

- a) The identification of the station calling;
- b) The identification of the station replying; and
- c) Information regarding the readability of the transmission.

**2.8.3** The readability of transmissions should be classified in accordance with the following readability scale:

- 1. Unreadable.
- 2. Readable now and then.
- 3. Readable but with difficulty.
- 4. Readable.
- 5. Perfectly readable.

### **3. PHRASEOLOGY: AERODROME CONTROL**

Controllers should not transmit to an aircraft during take-off, initial climb, the last part of final approach or the landing roll, unless it is necessary for safety reasons, as it may be distracting to the pilot at a time when the cockpit workload is at its highest

#### **3.1 Phraseologies for RADIO CHECK**

✈. BBC493 - Dhaka Tower:

- i) READING YOU THREE.  
or
- ii) READING YOU LOUD WITH BACKGROUND WHISTLE/NOISE.  
or
- ii) READING YOU FIVE.  
or
- iii) READING YOU LOUD AND CLEAR.

#### Example-3.1

**PILOT : DHAKA TOWER BANGLADESH 493 RADIO CHECK**

**ATC: STATION CALLING DHAKA TOWER YOU ARE UNREADABLE**

or

**BANGLADESH 493 DHAKA TOWER READING YOU LOUD AND CLEAR**

#### **3.2 Phraseologies for DEPARTURE INFORMATION / AIRFIELD INFORMATION / WEATHER INFORMATION**

✈. UBG 321 - Dhaka Tower:

RUNWAY 14  
WIND 290 DEGREES 08 KNOTS  
VISIBILITY 2000 METER  
PRESENT WEATHER HAZE / FOG  
CLOUD (amount)  
TEMPERATURE 27  
DEW POINT 23  
QNH 1001  
TIME 38

### Example-3.2

**PILOT : DHAKA TOWER BANGLA STAR 321 REQUEST AIRFIELD INFORMATION**

**ATC: BANGLA STAR 321 DHAKA TOWER**  
RUNWAY 14 WIND 290 DEGREES 08  
KNOTS VISIBILITY 2000 METER PRESENT WEATHER HAZE CLOUD  
SCATTERED 1500 FEET TEMPERATURE 27 DEW POINT 23 QNH 1001  
TIME 38

### **3.3 Phraseologies for START-UP & PUSH-BACK**

**➔. UAE 583 - Dhaka Tower / Dhaka Ground:**

START UP AND PUSH BACK APPROVED  
TEMPERATURE 29 TIME 40 PUSH TO  
FACE NORTH / SOUTH

Note- ATR / DHC-8 type or light aircraft frequently ask for startup only, then request push back.

**➔. NVQ 961 - Dhaka Tower / Dhaka Ground:**

i) START UP APPROVED TEMPERATURE  
27 TIME 44

ii) PUSH- BACK APPROVED PUSH TO FACE  
NORTH/SOUTH

### Example-3.3

**PILOT : DHAKA TOWER/GROUND EMIRATE 583 STAND 7 REQUEST START AND  
PUSH INFORMATION BRAVO**

**ATC: EMIRATE 583 DHAKA TOWER START UP AND PUSHBACK APPROVED  
TEMPERATURE 29 TIME 35 PUSH TO FACE SOUTH or  
EMIRATE 583 DHAKA TOWER STAND BY. EXPECT ONE MINUTE DELAY  
DUE B738 TAXIING BEHIND**

### 3.4 Phraseologies for TAXI INSTRUCTIONS

#### ✈. JAI 275 - Dhaka Tower / Dhaka Ground:

|                   |                                                                         |
|-------------------|-------------------------------------------------------------------------|
| ... for departure | i) TAXI VIA CHARLIE NOVEMBER TO HOLDING POINT RUNWAY 14 QNH 1010        |
|                   | ii) TAXI VIA VIKTAH SIERRA NOVEMBER TO HOLDING POINT RUNWAY 14 QNH 1010 |
|                   | iii) TAXI VIA CHARLIE SIERRA TO HOLDING POINT RUNWAY 32 QNH 1010        |
| ... after landing | iv) TAXI VIA HOTEL SIERRA VIKTAH TO BAY NUMBER ONE                      |
|                   | v) TAXI VIA SIERRA CHARLIE TO BAY SEVEN                                 |
|                   | vi) TAXI VIA HOTEL SIERRA NOVEMBER FOXTROT TO BAY ONE FIVE              |
|                   | vii) BACKTRACK ON THE RUNWAY AND VACATE VIA NORTH ALPHA (for baf acft)  |
| ....in general    | viii) TAXI STRAIGHT AHEAD                                               |
|                   | ix) TAXI WITH CAUTION DUE WORK IN PROGRESS                              |
|                   | x) TAXI SLOW DUE WORK IN PROGRESS                                       |
|                   | xi) GIVE WAY TO ATR-76 /B738/ CESSNA 172 ON CHARLIE YOU ARE NUMBER TWO  |
|                   | xii) FOLLOW SAUDIA B773 YOU ARE NUMBER TWO                              |
|                   | xiii) EXPEDITE VACATE RUNWAY (reason)                                   |

Example-3.4.1 (for departure)

**PILOT :** DHAKA GROUND JET AIRWAYS 275 REQUEST TAXI

**ATC:** JET AIRWAYS 275 DHAKA GROUND TAXI VIA CHARLI NOVEMBER TO HOLDING POINT  
RUNWAY 14 QNH 1010

Example-3.4.2 (after landing)

**ATC:** JET AIRWAYS 275 LANDED 30 TAXI VIA HOTEL SIERRA VIKTAH TO BAY NUMBER ONE

Or

JET AIRWAYS 275 LANDED 30 EXPEDITE VACATE RUNWAY VIA HOTEL DUE TRAFFIC  
ON SHORT FINAL

**3.5 Phraseologies for HOLDING**

➔. NVQ 961 - Dhaka Tower:

- i) HOLD POSITION
- ii) HOLD SHORT OF TAXIWAY CHARLI/VIKTAH etc.
- iii) HOLD HOLDING POINT RUNWAY 14/32

**3.6 Phraseologies for ATC CLEARANCE**

➔. UAE 585- Dhaka Tower:

|                             |                                                                                                       |
|-----------------------------|-------------------------------------------------------------------------------------------------------|
| when standard atc clearance | CLEARED TO DUBAI SID IKOGU ONE ALPHA FLIGHT<br>LEVEL 260 REQUEST LEVEL CHANGE EN-ROUTE<br>SQUAWK 4705 |
|-----------------------------|-------------------------------------------------------------------------------------------------------|

|                        |                                                                                                                           |
|------------------------|---------------------------------------------------------------------------------------------------------------------------|
| when radial separation | CLEARED TO DUBAI VIA A462 AFTER DEPARTURE<br>PROCEED ON RADIAL 215 DAC FL 260 REQUEST<br>LEVEL CHANGE ENROUTE SQUAWK 4705 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------|

➔. BBC 605- Dhaka Tower:

CLEARED TO SYLHET SID NIKLI ONE FLIGHT  
LEVEL 150 SQUAWK 4103

Example-3.6

**PILOT :** DHAKA TOWER EMIRATE 585 STAND 7 REQUEST ATC CLEARANCE FOR DUBAI  
WITH INFORMATION BRAVO

**ATC:** EMIRATE 585 DHAKA TOWER CLEARED TO DUBAI SID IKOGU ONE ALPHA FLIGHT  
LEVEL 260 REQUEST LEVEL CHANGE ENROUTE SQUAWK 4705

**PILOT :** CLEARED TO DUBAI SID IKOGU ONE ALPHA FLIGHT LEVEL 260 REQUEST  
LEVEL CHAGE ENROUTE SQUAWK 4705 EMIRATE 585

**ATC:** EMIRATE 585 READ BACK CORRECT

### 3.7 Phraseologies for LINE-UP

#### ➔ **BBC 084- Dhaka Tower:**

|                                                                                                   |                                                                                            |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| ... when aircraft approaching<br>holding point or at holding<br>point                             | i) REPORT WHEN READY FOR DEPARTURE<br>ii) ARE YOU READY FOR DEPARTURE                      |
| ... for TFC reasons it may be<br>necessary for ACFT to take<br>off immediately after lining<br>up | iii) ARE YOU READY FOR IMMEDIATE DEPARTURE<br>iv) LINE UP BE READY FOR IMMEDIATE DEPARTURE |
| ...clearance to enter RWY &<br>await take off clearance                                           | v) LINE UP RUNWAY 14 AND WAIT<br>vi) LINE UP RUNWAY 14                                     |
| ...conditional line up clearance                                                                  | vii) BEHIND B738 ON SHORT FINAL LINE UP BEHIND<br>AND WAIT                                 |



### Example-3.7.1

**PILOT :** DHAKA TOWER BANGLADESH 084 APPROACHING HOLDING POINT RUNWAY 14

**ATC:** BANGLADESH 084 DHAKA TOWER HOLD HOLDING POINT RUNWAY 14

Or

BANGLADESH 084 DHAKA TOWER REPORT WHEN READY FOR DEPARTURE

**PILOT :** TOWER BANGLADESH 084 WE ARE READY FOR DEPARTURE

**ATC:** BANGLADESH 084 LINE UP RUNWAY 14 AND WAIT

### Example-3.7.2

**PILOT :** DHAKA TOWER BANGLADESH 084 HOLDING POINT RUNWAY 14

**ATC:** BANGLADESH 084 DHAKA TOWER BEHIND AIRBUS 320 ON SHORT FINAL LINE UP  
BEHIND AND WAIT

## **3.8 Phraseologies for TAKE OFF CLEARANCE**

### **➔ SVA 803 - Dhaka Tower:**

- |                                                                              |                                                                                                                                   |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
|                                                                              | i) RUNWAY (number) CLEARED FOR TAKE OFF                                                                                           |
| .... for poor visibility                                                     | ii) RUNWAY (number) CLEARED FOR TAKE OFF REPORT<br>AIRBORNE                                                                       |
| ... to cancel a take-off<br>clearance                                        | iii) HOLD POSITION, CANCEL TAKE OFF I SAY AGAIN<br>CANCEL TAKE OFF (reason)                                                       |
| ...to stop a take-off after<br>an aircraft has<br>commenced take-off<br>roll | iv) STOP IMMEDIATELY (repeat aircraft call sign) STOP<br>IMMEDIATELY                                                              |
| ...after airborne                                                            | v) AIRBORNE (time) CONTACT DHAKA APPROACH 121.3<br>or AIRBORNE (time) REPORT PASSING 4000 FEET<br>vi) CONTACT DHAKA CONTROL 126.7 |

### Example-3.8.1

**PILOT :** DHAKA TOWER SAUDIA 803 READY FOR DEPARTURE

**ATC:** SAUDIA 803 DHAKA TOWER SURFACE WIND CALM RUNWAY 14 CLEARED FOR TAKE OFF

or SAUDIA 803 DHAKA TOWER HOLD POSITION, CANCEL TAKE OFF I SAY AGAIN CANCEL TAKE OFF VEHICLE ON RUNWAY

or SAUDIA 803 DHAKA TOWER STOP IMMEDIATELY SAUDIA 803 STOP IMMEDIATELY

or SAUDIA 803 AIRBORNE 20 REPORT PASSING 4000 FEET

### **3.8 Phraseologies for TRAFFIC IN AERODROME CIRCUIT**




Figure: Aerodrome Traffic circuit

#### ➔ S3-AGB - Dhaka Tower:

- ...in general  
(when left hand  
traffic circuit in use)
- i) AIRBORNE 25 REPORT BEGINNING OF DOWNWIND RUNWAY (number)
  - ii) REPORT (left) DOWNWIND RUNWAY (number)
  - iii) REPORT END OF DOWNWIND RUNWAY (number)
  - iv) REPORT BASE RUNWAY (number)
  - v) WIND 270 DEGRRES 08 KNOTS REPORT FINAL RUNWAY (number)
  - vi) CHECK GEARS DOWN AND LOCKED CLEARED TO LAND RUNWAY (number)
  - vii) AIRBORNE 25 REPORT RIGHT HAND DOWNWIND

RUNWAY (number)

...in general      viii) REPORT RIGHT BASE RUNWAY (number)  
(when right hand      ix) WIND 270 DEGREES 08 KNOTS REPORT FINAL  
traffic circuit in use)      RUNWAY (number)  
xi) CHECK GEARS DOWN AND LOCKED RUNWAY (number)  
CLEARED TO LAND

Example-3.8.1

**ATC:** S3-AGB AIRBORNE 25 CLIMB AND MAINTAIN 1500 FEET REPORT BEGINNING OF DOWNWIND/ DOWNWIND RUNWAY 14

**PILOT :** DHAKA TOWER S3-AGB DOWNWIND RUNWAY 14 ONE THOUSAND FIVE HUNDRED FEET

**ATC:** S3-AGB REPORT BASE RUNWAY 14

**PILOT:** BASE 14 S3-AGB

**ATC:** S3-AGB WIND 270 DEGREES 10 KNOTS CHECK GEARS DOWN AND LOCKED REPORT FINAL RUNWAY 14

**PILOT:** S3-AGB FINAL RUNWAY 14

**ATC:** S3-AGB WIND CALM RUNWAY 14 CLEARED TO LAND

Example-3.8.2

**ATC:** S3-AGB BOEING 738 ON FINAL REPORT TRAFFIC IN SIGHT YOU ARE NUMBER TWO

Or

S3-AGB EXTEND DOWNWIND YOU ARE NUMBER TWO

Or

S3-AGB HOLD DOWNWIND RUNWAY 14 DUE TRAFFIC ON FINAL

Or

S3-AGB SURFACE WIND CALM CHECK GEARS DOWN AND LOCKED RUNWAY 14 CLEARED TOUCH AND GO

Or

S3-AGB REPORT INITIAL RUNWAY 14

### 3.9 Phraseologies for VISUAL APPROACH

#### ➔ UBG 532 - Dhaka Tower:

|                                             |                                                                                   |
|---------------------------------------------|-----------------------------------------------------------------------------------|
| ... when traffic requesting visual approach | i) DESCEND TO 2000 FEET QNH 1010 REPORT FIELD IN SIGHT TO JOIN DOWNWIND RUNWAY 14 |
|---------------------------------------------|-----------------------------------------------------------------------------------|

|                                      |                                                                                         |
|--------------------------------------|-----------------------------------------------------------------------------------------|
| ... when tfc reported field in-sight | ii) CLEARED FOR VISUAL APPROACH DESCEND TO 1500 FEET QNH 1010 REPORT DOWNWIND RUNWAY 14 |
|--------------------------------------|-----------------------------------------------------------------------------------------|

|                           |                            |
|---------------------------|----------------------------|
| ...when reported downwind | iii) REPORT BASE RUNWAY 14 |
| ...when tfc reported base | iv) REPORT FINAL RUNWAY 14 |

v) DESCEND TO YOUR MINIMA REPORT RWY INSIGHT

|                            |                                                                                             |
|----------------------------|---------------------------------------------------------------------------------------------|
| ...when tfc reported final | vi) SURFACE WIND 150 DEGREES 08 KNOTS CHECK GEARS DOWN AND LOCKED RUNWAY 14 CLEARED TO LAND |
|----------------------------|---------------------------------------------------------------------------------------------|

### 3.10 Phraseologies for MISSED APPROACH/GOAROUND

Instructions to carry out a missed approach may be given to avert an unsafe situation. When a missed approach is initiated, cockpit workload is inevitably high. Any transmissions to aircraft going around should be brief and kept to a minimum.

#### ➔ NVQ 902 - Dhaka Tower:

i) GO AROUND

#### Example-3.10.1

**ATC:** NOVO 902 DHAKA TOWER GO AROUND AIRCRAFT ON THE RUNWAY

**PILOT :** DHAKA TOWER NOVO 902 GOING AROUND

NOTE: In the event that the missed approach is initiated by the pilot, the phrase “GOING AROUND” shall be used.

#### Example-3.10.2

**PILOT :** DHAKA TOWER NOVO 902 GOING AROUND  
**ATC:** NOVO 902 ROGER REPORT DOWNWIND RUNWAY 14

### **3.11 Phraseologies for RUNWAY VACATING & COMMUNICATIONS AFTER LANDING**

Unless absolutely necessary, controllers should not give taxi instructions to pilots until the landing roll is completed.

➔ **BBC 148 - Dhaka Tower:**

- i) LANDED 41 TAXI VIA H S V/ H S C/ H S N F TO BAY ONE ZERO
- ii) WHEN VACATED CONTACT GROUND (frequency)
- iii) EXPEDITE VACATING

#### Example-3.11.1

**ATC:** BANGLADESH 148 LANDED 20 TAXI VIA HOTEL SIERRA VIKTAH BAY ONE

**PILOT :** TAXI VIA HOTEL SIERRA VIKTAH TO BAY ONE BANGLADESH 148

Or

**ATC:** BANGLADESH 148 LANDED 20 EXPEDITE VACATE RUNWAY TRAFFIC ON SHORT FINAL

### **3.12 Phraseologies for CO-ORDINATION BETWEEN ATS UNITS**

**Co-ordination with Area Control:**

- i) CONTROL TOWER REQUEST RELEASE  
(aircraft callsign) (SID) (flight level) (time i.e how long, if needed)
- or ii) CONTROL TOWER REQUEST ATC CLEARANCE  
FOR (aircraft callsign) (time)
- iii) CONTROL TOWER (acft callsign) AIRBORNE  
(time)

Example-3.12.1

**TOWER:** CONTROL TOWER REQUEST RELEASE BBC 471 KAKBO 1 FL100 ONE AND HALF MINUTES

**ACC:** BBC 471 KAKBO 1 FL 060 RELEASED

**TOWER:** BBC 471 KAKBO 1 FL 060 RELEASED (atc clearance readback mandatory)

Example-3.12.2

**TOWER:** CONTROL TOWER REQUEST ATC CLEARANCE FOR UBG 101 TWO MINUTES

**ACC:** UBG 101 RADIAL 161 FL 150 AFTER PASSING FL 100 RESUME NORMAL NAVIGATION

**TOWER:** UBG 101 RADIAL 161 FL 150 AFTER PASSING FL 100 RESUME NORMAL NAVIGATION (atc clearance readback mandatory)

**Co-ordination with Dhaka Approach** (when radar approach service in progress):

- i) APPROACH TOWER (aircraft callsign) TAXIING OUT
- ii) APPROACH TOWER REQUEST LINE UP (aircraft callsign) or  
APPROACH TOWER REQUEST LINE UP AND RELEASE (aircraft callsign) (sid) (flight level) (time)
- iii) APPROACH TOWER (acft c/s) AIRBORNE (time)

Example-3.12.3

**TOWER:** APPROACH TOWER UAE 585 TAXIING OUT

**APP:** UAE 585 TAXIING OUT

**TOWER:** APPROACH TOWER REQUEST LINE UP AND RELEASE UAE 585 IKOGU 1A FL 260 ONE AND HALF MINUTES

**APP:** UAE 585 HEADING 220 FL 260 RELEASED

**TOWER:** UAE 585 HEADING 220 FL 260 RELEASED (readback mandatory)

**TOWER: APPROACH TOWER UAE 585 AIRBORNE 20**

### **3.13 Phraseologies for ESSENTIAL AERODROME INFORMATION**

Essential aerodrome information is information regarding the movement area and its associated facilities which is necessary to ensure the safe operation of aircraft. Aerodrome information should be passed to aircraft whenever possible prior to start-up or taxi and prior to the commencement of final approach, except when it is known that the aircraft has received all or part of the information from other sources. It includes information regarding the following:

- a) construction or maintenance work on, or immediately adjacent to the movement area;
- b) rough or broken surfaces on a runway, a taxiway or an apron, whether marked or not;
- c) snow, slush or ice on a runway, a taxiway or an apron;
- d) water on a runway, a taxiway or an apron;
- e) snow banks or drifts adjacent to a runway, a taxiway or an apron;
- f) other temporary hazards, including parked aircraft and birds on the ground or in the air;
- g) failure or irregular operation of part or all of the aerodrome lighting systems; and
- h) any other pertinent information.

#### **➔ BBC 202 - Dhaka Tower:**

- i) CAUTION CONSTRUCTION WORK ADJACENT TO  
GATE (number)
- ii) CAUTION WORK IN PROGRESS AHEAD NORTH  
SIDE OF TAXIWAY CHARLIE
- iii) CAUTION CENTER LINE TAXIWAY LIGHTING  
UNSERICEABLE
- iv) CAUTION FOR BIRDS ABEAM TAXIWAY HOTEL
- v) CAUTION WET LANDING SURFACE

### 3.14 **MISCELLANEOUS**

i) CAUTION WAKE TURBULANCE FROM  
ARRIVING/DEPARTING (type of acft)

...helicopter cross

ii) CLEARED TO CROSS ACTIVE

iii) CLEARED TO CROSS UNDERSHOOT RUNWAY (number)

**REFERENCE:** Manual of Radiotelephony (DOC-9432)