




## ML Ops

- > Deploying ML model
- > Productionization of ML model





- ML Inferencing
- ML model monitoring
- Model review

- > Git & Github
- > Streamlit → Visualization / Dashboard
- > Flask (API creation)
- > Docker, Container
- > AWS deployment
- > CI / CD pipeline
- > ML System design

# Git & Github


# Git

→ Version Control System

file1.py


file1\_v2.py

file1\_v3.py



# GitHub

- Platform to store & share code
- Github uses git (Shareable)
- Git : VCS in local machine







VCS

↳ Centralised VCS

↳ Distributed VCS (git)

✓



## Git commands

1. `git add <filename>`
2. `git commit -m "commit message"`
3. `git push`
4. `git pull`
5. `git clone`
6. `git branch`
7. `Conflict`




## Git terminology

1. Repository : Directory

2. git Repository : Directory being tracked by git

↳ .git

git init



✓✓ Staging : File which will be committed

Commit : → Snapshot of the file

Calculation

V1 ————— V2


git init → Make it git repo



git add <filename>

git commit -m " "

git remote add origin "link" →

git push -u origin main/master






git push origin <feature-branch>

git push

Calc.py

Local



GitHub

Remote

git push <sup>//</sup><sub>-u</sub> origin master/  
main

→ Break until 22:25 pm



git pull

Calc.py

Local


Calc.py  
Square.py

Remote

# Branching


→ Default branch is main

→ Why do we require branching?



Important  
file





→ Conflict

→ Why conflict arises?

