

- ¹ PEFAP: Estimating the environmental footprint of food
- products from packaging data
- **3** Gustave Coste^{1, 2, 3} and Arnaud Hélias^{2, 3}
- 1 INRAE, Univ Montpellier, LBE, 102 avenue des Etangs, 11100, Narbonne, France 2 ITAP, Univ
- 5 Montpellier, INRAE, Institut Agro, Montpellier, France 3 ELSA, Research group for environmental
- 6 life cycle sustainability assessment, Montpellier, France

DOI: 10.21105/joss.03329

Software

- Review 🗗
- Repository 🗗
- Archive 🗗

Editor: Vissarion Fisikopoulos 🕬

- @marvinjonathcn
- @jrising
- @simonom
- @simonom

Submitted: 21 May 2021 **Published:** 27 October 2021

License

Authors of papers retain copyright and release the work under a Creative Commons

Attribution 4.0 International License (CC BY 4.0).

Summary

Food consumption represents an important part of our ecological footprint (Sala et al., 2019), therefore changes in food consumption habits can greatly help to mitigate it. In order to help consumers to make more informed food consumption choices, several ecolabelling initiatives have been developed recently by institutional and private actors (ADEME, 2020a). Most of these initiatives use a single environmental impact value for a given product type. This default value is constructed from a recipe (i.e. proportion of ingredients), a processing chain, and a supply chain that is considered an "average" scenario. This approach appears to be frugal in terms of data, but it is obviously limited. It does not allow for differentiation of products within a category. PEFAP (Product Environmental Footprint According to Packaging data) aims to fill this gap. It estimates the most likely impact for each product individually, based on the information on the packaging (ordered list of ingredients and nutritional composition) and the environmental impacts of the agricultural production of the ingredients. To the best of our knowledge, there is no such software available, whether open source or not. The users of this software are multiple: it allows researchers to assign environmental impacts to commercially available food products in environmental studies, but also as additional criteria in economic or nutritional studies. It allows actors in the food industry to automate and reduce the cost of calculating the impact of their products. It also offers the opportunity to third parties, such as independent organisations and consumer applications, to display an estimate of the environmental footprint of their products.

7 Statement of need

- To calculate a product footprint, PEFAP needs: The list of ingredients and the nutritional values from the product packaging. This can be provided as Python objects or by indicating the barcode of a food product, the open Food Facts database is then used to obtain this data. This is the only information that the user needs to fill in specifically for a given product. Environmental footprint and nutrient composition databases for ingredients. The Agribalyse (ADEME, 2020b) and Ciqual (ANSES, 2020) databases are used because of their scope and availability.
- 55 Functionality
- The algorithm used by this program is based on a Monte-Carlo approach to estimate the impact of a product. Its principle is to pick random possible recipes of the product with proportions



- that are consistent with the partial information in the ingredient list and whose combination
- orresponds to the displayed nutritional data (without deviating too substantially). The con-
- 40 vergence is achieved by the stabilization of the geometric mean of the runs within a given
- 41 confidence interval. The sampling of possible recipes is made as accurate as possible by us-
- ing a nonlinear optimization solver (Gamrath et al., 2020), and Optimization-Based Bound
- Tightening to deduce the ranges of possible values of the mass of each ingredient respecting
- as Tightening to deduce the ranges of possible values of the mass of each ingredient respecting
- 44 the nutritional constraints of the system. A more extensive explanation of the principles used
- is available in the documentation.
- 46 This program features a class based implementation of the impact estimation algorithm that
- 47 can be integrated in Python projects. It also integrates a reporting tool to create HTML
- and PDF impact estimation reports of a product. To be functional, this program has been
- interfaced to the Open Food Facts database (Open Food Facts, n.d.) providing packaging
- information. It uses data from the Ciqual (ANSES, 2020) and FCEN (Santé Canada, 2015)
- nutritional databases, and the Agribalyse (ADEME, 2020b) environmental impact database.
- All these data are freely available and fit to a French context, but it could be easily adapted
- 53 to other data sources.

54 Example

- 55 The code sample below shows a simple example of getting a product from the Open Food
- 56 Facts database, computing its Environmental Footprint and climate change impacts, and
- 57 finally creating a HTML report of the result.

```
from impacts_estimation import estimate_impacts
from openfoodfacts import get_product
from reporting import ProductImpactReport
product = get_product(barcode='3175681790285')['product']
impact_categories = ['EF single score',
                     'Climate change']
impact_estimation_result = estimate_impacts(product=product,
                                            impact_names=impact_categories)
for impact_category in impact_categories:
   print(f"{impact_category}: "
          f"{impact_estimation_result['impacts_geom_means'][impact_category]:.4} "
          f"{impact_estimation_result['impacts_units'][impact_category]}")
    single score: 0.03832 mPt
# Climate change: 0.3819 kg CO2 eq
# Generating an impact estimation report
reporter = ProductImpactReport(product=product)
reporter.to_html()
```

Acknowledgements

- 59 This project has been funded by the European Union and the Occitanie (FR) region (opera-
- tional program FEDER-FSE 2014-2020 GEPETOs 2015) and INRAE.



We acknowledge the Open Food Facts contributors for creating the database this tool relies on.

■ References

- ADEME. (2020a). Environmental labelling educate consumers about the sustainability of their food. ADEME. https://doc.agribalyse.fr/documentation-en/data-use/ environmental-labelling
- 67 ADEME. (2020b). Données AGRIBALYSE v3.0. https://agribalyse.ademe.fr/
- 68 ANSES. (2020). Table de composition nutritionnelle des aliments ciqual".
- Gamrath, G., Anderson, D., Bestuzheva, K., Chen, W.-K., Eifler, L., Gasse, M., Gemander,
 P., Gleixner, A., Gottwald, L., Halbig, K., Hendel, G., Hojny, C., Koch, T., Le Bodic,
 P., Maher, S. J., Matter, F., Miltenberger, M., hmer, E. M. ü., Iler, B. M. ü., ... Witzig,
 J. (2020). The SCIP Optimization Suite 7.0 [Technical Report]. Optimization Online.
 http://www.optimization-online.org/DB_HTML/2020/03/7705.html
- Open Food Facts. (n.d.). Retrieved May 12, 2021, from https://fr.openfoodfacts.org/
- Sala, S., Benini, L., Beylot, A., Castellani, V., Cerutti, A., Corrado, S., Crenna, E., Diaconu,
 E., Sanyé-Mengual, E., Secchi, M., Sinkko, T., & Pant, R. (2019). Consumption and consumer footprint: Methodology and results: Indicators and assessment of the environmental impact of european consumption. (p. 116). JRC. https://doi.org/10.2760/98570
- Santé Canada. (2015). Fichier canadien sur les éléments nutritifs.

