# Rajalakshmi Engineering College

Name: Tarrun B

Email: 241801291@rajalakshmi.edu.in

Roll no: 241801291 Phone: 9840381059

**Branch: REC** 

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 3\_COD\_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

#### Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

#### **Output Format**

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following:
- "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
  - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

### Sample Test Case

Input: 1 d

3

2

```
Output: Adding Section: d
Adding Section: h
Enrolls
     Enrolled Sections: h d
     Removing Section: h
     Enrolled Sections: d
     Exiting program
     Answer
     #include <stdio.h>
     #include <stdlib.h>
     struct Node {
    char data;
       struct Node* next;
     struct Node* top = NULL;
     // You are using GCC
     void push(char value) {
       //Type your code hereN
       struct Node*nnode=(struct Node*)malloc(sizeof(struct Node));
       nnode->data=value;
printf("Adding Section: %c\n",value);
       nnode->next=top;
     void pop() {
       //Type your code here
       if(top==NULL){
          printf("Stack is empty. Cannot pop.\n");
       }else{
          printf("Removing Section: %c\n",top->data);
ινοd
ιυp=top->nι
free(temp);
          struct Node*temp=top;
          top=top->next;
                           241801291
```

```
void displayStack() {
       if(top==NULL){
         printf("Stack is empty\n");
      }else{
         printf("Enrolled Sections: ");
         struct Node*temp=top;
         while(temp!=NULL){
           printf("%c ",temp->data);
           temp=temp->next;
       printf("\n");
Type your code here
    int main() {
      int choice;
      char value;
      do {
         scanf("%d", &choice);
         switch (choice) {
           case 1:
             scanf(" %c", &value);
             push(value);
             break;
           case 2:
             pop();
             break;
           case 3:
             displayStack();
             break;
           case 4:
             printf("Exiting program\n");
             break;
           default:
             printf("Invalid choice\n");
                                                     24,180,129,1
      } while (choice != 4);
return 0;
```

24,801291

Status: Correct 24,801

24,180,129,1

Marks: 10/10