

PROOF — Cohesion Pass A

Data Flow + Cross-Page Linking

GOAL

Right now each page is a silo. The dashboard, bottles page, and map don't reference each other. A user should be able to follow data from any page to any other page without dead ends. After this pass, every bottle name, store, and drop event becomes a link into the rest of the product.

STEP 1: SHARED DATA UTILITIES

If not already done, extract shared data functions into `src/lib/drops.ts`. These functions are currently duplicated or inlined across `DropFeed.tsx`, the dashboard, and the map. Centralize them:

- `cleanBrandName(name: string): string` — strips 700ML, deduplicates, trims
- `getDisplayName(event: DropEvent): string` — best display name from an event
- `groupDrops(drops: DropEvent[]): GroupedDrop[]` — group by bottle + time window
- `formatRelativeTime(timestamp: string): string` — "2d ago", "just now"
- `lookupPricing(name: string): PricingResult` — MSRP + secondary + multiplier

Import these in `DropFeed.tsx`, `DashboardFeed.tsx`, `MapOverlayRight.tsx`, and anywhere else they're used. Delete the duplicated inline versions.

STEP 2: BOTTLE NAMES LINK TO THE LIBRARY

Everywhere a bottle name appears as text, make it a clickable link to that bottle's card in The Library.

Where to add links:

- **Landing page drop feed** (`DropFeed.tsx`): bottle name in each feed row links to `/bottles?highlight={bottle-id}`
- **Dashboard live feed** (`DashboardFeed.tsx`): same treatment
- **Dashboard watchlist** (`DashboardSidebar.tsx`): each watched bottle links to its Library card
- **Dashboard activity timeline** (`ActivityTimeline.tsx`): bottle names in event descriptions
- **Map recent drops feed** (`MapOverlayRight.tsx`): bottle names in the right panel
- **Map store popup** (`StorePopup.tsx`): bottle names in the popup drop list

Link styling:

- Use Next.js Link component (import from 'next/link')
- No underline by default. Color stays the same as surrounding text (cream or Fraunces styling)
- On hover: subtle amber underline (`border-bottom: 1px solid var(--color-amber-rich)` with transition)
- Cursor: pointer

Highlight on arrival:

On the /bottles page, read a `highlight` query param from the URL. If present, scroll to that bottle's card and briefly pulse its border amber (a 2-second animation, then return to normal). This makes the cross-link feel intentional and alive.

STEP 3: STORE/COUNTY NAMES LINK TO THE MAP

Everywhere a store address or county name appears, make it a link to the map centered on that location.

- **Landing page drop feed:** county names in the expandable detail section link to `/map?lat={lat}&lng;={lng}&zoom;=12`
- **Dashboard live feed:** same treatment
- **Bottle detail panel** (`BottleDetail.tsx`): if drop history shows store/county, link to map

Map arrival behavior:

On the /map page, read `lat`, `lng`, and `zoom` query params. If present, use Leaflet's `flyTo` to animate to that position on load, then open the nearest store popup. This creates the "click county → fly to map → see the store" flow.

STEP 4: BOTTLE DETAIL PANEL CROSS-LINKS

The slide-out bottle detail panel on /bottles should link outward:

- **"View on map"** button/link in the detail panel — links to /map centered on the most recent drop location for that bottle
 - **"Add to watchlist"** button — if the user clicks this, it should also appear in the dashboard's watchlist (use Zustand to share watchlist state across pages, persisted to `localStorage`)
 - **Drop history entries** in the detail panel — each entry's county/store links to the map
-

STEP 5: SHARED WATCHLIST STATE

Create a Zustand store for the watchlist so it persists across pages:

Create `src/lib/watchlist.ts`:

- Zustand store with `persist` middleware (saves to `localStorage`)
- State: `watchedBottles: string[]` (array of bottle IDs)
- Actions: `addBottle(id)`, `removeBottle(id)`, `isWatching(id)`

Use this store in: `BottleDetail.tsx` (watchlist toggle button), `DashboardSidebar.tsx` (watchlist display), and the nav watchlist indicator (Pass C). Zustand is already in `package.json`.

FILES TO CREATE / MODIFY

Create:

- `src/lib/drops.ts` — Shared data utilities (if not already created)
- `src/lib/watchlist.ts` — Zustand watchlist store with `localStorage` persist

Modify:

- `src/components/sections/DropFeed.tsx` — Add bottle name links, import shared utils
- `src/components/sections/DashboardFeed.tsx` — Add bottle name links, import shared utils
- `src/components/sections/DashboardSidebar.tsx` — Use Zustand watchlist, add bottle links
- `src/components/sections/ActivityTimeline.tsx` — Add bottle name links
- `src/components/MapOverlayRight.tsx` — Add bottle name links
- `src/components/StorePopup.tsx` — Add bottle name links
- `src/components/BottleDetail.tsx` — Add "View on map" link, use Zustand watchlist
- `src/app/bottles/page.tsx` — Read highlight query param, scroll + pulse
- `src/components/HuntMap.tsx` — Read lat/lng/zoom query params, `flyTo` on load

Do not add new npm packages. Do not change any visual styling in this pass — only add links and shared state.