

PROOF — Phase 1, Prompt 4 of 6

Hunt Map • /map

CONTEXT

The Hunt Map is an interactive map of NC ABC stores showing where bourbon drops have landed. Bourbon hunters are geographic — they drive to specific stores. This page answers the question "where should I go hunting today?" at a glance.

This is a members-only page. The map should feel like a tactical operations display — dark, warm, precise. Not a Google Maps embed with pins. Think war room meets whiskey.

Quality bar: Uber's movement data visualizations, Stripe Radar's fraud map, military-grade situation displays — but in our bourbon amber palette.

TECHNICAL SETUP

This page requires two new npm packages. These are the **ONLY** additions allowed:

- leaflet — the map rendering library
- react-leaflet — React wrapper for Leaflet
- @types/leaflet — TypeScript types (dev dependency)

Critical Next.js requirement:

Leaflet uses the window object and cannot run server-side. The map component **MUST** be dynamically imported with SSR disabled:

```
const HuntMap = dynamic(() => import('@components/HuntMap'), { ssr: false })
```

Tile layer — CartoDB Dark Matter (free, no API key):

```
https://{s}.basemaps.cartocdn.com/dark_all/{z}/{x}/{y}{r}.png
```

Attribution: © OpenStreetMap contributors © CARTO

This gives us a dark-themed map that matches the Proof aesthetic perfectly out of the box. No CSS filter hacks needed.

PAGE STRUCTURE

Route: src/app/map/page.tsx

Layout: Full-viewport immersive map. The map **IS** the page. No scrolling — the map fills the entire viewport below the nav. Overlay panels float on top of the map.

Nav: Import existing Navigation component. It floats over the map with its glass/blur treatment.

The Map

- Full viewport: `height: calc(100vh - 0px)` — the map goes edge to edge, the nav overlays it
 - Default center: North Carolina center point (approximately 35.55, -79.85)
 - Default zoom: 7 (shows all of NC)
 - Min zoom: 6, Max zoom: 18
 - Scroll wheel zoom: enabled
 - Import Leaflet CSS: `import 'leaflet/dist/leaflet.css'`
 - Set the map container background to `var(--color-bg-primary) (#0D0B07)` so there's no white flash while tiles load
-

Store Markers

Every NC ABC store gets a marker on the map. The marker style depends on recent drop activity at that store.

Store data:

Create `src/data/stores.ts` with an array of NC ABC store objects. Extract store addresses from the existing `drops.json` (the `store_address` field). Each store needs:

- `id`: unique identifier
- `address`: full address string
- `city`: extracted city name
- `lat`, `lng`: coordinates (geocode from the address — hardcode the lat/lng for each store)
- `county`: the ABC board/county name

For the initial build, extract the unique stores from `drops.json` and manually geocode them (use approximate coordinates for each city). You can refine exact coordinates later. Start with at least 15-20 stores that appear in the drop data.

Marker styling — custom circle markers, NOT default Leaflet pins:

Use Leaflet's `CircleMarker` component from `react-leaflet`. Do NOT use the default blue pin markers — they look terrible on a dark map.

- **Hot store** (drop in last 24 hours): radius 10, fill amber (#C4943A), opacity 0.9, stroke amber, weight 2. Add a CSS pulse animation on the marker (keyframes: scale 1 to 1.8 + opacity fade, 2s infinite). This is the "something just happened here" signal.
- **Warm store** (drop in last 7 days): radius 7, fill amber (#C4943A), opacity 0.5, stroke amber, weight 1. No animation.
- **Cold store** (no recent drops): radius 5, fill muted (#6B6560), opacity 0.3, no stroke. These fade into the background.

Compute each store's status by cross-referencing `stores.ts` with `drops.json` — check if that store's address appears in any drop events within the relevant time window.

Store Popup / Tooltip

When a user clicks a store marker, show a custom-styled popup. Do NOT use Leaflet's default white popup.

Custom popup styling:

- Dark background matching `var(--color-card-bg)`
- 1px border in `var(--color-card-border)`
- Border-radius 12px
- Override Leaflet's default popup CSS: remove the white bg, remove the tip/arrow triangle or restyle it dark

Popup contents:

- **Store address** in DM Sans 13px, cream
 - **County/board name** in DM Sans 11px, muted
 - **Recent drops list:** last 3-5 drops at this store. Each entry: bottle name (Fraunces 13px), tier dot, timestamp (JetBrains Mono 10px, muted). If no recent drops, show "No recent activity"
 - **Status indicator:** "Active — drop today" (amber + pulse dot) or "Last drop: 3d ago" (muted)
-

Left Overlay Panel — Map Controls + Legend

A floating panel on the left side of the map (overlying the map, not beside it). Semi-transparent dark glass background matching the nav's scrolled state.

Panel contents, top to bottom:

- **Header:** "Hunt Map" in Fraunces 20px, cream. Below: "NC ABC Stores" in DM Sans 12px, muted.
- **Legend:** Three rows showing the marker types: amber pulse circle = "Active today", amber dim circle = "Drop this week", gray circle = "No recent drops". Small circles matching the actual marker colors + labels in DM Sans 11px.
- **Filter toggles:** Tier filter pills (All / Unicorn / Allocated / Limited) — same styling as bottles page. Filtering shows/hides markers based on whether the store has drops of that tier.
- **Quick stats:** "X stores active today" and "X drops this week" in JetBrains Mono, small, amber.

Panel width: 280px on desktop. Collapsible on mobile (toggle button in top-left corner, panel slides in from the left with Framer Motion).

Right Overlay Panel — Recent Activity Feed

A narrow floating panel on the right side of the map showing a live feed of recent drops. Think of it as a mini version of the dashboard's live feed, overlaying the map.

- Width: 320px on desktop
- Semi-transparent dark glass background, same as left panel

- Header: "Recent Drops" with count
 - Scrollable list of the last 10 drops: bottle name (Fraunces 13px), county, timestamp (JetBrains Mono), tier-colored left border
 - Clicking a drop in this feed should fly the map to the relevant store's location (use Leaflet's `flyTo` method) and open that store's popup
 - Collapsible on mobile (toggle button in top-right corner)
-

MOBILE DESIGN (BELOW 768PX)

The map is especially important on mobile — hunters check it in their car deciding where to drive.

- Map: full viewport, same as desktop. Touch/pinch zoom enabled.
 - Left panel: hidden by default. Toggle button (hamburger or filter icon) in top-left, overlaying the map. Tapping opens the panel as a slide-in drawer from the left (Framer Motion). Tapping outside or an X button closes it.
 - Right panel: hidden by default. Toggle button (list icon) in top-right. Tapping opens the feed as a bottom sheet that slides up from the bottom, covering the lower ~50% of the screen. Swipe down or X to close.
 - Store popups: these work naturally on mobile with Leaflet. Make sure the custom popup has enough padding for touch targets (minimum 44px tappable areas).
 - Toggle buttons: 40x40px, dark glass bg with border, icon in amber. Positioned 16px from edges and below the nav.
 - When a user taps a drop in the feed bottom sheet, close the sheet and fly to the store.
-

DATA

Create: `src/data/stores.ts`

Extract unique stores from `drops.json`. Each store needs a hardcoded lat/lng. For the initial build, use approximate coordinates based on the city name. Here are some reference coordinates for NC cities that appear in the drop data:

- Raleigh: 35.7796, -78.6382
- Cary: 35.7915, -78.7811
- Durham: 35.9940, -78.8986
- Apex: 35.7327, -78.8503
- Wake Forest: 35.9799, -78.5097
- Knightdale: 35.7879, -78.4808
- Morrisville: 35.8235, -78.8256
- Rolesville: 35.9232, -78.4575
- Zebulon: 35.8243, -78.3148
- Greensboro: 36.0726, -79.7920
- Charlotte (Mecklenburg): 35.2271, -80.8431

- Wilmington (New Hanover): 34.2257, -77.9447
- Goldsboro (Wayne): 35.3849, -77.9928
- Gastonia: 35.2621, -81.1873
- High Point: 35.9557, -80.0053
- Asheville: 35.5951, -82.5515
- Fayetteville (Cumberland): 35.0527, -78.8784

Cross-reference stores.ts with drops.json to compute each store's status (hot/warm/cold) and its recent drop list for the popup. Do this client-side on page load.

NAVIGATION

- Update "Hunt Map" link in Navigation.tsx from "#" to "/map"
 - Add active state styling when on /map
 - The nav floats over the map — its existing glass/blur treatment handles this
-

DESIGN PHILOSOPHY

Do:

- Make the map feel like the most premium feature in the product — this is the killer feature that justifies the subscription
- Use the amber color palette consistently: hot markers pulse amber, warm markers glow amber, popups have amber accents
- The dark CartoDB tiles should blend seamlessly with the Proof dark bg — the map should feel native, not embedded
- Overlay panels should feel like HUD elements floating over the tactical display
- The flyTo animation when clicking a drop in the feed should be smooth and satisfying (1.5s duration, Leaflet easing)
- Custom Leaflet zoom controls: restyle the +/- buttons to match the dark theme (dark bg, amber text, matching border-radius)

Do not:

- Do NOT use default Leaflet blue pin markers
 - Do NOT use Leaflet's default white popup styling
 - Do NOT use Leaflet's default zoom control styling (restyle it)
 - Do NOT add a sidebar nav — overlay panels only
 - Do NOT make the map a small component within a scrolling page — the map IS the page
 - Do NOT use marker clustering yet — we don't have enough stores to need it
 - Do NOT import any map libraries other than leaflet and react-leaflet
-

FILES TO CREATE / MODIFY

Create:

- `src/app/map/page.tsx` — Page shell (dynamic import of map component, no SSR)
- `src/components/HuntMap.tsx` — Main map component with Leaflet
- `src/components/MapOverlayLeft.tsx` — Left panel (legend, filters, stats)
- `src/components/MapOverlayRight.tsx` — Right panel (recent drops feed)
- `src/components/StorePopup.tsx` — Custom popup content
- `src/data/stores.ts` — NC ABC store data with coordinates

Modify:

- `src/components/Navigation.tsx` — Update Hunt Map link to `"/map"`
- `package.json` — Add `leaflet`, `react-leaflet`, `@types/leaflet`

Do not add any npm packages beyond `leaflet`, `react-leaflet`, and `@types/leaflet`. All components use `"use client"`. All colors via CSS variables. All data computed client-side from `drops.json` + `stores.ts`.