


Step 1: Create an empty database



Databases


Create database

test_db utf8mb4_general_ci Create

Check all Drop Search

Enter the name and click on Create

2. Click on Import




Server: 127.0.0.1 » Database: test_db

Structure SQL Search Query Export Import Operations Privileges More

No tables found in database.

Create new table

3. Browse for the file and select railway.sql uploaded on the drive under Lab 4 → Script_For_Databases-I



Importing into the database "test_db"

File to import:

File may be compressed (gzip, bzip2, zip) or uncompressed.
A compressed file's name must end in `.[format].[compression]`. Example: `.sql.zip`

Browse your computer (Max: 10MB)

Choose File railway.sql

You may also drag and drop a file on any page.

Character set of the file:

utf-8

4. Scroll down and click on Import

Other options

☒ Enable foreign key checks

Format

SQL

Format-specific options:

SQL compatibility mode:

NONE

☒ Do not use AUTO_INCREMENT for zero values

Import

5. You should see the following

Server: 127.0.0.1 » Database: test_db

Structure SQL Search Query Export Import Operations Privileges More

✓ Import has been successfully finished, 48 queries executed. (railway.sql)

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)

```
-- phpMyAdmin SQL Dump -- version 5.2.0 -- https://www.phpmyadmin.net/ -- -- Host: 127.0.0.1 -- Generation Time:
Sep 22, 2022 at 10:49 AM -- Server version: 10.4.24-MariaDB -- PHP Version: 8.1.6 SET SQL_MODE =
"NO_AUTO_VALUE_ON_ZERO";
```

[Edit inline] [Edit] [Create PHP code]

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0003 seconds.)

```
START TRANSACTION;
```

[Edit inline] [Edit] [Create PHP code]

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0004 seconds.)

```
SET time_zone = "+00:00";
```

[Edit inline] [Edit] [Create PHP code]

✓ MySQL returned an empty result set (i.e. zero rows). (Query took 0.0003 seconds.)

6. Examine the structure and the entries of the database

Server: 127.0.0.1 » Database: test_db

Structure SQL Search Query Export Import Operations Privileges More

Containing the word:

Table	Action	Rows	Type	Collation
<input type="checkbox"/> compartment	★ Browse Structure Search Insert Empty Drop	20	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> fare	★ Browse Structure Search Insert Empty Drop	9	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> payment_info	★ Browse Structure Search Insert Empty Drop	13	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> route_info	★ Browse Structure Search Insert Empty Drop	44	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> ticket	★ Browse Structure Search Insert Empty Drop	13	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> ticket_passenger	★ Browse Structure Search Insert Empty Drop	21	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> train	★ Browse Structure Search Insert Empty Drop	6	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> train_user	★ Browse Structure Search Insert Empty Drop	33	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> user_phone	★ Browse Structure Search Insert Empty Drop	66	InnoDB	utf8mb4_general_ci
<input type="checkbox"/> user_train	★ Browse Structure Search Insert Empty Drop	103	InnoDB	utf8mb4_general_ci
10 tables	Sum	328	InnoDB	utf8mb4_general_ci