0. **Code:** somepallik7697 somepallik7697.zip

1. somepallik7697/ConsoleAppA/ConsoleAppA/Program.cs
2. somepallik7697/ConsoleAppA/ConsoleAppB/Program.cs
3. somepallik7697/ConsoleAppA/ConsoleAppC/Program.cs

1. somepallik7697/ConsoleAppA/ConsoleAppA/Program.cs

```
using System.ComponentModel.Design;
using System.Diagnostics.CodeAnalysis;

namespace ConsoleAppA
{
    internal class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter three integers:");
            int num1, num2, num3;
            double remainder = 0;
            int remainder1 = 0;
            int remainder2 = 0;
            int remainder3 = 0;
            int count = 0;
            double sum = 0;
            double average;

            Console.WriteLine("Enter number 1:");
            num1 = int.Parse(Console.ReadLine());
            Console.WriteLine("Enter number 2:");
            num2 = int.Parse(Console.ReadLine());
            Console.WriteLine("Enter number 3:");
            num3 = int.Parse(Console.ReadLine());
            if (num1 / num2 ≠ 0 && num2 ≠ 0)
            {
                if (num1 % num2 ≠ 0)
                {
                    remainder1 = num1 % num2;
                    count++;
```

A1

A2

A3

1

need to be checked first due to short circuit eval

1. **somepallik7697/ConsoleAppA/ConsoleAppA/Program.cs**

```
            }
            else if (num1 % num2 == 0)
            {
                remainder1 = 0;
            }
        }
        else if (num2 / num1 ≠ 0 && num1 ≠ 0)
        {
            if (num2 % num1 ≠ 0)
            {
                remainder1 = num2 % num1;
                count++;
            }
            else
            {
                remainder1 = 0;
            }


        }
        remainder = remainder + remainder1;




        sum = remainder;
        if (num2 / num3 ≠ 0 && num3 ≠ 0)
        {
            if (num2 % num3 ≠ 0)
```

A3

A2

2

check first

A3

3

A2

A3

1. **somepallik7697/ConsoleAppA/ConsoleAppA/Program.cs**

```
            {
                remainder2 = num2 % num3;
                count++;
            }
            else if (num2 % num3 == 0)
            {
                remainder2 = 0;
            }
        }
        else if (num3 / num2 ≠ 0 && num2 ≠ 0)
        {
            if (num3 % num2 ≠ 0)
            {
                remainder2 = num3 % num2;
                count++;
            }
            else
            {
                remainder2 = 0;
            }


        }
        remainder = remainder + remainder2;


        sum = remainder;
        if (num3 / num1 ≠ 0 && num1 ≠ 0)
        {
            if (num3 % num1 ≠ 0)
            {
```

A3

not needed

4

A3

5

1. **somepallik7697/ConsoleAppA/ConsoleAppA/Program.cs**

```
                remainder3 = num3 % num1;
                count++;
            }
            else if (num3 % num1 == 0)
            {
                remainder3 = 0;
            }
        }
        else if (num1 / num3 ≠ 0 && num3 ≠ 0)
        {
            if (num1 % num3 ≠ 0)
            {
                remainder3 = num1 % num3;
                count++;
            }
            else
            {
                remainder3 = 0;
            }


        }
        remainder = remainder + remainder3;



        if (count ≠ 0)
        {
            sum = remainder;
```

not needed

B

A3

A4

1. **somepallik7697/ConsoleAppA/ConsoleAppA/Program.cs**

```
                average = remainder / count;
                Console.WriteLine(remainder);
                Console.WriteLine(count);
                Console.WriteLine("average is:" + average);
            }
            else
            {
                Console.WriteLine("The average cannot be calculated:");

            }
        }
    }
}
```

A+

## 2. somepallik7697/ConsoleAppA/ConsoleAppB/Program.cs

```
using System.Diagnostics.CodeAnalysis;

namespace ConsoleAppB
{
    internal class Program
    {
        static void Main(string[] args)
        {
            double average;
            double sum = 0;
            int count = 0;

            while (true)
            {
                Console.WriteLine("Enter a pair of integers:");
                int a, b;
                int remainder = 0;

                a = int.Parse(Console.ReadLine());
                b = int.Parse(Console.ReadLine());
                if (a == 0 || b == 0)
                {
                    break;
                }
                if (a / b ≠ 0 && b ≠ 0)
                {
                    if (a % b ≠ 0)
                    {
                        remainder = a % b;
                        count++;
                    }
```

Good!

You should be trace this code and fix your else if and nested if's in problem A.

131

132

not needed

133

2. **somepallik7697/ConsoleAppA/ConsoleAppB/Program.cs**

```
                else if (a % b == 0)
                {
                    remainder = 0;
                }
                else if (b / a ≠ 0 && a ≠ 0)
                {
                    if (b % a ≠ 0)
                    {
                        remainder = b % a;
                        count++;
                    }
                    else if (b % a == 0)
                    {
                        remainder = 0;
                    }
                }
                sum = sum + remainder;

            }


            average = sum / count;

        }
        if (count ≠ 0)
        {
            average = sum / count;
            Console.WriteLine("Sum is:" + sum);
            Console.WriteLine("Count is:" + count);
            Console.WriteLine("Average is:" + average);
        }
```

B2

B3

not needed due to break.

can replace all your remander = ... with sum = sum + ..

B4

2. **somepallik7697/ConsoleAppA/ConsoleAppB/Program.cs**

```
            else
            {
                Console.WriteLine("The average cannot be calculated");
            }


        }

    }
}
```

3. somepallik7697/ConsoleAppA/ConsoleAppC/Program.cs

```
using System.ComponentModel.DataAnnotations;

namespace ConsoleAppC
{
    internal class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter a sequence of integers:");
            while (true)
            {
                int previous = 0;
                int n = Convert.ToInt32(Console.ReadLine());
                int max;
                int min;
                int current = n;
                int count = 0;

                if (n == previous)
                {
                    break;
                }

                if (n % 10 > previous % 10)
                {
                    max = n;
                    n = previous;
                    count++;
                }
```

Initializations of Control Variables.
here: before the loop starts!

max = low value
min = max value

Check for the first previous

what?

Find max.

if(max < n){
}

3. **somepallik7697/ConsoleAppA/ConsoleAppC/Program.cs**

```
            else if (n % 10 < previous % 10)
            {
                min = n;
            }
        }


    }
}
```

Incomplete

C3

previous = cur;

Count++;

C4