0. **Code:** tanuboddys9697 tanuboddys9697.zip

1. ConsoleApp1/Program.cs
2. ConsoleApp2/Program.cs
3. ConsoleApp3/Program.cs

1. **ConsoleApp1/Program.cs**

```
namespace ConsoleApp1
{
    internal class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter 3 integres");
            int n1 = Convert.ToInt32(Console.ReadLine());
            int n2 = Convert.ToInt32(Console.ReadLine());
            int n3 = Convert.ToInt32(Console.ReadLine());
            int sum = 0;
            int count = 0;

            if (n1 ≠ 0)
            {
                if (n2 ≠ 0)
                {

                    int q1 = n1 / n2;
                    if (q1 ≠ 0)
                    {
                        int r1 = n1 % n2;
                        if (r1 ≠ 0)
                        {
                            sum = sum + r1;
                            count++;
                        }
                    }

                    int q2 = n2 / n1;
                    if (q2 ≠ 0)
```

A1

A2

n1 = 0
n2 = 2 ✓
n3 = 3

A3

A3

1. **ConsoleApp1/Program.cs**

```
                {
                    int r2 = n2 % n1;
                    if (r2 ≠ 0)
                    {
                        sum = sum + r2;
                        count++;
                    }
                }

            }
        }


        if (n2 ≠ 0)
        {
            if (n3 ≠ 0)
            {

                int q3 = n2 / n3;
                if (q3 ≠ 0)
                {
                    int r3 = n2 % n3;
                    sum = sum + r3;
                    count++;
                }

                int q4 = n3 / n2;
                if (q4 ≠ 0)
                {
                    int r4 = n3 % n2;
```

1. **ConsoleApp1/Program.cs**

```
                    sum = sum + r4;
                    count++;
                }

            }
        }


        if (n3 ≠ 0)
        {
            if (n1 ≠ 0)
            {
                int q5 = n3 / n1;
                if (q5 ≠ 0)
                {
                    int r5 = n3 % n1;
                    sum = sum + r5;
                    count++;
                }

                int q6 = n1 / n3;
                if (q6 ≠ 0)
                {
                    int r6 = n1 % n3;
                    sum = sum + r6;
                    count++;
                }

            }
        }

```

A2

A3

A3

1. **ConsoleApp1/Program.cs**

```
94
95
96          float aver = (float) sum / count;
97
98
99          (Count ≠ 0)
100         if (aver ≠ 0)
101         {
102             Console.WriteLine(aver);
103         }
104         else
105         {
106             Console.WriteLine("The average cannot be calculated");
107         }
108     }
109 }
110 }
```

A4

Cannot be Ø!

2. ConsoleApp2/Program.cs

```
namespace ConsoleApp2
{
    internal class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Enter sequence of integer pairs");
            int sum = 0;
            int count = 0;
            float aver = 0;
            while (true)
            {
                int a = Convert.ToInt32(Console.ReadLine());
                int b = Convert.ToInt32(Console.ReadLine());


                if (a == 0 || b == 0)
                {
                    break;
                }


                int q1 = a / b;
                if (q1 != 0)
                {
                    int r1 = a % b;
                    if (r1 != 0)
                    {
                        sum = sum + r1;
                        count++;
                    }
```

B1

B2

B3

2. ConsoleApp2/Program.cs

```
            }


            int q2 = b / a;
            if (q2 ≠ 0)
            {
                int r2 = b % a;
                if (r2 ≠ 0)
                {
                    sum = sum + r2;
                    count++;
                }
            }
        }


        if (count ≠ 0)
        {
            aver = (float) sum / count;
            Console.WriteLine("The average is " + aver);
        }
        else
        {
            Console.WriteLine("The average cannot be calculated");
        }
    }
  }
}
```

B2

B3

B4

3. ConsoleApp3/Program.cs

```
1  using System.Runtime.Versioning;
2
3  namespace ConsoleApp3
4  {
5      internal class Program
6      {
7          static void Main(string[] args)
8          {
9
10             Console.WriteLine("Enter a sequnce of integers continuosly");
11             int n = Convert.ToInt32(Console.ReadLine());
12             int prev = n;
13             int l1 = 0;
14             int l2 = 0;
15             int count = 0;
16             while (true)
17             {
18                 int curr = Convert.ToInt32(Console.ReadLine());
19
20                 if (curr == prev)
21                 {
22                     break;
23                 }
24
25                 prev = curr;
26
27                 l1 = prev % 10;
28                 l2 = curr % 10;
29
30                 if (curr > prev)
31                 {
```

Max?

1
5
3
4

1 > 5 Fal
max = 5
if (max > 3) Tr
max = 5
~~if (max > 4) Tr~~
max = 5

previous

int min = . —
int max = . —

previous entered.

int max = n;

delh.

curr

prev

Goes to the the end of the loop @ Line 45.

3. **ConsoleApp3/Program.cs**

```
                if (l2 > l1)
                {

                    count++;
                }
            }
            else
            {
                if (l2 < l1)
                {
                    count++;
                }
            }
        }
        Console.WriteLine("The max of values entered is " + curr);
        Console.WriteLine("The min of values entered is " + prev);
        Console.WriteLine("The number of values entered between the
          max with increasing last digit and min with decreasing last
          digit is " + count);

    }
}
}
```

C3

Count is the number of values you've ~~entered~~.

if(curr < min) {
min = curr; min cnt = cnt;
}

prev = curr;

if (

C4

max_Count - min_Count - 1 ? }

max = I, II, l_1

l_2

if I > II True

max = I else False

max = II

if II > III True

max = II else False

max = III

I l_1
II l_2
III l_3

$l_2 > l_1$

l_2 = II % 10;
l_1 = I % 10;

Then I is max of nm entered