

ArenaAI live Supabase schema inventory

Generated from the live Supabase PostgreSQL inspection on 2026-10-10 06:51:31 (IST). Total applied migrations: 37.

Table summary

Table	Rows	RLS	Primary key
public.admin_audit_logs	8	enabled	id
public.bookings	5	enabled	id
public.cancellation_policies	0	enabled	id
public.catalog_item_media	5	enabled	id
public.catalog_items	11	enabled	id
public.company_profile	0	enabled	id
public.customer_booking_intents	0	enabled	id
public.device_registrations	1	enabled	id
public.dossier_signoffs	0	enabled	id
public.fare_rules	1	enabled	id
public.inquiries	2	enabled	id
public.local_sightseeing_packages	1	enabled	id
public.location_cache	3	enabled	cache_key
public.monuments	0	enabled	id
public.notification_jobs	1	enabled	id
public.package_vehicle_upgrades	4	enabled	id
public.payments	5	enabled	id
public.pet_taxi_policy	0	enabled	id
public.profiles	5	enabled	id
public.promo_codes	4	enabled	id
public.raw_webhooks	3	enabled	id
public.refunds	0	enabled	id
public.rental_enquiries	0	enabled	id
public.reviews	2	enabled	id
public.route_catalog	2	enabled	id
public.schema_migrations	37	enabled	id
public.tour_packages	3	enabled	id
public.transfer_routes	4	enabled	id

Columns and types

public.admin_audit_logs

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	—	—
actor_id	uuid	no	—	—
actor_role	user_role_enum	no	—	enum: customer, content_editor, review_moderator, dispatcher, finance_operator, super_admin
resource_type	text	no	—	—
resource_id	text	no	—	—
action	text	no	—	—
before_state	jsonb	yes	—	—
after_state	jsonb	yes	—	—
reason	text	yes	—	—
request_id	text	no	—	—
created_at	timestampz	no	now()	—

public.bookings

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
ticket_id	varchar(30)	no	—	—
user_id	uuid	yes	—	—
guest_access_token	varchar(64)	no	—	—
trip_type	trip_type_enum	no	—	enum: one-way, round-trip, local-tour, airport-transfer
vehicle_tier	vehicle_tier_enum	no	—	enum: sedan, ertiga, innova-crysta, tempo-traveller, urbania
origin_name	text	yes	—	—
destination_name	text	yes	—	—
pickup_address	text	no	—	—

Column	PostgreSQL type	Nullable	Default	Check / enum
drop_addresses	text	yes	—	—
pickup_datetime	timestampz	no	—	—
return_datetime	timestampz	yes	—	—
flight_train_number	varchar(50)	yes	—	—
distance_km	numeric	no	—	(distance_km > (0)::numeric)
customer_name	text	no	—	—
customer_phone	varchar(20)	no	—	—
customer_email	varchar(255)	yes	—	—
base_fare	numeric	no	—	(base_fare >= (0)::numeric)
night_allowance	numeric	no	0.00	(night_allowance >= (0)::numeric)
driver_allowance	numeric	no	0.00	(driver_allowance >= (0)::numeric)
discount_amount	numeric	no	0.00	(discount_amount >= (0)::numeric)
promo_code	varchar(30)	yes	—	—
total_fare	numeric	no	—	(total_fare > (0)::numeric)
advance_amount	numeric	no	—	((advance_amount >= (1)::numeric) AND (advance_amount <= total_fare))
balance_amount	numeric	no	—	(balance_amount >= (0)::numeric)
fare_rules_version	varchar(20)	no	'v1'::character_varying	—
fare_snapshot	jsonb	no	'{}'::jsonb	—
status	booking_status_enum	no	'pending_payment'::booking_status_enum	enum: draft, pending_payment, paid_confirmed, driver_assigned, in_transit, completed, cancelled, refunded
version	int4	no	1	—
special_notes	text	yes	—	—
package_id	varchar(80)	yes	—	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

Column	PostgreSQL type	Nullable	Default	Check / enum
booking_selection	jsonb	yes	—	—
selected_catalog_item_id	text	yes	—	—

Foreign keys & relations:

Constraint	Source	Target	Direction
bookings_selected_catalog_item_id_fkey	public.bookings (selected_catalog_item_id)	public.catalog_items (id)	Outgoing (Foreign Key)
bookings_user_id_fkey	public.bookings (user_id)	public.profiles (id)	Outgoing (Foreign Key)
customer_booking_intents_resulting_booking_id_fkey	public.customer_booking_intents (resulting_booking_id)	public.bookings (id)	Incoming (Referenced by)
device_registrations_booking_id_fkey	public.device_registrations (booking_id)	public.bookings (id)	Incoming (Referenced by)
notification_jobs_booking_id_fkey	public.notification_jobs (booking_id)	public.bookings (id)	Incoming (Referenced by)
payments_booking_id_fkey	public.payments (booking_id)	public.bookings (id)	Incoming (Referenced by)
refunds_booking_id_fkey	public.refunds (booking_id)	public.bookings (id)	Incoming (Referenced by)
reviews_booking_id_fkey	public.reviews (booking_id)	public.bookings (id)	Incoming (Referenced by)

public.cancellation_policies

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
policy_type	text	no	—	(policy_type = ANY (ARRAY['cab'::text, 'tour_package'::text]))
notice_period_text	text	no	—	—
sort_order	int4	no	0	—
fee_retained_percent	numeric	no	—	((fee_retained_percent >= (0)::numeric) AND (fee_retained_percent <= (100)::numeric))
refund_percent	numeric	no	—	((refund_percent >= (0)::numeric) AND (refund_percent <= (100)::numeric))
rule_text	text	no	—	—

Column	PostgreSQL type	Nullable	Default	Check / enum
refund_time line_note	text	no	'5-7 business days to original bank/UPI'::text	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

public.catalog_item_media

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
catalog_item_id	text	no	—	—
storage_path	text	no	—	—
media_type	varchar(10)	no	—	—
alt_text	text	no	—	—
caption	text	yes	—	—
sort_order	int4	no	0	—
status	content_status_enum	no	'draft'::content_status_enum	enum: draft, published, archived
source_type	varchar(30)	no	'admin_upload'::character_varying	—
copyright_owner	text	yes	—	—
created_by	uuid	yes	—	—
approved_by	uuid	yes	—	—
published_at	timestampz	yes	—	—
created_at	timestampz	no	now()	—
mime_type	varchar(60)	yes	—	—
content_base64	text	yes	—	—
size_bytes	int4	yes	—	((size_bytes IS NULL) OR (size_bytes >= 0))

Foreign keys & relations:

Constraint	Source	Target	Direction
catalog_item_media_catalog_item_id_fkey	public.catalog_item_media (catalog_item_id)	public.catalog_items (id)	Outgoing (Foreign Key)

public.catalog_items

Column	PostgreSQL type	Nullable	Default	Check / enum
id	text	no	—	—
type	text	no	—	(type = ANY (ARRAY['ride'::text, 'tour'::text, 'package'::text, 'route'::text, 'vehicle'::text, 'place'::text]))
slug	varchar(150)	no	—	—
title	text	no	—	—
short_description	text	no	—	—
description	text	no	—	—
status	content_status_enum	no	'draft'::content_status_enum	enum: draft, published, archived
duration_text	text	no	—	—
route_summary	text	no	—	—
starting_price_inr	numeric	no	—	(starting_price_inr > (0)::numeric)
version	int4	no	1	—
created_by	uuid	yes	—	—
updated_by	uuid	yes	—	—
published_at	timestamptz	yes	—	—
created_at	timestamptz	no	now()	—
updated_at	timestamptz	no	now()	—
distance_km	numeric	yes	—	((distance_km IS NULL) OR (distance_km >= (0)::numeric))
availability	varchar(20)	no	'available'::character_varying	—
seats_left	int4	yes	—	((seats_left IS NULL) OR (seats_left >= 0))
stops	_text	no	'{}'::text[]	—

Column	PostgreSQL type	Nullable	Default	Check / enum
trip_type	varchar(30)	yes	—	((trip_type IS NULL) OR ((trip_type)::text = ANY (ARRAY['one-way'::character varying, 'round-trip'::character varying, 'local-tour'::character varying, 'airport-transfer'::character varying]))::text[]))

Foreign keys & relations:

Constraint	Source	Target	Direction
bookings_selected_catalog_item_id_fkey	public.bookings (selected_catalog_item_id)	public.catalog_items (id)	Incoming (Referenced by)
catalog_item_media_catalog_item_id_fkey	public.catalog_item_media (catalog_item_id)	public.catalog_items (id)	Incoming (Referenced by)
reviews_catalog_item_id_fkey	public.reviews (catalog_item_id)	public.catalog_items (id)	Incoming (Referenced by)

public.company_profile

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
brand_name	text	no	'SK Baghel Tour & Travels'::text	—
office_address	text	no	'Taj Ganj, Agra, Uttar Pradesh 282001'::text	—
primary_phone	text	no	' +91 97628 17598'::text	—
whatsapp_number	text	no	' +91 97628 17598'::text	—
email	text	no	'[TBD – confirm with client]'::text	—
gst_in	text	no	'[TBD – confirm with client]'::text	—
operating_hours	text	no	'Bookings Open 24×7, 365 Days'::text	—
maps_location	text	no	'https://maps.google.com/?q=Agra'::text	—
dossier_version	text	no	'1.0'::text	—
dossier_status	text	no	'pending_review'::text	(dossier_status = ANY (ARRAY['pending_review'::text, 'signed_off'::text, 'modifications_needed'::text]))
created_at	timestampz	no	now()	—

Column	PostgreSQL type	Nullable	Default	Check / enum
updated_at	timestampz	no	now()	—

public.customer_booking_intents

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
idempotency_key	uuid	no	—	—
resume_secret_hash	bpchar	no	—	—
payload	jsonb	no	—	—
quote	jsonb	no	—	—
quote_total_fare	numeric	no	—	—
quote_advance_amount	numeric	no	—	—
quote_balance_amount	numeric	no	—	—
fare_reconfirmation_pending	bool	no	false	—
expires_at	timestampz	no	—	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—
consumed_at	timestampz	yes	—	—
claimed_user_id	uuid	yes	—	—
resulting_booking_id	uuid	yes	—	—

Foreign keys & relations:

Constraint	Source	Target	Direction
customer_booking_intents_claimed_user_id_fkey	public.customer_booking_intents (claimed_user_id)	public.profiles (id)	Outgoing (Foreign Key)
customer_booking_intents_resulting_booking_id_fkey	public.customer_booking_intents (resulting_booking_id)	public.bookings (id)	Outgoing (Foreign Key)

public.device_registrations

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
user_id	uuid	yes	—	—
booking_id	uuid	yes	—	—
device_id	varchar(100)	no	—	—

Column	PostgreSQL type	Nullable	Default	Check / enum
platform	varchar(20)	no	—	—
fcm_token	text	no	—	—
is_active	bool	no	true	—
last_seen_at	timestamptz	no	now()	—
created_at	timestamptz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
device_registrations_booking_id_fkey	public.device_registrations (booking_id)	public.bookings (id)	Outgoing (Foreign Key)
device_registrations_user_id_fkey	public.device_registrations (user_id)	public.profiles (id)	Outgoing (Foreign Key)

public.dossier_signoffs

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
section_key	text	no	—	(section_key ~ '^[a-z0-9_-]{2,80}\$'::text)
section_title	text	no	—	—
status	text	no	'pending'::text	(status = ANY (ARRAY['pending'::text, 'approved'::text, 'modification_requested'::text]))
client_notes	text	yes	—	—
approved_by	uuid	yes	—	—
approved_at	timestamptz	yes	—	—
created_at	timestamptz	no	now()	—
updated_at	timestamptz	no	now()	—

public.fare_rules

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
version	varchar(20)	no	—	—

Column	PostgreSQL type	Nullable	Default	Check / enum
config	jsonb	no	—	—
effective_from	timestampz	no	—	—
effective_to	timestampz	yes	—	—
is_active	bool	no	false	—
created_at	timestampz	no	now()	—

public.inquiries

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	—	—
name	text	no	—	—
phone	varchar(20)	no	—	—
email	varchar(255)	yes	—	—
message	text	no	—	—
trip_interest	text	yes	—	—
created_at	timestampz	no	now()	—
status	varchar(30)	no	'new'::character varying	—
notes	_text	no	'{}'::text[]	—
updated_at	timestampz	no	now()	—

public.local_sightseeing_packages

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
package_code	text	no	—	(package_code ~ '^[a-z0-9-]{2,80}\$'::text)
name	text	no	—	—
duration_hours	int4	no	—	—
included_km	int4	no	—	—
covers	text	no	—	—
parking_note	text	yes	—	—
fleet_prices	jsonb	no	—	—
use_per_km	bool	no	false	—
extra_rates	jsonb	yes	—	—
night_charge_inr	numeric	no	0	—

Column	PostgreSQL type	Nullable	Default	Check / enum
status	text	no	'draft'::text	(status = ANY (ARRAY['draft'::text, 'published'::text, 'archived'::text]))
is_active	bool	no	true	—
created_at	timestamptz	no	now()	—
updated_at	timestamptz	no	now()	—

public.location_cache

Column	PostgreSQL type	Nullable	Default	Check / enum
cache_key	text	no	—	—
suggestions	jsonb	no	—	—
stored_at	timestamptz	no	now()	—

public.monuments

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
name	text	no	—	—
visiting_hours	text	no	—	—
closed_note	text	no	'Open all days'::text	—
historical_context	text	yes	—	—
sort_order	int4	no	0	—
created_at	timestamptz	no	now()	—
updated_at	timestamptz	no	now()	—

public.notification_jobs

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	—	—
booking_id	uuid	no	—	—
channel	varchar(20)	no	—	—
template_key	text	no	—	—
dedupe_key	text	no	—	—
payload	jsonb	no	'{}'::jsonb	—
status	varchar(20)	no	'queued'::character varying	—
attempt_count	int4	no	0	—

Column	PostgreSQL type	Nullable	Default	Check / enum
provider_message_id	text	yes	—	—
last_error	text	yes	—	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
notification_jobs_booking_id_fkey	public.notification_jobs (booking_id)	public.bookings (id)	Outgoing (Foreign Key)

public.package_vehicle_upgrades

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
package_id	uuid	yes	—	—
tier_code	text	no	—	—
passenger_note	text	yes	—	—
surcharge_inr	numeric	no	0	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
package_vehicle_upgrades_package_id_fkey	public.package_vehicle_upgrades (package_id)	public.tour_packages (id)	Outgoing (Foreign Key)

public.payments

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
booking_id	uuid	no	—	—
provider	payment_provider_enum	no	—	enum: razorpay, paypal, card
provider_order_id	varchar(120)	no	—	—
provider_payment_id	varchar(120)	yes	—	—

Column	PostgreSQL type	Nullable	Default	Check / enum
checkout_session_id	varchar(120)	yes	—	—
checkout_url	text	yes	—	—
public_client_token	text	yes	—	—
amount_minor	int8	no	—	(amount_minor > 0)
currency	varchar(5)	no	'INR'::character varying	—
inr_amount_paise	int8	no	—	(inr_amount_paise > 0)
status	payment_status_enum	no	'pending'::payment_status_enum	enum: pending, captured, failed, refunded, needs_review
payment_method	varchar(50)	yes	—	—
fee_minor	int8	yes	0	—
tax_minor	int8	yes	0	—
idempotency_key	varchar(100)	no	—	—
webhook_event_id	varchar(120)	yes	—	—
reconciliation_status	varchar(30)	no	'pending'::character varying	—
failure_reason	text	yes	—	—
verified_at	timestampz	yes	—	—
expires_at	timestampz	no	—	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
payments_booking_id_fkey	public.payments (booking_id)	public.bookings (id)	Outgoing (Foreign Key)
refunds_payment_id_fkey	public.refunds (payment_id)	public.payments (id)	Incoming (Referenced by)

public.pet_taxi_policy

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
is_offered	bool	no	true	—

Column	PostgreSQL type	Nullable	Default	Check / enum
seat_protection_note	text	no	—	—
breed_restriction_note	text	no	'No breed or size restrictions'::text	—
comfort_stop_note	text	no	—	—
booking_instruction	text	no	'Customer must inform during booking'::text	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

public.profiles

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	—	—
full_name	text	no	—	—
phone	varchar(20)	no	—	—
email	varchar(255)	yes	—	—
role	user_role_enum	no	'customer'::user_role_enum	enum: customer, content_editor, review_moderator, dispatcher, finance_operator, super_admin
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
bookings_user_id_fkey	public.bookings (user_id)	public.profiles (id)	Incoming (Referenced by)
customer_booking_intents_claimed_user_id_fkey	public.customer_booking_intents (claimed_user_id)	public.profiles (id)	Incoming (Referenced by)
device_registrations_user_id_fkey	public.device_registrations (user_id)	public.profiles (id)	Incoming (Referenced by)
reviews_customer_id_fkey	public.reviews (customer_id)	public.profiles (id)	Incoming (Referenced by)

public.promo_codes

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—

Column	PostgreSQL type	Nullable	Default	Check / enum
code	varchar(30)	no	—	—
discount_amount	numeric	no	—	(discount_amount >= (0)::numeric)
min_total	numeric	no	—	(min_total >= (0)::numeric)
description	text	no	—	—
is_active	bool	no	true	—
max_redemptions	int4	yes	—	—
redemption_count	int4	no	0	—
valid_from	timestamptz	yes	—	—
valid_to	timestamptz	yes	—	—
allow_group_vehicles	bool	no	false	—
is_broadcast	bool	no	false	—

public.raw_webhooks

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	—	—
provider	text	no	—	—
event_id	varchar(160)	no	—	—
event_type	text	no	—	—
payload	jsonb	no	—	—
payload_hash	varchar(64)	no	—	—
processed	bool	no	false	—
received_at	timestamptz	no	now()	—

public.refunds

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
payment_id	uuid	no	—	—
booking_id	uuid	no	—	—
provider_refund_id	varchar(120)	yes	—	—
amount_minor	int8	no	—	(amount_minor > 0)
currency	varchar(5)	no	'INR'::character varying	—
reason	text	no	—	—
status	varchar(30)	no	'processed'::character varying	—

Column	PostgreSQL type	Nullable	Default	Check / enum
idempotency_key	varchar(100)	no	—	—
created_at	timestampz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
refunds_booking_id_fkey	public.refunds (booking_id)	public.bookings (id)	Outgoing (Foreign Key)
refunds_payment_id_fkey	public.refunds (payment_id)	public.payments (id)	Outgoing (Foreign Key)

public.rental_enquiries

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
ref	text	no	—	—
name	text	no	—	—
phone	text	no	—	—
email	text	yes	—	—
car_tier	text	no	—	(car_tier = ANY (ARRAY['sedan'::text, 'ertiga'::text, 'innova'::text, 'tempo'::text, 'urbania'::text]))
pickup_date	date	no	—	—
return_date	date	no	—	(return_date >= pickup_date)
pickup_location	text	no	—	—
with_driver	bool	no	false	—
note	text	yes	—	—
status	text	no	'new'::text	(status = ANY (ARRAY['new'::text, 'contacted'::text, 'quoted'::text, 'done'::text, 'closed'::text, 'spam'::text]))
notes	_text	no	'{}'::text[]	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

public.reviews

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
booking_id	uuid	yes	—	—
catalog_item_id	text	yes	—	—
customer_id	uuid	yes	—	—
display_name	text	no	—	—
rating	int4	no	—	((rating >= 1) AND (rating <= 5))
review_text	text	no	—	—
status	review_status_enum	no	'pending_review'::review_status_enum	enum: draft, pending_review, approved, rejected, published, archived
verification_status	verification_status_enum	no	'unverified'::verification_status_enum	enum: unverified, booking_verified, social_link_submitted, manually_verified
social_profile_url	text	yes	—	—
social_platform	varchar(40)	yes	—	—
verification_notes	text	yes	—	—
reviewed_by	uuid	yes	—	—
reviewed_at	timestampz	yes	—	—
published_at	timestampz	yes	—	—
guest_access_token	varchar(64)	yes	—	—
created_at	timestampz	no	now()	—

Foreign keys & relations:

Constraint	Source	Target	Direction
reviews_booking_id_fkey	public.reviews (booking_id)	public.bookings (id)	Outgoing (Foreign Key)
reviews_catalog_item_id_fkey	public.reviews (catalog_item_id)	public.catalog_items (id)	Outgoing (Foreign Key)
reviews_customer_id_fkey	public.reviews (customer_id)	public.profiles (id)	Outgoing (Foreign Key)

public.route_catalog

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
trip_type	text	no	—	(trip_type = ANY (ARRAY['one-way'::text, 'round-trip'::text, 'local-tour'::text]))
source_city	text	no	—	—
source_detail	text	yes	—	—
destination_city	text	yes	—	—
slug	text	no	—	(slug ~ '^[a-z0-9-]{2,80}\$'::text)
distance_km	numeric	yes	—	—
duration_text	text	yes	—	—
available_fleets	_text	no	'{sedan,ertiga,innova-crysta,tempo-traveller,urbania}'::text[]	—
fares_inr	jsonb	no	—	—
driver_charge_inr	numeric	no	0	—
night_halt_inr	numeric	no	0	—
toll_included	bool	no	true	—
toll_amount_inr	numeric	yes	—	—
interstate_charges	jsonb	no	'[]'::jsonb	—
min_km_per_day	int4	no	300	—
stops	jsonb	no	'[]'::jsonb	—
status	text	no	'draft'::text	(status = ANY (ARRAY['draft'::text, 'published'::text, 'archived'::text]))
needs_review	bool	no	false	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—
use_per_km	bool	no	true	—

Column	PostgreSQL type	Nullable	Default	Check / enum
per_km_rate_override	numeric	yes	—	—
highway	text	yes	—	—
all_inclusive_note	text	yes	—	—

public.schema_migrations

Column	PostgreSQL type	Nullable	Default	Check / enum
id	text	no	—	—
applied_at	timestamptz	no	now()	—
checksum	text	yes	—	—

public.tour_packages

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
package_code	text	no	—	(package_code ~ '^[a-z0-9-]{2,80}\$'::text)
name	text	no	—	—
duration_text	text	no	—	—
days	int4	no	1	—
nights	int4	no	0	—
base_tier_code	text	no	'sedan'::text	—
starting_price_inr	numeric	no	—	(starting_price_inr > (0)::numeric)
fleet_prices	jsonb	no	—	—
night_charge_inr	numeric	no	0	—
inclusions_highlight	text	yes	—	—
inclusions_note	text	yes	—	—
status	text	no	'draft'::text	(status = ANY (ARRAY['draft'::text, 'published'::text, 'archived'::text]))
is_active	bool	no	true	—
created_at	timestamptz	no	now()	—
updated_at	timestamptz	no	now()	—

Column	PostgreSQL type	Nullable	Default	Check / enum
image_url	text	yes	—	—
gallery	jsonb	no	'[]'::jsonb	—
source	text	no	'Agra'::text	—
destination	text	no	' '::text	—
inclusions	jsonb	no	'[]'::jsonb	—
exclusions	jsonb	no	'[]'::jsonb	—
itinerary	jsonb	no	'[]'::jsonb	—

Foreign keys & relations:

Constraint	Source	Target	Direction
package_vehicle_upgrades_package_id_fkey	public.package_vehicle_upgrades (package_id)	public.tour_packages (id)	Incoming (Referenced by)

public.transfer_routes

Column	PostgreSQL type	Nullable	Default	Check / enum
id	uuid	no	gen_random_uuid()	—
route_code	text	no	—	(route_code ~ '^[a-z0-9-]{2,80}\$'::text)
name	text	no	—	—
distance_text	text	yes	—	—
direction_note	text	yes	—	—
fleet_prices	jsonb	no	—	—
use_per_km	bool	no	false	—
night_charge_inr	numeric	no	0	—
status	text	no	'draft'::text	(status = ANY (ARRAY['draft'::text, 'published'::text, 'archived'::text]))
is_active	bool	no	true	—
created_at	timestampz	no	now()	—
updated_at	timestampz	no	now()	—

Live advisory & RLS State

RLS Status Summary: 28 tables have RLS enabled, and 0 tables currently have RLS disabled.

Tables with RLS DISABLED: