

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

Query Editor

kirana_store/postgres@PostgreSQL 18

Query

```
-- 1. Best Sales Month

SELECT
  TO_CHAR(sales_date, 'Month') AS Month,
  ROUND(SUM(total_sales)::numeric, 2) AS Revenue
FROM Kirana_sales
GROUP BY TO_CHAR(sales_date, 'Month'), EXTRACT(MONTH FROM sales_date)
ORDER BY Revenue DESC
LIMIT 1;
```

Data Output

	month text	revenue numeric
1	January	6977.00

Total rows: 1 Query complete 00:00:01.259

CRLF Ln 25, Col 9

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

kirana_store/postgres@PostgreSQL 18

Query

```
1 CREATE TABLE Kirana_sales(  
2     Sales_Date DATE,  
3     Product_Name VARCHAR(100),  
4     Category VARCHAR(50),  
5     Qty_Sold INT,  
6     Selling_price INT,  
7     Cost_price INT,  
8     Total_Sales INT,  
9     Profit_INR INT  
10 );  
11  
12  
13  
14 SELECT * FROM Kirana_sales;  
15
```

Data Output

	sales_date date	product_name character varying (100)	category character varying (50)	qty_sold integer	selling_price integer	cost_price integer	total_sales integer	profit_inr integer
1	2024-01-02	Pepsodent Toothpaste	Personal Care	1	91	82	91	9
2	2024-01-03	Sunlight Dishwash Bar	Household	4	28	23	110	19
3	2024-01-04	Patanjali Desi Ghee	Oils & Ghee	1	312	286	312	26
4	2024-01-07	Clinic Plus Shampoo	Personal Care	8	115	103	922	96
5	2024-01-07	Amul Cheese Slice	Dairy	2	130	113	260	35

Total rows: 200 Query complete 00:00:03.157

Showing rows: 1 to 200 Page No: 1 of 1

CRLF Ln 10, Col 4

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

kirana_store/postgres@PostgreSQL 18

Query History

```
--10. Category with Highest Profit Margin
SELECT
  category,
  ROUND(AVG((selling_price-cost_price)::numeric/cost_price*100), 2) AS Avg_Margin_Pct,
  ROUND(SUM(profit_inr)::numeric, 2) AS Total_Profit
FROM Kirana_sales
GROUP BY category
ORDER BY Avg_Margin_Pct DESC;
```

Data Output

	category character varying (50)	avg_margin_pct numeric	total_profit numeric
1	Spices	20.81	376.00
2	Household	19.65	723.00
3	Staples	17.69	759.00
4	Beverages	17.62	2035.00
5	Pulses	15.51	270.00
6	Oils & Ghee	14.63	337.00
7	Personal Care	14.28	1125.00
8	Biscuits	12.94	189.00
9	Snacks & Instant	12.55	230.00
...	...	...	...

Total rows: 10 Query complete 00:00:02.939

Showing rows: 1 to 10 Page No: 1 of 1

CRLF Ln 141, Col 30

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

Query Editor

kirana_store/postgres@PostgreSQL 18

Query History

```
119
120 --9. Highest Profit Product
121
122 SELECT
123     product_name,
124     category,
125     ROUND(SUM(profit_inr)::numeric, 2) AS Total_Profit,
126     ROUND(AVG((selling_price-cost_price)::numeric/cost_price*100), 2) AS Margin_Pct
127 FROM Kirana_sales
128 GROUP BY product_name, category
129 ORDER BY Total_Profit DESC
130 LIMIT 5;
```

Data Output

Showing rows: 1 to 5 of 1

	product_name character varying (100)	category character varying (50)	total_profit numeric	margin_pct numeric
1	Bournvita	Beverages	529.00	13.17
2	Aashirvaad Atta	Staples	433.00	19.94
3	Clinic Plus Shampoo	Personal Care	418.00	17.85
4	Complan	Beverages	319.00	12.18
5	Bru Coffee	Beverages	315.00	18.65

Total rows: 5 Query complete 00:00:01.228

CRLF Ln 123, Col 18

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

kirana_store/postgres@PostgreSQL 18

Query Query History

```
-- 8. Category Performance Full View
SELECT
  category,
  COUNT(*) AS Transactions,
  SUM(qty_sold) AS Units_Sold,
  ROUND(SUM(total_sales)::numeric, 2) AS Revenue,
  ROUND(SUM(profit_inr)::numeric, 2) AS Profit,
  ROUND((SUM(profit_inr)/SUM(total_sales)*100)::numeric, 2) AS Profit_Margin_Pct,
  RANK() OVER (ORDER BY SUM(total_sales) DESC) AS Revenue_Rank
FROM Kirana_sales
GROUP BY category
ORDER BY Revenue DESC;
```

Data Output Messages Notifications

Showing rows: 1 to 10 Page No: 1 of 1

	category character varying (50)	transactions bigint	units_sold bigint	revenue numeric	profit numeric	profit_margin_pct numeric	revenue_rank bigint
1	Beverages	43	124	15757.00	2035.00	0.00	1
2	Personal Care	33	102	9338.00	1125.00	0.00	2
3	Household	27	93	5137.00	723.00	0.00	3
4	Staples	14	42	4829.00	759.00	0.00	4
5	Dairy	17	39	2918.00	319.00	0.00	5
6	Oils & Ghee	6	11	2390.00	337.00	0.00	6

Total rows: 10 Query complete 00:00:00.627 CRLF Ln 117, Col 23

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

kirana_store/postgres@PostgreSQL 18

Query Query History

```
-- 7. Least Sold Product

SELECT
    product_name,
    category,
    SUM(qty_sold) AS Total_Units_Sold
FROM kirana_sales
GROUP BY product_name, category
ORDER BY Total_Units_Sold ASC
LIMIT 5;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	product_name character varying (100)	category character varying (50)	total_units_sold bigint
1	Urad Dal	Pulses	2
2	Phenyl Floor Cleaner	Household	2
3	Boost Horlicks	Beverages	3
4	Saffola Gold Oil	Oils & Ghee	3
5	Head & Shoulders Shamp...	Personal Care	3

Total rows: 5 Query complete 00:00:01.507

CRLF Ln 93, Col 25

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

company/postgres... x company/postgres... x company/postgres... x company/postgres... x kirana_store/postgres@PostgreSQL 18* x

kirana_store/postgres@PostgreSQL 18

Query Query History

```
53 -- 4. Monthly Growth Rate
54
55 SELECT
56     TO_CHAR(sales_date, 'Month') AS Month,
57     EXTRACT(MONTH FROM sales_date) AS Month_Num,
58     ROUND(SUM(total_sales)::numeric, 2) AS Revenue,
59     ROUND(SUM(total_sales)::numeric - LAG(SUM(total_sales)::numeric)
60         OVER (ORDER BY EXTRACT(MONTH FROM sales_date)), 2) AS Growth_vs_LastMonth
61 FROM Kirana_sales
62 GROUP BY TO_CHAR(sales_date, 'Month'), EXTRACT(MONTH FROM sales_date)
63 ORDER BY Month_Num;
64
```

Data Output Messages Notifications

	month text	month_num numeric	revenue numeric	growth_vs_lastmonth numeric
1	January	1	6977.00	[null]
2	February	2	3304.00	-3673.00
3	March	3	3685.00	381.00
4	April	4	3372.00	-313.00
5	May	5	6083.00	2711.00
6	June	6	2229.00	-3854.00
7	July	7	3035.00	806.00

Total rows: 12 Query complete 00:00:00.528

Showing rows: 1 to 12 Page No: 1 of 1

Successfully run. Total query runtime: 528 msec. 12 rows affected.

CRLF Ln 59, Col 70

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

company/postgres... x company/postgres... x company/postgres... x company/postgres... x kirana_store/postgres@PostgreSQL 18* x

kirana_store/postgres@PostgreSQL 18

No limit

Query Query History

```
26 |
27 |
28 | --2. Worst sales month
29 |
30 | SELECT
31 |     TO_CHAR(sales_date, 'Month') AS Month,
32 |     ROUND(SUM(total_sales)::numeric, 2) AS Revenue
33 | FROM Kirana_sales
34 | GROUP BY TO_CHAR(sales_date, 'Month'), EXTRACT(MONTH FROM sales_date)
35 | ORDER BY Revenue ASC
36 | LIMIT 1;
37 |
38 |
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

	month text	revenue numeric
1	June	2229.00

Total rows: 1 Query complete 00:00:02.394

Successfully run. Total query runtime: 2 secs 354 msec. 1 rows affected.

CRLF Ln 26, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

company/postgres... x company/postgres... x company/postgres... x company/postgres... x kirana_store/postgres@PostgreSQL 18* x

kirana_store/postgres@PostgreSQL 18

No limit

Query Query History

```
79
80
81 -- 6. Most Sold Product by Quantity
82
83 SELECT
84     product_name,
85     category,
86     SUM(qty_sold) AS Total_Units_Sold
87 FROM Kirana_sales
88 GROUP BY product_name, category
89 ORDER BY Total_Units_Sold DESC
90 LIMIT 5;
91
92
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	product_name character varying (100)	category character varying (50)	total_units_sold bigint
1	Sunlight Dishwash Bar	Household	44
2	Oreo Biscuit	Biscuits	27
3	Clinic Plus Shampoo	Personal Care	25
4	Pepsodent Toothpaste	Personal Care	23
5	Frooti	Beverages	23

Total rows: 5 Query complete 00:00:01.449 CRLF Ln 89, Col 31

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

Query Editor

kirana_store/postgres@PostgreSQL 18

Query History

```
-- 5. Average Daily Sales
SELECT
  ROUND(AVG(daily_sales)::numeric, 2) AS Avg_Daily_Revenue
FROM (
  SELECT
    sales_date,
    SUM(total_sales) AS daily_sales
  FROM Kirana_sales
  GROUP BY sales_date
) daily;
```

Data Output

	avg_daily_revenue	numeric
1		301.50

Showing rows: 1 to 1 of 1

Page No: 1

Total rows: 1 Query complete 00:00:01.592

CRLF Ln 73, Col 40

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (5)
 - company
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - kirana_store
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrapper
 - Languages
 - Publications
 - Schemas (1)
 - public
 - Aggregates
 - Collations
 - Domains

kirana_store/postgres@PostgreSQL 18

Query History

```
-- 3. Weekend vs Weekday Sales

SELECT
CASE
WHEN EXTRACT(DOW FROM sales_date) IN (0,6) THEN 'Weekend'
ELSE 'Weekday'
END AS Day_Type,
ROUND(SUM(total_sales)::numeric, 2) AS Revenue,
COUNT(*) AS Transactions
FROM Kirana_sales
GROUP BY Day_Type
ORDER BY Revenue DESC;
```

Data Output

	day_type text	revenue numeric	transactions bigint
1	Weekday	33224.00	138
2	Weekend	15016.00	62

Showing rows: 1 to 2 Page No: 1 of 1

Total rows: 2 Query complete 00:00:00.260 CRLF Ln 46, Col 52