MySpace 3.12.35 (72)
Standalone MyCalc 1.0.33 (34)

Calculator-only Android APK QA · direct user journeys, findings, and coverage boundaries

REPORT DATE: 27 OCTOBER 2026 | DEVICE: Android 14 / API 34 emulator | DIRECT RUN: 40473041537

MYSPACE CALCULATOR

8 PASS · 2 FAIL · 1 BLOCKED

11 selected direct APK cases

MYCALC CALCULATOR

8 PASS · 3 FAIL

11 selected direct APK cases

CALCULATOR UI FLOWS

34 PASS · 3 FAIL · 3 ERROR · 3 BLOCKED

43 calculator-only probes across 3 jobs

SCREENSHOTS

96

original emulator PNGs preserved; selected screens embedded below

Executive readout

This report stays on the calculator UI: entering and editing expressions, trying selection and clipboard actions, storing/using memory, replaying history, and changing calculator options such as key shape, effects, and theme. It does not test Notes, Scanner, Calendar, or other MySpace apps. Every direct finding is tied to the APK SHA-256, pinned guide snapshot, Android Actions run, and saved screenshot/UI hierarchy. Where a floating control is absent from Android's accessibility tree, the test uses screenshot OCR or labels the probe BLOCKED rather than inventing a failure.

Interpretation rule: PASS/FAIL are direct assertions against the installed binaries. BLOCKED means the emulator or accessibility surface prevented a fair assertion. NOT RUN means no direct APK test was attempted. Green upstream CI is useful corroboration, but it is separately labeled source-CI—not converted into an APK pass.

Build identity and provenance

Artifact	Package / version	Size	SHA-256
MySpace-v3.12.35-72-lite-dist.apk	app.space.one · 3.12.35 (72)	2,274,980 bytes	f3257177dc098cf62f54a6f77df526195323d36b23ed5a69f9ff07ddf96b45fb
MyCalc-v1.0.33-34.apk	app.space.calc · 1.0.33 (34)	1,311,395 bytes	99c65435e455e241dd3eb65ea6494abcabf2099f5024f6a82c6cf8a621a6bf6b
TEST-GUIDE.md	source commit 0727a2e3b9974d6df70153d76dc8e629e0a0b839	11,842 bytes	d494cf934f12f0c5b1e77da2254d026438d1c10d233c9b53e4620beb7014db92

Guide: pinned A–H user test guide
MySpace APK: download exact tested binary
Standalone MyCalc APK: download exact tested binary
Direct user-journey run: open run 40473041537 and original job artifacts

Both APKs and the guide were SHA-256 verified in Actions before installation; APK ZIP-integrity checks passed. Device PackageManager version identity was recorded in the per-shard JSON. The user-journey workflow used three Android emulator jobs (max-parallel 3), within the requested 30-job ceiling.

1. Direct calculator results

MySpace · app.space.one · 3.12.35 (72)

Case	Status	Expected	Observed / user-visible note
TC-CALC-001	PASS	14	CALCULATOR | 14 Observed result matched the expected calculator value.
TC-CALC-002	PASS	20	CALCULATOR | 20 Observed result matched the expected calculator value.
TC-CALC-003	PASS	0.3	CALCULATOR | 0.3 Observed result matched the expected calculator value.
TC-CALC-004	PASS	220	CALCULATOR | 220 Observed result matched the expected calculator value.
TC-CALC-005	PASS	3	CALCULATOR | 3 Observed result matched the expected calculator value.
TC-CALC-006	PASS	0.5	CALCULATOR | 0.5 Observed result matched the expected calculator value.
TC-CALC-007	PASS	History shows 1+1 = 2 and restores the expression	history=History · 7 | Clear | Close history | = 0.3 | 200+10% | 27th Oct, 08:26 | = 220 | √(9) | = 3 | sin(30) | = 0.5 | 1+1 | 27th Oct, 08:27 | = 2; restored=CALCULATOR | 1+1 | = 2 The history entry survived process restart and restored its expression.
TC-CALC-011	PASS	History card re-evaluates to 123457 without Error	CALCULATOR | 1,23,457 The grouped expression was restored and evaluated successfully; display commas did not contaminate the calculation.
TC-CALC-008	FAIL	1	CALCULATOR | 0.9999999999 After 1 ÷ 3 =, the UI result was ['CALCULATOR', '0.3333333333']; multiplying by 3 did not return 1. This is consistent with the screen feeding its rounded display string back into the next expression.
TC-CALC-009	FAIL	Continue from 1e+15 without Error	CALCULATOR | 1e+15+1 | Error Initial 10^15 display was ['CALCULATOR', '1e+15']; adding +1 left an unchanged exponent result or produced Error. This is consistent with exponent-formatted display text not being accepted as a numeric literal by the expression validator/parser.
TC-CALC-010	BLOCKED	Same expressions run in com.google.android.calculator	Official package not installed The official Google Calculator package was not present in the emulator image. No third-party APK mirror was used. Functional assertions therefore use the documented arithmetic expectations; this is not a live side-by-side Google comparison.

Standalone MyCalc · app.space.calc · 1.0.33 (34)

Case	Status	Expected	Observed / user-visible note
TC-CALC-012	FAIL	No requested Android permissions	Requested permissions: app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION The installed standalone package requests one or more Android permissions.
TC-CALC-001	PASS	14	MyCalc | STANDALONE | 14 Observed result matched the expected calculator value.
TC-CALC-002	PASS	20	MyCalc | STANDALONE | 20 Observed result matched the expected calculator value.
TC-CALC-003	PASS	0.3	MyCalc | STANDALONE | 0.3 Observed result matched the expected calculator value.
TC-CALC-004	PASS	220	MyCalc | STANDALONE | 220 Observed result matched the expected calculator value.
TC-CALC-005	PASS	3	MyCalc | STANDALONE | 3 Observed result matched the expected calculator value.
TC-CALC-006	PASS	0.5	MyCalc | STANDALONE | 0.5 Observed result matched the expected calculator value.
TC-CALC-007	PASS	History shows 1+1 = 2 and restores the expression	history=History · 7 | Clear | Close history | = 0.3 | 200+10% | 27th Oct, 08:26 | = 220 | √(9) | = 3 | sin(30) | 27th Oct, 08:27 | = 0.5 | 1+1 | = 2; restored=MyCalc | STANDALONE | 1+1 | = 2 The history entry survived process restart and restored its expression.

Case	Status	Expected	Observed / user-visible note
TC-CALC-011	PASS	History card re-evaluates to 123457 without Error	MyCalc | STANDALONE | 1,23,457 The grouped expression was restored and evaluated successfully; display commas did not contaminate the calculation.
TC-CALC-008	FAIL	1	MyCalc | STANDALONE | 0.9999999999 After 1 ÷ 3 =, the UI result was ['MyCalc', 'STANDALONE', '0.3333333333']; multiplying by 3 did not return 1. This is consistent with the screen feeding its rounded display string back into the next expression.
TC-CALC-009	FAIL	Continue from 1e+15 without Error	MyCalc | STANDALONE | 1e+15+1 | Error Initial 10^15 display was ['MyCalc', 'STANDALONE', '1e+15']; adding +1 left an unchanged exponent result or produced Error. This is consistent with exponent-formatted display text not being accepted as a numeric literal by the expression validator/parser.

The APK suite includes arithmetic, scientific-key, history persistence/replay and the two retained blind boundary probes. The official Google Calculator comparison is not a pass unless its official package is installed; no AOSP substitute is used. For MyCalc, TC-CALC-012 reports the installed package's requested-permission list; see the detailed note below.

2. Calculator-only journeys and observations

These tests are driven through UIAutomator/adb taps and touchscreen gestures on the installed calculator APKs. Floating selection and caret toolbars are inspected from screenshots because the Android accessibility tree can omit them. Screenshots and UI hierarchy XML remain in the evidence bundle; source-CI results are not counted as APK outcomes.

MySpace calculator input/editing

Guide	Status	User action	Observed / limitation
D1	PASS	Evaluate implicit multiplication	input=CALCULATOR | 2(5+2)2 | = 28; result=CALCULATOR | 28 The user-entered 2(5+2)2 expression evaluated as implicit multiplication to 28.
D2	PASS	Replace a pending operator	CALCULATOR | 10− | = 10 The trailing plus was replaced by minus; no evaluation was required.
D3	FAIL	Evaluate with a trailing plus	CALCULATOR | 5 Pressing equals after 5+ did not produce 10.
D4	PASS	Check Indian digit grouping	CALCULATOR | 1,23,456 | = 1,23,456 Indian digit grouping was visible while typing the six-digit number.
D6	PASS	Evaluate inverse sine in degree mode	inverse key=sin⁻¹; display=CALCULATOR | 30 Inverse sine of 0.5 in degree mode returned 30.
D8	PASS	Delete one character at the caret	CALCULATOR | 12 | = 12 The caret was placed at the end and one Backspace removed exactly one character.
B1	PASS	Hold number to select and show actions	OCR toolbar=Copy; Cut; MAdd; MUse; hierarchy=MySpace home | MySpace | CALCULATOR | History | World time | More options | 1,23,456 | = 1,23,456 | Toggle the scientific keys | Open the extra keys | AC | ( ) | % | ÷ | 7 | 8 | 9 | × | 4 | 5 | 6 | − | 1 | 2 | 3 | + | 0 | . | ⌫ | = | Apps | Clock | Calculator The screenshot visibly exposed the floating selection toolbar; OCR is used because Android omits this popup from UiAutomator.
B2	BLOCKED	Drag while holding to change the selected portion	The emulator input API could not reproduce the app-specific stationary hold-then-drag gesture; no product failure is inferred from this attempt. The user-facing control was not available to this emulator run.
B4	PASS	Copy then paste within the calculator	CALCULATOR | 1,23,456 | = 1,23,456 Copy then Paste restored the digits within the calculator app; external app handoff was intentionally not tested.
B5	PASS	Cut a held number and type into the gap	CALCULATOR | 7 | = 7 Cut removed the held number and the next keypad digit became the expression.
B7	PASS	Clear a held selection with AC	display=CALCULATOR | 0; OCR after AC=8:33 © van A MySpace eatcutaror 2) > p v AC % QO 80 a0 Calculator AC removed the held text and dismissed the floating selection toolbar.
B9	PASS	Tap inside a number and insert a digit	CALCULATOR | 12,39,456 | = 12,39,456 OCR located the expression and a tap 58% across its visible glyph bounds inserted 9 between existing digits.
B11	PASS	Hold empty expression-box space for caret menu	OCR caret menu=MUse; Paste; Select all The screenshot shows the empty-box caret menu; OCR is used because the Android floating menu is omitted from UiAutomator.
C9	PASS	Verify tapping the expression does not open a device keyboard	input_method not shown Android's input-method diagnostics did not report a visible software keyboard after tapping the expression.
E3	PASS	Open the three-dot menu	Haptics: On | Clear memory | View memory | Show as fraction | Key shape | Effects | 834 | © | 746 | CALCULATOR | B | MySpace | Haptics: | On | Clear | memory | View | memory | Show | as | fraction | Key | shape | AC | Effects | fo) | 5) | 2 | e | a0 | a | 80 | ® | © | g | Calculator | Clock | Apps The overflow menu exposed Effects plus calculator menu actions. This smoke check does not verify the exact item count or reorder behavior.
C10	PASS	Open key-shape picker and select Circle	picker=Circle; Squircle; Pill; Rounded square; No shape; selected=Circle The picker exposed at least four named key silhouettes and accepted a Circle selection. Persistence and pixel-perfect geometry are not inferred from this one view.

Guide	Status	User action	Observed / limitation
H1/H2	ERROR	Switch calculator between Light and Dark themes	QaError: Could not find tappable UI label 'AC'; visible labels: ['Haptics: On', 'Clear memory', 'View memory', 'Show as fraction', 'Key shape', 'Effects'] The probe could not complete; this is not counted as a product pass or a confirmed product defect.
Calculator	PASS	Scan visible calculator labels for ad indicators	Scanned 6 visible labels; no ad indicator No ad-like text appeared on the sampled calculator screen; this does not certify the app's network or SDK behavior.

MySpace calculator memory/customization

Guide	Status	User action	Observed / limitation
B12	FAIL	Store a number with MAdd and use it in an expression	after MUse=CALCULATOR | 3+41,23,456 | = 41,23,459 MUse did not replace only the held 4 with the previously stored 123456.
E3	PASS	Open the calculator memory list	Memory | Close memory | 1,23,456 | Move up from place 1 | Move down from place 1 | 825 | © | v.46 | a | MySpace | catcutaTor | Memory | R | 1,23,456 | 59 | 45 | e | a0 | a | 80 | Calculator | Apps | Clock The calculator's memory list displayed the value saved through MAdd.
E4	PASS	Choose a calculator keypress effect	choices=✓ Spring · bounce back with overshoot; Pulse · quick fade pulse; bounce; Pulse; fade; pulse; selected one option The Effects picker exposed user-selectable calculator animation options. This smoke test confirms access and selection, not frame-by-frame animation timing.

Standalone MyCalc calculator

Guide	Status	User action	Observed / limitation
F	PASS	Inspect standalone MyCalc identity	World time | MyCalc | STANDALONE | History | More options | 1e+15+1 | Error | Toggle the scientific keys | Close the extra keys | √(| π | ^ | ! | Deg | sin(| cos(| tan(| Inv | e | ln(| log(| AC | ( ) | % | ÷ | 7 | 8 | 9 | × | 4 | 5 | 6 | − | 1 | 2 | 3 | + | 0 | . | ⌫ | = The installed standalone calculator identifies itself in the visible app header.
D1	PASS	Evaluate implicit multiplication	input=MyCalc | STANDALONE | 2(5+2)2 | = 28; result=MyCalc | STANDALONE | 28 The user-entered 2(5+2)2 expression evaluated as implicit multiplication to 28.
D2	PASS	Replace a pending operator	MyCalc | STANDALONE | 10− | = 10 The trailing plus was replaced by minus; no evaluation was required.
D3	FAIL	Evaluate with a trailing plus	MyCalc | STANDALONE | 5 Pressing equals after 5+ did not produce 10.
D4	PASS	Check Indian digit grouping	MyCalc | STANDALONE | 1,23,456 | = 1,23,456 Indian digit grouping was visible while typing the six-digit number.
D6	PASS	Evaluate inverse sine in degree mode	inverse key=sin⁻¹; display=MyCalc | STANDALONE | 30 Inverse sine of 0.5 in degree mode returned 30.
D8	PASS	Delete one character at the caret	MyCalc | STANDALONE | 12 | = 12 The caret was placed at the end and one Backspace removed exactly one character.
B1	PASS	Hold number to select and show actions	OCR toolbar=Copy; Cut; MAdd; MUse; hierarchy=World time | MyCalc | STANDALONE | History | More options | 1,23,456 | = 1,23,456 | Toggle the scientific keys | Open the extra keys | AC | ( ) | % | ÷ | 7 | 8 | 9 | × | 4 | 5 | 6 | − | 1 | 2 | 3 | + | 0 | . | ⌫ | = The screenshot visibly exposed the floating selection toolbar; OCR is used because Android omits this popup from UiAutomator.
B2	BLOCKED	Drag while holding to change the selected portion	The emulator input API could not reproduce the app-specific stationary hold-then-drag gesture; no product failure is inferred from this attempt. The user-facing control was not available to this emulator run.
B4	PASS	Copy then paste within the calculator	MyCalc | STANDALONE | 1,23,456 | = 1,23,456 Copy then Paste restored the digits within the calculator app; external app handoff was intentionally not tested.
B5	PASS	Cut a held number and type into the gap	MyCalc | STANDALONE | 7 | = 7 Cut removed the held number and the next keypad digit became the expression.

Guide	Status	User action	Observed / limitation
B7	PASS	Clear a held selection with AC	display=MyCalc | STANDALONE | 0; OCR after AC=833 © 3a40 3 FA MyCalc STANDALONE > p v AC 0 % AC removed the held text and dismissed the floating selection toolbar.
B9	PASS	Tap inside a number and insert a digit	MyCalc | STANDALONE | 12,39,456 | = 12,39,456 OCR located the expression and a tap 58% across its visible glyph bounds inserted 9 between existing digits.
B11	PASS	Hold empty expression-box space for caret menu	OCR caret menu=MUse; Paste; Select all The screenshot shows the empty-box caret menu; OCR is used because the Android floating menu is omitted from UiAutomator.
C9	PASS	Verify tapping the expression does not open a device keyboard	input_method not shown Android's input-method diagnostics did not report a visible software keyboard after tapping the expression.
E3	PASS	Open the three-dot menu	Haptics: On | Clear memory | View memory | Show as fraction | Key shape | Effects | 834 | © | 3a40 | ‘STANDALONE, | MyCalc | Haptics: | On | Clear | memory | View | memory | Show | as | fraction | Key | shape | Effects The overflow menu exposed Effects plus calculator menu actions. This smoke check does not verify the exact item count or reorder behavior.
C10	PASS	Open key-shape picker and select Circle	picker=Circle; Squircle; Pill; Rounded square; No shape; selected=Circle The picker exposed at least four named key silhouettes and accepted a Circle selection. Persistence and pixel-perfect geometry are not inferred from this one view.
H1/H2	ERROR	Switch calculator between Light and Dark themes	QaError: Could not find tappable UI label 'AC'; visible labels: ['Haptics: On', 'Clear memory', 'View memory', 'Show as fraction', 'Key shape', 'Effects'] The probe could not complete; this is not counted as a product pass or a confirmed product defect.
Calculator	PASS	Scan visible calculator labels for ad indicators	Scanned 6 visible labels; no ad indicator No ad-like text appeared on the sampled calculator screen; this does not certify the app's network or SDK behavior.
B12	ERROR	Store a number with MAdd and use it in an expression	QaError: Could not find tappable UI label 'AC'; visible labels: ['Haptics: On', 'Clear memory', 'View memory', 'Show as fraction', 'Key shape', 'Effects'] The probe could not complete; this is not counted as a product pass or a confirmed product defect.
E3	BLOCKED	Open the calculator memory list	Calculator overflow did not expose View memory: ['World time', 'MyCalc', 'STANDALONE', 'History', 'More options', '0', 'Toggle the scientific keys', 'Open the extra keys', 'AC', '( )', '%', '÷', '7', '8', '9', '×', '4', '5', '6', '−', '1', '2', '3', '+', '.', '⌫', '='] The user-facing control was not available to this emulator run.
E4	PASS	Choose a calculator keypress effect	choices=✓ Spring · bounce back with overshoot; Pulse · quick fade pulse; bounce; Pulse; fade; pulse; selected one option The Effects picker exposed user-selectable calculator animation options. This smoke test confirms access and selection, not frame-by-frame animation timing.

3. Calculator-guide coverage: what this run proves

Guide	Direct calculator evidence	Boundary / not claimed
B · Editing/memory	Long-press selection is screenshot-OCR checked; calculator-only copy/paste and cut are attempted; AC clear, mid-number insertion, caret menu, and MAdd→MUse are probed.	B2 continuous hold-then-drag is blocked if adb cannot reproduce the app's custom hold gesture. Handle dragging, all margins, scroll arbitration, and external-app paste are not claimed unless their rows pass.
C · Expression	No-keyboard check, key-shape picker, calculator entry/editing, percent and scientific-key examples are reported from installed APK actions.	Pixel-level caret blink, exact LED colors, whole-line autoscroll, and every bracket/cursor edge case are not certified.
D · Calculator	Selected D1–D9 behavior, history replay, arithmetic and scientific cases are exercised on the installed binaries; observed values are in the result tables.	D10 timing/race and an official Google Calculator comparison are not claimed as passes; no AOSP substitute is used.
E · History/effects	History persistence/replay, calculator memory list, overflow actions, and opening/selecting an Effects option are probed.	Memory reordering and frame-by-frame animation behavior are not claimed unless explicitly observed in the run.
F · Standalone	The standalone MyCalc binary is directly launched and its calculator flows are tested; its requested permissions come from the installed PackageManager dump.	The guide's literal zero-requested-permissions wording is checked separately from dangerous/runtime permission prompts.
H · Theme/caret	Light and Dark selections are attempted from the calculator's MySpace settings route; screenshots are retained when reachable.	Exact theme palette, caret color, and instant ink re-resolution are not pixel-certified by screenshot hashes alone.

Ads: The label scan is limited to sampled calculator screens. A clean visible-text scan is not a network-level, whole-app or third-party SDK audit; this report does not make a broader ad-free certification.

Source-CI corroboration (separate evidence): At the exact source commit, the upstream Tests workflow completed green, including its JVM/end-to-end and UI emulator jobs; the Android CI workflow also completed green for Python source contracts, unit tests and a debug build. These are source-build results, not direct tests of the two distributed binaries used above.

4. Detailed defect / risk notes

TC-CALC-008 · Chained calculations retain unrounded precision · FAIL

Expected: 1
Observed: CALCULATOR | 0.9999999999
QA interpretation: After 1 ÷ 3 =, the UI result was ['CALCULATOR', '0.3333333333']; multiplying by 3 did not return 1. This is consistent with the screen feeding its rounded display string back into the next expression.

TC-CALC-009 · Scientific-notation result can be used in the next expression · FAIL

Expected: Continue from 1e+15 without Error
Observed: CALCULATOR | 1e+15+1 | Error
QA interpretation: Initial 10^15 display was ['CALCULATOR', '1e+15']; adding +1 left an unchanged exponent result or produced Error. This is consistent with exponent-formatted display text not being accepted as a numeric literal by the expression validator/parser.

TC-CALC-012 · Standalone MyCalc requests no Android permissions · FAIL

Expected: No requested Android permissions
Observed: Requested permissions: app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION
QA interpretation: The installed standalone package requests one or more Android permissions.

TC-CALC-008 · Chained calculations retain unrounded precision · FAIL

Expected: 1
Observed: MyCalc | STANDALONE | 0.9999999999
QA interpretation: After 1 ÷ 3 =, the UI result was ['MyCalc', 'STANDALONE', '0.3333333333']; multiplying by 3 did not return 1. This is consistent with the screen feeding its rounded display string back into the next expression.

TC-CALC-009 · Scientific-notation result can be used in the next expression · FAIL

Expected: Continue from 1e+15 without Error
Observed: MyCalc | STANDALONE | 1e+15+1 | Error
QA interpretation: Initial 10^15 display was ['MyCalc', 'STANDALONE', '1e+15']; adding +1 left an unchanged exponent result or produced Error. This is consistent with exponent-formatted display text not being accepted as a numeric literal by the expression validator/parser.

D3 · Evaluate with a trailing plus · FAIL

Expected: 5+ then equals shows 10
Observed: CALCULATOR | 5
QA note: Pressing equals after 5+ did not produce 10.

H1-H2 · Switch calculator between Light and Dark themes · ERROR

Expected: Both themes apply to the calculator while its expression remains visible
Observed: QaError: Could not find tappable UI label 'AC'; visible labels: ['Haptics: On', 'Clear memory', 'View memory', 'Show as fraction', 'Key shape', 'Effects']
QA note: The probe could not complete; this is not counted as a product pass or a confirmed product defect.

B12 · Store a number with MAdd and use it in an expression · FAIL

Expected: MUse replaces the selected 4 in 3+4 with 123456; result 123459
Observed: after MUse=CALCULATOR | 3+41,23,456 | = 41,23,459
QA note: MUse did not replace only the held 4 with the previously stored 123456.

D3 · Evaluate with a trailing plus · FAIL

Expected: 5+ then equals shows 10
Observed: MyCalc | STANDALONE | 5
QA note: Pressing equals after 5+ did not produce 10.

H1-H2 · Switch calculator between Light and Dark themes · ERROR

Expected: Both themes apply to the calculator while its expression remains visible
Observed: QaError: Could not find tappable UI label 'AC'; visible labels: ['Haptics: On', 'Clear memory', 'View memory', 'Show as fraction', 'Key shape', 'Effects']
QA note: The probe could not complete; this is not counted as a product pass or a confirmed product defect.

B12 · Store a number with MAdd and use it in an expression · ERROR

Expected: MUse replaces the selected 4 in 3+4 with 123456; result 123459
Observed: QaError: Could not find tappable UI label 'AC'; visible labels: ['Haptics: On', 'Clear memory', 'View memory', 'Show as fraction', 'Key shape', 'Effects']
QA note: The probe could not complete; this is not counted as a product pass or a confirmed product defect.

MyCalc permission wording

TC-CALC-012: FAIL
Direct dump interpretation: TC-CALC-012 FAIL: requested=app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION; protection level(s)=signature; runtime section=empty. This is PackageManager manifest/package evidence; the screen flow did not test a system permission prompt.
Guide claim: The literal “zero requested permissions” claim conflicts with the installed APK's PackageManager list. Runtime prompt behavior was not exercised by this PackageManager audit; the test does not infer that any listed permission is dangerous.

Important environment boundary

Android 14 emulator input and accessibility exposure can differ from a physical touch. BLOCKED/ERROR is not treated as a confirmed product defect without a clear app-controlled failure; an unexecuted guide step stays untested. This report intentionally excludes Notes, Scanner, and all other non-calculator app workflows. Runner logcat is supplemental evidence, not a substitute for product behavior; no external app/share target is used.

MyCalc · PackageManager permission dump

Extract from the original runtime artifact; complete dump is in the published evidence folder.

```
Package: app.space.calc
Requested permissions: app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION

Activity Resolver Table:
  Non-Data Actions:
      android.intent.action.MAIN:
        13376d2 app.space.calc/.CalcActivity filter 989c3a3
          Action: "android.intent.action.MAIN"
          Category: "android.intent.category.LAUNCHER"

Domain verification status:

Permissions:
  Permission [app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION] (f104a70):
    sourcePackage=app.space.calc
    uid=10192 gids=[] type=0 prot=signature
    perm=PermissionInfo{33e01e9 app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION}
    flags=0x0

Registered ContentProviders:
  app.space.calc/androidx.core.content.FileProvider:
    Provider{931fe6e app.space.calc/androidx.core.content.FileProvider}

ContentProvider Authorities:
  [app.space.calc.myspace_files]:
    Provider{931fe6e app.space.calc/androidx.core.content.FileProvider}
      applicationInfo=ApplicationInfo{ce3090f app.space.calc}

Key Set Manager:
  [app.space.calc]
      Signing KeySets: 56

Packages:
  Package [app.space.calc] (a079d9c):
    appId=10192
    pkg=Package{9ebd3a5 app.space.calc}
    codePath=/data/app/~~zqxmbbqWydYuBCeNYuY-mg==/app.space.calc-CDfwPKPTJ-SoCJVEZzqB5Q==
    resourcePath=/data/app/~~zqxmbbqWydYuBCeNYuY-mg==/app.space.calc-CDfwPKPTJ-SoCJVEZzqB5Q==
    legacyNativeLibraryDir=/data/app/~~zqxmbbqWydYuBCeNYuY-mg==/app.space.calc-CDfwPKPTJ-SoCJVEZzqB5Q==/lib
    extractNativeLibs=false
    primaryCpuAbi=null
    secondaryCpuAbi=null
    cpuAbiOverride=null
    versionCode=34 minSdk=26 targetSdk=34
    minExtensionVersions=[]
    versionName=1.0.33
    usesNonSdkApi=false
    splits=[base]
    apkSigningVersion=2
    flags=[ HAS_CODE ALLOW_CLEAR_USER_DATA ALLOW_BACKUP ]
    privateFlags=[ PRIVATE_FLAG_ACTIVITIES_RESIZE_MODE_RESIZEABLE_VIA_SDK_VERSION ALLOW_AUDIO_PLAYBACK_CAPTURE PARTIALLY_DIRECT_BOOT
    forceQueryable=false
    dataDir=/data/user/0/app.space.calc
    supportsScreens=[small, medium, large, xlarge, resizeable, anyDensity]
    timeStamp=2026-10-27 08:24:34
    lastUpdateTime=2026-10-27 08:24:34
    installerPackageName=null
    installerPackageUid=-1
    initiatingPackageName=com.android.shell
    originatingPackageName=null
    packageSource=1
    appMetadataFilePath=null
    signatures=PackageSignatures{a83937a version:2, signatures:[2af023da], past signatures:[]}
    installPermissionsFixed=true
    pkgFlags=[ HAS_CODE ALLOW_CLEAR_USER_DATA ALLOW_BACKUP ]
    privatePkgFlags=[ PRIVATE_FLAG_ACTIVITIES_RESIZE_MODE_RESIZEABLE_VIA_SDK_VERSION ALLOW_AUDIO_PLAYBACK_CAPTURE PARTIALLY_DIRECT_B
    apexModuleName=null
    declared permissions:
      app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION: prot=signature
    requested permissions:
      app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION
    install permissions:
      app.space.calc.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION: granted=true
    User 0: ceDataInode=319650 installed=true hidden=false suspended=false distractionFlags=0 stopped=false notLaunched=false enable
      installReason=0
      firstInstallTime=2026-10-27 08:24:34
      uninstallReason=0
      overlay paths:
        /product/overlay/NavigationBarModeGestural/NavigationBarModeGesturalOverlay.apk
        /data/resource-cache/com.android.systemui-neutral-I56r.frro
        /data/resource-cache/com.android.systemui-accent-0TEa.frro
        /data/resource-cache/com.android.systemui-dynamic-UOW1.frro
      legacy overlay paths:
        /product/overlay/NavigationBarModeGestural/NavigationBarModeGesturalOverlay.apk
      runtime permissions:
```


```
Queries:
  system apps queryable: false
  queries via forceQueryable:
  queries via package name:
  queries via component:
    com.google.android.settings.intelligence:
      app.space.calc
  queryable via interaction:
    User 0:
      [com.android.keychain,com.android.providers.settings,com.android.settings,com.android.inputdevices,com.android.emulator.multic
        app.space.calc
      com.google.android.inputmethod.latin:
        app.space.calc
  queryable via uses-library:

Dexopt state:
  [app.space.calc]
    path: /data/app/~~zqxmbbqWydYuBCeNYuY-mg==/app.space.calc-CDfwPKPTJ-SoCJVEZzqB5Q==/base.apk
      x86_64: [status=verify] [reason=install] [primary-abi]
        [location is /data/app/~~zqxmbbqWydYuBCeNYuY-mg==/app.space.calc-CDfwPKPTJ-SoCJVEZzqB5Q==/oat/x86_64/base.odex]


Compiler stats:
  [app.space.calc]
     base.apk - 750
```

5. Original screenshot evidence


96 original PNGs were copied from this Actions run's artifacts. The selected screens below are embedded directly; the evidence manifest includes SHA-256 hashes for screenshots, hierarchies and JSON files.



B1 · selection toolbar, verified from screenshot OCR · SHA-256
d869796425628f3167be524f582bf389b935e51a608b226c27c69bc4685af4ee




B2 · hold-then-drag result / emulator limitation · SHA-256
57b62643c356496730b2e9e7e27073b7c6284fddaffb4bf2faed65d35a7a22df



B4 · in-calculator copy/paste · SHA-256 1c3131efbb4231235293bb298f5c44b7959bfef72d1b8b1299866804a5a887a1




B5 · cut then type · SHA-256 6f2f1bda5b8f297c8b4abfe198af71541a0049a0685d0f6b35639e0fab683e45




B9 · mid-number caret insertion · SHA-256 26b93fcb614c01b4abefaab349fdc434283e614b4d04e499d801c9a51d406a33




B11 · empty-box caret menu · SHA-256 41b6368717f1dc2b9c2bcfebec6ecfbe7806363d98c3f32a796b5efdd396b9f0




C10 · key-shape picker · SHA-256 7147cf19dc1f2e33ed98c758b1c4b2498ede93d100e6b1c275ee0d7a6cb0db66



B12 · MAdd then MUse result · SHA-256 b7bce1b32bce360997385820fa7550a8814d45a30b03d3533b93160ae02c6e9f




E3 · calculator memory list · SHA-256 94f07a27a39d379058706194490723100fb04916491b6f48b3fbcd4e7babb1




E4 · effects picker and selection · SHA-256
a99e24656ba6ee429b2f31eca25801d798537ccf0047d8e464e31abb53a41530




F · standalone MyCalc screen · SHA-256 7b70784f7889a0dc5e0907a2f9332aaeadbde21e39934b4f0c47d5b70485fef3



MyCalc · selection toolbar, verified from screenshot OCR · SHA-256
3b94a3feabe75c568936deed18a414e3af8f14d714d40f64d86b2b7e4719b485




MyCalc · OCR-targeted mid-number insertion · SHA-256
b351045687a51ec6e3a7d01a679d4ba2e96dbf5ae6e439fba3d004b3b1418016



MyCalc · MAdd/MUse round-trip · SHA-256
9512129d85ca4d941ec97a645689de87af047be2678867121ea9dc0db468e830




MyCalc · memory list · SHA-256 3a53d1529ffd6bb6c4579e430d947538a2e3344794a153760a74c74afd128641



MySpace · chained precision case · SHA-256
673870f78509913c8c1d788e86dd970bbbc0ba31944dca1b743e3365550f3a74



MySpace · exponent continuation case · SHA-256
901b139a4c109280d4e694baae996fec24c5cc61f926955f57eb315595318849



MySpace · grouped history replay · SHA-256
5211b8df6d412d170d4e86f9d16e0b87e2c519b2465e1a6f0d6cbe14e3255d19

6. Machine-evidence manifest and reproducibility

The published sidecar folder contains 3 per-job user journey JSON reports, their calculator-case JSON outputs, markdown summaries, original screenshots, UI hierarchy XML, and an evidence-manifest.json with byte sizes and SHA-256 hashes. Use the single PDF link for the readable report; the linked GitHub run and report-folder sidecars provide raw rerun proof.

Suite	App	Evidence files	Screenshots
myspace-core	MySpace	64	41
myspace-features	MySpace	17	9
mycalc	MyCalc	74	46

Method: three API 34 emulator shards, screenshot capture after user actions, visible UI labels and hierarchy evidence where available, per-case JSON outputs, exact binary SHA verification, and a pinned guide/source commit. The app's source tests are useful corroboration only; this report's PASS/FAIL statuses come from direct installed APK interactions.