Installed-app comparison — runtime evidence, acceptance still open

Pinned MyNotes0.71.0/code71 release APK SHA256 a7d6f685992c68fe4ffc7f3a5705d0514986c9d9fd82ca67c6f68d392ca41de3; official Obsidian1.15.0/code396 SHA256 2d92966fba5441a8976ae86b39cf138c0a845d3dcd318e6f0d29d304950bca5d. Neither APK is rebuilt or re-signed. Fresh public disposable emulator fixtures only, no user library/account access.

READ FIRST: runtime page inspection is not a functional pass,74 attempt records are not74 accepted tasks, and these probes do not complete the original37 requested acceptance tasks. All whole-module, physical and fix-phase approval flags remain false. Failures and unavailable routes are preserved, not assigned zero feature scores or interpreted as feature absence.

Exact Actions run, source and job outcomes

Machine-readable coverage and limitations

Original-file SHA256 manifest

Profile	Attempts /74	Actual outcome types
light-portrait	44	{'bounded_outcome_verified': 5, 'interaction_observed': 26, 'counterpart_not_established': 2, 'blocked': 10, 'inspection_only': 1}
dark-portrait	44	{'bounded_outcome_verified': 5, 'interaction_observed': 26, 'counterpart_not_established': 2, 'blocked': 10, 'inspection_only': 1}
light-landscape	0	{}
dark-landscape	74	{'bounded_outcome_verified': 3, 'blocked': 55, 'interaction_observed': 13, 'counterpart_not_established': 2, 'diagnostic_only': 1}

light-portrait capture health: 43 complete original snapshot records; 1 capture errors. Capture-owner fields exist for 43 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

dark-portrait capture health: 43 complete original snapshot records; 1 capture errors. Capture-owner fields exist for 43 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

light-landscape capture health: 0 complete original snapshot records; 0 capture errors. Capture-owner fields exist for 0 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

dark-landscape capture health: 74 complete original snapshot records; 0 capture errors. Capture-owner fields exist for 74 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

Short-session evidence may span several fresh guests per profile. This is disclosed setup isolation, NOT proof that a long session is reliable. Repeated public inputs may share a SHA256-addressed retained_path in the manifest; every original entry and its exact hash is retained, with no screenshot or record deduplication.

Methods differ and are disclosed: MyNotes public note is entered using native touch/input and reopened after process restart; Obsidian public fixtures are seeded using its official vault API, and command/settings APIs navigate some surfaces. Those shortcuts are not user-route, creation-efficiency or latency evidence. Native screens are real adb captures; no UI reconstruction. Standard font scale1.0; light/dark portrait/landscape at API34, not physical phones or accessibility acceptance.

Public synthetic fixture bytes are retained with hashes where generated before the failure. Office packages use real format libraries; these are still small test documents, not complex-layout fidelity or18MB+ PDF acceptance.

Activity launch milestones and gfx/memory diagnostics, if present, are NOT time-to-ready, touch latency, human completion time, animation quality, battery or a cross-engine performance ranking. Accounts, Sync/Publish service operation and community-plugin execution are not performed. Original task text and actual smaller probe are printed separately on every page.

PLAN-X01 | Find, organise, label and reorder | light-portrait

Original acceptance task (NOT automatically accepted): Find an archived body-only match while a folder filter is active; reorder a distant card, then return.

mynotes — bounded_outcome_verified. Actual bounded check: Body-only search returns the known title and marker passage outside the search input; not latency or broad search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — bounded_outcome_verified. Actual bounded check: Actual query input yields marker passage and target file title in visible result containers; command API opened pane, not touch-route efficiency.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Record actual scope, result passage, selected filters and persisted order; repeat list/grid, keyboard and large text. Measure drag continuity only in a new live session.

PLAN-X02 | Writing, reading and formatting | light-portrait

Original acceptance task (NOT automatically accepted): Format the middle of a paragraph, type new text, undo, dismiss the keyboard and reopen the note.

mynotes — bounded_outcome_verified. Actual bounded check: Exact public body read back after force-stop/relaunch and opening the saved note; bounded plain-note persistence only.


mynotes original exact result record


mynotes original screenshot

obsidian — bounded_outcome_verified. Actual bounded check: Official vault readback retains exact API-seeded public body. Fixture setup is not a UI creation or cross-app typing-efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Retain surrounding prose, correct style target, caret and saved result. Repeat with large text; compare actual task completion and mistakes, not assertion counts.

PLAN-X03 | Checklists, numbering and list editing | light-portrait

Original acceptance task (NOT automatically accepted): Insert an item in the middle, indent it, move it past the viewport, hide completed rows and undo.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No lost items, wrong-list operations or accidental workspace swipes. Verify numbering after insertion and Backspace exit at an empty item.

PLAN-X04 | Tables and direct cell editing | light-portrait

Original acceptance task (NOT automatically accepted): Edit a long cell in a wide table; insert a column beside it, toggle header role, delete a row and undo.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Keep the active cell visible above the IME; no unexpected horizontal jump; restore content and header meaning after undo. Compare the same table, not these unequal fixtures.

PLAN-X05 | Images, attachments and inline media | light-portrait

Original acceptance task (NOT automatically accepted): Insert a photo, select two recognized words, keep the image, edit its crop, then remove only the intended attachment.

mynotes — interaction_observed. Actual bounded check: Image insertion/picker entry, not image-import success.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Keep source bytes, unrelated blocks and names intact; make copy versus replacement clear. Verify offscreen word selection and explicit outside-tap dismissal.

PLAN-X06 | Web hyperlinks and external opening | light-portrait

Original acceptance task (NOT automatically accepted): Add a long URL to selected words, correct a malformed address, reopen, edit and remove the link.

mynotes — interaction_observed. Actual bounded check: Link editor entry only; external destination is not opened offline.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No duplicate URL per line, changed neighboring prose or unnoticed external launch. Check keyboard visibility, wrapped fields and TalkBack error announcement.

PLAN-X07 | Internal links, backlinks, graph and previews | light-portrait

Original acceptance task (NOT automatically accepted): Link A to a heading in B, rename B, return through backlinks and preview the target without losing A.

mynotes — counterpart_not_established. Actual bounded check: Requested counterpart not established in the visited first-party settings surface. This is NOT proof of app-wide absence or a comparative score.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Target identity and rename behavior must be verified live; count wrong destinations and recovery steps. No graph speed or link-integrity winner has been measured.

PLAN-X08 | Long-note orientation, tags, footnotes and word count | light-portrait

Original acceptance task (NOT automatically accepted): Locate a middle heading, find a repeated phrase, follow a footnote and return to the exact reading location.

mynotes — bounded_outcome_verified. Actual bounded check: Actual in-note query produces the marker result passage; not a long-note heading/footnote or reading-location acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify target and return anchors, heading levels, counts and generated text treatment; do not infer footnote success from a registered command.

PLAN-X09 | Properties and Bases | light-portrait

Original acceptance task (NOT automatically accepted): For users who need records, edit one typed field, filter a view, rename a file and reopen the view.

mynotes — counterpart_not_established. Actual bounded check: Requested counterpart not established in the visited first-party settings surface. This is NOT proof of app-wide absence or a comparative score.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Validate data types, retained filters, note identity and error recovery. No Bases performance, formulas or equivalent MyNotes capability is certified here.

PLAN-X10 | Quick capture, daily notes, templates and unique notes | light-portrait

Original acceptance task (NOT automatically accepted): From a cold start, capture a short thought; then create a repeated meeting structure and return tomorrow.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Observe time to first saved words, setup mistakes, duplicate daily notes and return continuity. Do not populate fake user content to make the app feel busy.

PLAN-X11 | Freehand drawing and Canvas | light-portrait

Original acceptance task (NOT automatically accepted): Draw a diagram annotation, leave and reopen it; in Canvas connect two cards, pan/zoom and reopen the board.

mynotes — interaction_observed. Actual bounded check: Actual drawing entry, not a shared Canvas capability or saved drawing pass.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Evaluate each tool against its own output goal. For common save/return work, preserve content and location; latency needs real stroke traces on matched hardware.

PLAN-X12 | Diagrams, shapes, arrows and grouping | light-portrait

Original acceptance task (NOT automatically accepted): Add two shapes, connect them, group, resize, split the arrow, undo and reopen.

mynotes — interaction_observed. Actual bounded check: Rectangle tool activated; no comparator equivalence or persisted graph acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check actual anchor geometry, target selection, retained names and no accidental duplication. Run long-press/context-menu actions with large text and TalkBack.

PLAN-X13 | PDF reading, selection, search and markup | light-portrait

Original acceptance task (NOT automatically accepted): Open a large scanned/mixed PDF, zoom a distant page, select offscreen text, find a hit with IME, mark a rotated page and export.

mynotes — blocked. Actual bounded check: Picker did not expose public fixture Comparison.pdf


mynotes original exact result record

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Public attachment opened through official vault/workspace API shortcut; actual view type captured, not full format fidelity or user import-route acceptance.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Compare the original bytes; inspect hit position, highlight geometry and rendered export. Exercise cancellation and a partial destination; private markup drafts are outside Notes backups.

PLAN-X14 | Word files and original-layout expectations | light-portrait

Original acceptance task (NOT automatically accepted): Open a DOCX with headers, inline images, wide tables and hard page breaks; select text, zoom and create an editable copy.

mynotes — interaction_observed. Actual bounded check: Actual system picker selected the specified original; viewer/reader state inspected, not complete fidelity/search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check original bytes and document return position, compare rendered pages with a suitable Word reference, and disclose any dropped layout/media. Do not invent fidelity from a synthetic one-page frame.

PLAN-X15 | Large TXT and read-only text viewing | light-portrait

Original acceptance task (NOT automatically accepted): Open a large multilingual TXT, find a repeated phrase near the end, select across the viewport and return to the prior file list.

mynotes — blocked. Actual bounded check: Picker did not expose public fixture Comparison.txt


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Measure open/find latency separately from rendering; inspect Unicode integrity, clear selection on deliberate tap, retained page and unchanged original.

PLAN-X16 | Spreadsheet previews and cached values | light-portrait

Original acceptance task (NOT automatically accepted): Open quoted CSV and a multi-sheet XLSX with formulas, missing cached results and wide cells; locate a value and copy it.

mynotes — interaction_observed. Actual bounded check: Actual system picker selected the specified original; viewer/reader state inspected, not complete fidelity/search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n1'})

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Compare visible rows/columns and Unicode with source values, disclose cached-only results, retain sheet/scroll position and never execute macros or scripts.

PLAN-X17 | Markdown, HTML, RTF, ODT and slide imports | light-portrait

Original acceptance task (NOT automatically accepted): Open one realistic file of each advertised type, inspect text order and unsupported elements, then cancel or create a copy.

mynotes — interaction_observed. Actual bounded check: Each named format attempted separately; blocked or text-only views are not full import fidelity passes.

mynotes original exact result record

mynotes original screenshot


Format subtasks: Comparison.md:interaction_observed; Comparison.html:interaction_observed; Comparison.rtf:interaction_observed; Comparison.odt:interaction_observed; Comparison.pptx:interaction_observed


obsidian — interaction_observed. Actual bounded check: Each real attachment attempted independently; view type is not import fidelity.

obsidian original exact result record

obsidian original screenshot

Format subtasks: Comparison.md:interaction_observed; Comparison.html:blocked; Comparison.rtf:blocked; Comparison.odt:blocked; Comparison.pptx:blocked





No whole-family acceptance. Remaining: Record per-format fidelity and actionable errors; preserve originals, reject malformed/oversized archives safely and distinguish external-reader delegation from in-app support.

PLAN-X18 | OCR, image-region text and scanned-page recognition | light-portrait

Original acceptance task (NOT automatically accepted): Read tiny/oblique/multilingual public scenes, blank controls and selected image regions; compare exact expected text and corrected output.

mynotes — interaction_observed. Actual bounded check: OCR entry only. Actual varied-scene recognition/accuracy remains unverified in this paired task.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for ocr|recogniz; not proof of feature absence

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Retain source hashes, full hypotheses, CER, omissions/false words, cold/warm latency and correction time. No new accuracy study or training occurred in this report.

PLAN-X19 | Voice recording, playback and transcription | light-portrait

Original acceptance task (NOT automatically accepted): Record varied Indian speakers, pause/resume, deny/regrant permission, play through a headset and correct names/numbers while listening.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for audio-recorder; not proof of feature absence

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Measure word errors, boundary losses, time-to-review, seek accuracy and actual audible playback on physical hardware. Verify originals export separately from note backups.

PLAN-X20 | Reminders and notifications | light-portrait

Original acceptance task (NOT automatically accepted): Set, rename and reschedule a reminder, deny notifications, reboot and then tap the delivered notification.

mynotes — interaction_observed. Actual bounded check: Reminder dialog entry; notification delivery/time persistence not inferred.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for reminder; not proof of feature absence

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Use disposable notes; verify no stale/duplicate notification, correct note identity and sensible blocked-state feedback. Measure actual delivery under power restrictions separately.

PLAN-X21 | Home widget and Android entry points | light-portrait

Original acceptance task (NOT automatically accepted): Place/resize the widget, pin and archive notes, share text from another app and open a reminder deep link.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — inspection_only. Actual bounded check: Android provider diagnostic, not placement, usability or proof of all entry points.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify labels, intended note, no duplicates and return context on real launchers, including large system text. Do not restore widget/notification consent silently during recovery.

PLAN-X22 | Appearance, backgrounds, fonts and accessibility | light-portrait

Original acceptance task (NOT automatically accepted): Switch system theme, increase font scale, navigate with TalkBack and format selected text over a patterned background.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official settings API navigation; actual visible surface retained. Requested tab is not presumed reached without subsequent evidence review.

Capture blocker: Connection to remote host was lost.

obsidian original exact result record



No original capture

No whole-family acceptance. Remaining: Check clipping, announced scope/selection, contrast and focus order across orientations; screenshots alone do not establish 48dp targets or a successful screen-reader task.

PLAN-X23 | First-use storage, private folders and optional App folder | light-portrait

Original acceptance task (NOT automatically accepted): Create notes offline, choose an empty optional folder, revoke access, save again and reconnect without clearing app data.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Inspect exact copied categories and pending status; test reinstall/reselection only on disposable fixtures. Never tell the user to uninstall or clear their real library for this review.

PLAN-X24 | Portable backup, import merge and full recovery | light-portrait

Original acceptance task (NOT automatically accepted): Export a near-limit rich library, exceed the limit safely, import identical and same-ID changed notes, then verify every supported content type.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: No silent partial success or overwrite; disclose omitted categories and readable/non-encrypted JSON. A complete App-folder checkpoint is a separate opt-in recovery mechanism, not this portable file.

PLAN-X25 | Trash, permanent deletion and recovery | light-portrait

Original acceptance task (NOT automatically accepted): Delete/restore a rich note, inspect what happens to its audio and exports, then purge only a disposable selected note.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify the exact affected IDs, Undo boundaries, expiry policy and retained separate data. Never infer crash or power-loss recovery from a confirmation screenshot.

PLAN-X26 | Archive, pinning and bookmarks | light-portrait

Original acceptance task (NOT automatically accepted): Pin a note, archive it, find it globally, restore it and compare a saved Obsidian bookmark task.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Check persisted identity/order, scope labels and no accidental duplicate. Bookmark persistence must be newly verified rather than inferred from its empty pane.

PLAN-X27 | Undo, redo, editing history and save feedback | light-portrait

Original acceptance task (NOT automatically accepted): Edit text/table/image, undo and redo, leave and reopen; repeat after controlled process restart on disposable data.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify exact rich payload and history matching the saved revision; preserve current content when history is invalid or trimmed. Never run destructive migration on the user library.

PLAN-X28 | Workspaces, tabs and mobile navigation | light-portrait

Original acceptance task (NOT automatically accepted): Switch between two notes, a PDF and Settings; reorder content near an edge, then return to the initial editing location.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Log wrong destinations, lost context, accidental switches and state after restart. Workspace restoration is outstanding until a matching live task succeeds.

PLAN-X29 | Settings, commands, quick actions and help discovery | light-portrait

Original acceptance task (NOT automatically accepted): Without a walkthrough, find move, undo, export, a setting and one uncommon editor action using touch alone.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Observe search terms, wrong taps and help requests; distinguish disabled/contextual/unconfigured actions. Do not use all 205 inventoried commands as a usability success count.

PLAN-X30 | Export, sharing, duplication and note composition | light-portrait

Original acceptance task (NOT automatically accepted): Share a mixed note, export PDF and JSON, duplicate it, merge selected notes and undo the merge.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Check text/media/table fidelity for each promised format, exact source IDs and retained source copies; destination failure must not silently destroy content.

PLAN-X31 | Local summary and text assistance | light-portrait

Original acceptance task (NOT automatically accepted): Summarize varied notes with negation, dates and multilingual sentences; check the retained source and decide whether the result is useful.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify each sentence comes from the source, essential cautions are not lost and limits are clear. No summary-quality test was executed in this report.

PLAN-X32 | Privacy, permission boundaries and diagnostic logs | light-portrait

Original acceptance task (NOT automatically accepted): Deny microphone, use notes normally, enable logs for a dummy issue, filter/export/delete and inspect the resulting local file.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify opt-out, readable levels/time range, explicit delete confirmation and exported content minimisation. Security of all native dependencies was not certified here.

PLAN-X33 | Smoothness, speed, footprint and reliability | light-portrait

Original acceptance task (NOT automatically accepted): On matched hardware, cold start, create/type, search a large library, drag a distant card, open a large PDF and recover from a controlled failure.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Collect touch-to-visible timings, frame trace, dropped frames, memory and exact failure logs. Distinguish timeouts/socket failures from app crashes and do not publish a fabricated global score.

PLAN-X34 | Core modules, community plugins and extensibility | light-portrait

Original acceptance task (NOT automatically accepted): Find a core module, understand its description, enable/disable it and identify changed controls; inspect restricted/plugin trust text without installing unknown code.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify reversible configuration and a stable default note workflow. No community code was installed or executed; unknown plugins and future modules are outside this pinned-version inventory.

PLAN-X35 | Sync, Publish, account and service boundaries | light-portrait

Original acceptance task (NOT automatically accepted): For a future explicitly authorised service study, evaluate offline edits, conflicts, account loss, export and deliberate public visibility with disposable data.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: No login, purchase, upload or publishing was performed. Conflict resolution, encryption, recovery and cost/value remain untested; an entry screen is not a passed sync task.

PLAN-X36 | Slides, presentation and reading projections | light-portrait

Original acceptance task (NOT automatically accepted): Present a multi-slide disposable note, navigate, dismiss the keyboard, rotate and return to editing; compare PDF reading only as a separate output route.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify every slide, media, controls and return location. Obsidian landscape was not qualified by its retained audit; no physical presentation run occurred here.

PLAN-X37 | About, models, licences and honest help | light-portrait

Original acceptance task (NOT automatically accepted): Ask a novice to identify where notes are saved, how to protect audio and how to export useful diagnostics without sending private notes.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Observe whether they can explain the result in their own words. Do not substitute long notices or a generated guide for successful comprehension.

PLAN-X01 | Find, organise, label and reorder | dark-portrait

Original acceptance task (NOT automatically accepted): Find an archived body-only match while a folder filter is active; reorder a distant card, then return.

mynotes — bounded_outcome_verified. Actual bounded check: Body-only search returns the known title and marker passage outside the search input; not latency or broad search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — bounded_outcome_verified. Actual bounded check: Actual query input yields marker passage and target file title in visible result containers; command API opened pane, not touch-route efficiency.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Record actual scope, result passage, selected filters and persisted order; repeat list/grid, keyboard and large text. Measure drag continuity only in a new live session.

PLAN-X02 | Writing, reading and formatting | dark-portrait

Original acceptance task (NOT automatically accepted): Format the middle of a paragraph, type new text, undo, dismiss the keyboard and reopen the note.

mynotes — bounded_outcome_verified. Actual bounded check: Exact public body read back after force-stop/relaunch and opening the saved note; bounded plain-note persistence only.


mynotes original exact result record


mynotes original screenshot

obsidian — bounded_outcome_verified. Actual bounded check: Official vault readback retains exact API-seeded public body. Fixture setup is not a UI creation or cross-app typing-efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Retain surrounding prose, correct style target, caret and saved result. Repeat with large text; compare actual task completion and mistakes, not assertion counts.

PLAN-X03 | Checklists, numbering and list editing | dark-portrait

Original acceptance task (NOT automatically accepted): Insert an item in the middle, indent it, move it past the viewport, hide completed rows and undo.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No lost items, wrong-list operations or accidental workspace swipes. Verify numbering after insertion and Backspace exit at an empty item.

PLAN-X04 | Tables and direct cell editing | dark-portrait

Original acceptance task (NOT automatically accepted): Edit a long cell in a wide table; insert a column beside it, toggle header role, delete a row and undo.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Keep the active cell visible above the IME; no unexpected horizontal jump; restore content and header meaning after undo. Compare the same table, not these unequal fixtures.

PLAN-X05 | Images, attachments and inline media | dark-portrait

Original acceptance task (NOT automatically accepted): Insert a photo, select two recognized words, keep the image, edit its crop, then remove only the intended attachment.

mynotes — interaction_observed. Actual bounded check: Image insertion/picker entry, not image-import success.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Keep source bytes, unrelated blocks and names intact; make copy versus replacement clear. Verify offscreen word selection and explicit outside-tap dismissal.

PLAN-X06 | Web hyperlinks and external opening | dark-portrait

Original acceptance task (NOT automatically accepted): Add a long URL to selected words, correct a malformed address, reopen, edit and remove the link.

mynotes — interaction_observed. Actual bounded check: Link editor entry only; external destination is not opened offline.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No duplicate URL per line, changed neighboring prose or unnoticed external launch. Check keyboard visibility, wrapped fields and TalkBack error announcement.

PLAN-X07 | Internal links, backlinks, graph and previews | dark-portrait

Original acceptance task (NOT automatically accepted): Link A to a heading in B, rename B, return through backlinks and preview the target without losing A.

mynotes — counterpart_not_established. Actual bounded check: Requested counterpart not established in the visited first-party settings surface. This is NOT proof of app-wide absence or a comparative score.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Target identity and rename behavior must be verified live; count wrong destinations and recovery steps. No graph speed or link-integrity winner has been measured.

PLAN-X08 | Long-note orientation, tags, footnotes and word count | dark-portrait

Original acceptance task (NOT automatically accepted): Locate a middle heading, find a repeated phrase, follow a footnote and return to the exact reading location.

mynotes — bounded_outcome_verified. Actual bounded check: Actual in-note query produces the marker result passage; not a long-note heading/footnote or reading-location acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify target and return anchors, heading levels, counts and generated text treatment; do not infer footnote success from a registered command.

PLAN-X09 | Properties and Bases | dark-portrait

Original acceptance task (NOT automatically accepted): For users who need records, edit one typed field, filter a view, rename a file and reopen the view.

mynotes — counterpart_not_established. Actual bounded check: Requested counterpart not established in the visited first-party settings surface. This is NOT proof of app-wide absence or a comparative score.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Validate data types, retained filters, note identity and error recovery. No Bases performance, formulas or equivalent MyNotes capability is certified here.

PLAN-X10 | Quick capture, daily notes, templates and unique notes | dark-portrait

Original acceptance task (NOT automatically accepted): From a cold start, capture a short thought; then create a repeated meeting structure and return tomorrow.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Observe time to first saved words, setup mistakes, duplicate daily notes and return continuity. Do not populate fake user content to make the app feel busy.

PLAN-X11 | Freehand drawing and Canvas | dark-portrait

Original acceptance task (NOT automatically accepted): Draw a diagram annotation, leave and reopen it; in Canvas connect two cards, pan/zoom and reopen the board.

mynotes — interaction_observed. Actual bounded check: Actual drawing entry, not a shared Canvas capability or saved drawing pass.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Evaluate each tool against its own output goal. For common save/return work, preserve content and location; latency needs real stroke traces on matched hardware.

PLAN-X12 | Diagrams, shapes, arrows and grouping | dark-portrait

Original acceptance task (NOT automatically accepted): Add two shapes, connect them, group, resize, split the arrow, undo and reopen.

mynotes — interaction_observed. Actual bounded check: Rectangle tool activated; no comparator equivalence or persisted graph acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check actual anchor geometry, target selection, retained names and no accidental duplication. Run long-press/context-menu actions with large text and TalkBack.

PLAN-X13 | PDF reading, selection, search and markup | dark-portrait

Original acceptance task (NOT automatically accepted): Open a large scanned/mixed PDF, zoom a distant page, select offscreen text, find a hit with IME, mark a rotated page and export.

mynotes — blocked. Actual bounded check: Picker did not expose public fixture Comparison.pdf


mynotes original exact result record


mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Public attachment opened through official vault/workspace API shortcut; actual view type captured, not full format fidelity or user import-route acceptance.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Compare the original bytes; inspect hit position, highlight geometry and rendered export. Exercise cancellation and a partial destination; private markup drafts are outside Notes backups.

PLAN-X14 | Word files and original-layout expectations | dark-portrait

Original acceptance task (NOT automatically accepted): Open a DOCX with headers, inline images, wide tables and hard page breaks; select text, zoom and create an editable copy.

mynotes — interaction_observed. Actual bounded check: Actual system picker selected the specified original; viewer/reader state inspected, not complete fidelity/search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check original bytes and document return position, compare rendered pages with a suitable Word reference, and disclose any dropped layout/media. Do not invent fidelity from a synthetic one-page frame.

PLAN-X15 | Large TXT and read-only text viewing | dark-portrait

Original acceptance task (NOT automatically accepted): Open a large multilingual TXT, find a repeated phrase near the end, select across the viewport and return to the prior file list.

mynotes — blocked. Actual bounded check: Picker did not expose public fixture Comparison.txt


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Measure open/find latency separately from rendering; inspect Unicode integrity, clear selection on deliberate tap, retained page and unchanged original.

PLAN-X16 | Spreadsheet previews and cached values | dark-portrait

Original acceptance task (NOT automatically accepted): Open quoted CSV and a multi-sheet XLSX with formulas, missing cached results and wide cells; locate a value and copy it.

mynotes — interaction_observed. Actual bounded check: Actual system picker selected the specified original; viewer/reader state inspected, not complete fidelity/search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Compare visible rows/columns and Unicode with source values, disclose cached-only results, retain sheet/scroll position and never execute macros or scripts.

PLAN-X17 | Markdown, HTML, RTF, ODT and slide imports | dark-portrait

Original acceptance task (NOT automatically accepted): Open one realistic file of each advertised type, inspect text order and unsupported elements, then cancel or create a copy.

mynotes — interaction_observed. Actual bounded check: Each named format attempted separately; blocked or text-only views are not full import fidelity passes.

mynotes original exact result record

mynotes original screenshot


Format subtasks: Comparison.md:interaction_observed; Comparison.html:interaction_observed; Comparison.rtf:interaction_observed; Comparison.odt:interaction_observed; Comparison.pptx:interaction_observed


obsidian — interaction_observed. Actual bounded check: Each real attachment attempted independently; view type is not import fidelity.

obsidian original exact result record

obsidian original screenshot

Format subtasks: Comparison.md:interaction_observed; Comparison.html:blocked; Comparison.rtf:blocked; Comparison.odt:blocked; Comparison.pptx:blocked





No whole-family acceptance. Remaining: Record per-format fidelity and actionable errors; preserve originals, reject malformed/oversized archives safely and distinguish external-reader delegation from in-app support.

PLAN-X18 | OCR, image-region text and scanned-page recognition | dark-portrait

Original acceptance task (NOT automatically accepted): Read tiny/oblique/multilingual public scenes, blank controls and selected image regions; compare exact expected text and corrected output.

mynotes — interaction_observed. Actual bounded check: OCR entry only. Actual varied-scene recognition/accuracy remains unverified in this paired task.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for ocr|recogniz; not proof of feature absence

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Retain source hashes, full hypotheses, CER, omissions/false words, cold/warm latency and correction time. No new accuracy study or training occurred in this report.

PLAN-X19 | Voice recording, playback and transcription | dark-portrait

Original acceptance task (NOT automatically accepted): Record varied Indian speakers, pause/resume, deny/regrant permission, play through a headset and correct names/numbers while listening.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for audio-recorder; not proof of feature absence

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Measure word errors, boundary losses, time-to-review, seek accuracy and actual audible playback on physical hardware. Verify originals export separately from note backups.

PLAN-X20 | Reminders and notifications | dark-portrait

Original acceptance task (NOT automatically accepted): Set, rename and reschedule a reminder, deny notifications, reboot and then tap the delivered notification.

mynotes — interaction_observed. Actual bounded check: Reminder dialog entry; notification delivery/time persistence not inferred.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for reminder; not proof of feature absence

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Use disposable notes; verify no stale/duplicate notification, correct note identity and sensible blocked-state feedback. Measure actual delivery under power restrictions separately.

PLAN-X21 | Home widget and Android entry points | dark-portrait

Original acceptance task (NOT automatically accepted): Place/resize the widget, pin and archive notes, share text from another app and open a reminder deep link.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — inspection_only. Actual bounded check: Android provider diagnostic, not placement, usability or proof of all entry points.

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify labels, intended note, no duplicates and return context on real launchers, including large system text. Do not restore widget/notification consent silently during recovery.

PLAN-X22 | Appearance, backgrounds, fonts and accessibility | dark-portrait

Original acceptance task (NOT automatically accepted): Switch system theme, increase font scale, navigate with TalkBack and format selected text over a patterned background.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official settings API navigation; actual visible surface retained. Requested tab is not presumed reached without subsequent evidence review.

Capture blocker: Command '['adb', 'shell', 'uiautomator', 'dump', '/sdcard/paired-window.xml']' timed out after 35 seconds

obsidian original exact result record



No original capture

No whole-family acceptance. Remaining: Check clipping, announced scope/selection, contrast and focus order across orientations; screenshots alone do not establish 48dp targets or a successful screen-reader task.

PLAN-X23 | First-use storage, private folders and optional App folder | dark-portrait

Original acceptance task (NOT automatically accepted): Create notes offline, choose an empty optional folder, revoke access, save again and reconnect without clearing app data.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Inspect exact copied categories and pending status; test reinstall/reselection only on disposable fixtures. Never tell the user to uninstall or clear their real library for this review.

PLAN-X24 | Portable backup, import merge and full recovery | dark-portrait

Original acceptance task (NOT automatically accepted): Export a near-limit rich library, exceed the limit safely, import identical and same-ID changed notes, then verify every supported content type.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: No silent partial success or overwrite; disclose omitted categories and readable/non-encrypted JSON. A complete App-folder checkpoint is a separate opt-in recovery mechanism, not this portable file.

PLAN-X25 | Trash, permanent deletion and recovery | dark-portrait

Original acceptance task (NOT automatically accepted): Delete/restore a rich note, inspect what happens to its audio and exports, then purge only a disposable selected note.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify the exact affected IDs, Undo boundaries, expiry policy and retained separate data. Never infer crash or power-loss recovery from a confirmation screenshot.

PLAN-X26 | Archive, pinning and bookmarks | dark-portrait

Original acceptance task (NOT automatically accepted): Pin a note, archive it, find it globally, restore it and compare a saved Obsidian bookmark task.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Check persisted identity/order, scope labels and no accidental duplicate. Bookmark persistence must be newly verified rather than inferred from its empty pane.

PLAN-X27 | Undo, redo, editing history and save feedback | dark-portrait

Original acceptance task (NOT automatically accepted): Edit text/table/image, undo and redo, leave and reopen; repeat after controlled process restart on disposable data.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify exact rich payload and history matching the saved revision; preserve current content when history is invalid or trimmed. Never run destructive migration on the user library.

PLAN-X28 | Workspaces, tabs and mobile navigation | dark-portrait

Original acceptance task (NOT automatically accepted): Switch between two notes, a PDF and Settings; reorder content near an edge, then return to the initial editing location.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Log wrong destinations, lost context, accidental switches and state after restart. Workspace restoration is outstanding until a matching live task succeeds.

PLAN-X29 | Settings, commands, quick actions and help discovery | dark-portrait

Original acceptance task (NOT automatically accepted): Without a walkthrough, find move, undo, export, a setting and one uncommon editor action using touch alone.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Observe search terms, wrong taps and help requests; distinguish disabled/contextual/unconfigured actions. Do not use all 205 inventoried commands as a usability success count.

PLAN-X30 | Export, sharing, duplication and note composition | dark-portrait

Original acceptance task (NOT automatically accepted): Share a mixed note, export PDF and JSON, duplicate it, merge selected notes and undo the merge.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Check text/media/table fidelity for each promised format, exact source IDs and retained source copies; destination failure must not silently destroy content.

PLAN-X31 | Local summary and text assistance | dark-portrait

Original acceptance task (NOT automatically accepted): Summarize varied notes with negation, dates and multilingual sentences; check the retained source and decide whether the result is useful.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify each sentence comes from the source, essential cautions are not lost and limits are clear. No summary-quality test was executed in this report.

PLAN-X32 | Privacy, permission boundaries and diagnostic logs | dark-portrait

Original acceptance task (NOT automatically accepted): Deny microphone, use notes normally, enable logs for a dummy issue, filter/export/delete and inspect the resulting local file.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify opt-out, readable levels/time range, explicit delete confirmation and exported content minimisation. Security of all native dependencies was not certified here.

PLAN-X33 | Smoothness, speed, footprint and reliability | dark-portrait

Original acceptance task (NOT automatically accepted): On matched hardware, cold start, create/type, search a large library, drag a distant card, open a large PDF and recover from a controlled failure.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Collect touch-to-visible timings, frame trace, dropped frames, memory and exact failure logs. Distinguish timeouts/socket failures from app crashes and do not publish a fabricated global score.

PLAN-X34 | Core modules, community plugins and extensibility | dark-portrait

Original acceptance task (NOT automatically accepted): Find a core module, understand its description, enable/disable it and identify changed controls; inspect restricted/plugin trust text without installing unknown code.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify reversible configuration and a stable default note workflow. No community code was installed or executed; unknown plugins and future modules are outside this pinned-version inventory.

PLAN-X35 | Sync, Publish, account and service boundaries | dark-portrait

Original acceptance task (NOT automatically accepted): For a future explicitly authorised service study, evaluate offline edits, conflicts, account loss, export and deliberate public visibility with disposable data.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: No login, purchase, upload or publishing was performed. Conflict resolution, encryption, recovery and cost/value remain untested; an entry screen is not a passed sync task.

PLAN-X36 | Slides, presentation and reading projections | dark-portrait

Original acceptance task (NOT automatically accepted): Present a multi-slide disposable note, navigate, dismiss the keyboard, rotate and return to editing; compare PDF reading only as a separate output route.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Verify every slide, media, controls and return location. Obsidian landscape was not qualified by its retained audit; no physical presentation run occurred here.

PLAN-X37 | About, models, licences and honest help | dark-portrait

Original acceptance task (NOT automatically accepted): Ask a novice to identify where notes are saved, how to protect audio and how to export useful diagnostics without sending private notes.

mynotes: NOT EXECUTED — no original record.

obsidian: NOT EXECUTED — no original record.

No original capture

No original capture

No whole-family acceptance. Remaining: Observe whether they can explain the result in their own words. Do not substitute long notices or a generated guide for successful comprehension.

light-landscape — provisioning blocked

Zero paired attempts; provisioning failed.

{ "error": "{'exceptionId': 1, 'text': 'Uncaught', 'lineNumber': 0, 'columnNumber': 0, 'scriptId': '25', 'exception': {'type': 'object', 'subtype': 'error', 'className': 'ReferenceError', 'description': 'ReferenceError: app is not defined\\n at <anonymous>:1:1', 'objectId': '-4087417428216697206.1.2'}}", "module_attempts_completed": 0, "all37_families_attempted_in_both_apps": false }

Original provisioning failure

PLAN-X01 | Find, organise, label and reorder | dark-landscape

Original acceptance task (NOT automatically accepted): Find an archived body-only match while a folder filter is active; reorder a distant card, then return.

mynotes — bounded_outcome_verified. Actual bounded check: Body-only search returns the known title and marker passage outside the search input; not latency or broad search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Record actual scope, result passage, selected filters and persisted order; repeat list/grid, keyboard and large text. Measure drag continuity only in a new live session.

PLAN-X02 | Writing, reading and formatting | dark-landscape

Original acceptance task (NOT automatically accepted): Format the middle of a paragraph, type new text, undo, dismiss the keyboard and reopen the note.

mynotes — bounded_outcome_verified. Actual bounded check: Exact public body read back after force-stop/relaunch and opening the saved note; bounded plain-note persistence only.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Retain surrounding prose, correct style target, caret and saved result. Repeat with large text; compare actual task completion and mistakes, not assertion counts.

PLAN-X03 | Checklists, numbering and list editing | dark-landscape

Original acceptance task (NOT automatically accepted): Insert an item in the middle, indent it, move it past the viewport, hide completed rows and undo.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No lost items, wrong-list operations or accidental workspace swipes. Verify numbering after insertion and Backspace exit at an empty item.

PLAN-X04 | Tables and direct cell editing | dark-landscape

Original acceptance task (NOT automatically accepted): Edit a long cell in a wide table; insert a column beside it, toggle header role, delete a row and undo.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Keep the active cell visible above the IME; no unexpected horizontal jump; restore content and header meaning after undo. Compare the same table, not these unequal fixtures.

PLAN-X05 | Images, attachments and inline media | dark-landscape

Original acceptance task (NOT automatically accepted): Insert a photo, select two recognized words, keep the image, edit its crop, then remove only the intended attachment.

mynotes — interaction_observed. Actual bounded check: Image insertion/picker entry, not image-import success.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Keep source bytes, unrelated blocks and names intact; make copy versus replacement clear. Verify offscreen word selection and explicit outside-tap dismissal.

PLAN-X06 | Web hyperlinks and external opening | dark-landscape

Original acceptance task (NOT automatically accepted): Add a long URL to selected words, correct a malformed address, reopen, edit and remove the link.

mynotes — interaction_observed. Actual bounded check: Link editor entry only; external destination is not opened offline.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No duplicate URL per line, changed neighboring prose or unnoticed external launch. Check keyboard visibility, wrapped fields and TalkBack error announcement.

PLAN-X07 | Internal links, backlinks, graph and previews | dark-landscape

Original acceptance task (NOT automatically accepted): Link A to a heading in B, rename B, return through backlinks and preview the target without losing A.

mynotes — counterpart_not_established. Actual bounded check: Requested counterpart not established in the visited first-party settings surface. This is NOT proof of app-wide absence or a comparative score.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Target identity and rename behavior must be verified live; count wrong destinations and recovery steps. No graph speed or link-integrity winner has been measured.

PLAN-X08 | Long-note orientation, tags, footnotes and word count | dark-landscape

Original acceptance task (NOT automatically accepted): Locate a middle heading, find a repeated phrase, follow a footnote and return to the exact reading location.

mynotes — bounded_outcome_verified. Actual bounded check: Actual in-note query produces the marker result passage; not a long-note heading/footnote or reading-location acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify target and return anchors, heading levels, counts and generated text treatment; do not infer footnote success from a registered command.

PLAN-X09 | Properties and Bases | dark-landscape

Original acceptance task (NOT automatically accepted): For users who need records, edit one typed field, filter a view, rename a file and reopen the view.

mynotes — counterpart_not_established. Actual bounded check: Requested counterpart not established in the visited first-party settings surface. This is NOT proof of app-wide absence or a comparative score.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Validate data types, retained filters, note identity and error recovery. No Bases performance, formulas or equivalent MyNotes capability is certified here.

PLAN-X10 | Quick capture, daily notes, templates and unique notes | dark-landscape

Original acceptance task (NOT automatically accepted): From a cold start, capture a short thought; then create a repeated meeting structure and return tomorrow.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Observe time to first saved words, setup mistakes, duplicate daily notes and return continuity. Do not populate fake user content to make the app feel busy.

PLAN-X11 | Freehand drawing and Canvas | dark-landscape

Original acceptance task (NOT automatically accepted): Draw a diagram annotation, leave and reopen it; in Canvas connect two cards, pan/zoom and reopen the board.

mynotes — interaction_observed. Actual bounded check: Actual drawing entry, not a shared Canvas capability or saved drawing pass.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Evaluate each tool against its own output goal. For common save/return work, preserve content and location; latency needs real stroke traces on matched hardware.

PLAN-X12 | Diagrams, shapes, arrows and grouping | dark-landscape

Original acceptance task (NOT automatically accepted): Add two shapes, connect them, group, resize, split the arrow, undo and reopen.

mynotes — interaction_observed. Actual bounded check: Rectangle tool activated; no comparator equivalence or persisted graph acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check actual anchor geometry, target selection, retained names and no accidental duplication. Run long-press/context-menu actions with large text and TalkBack.

PLAN-X13 | PDF reading, selection, search and markup | dark-landscape

Original acceptance task (NOT automatically accepted): Open a large scanned/mixed PDF, zoom a distant page, select offscreen text, find a hit with IME, mark a rotated page and export.

mynotes — blocked. Actual bounded check: Picker did not expose public fixture Comparison.pdf


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Compare the original bytes; inspect hit position, highlight geometry and rendered export. Exercise cancellation and a partial destination; private markup drafts are outside Notes backups.

PLAN-X14 | Word files and original-layout expectations | dark-landscape

Original acceptance task (NOT automatically accepted): Open a DOCX with headers, inline images, wide tables and hard page breaks; select text, zoom and create an editable copy.

mynotes — interaction_observed. Actual bounded check: Actual system picker selected the specified original; viewer/reader state inspected, not complete fidelity/search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check original bytes and document return position, compare rendered pages with a suitable Word reference, and disclose any dropped layout/media. Do not invent fidelity from a synthetic one-page frame.

PLAN-X15 | Large TXT and read-only text viewing | dark-landscape

Original acceptance task (NOT automatically accepted): Open a large multilingual TXT, find a repeated phrase near the end, select across the viewport and return to the prior file list.

mynotes — blocked. Actual bounded check: Picker did not expose public fixture Comparison.txt


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Measure open/find latency separately from rendering; inspect Unicode integrity, clear selection on deliberate tap, retained page and unchanged original.

PLAN-X16 | Spreadsheet previews and cached values | dark-landscape

Original acceptance task (NOT automatically accepted): Open quoted CSV and a multi-sheet XLSX with formulas, missing cached results and wide cells; locate a value and copy it.

mynotes — interaction_observed. Actual bounded check: Actual system picker selected the specified original; viewer/reader state inspected, not complete fidelity/search acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Compare visible rows/columns and Unicode with source values, disclose cached-only results, retain sheet/scroll position and never execute macros or scripts.

PLAN-X17 | Markdown, HTML, RTF, ODT and slide imports | dark-landscape

Original acceptance task (NOT automatically accepted): Open one realistic file of each advertised type, inspect text order and unsupported elements, then cancel or create a copy.

mynotes — interaction_observed. Actual bounded check: Each named format attempted separately; blocked or text-only views are not full import fidelity passes.

mynotes original exact result record


mynotes original screenshot


Format subtasks: Comparison.md:interaction_observed; Comparison.html:interaction_observed; Comparison.rtf:interaction_observed; Comparison.odt:interaction_observed; Comparison.pptx:interaction_observed

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Record per-format fidelity and actionable errors; preserve originals, reject malformed/oversized archives safely and distinguish external-reader delegation from in-app support.

PLAN-X18 | OCR, image-region text and scanned-page recognition | dark-landscape

Original acceptance task (NOT automatically accepted): Read tiny/oblique/multilingual public scenes, blank controls and selected image regions; compare exact expected text and corrected output.

mynotes — interaction_observed. Actual bounded check: OCR entry only. Actual varied-scene recognition/accuracy remains unverified in this paired task.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Retain source hashes, full hypotheses, CER, omissions/false words, cold/warm latency and correction time. No new accuracy study or training occurred in this report.

PLAN-X19 | Voice recording, playback and transcription | dark-landscape

Original acceptance task (NOT automatically accepted): Record varied Indian speakers, pause/resume, deny/regrant permission, play through a headset and correct names/numbers while listening.

mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Measure word errors, boundary losses, time-to-review, seek accuracy and actual audible playback on physical hardware. Verify originals export separately from note backups.

PLAN-X20 | Reminders and notifications | dark-landscape

Original acceptance task (NOT automatically accepted): Set, rename and reschedule a reminder, deny notifications, reboot and then tap the delivered notification.

mynotes — interaction_observed. Actual bounded check: Reminder dialog entry; notification delivery/time persistence not inferred.


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Use disposable notes; verify no stale/duplicate notification, correct note identity and sensible blocked-state feedback. Measure actual delivery under power restrictions separately.

PLAN-X21 | Home widget and Android entry points | dark-landscape

Original acceptance task (NOT automatically accepted): Place/resize the widget, pin and archive notes, share text from another app and open a reminder deep link.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify labels, intended note, no duplicates and return context on real launchers, including large system text. Do not restore widget/notification consent silently during recovery.

PLAN-X22 | Appearance, backgrounds, fonts and accessibility | dark-landscape

Original acceptance task (NOT automatically accepted): Switch system theme, increase font scale, navigate with TalkBack and format selected text over a patterned background.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check clipping, announced scope/selection, contrast and focus order across orientations; screenshots alone do not establish 48dp targets or a successful screen-reader task.

PLAN-X23 | First-use storage, private folders and optional App folder | dark-landscape

Original acceptance task (NOT automatically accepted): Create notes offline, choose an empty optional folder, revoke access, save again and reconnect without clearing app data.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Inspect exact copied categories and pending status; test reinstall/reselection only on disposable fixtures. Never tell the user to uninstall or clear their real library for this review.

PLAN-X24 | Portable backup, import merge and full recovery | dark-landscape

Original acceptance task (NOT automatically accepted): Export a near-limit rich library, exceed the limit safely, import identical and same-ID changed notes, then verify every supported content type.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No silent partial success or overwrite; disclose omitted categories and readable/non-encrypted JSON. A complete App-folder checkpoint is a separate opt-in recovery mechanism, not this portable file.

PLAN-X25 | Trash, permanent deletion and recovery | dark-landscape

Original acceptance task (NOT automatically accepted): Delete/restore a rich note, inspect what happens to its audio and exports, then purge only a disposable selected note.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify the exact affected IDs, Undo boundaries, expiry policy and retained separate data. Never infer crash or power-loss recovery from a confirmation screenshot.

PLAN-X26 | Archive, pinning and bookmarks | dark-landscape

Original acceptance task (NOT automatically accepted): Pin a note, archive it, find it globally, restore it and compare a saved Obsidian bookmark task.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check persisted identity/order, scope labels and no accidental duplicate. Bookmark persistence must be newly verified rather than inferred from its empty pane.

PLAN-X27 | Undo, redo, editing history and save feedback | dark-landscape

Original acceptance task (NOT automatically accepted): Edit text/table/image, undo and redo, leave and reopen; repeat after controlled process restart on disposable data.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify exact rich payload and history matching the saved revision; preserve current content when history is invalid or trimmed. Never run destructive migration on the user library.

PLAN-X28 | Workspaces, tabs and mobile navigation | dark-landscape

Original acceptance task (NOT automatically accepted): Switch between two notes, a PDF and Settings; reorder content near an edge, then return to the initial editing location.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Log wrong destinations, lost context, accidental switches and state after restart. Workspace restoration is outstanding until a matching live task succeeds.

PLAN-X29 | Settings, commands, quick actions and help discovery | dark-landscape

Original acceptance task (NOT automatically accepted): Without a walkthrough, find move, undo, export, a setting and one uncommon editor action using touch alone.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Observe search terms, wrong taps and help requests; distinguish disabled/contextual/unconfigured actions. Do not use all 205 inventoried commands as a usability success count.

PLAN-X30 | Export, sharing, duplication and note composition | dark-landscape

Original acceptance task (NOT automatically accepted): Share a mixed note, export PDF and JSON, duplicate it, merge selected notes and undo the merge.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Check text/media/table fidelity for each promised format, exact source IDs and retained source copies; destination failure must not silently destroy content.

PLAN-X31 | Local summary and text assistance | dark-landscape

Original acceptance task (NOT automatically accepted): Summarize varied notes with negation, dates and multilingual sentences; check the retained source and decide whether the result is useful.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify each sentence comes from the source, essential cautions are not lost and limits are clear. No summary-quality test was executed in this report.

PLAN-X32 | Privacy, permission boundaries and diagnostic logs | dark-landscape

Original acceptance task (NOT automatically accepted): Deny microphone, use notes normally, enable logs for a dummy issue, filter/export/delete and inspect the resulting local file.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify opt-out, readable levels/time range, explicit delete confirmation and exported content minimisation. Security of all native dependencies was not certified here.

PLAN-X33 | Smoothness, speed, footprint and reliability | dark-landscape

Original acceptance task (NOT automatically accepted): On matched hardware, cold start, create/type, search a large library, drag a distant card, open a large PDF and recover from a controlled failure.

mynotes — diagnostic_only. Actual bounded check: No verified outcome


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Collect touch-to-visible timings, frame trace, dropped frames, memory and exact failure logs. Distinguish timeouts/socket failures from app crashes and do not publish a fabricated global score.

PLAN-X34 | Core modules, community plugins and extensibility | dark-landscape

Original acceptance task (NOT automatically accepted): Find a core module, understand its description, enable/disable it and identify changed controls; inspect restricted/plugin trust text without installing unknown code.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify reversible configuration and a stable default note workflow. No community code was installed or executed; unknown plugins and future modules are outside this pinned-version inventory.

PLAN-X35 | Sync, Publish, account and service boundaries | dark-landscape

Original acceptance task (NOT automatically accepted): For a future explicitly authorised service study, evaluate offline edits, conflicts, account loss, export and deliberate public visibility with disposable data.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: No login, purchase, upload or publishing was performed. Conflict resolution, encryption, recovery and cost/value remain untested; an entry screen is not a passed sync task.

PLAN-X36 | Slides, presentation and reading projections | dark-landscape

Original acceptance task (NOT automatically accepted): Present a multi-slide disposable note, navigate, dismiss the keyboard, rotate and return to editing; compare PDF reading only as a separate output route.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Verify every slide, media, controls and return location. Obsidian landscape was not qualified by its retained audit; no physical presentation run occurred here.

PLAN-X37 | About, models, licences and honest help | dark-landscape

Original acceptance task (NOT automatically accepted): Ask a novice to identify where notes are saved, how to protect audio and how to export useful diagnostics without sending private notes.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed


mynotes original exact result record


mynotes original screenshot

obsidian — blocked. Actual bounded check: Requested profile not achieved

obsidian original exact result record

obsidian original screenshot





No whole-family acceptance. Remaining: Observe whether they can explain the result in their own words. Do not substitute long notices or a generated guide for successful comprehension.