Your notes. Your device.

A detailed illustrated handbook •116 pages •92 source-pinned screen frames

A practical guide to navigation, writing, formatting, structured content, capture, files, folders, voice and recovery. Actual synthetic app screens are paired with routes, procedures and limitations. This is a PDF design/reference document, not an editable Figma project.

Read the boundaries before trying candidate features. Current physical reports take priority over optimistic automated conclusions. No claim is made that all pending issues or the requested360–480-minute work target are complete.

Open this PDF in MyNotes

1 Save the PDF to local device storage.

2 Home > Library > Open file.

3 Select MyNotes-Illustrated-User-Guide.pdf.

4 Scroll, Find, Go to page, or use Page text.

How to use this guide

A visual handbook, not an acceptance certificate

Read the navigation map first, then use the clickable contents or PDF bookmarks to jump to a screen. Each screen page has a route, a source-pinned image, instructions and an explicit boundary. The gold frame number is a design-reference identifier, not a screenshot of your personal notes.

The captures show synthetic code41 fixtures, not your phone or your supplied private diagnostic export. Source changes after41 are labelled candidate features. A current APK may look different: prefer the visible action label and read its explanation before changing content.

To read this PDF inside MyNotes, save it locally and use Library > Open file, selecting the PDF. This is a standard unencrypted text PDF with116 pages, below the current32 MiB/1000-page limits. Scrolling, Find and Page text use the same offline PDF viewer. This document is not a Figma project file or a DOCX; it is an illustrated, Figma-like screen reference. Exact-byte in-app validation is recorded separately, never inferred merely from a successful PDF export.

Contents 1

Screens 01-32

01	Home	25
02	Notes Workspace	26
03	Doc Workspace	27
04	Library	28
05	Filters View	29
06	Filters Sort	30
07	Filters Labels	31
08	Device Folders Filter	32
09	Search Keyboard	33
10	Home Doc Swipe	34
11	Editor	35
12	Editor Keyboard	36
13	Adaptive Notes Rails	37
14	Adaptive Doc Rails	38
15	Format	39
16	Adaptive Notes Format	40
17	Format Keyboard	41
18	Stage Aa Selection	42
19	Stage Aa Typing	43
20	Document Format	44
21	Document Typing Style	45
22	Document Saved Styles	46
23	Numeric H1	47
24	Numeric H2	48
25	Writing Lines	49
26	Backgrounds	50
27	Background Editor	51
28	Palette	52
29	Word Appearance	53
30	Note Find Sheet	54
31	Note Find Result	55
32	Find Keyboard Inline	56

Contents 2

Screens 33-64

33 Document Find Inline 57
34 Checklist 58
35 Checklist Item Actions 59
36 Mixed Notes Selection 60
37 Stage Named Checklist 61
38 Stage Checklist Drop Preview 62
39 Content Item Drag 63
40 Document Dragged 64
41 Document Content Options 65
42 Content Pen 66
43 Content List Caret 67
44 Content Typed Numbering 68
45 Mixed Note Header 69
46 Document Mixed 70
47 Document Table 71
48 Word Table Options 72
49 Doc Header Table 73
50 Document Visuals 74
51 Image Editor 75
52 Image Crop Preview 76
53 Remove Image Confirmation 77
54 Drawing 78
55 Drawing Tools 79
56 Drawing Options 80
57 Diagram 81
58 Shape Picker 82
59 Shape Dialog 83
60 Diagram Options 84
61 Group Prerequisites 85
62 Diagram Group 86
63 Read Image Auto 87
64 Image Text Selection 88

Contents 3

Screens 65-92

65 Ocr Review 89
66 Ocr Review Empty 90
67 Capture 91
68 Doc Capture Language 92
69 Voice Inbox 93
70 Settings 94
71 Settings After Navigation 95
72 About 96
73 App Folder Copy Choices 97
74 Storage 98
75 Folders 99
76 Editor Folder Create 100
77 Document Folder Sheet 101
78 Backups 102
79 Restore Preview 103
80 Trash 104
81 Trash Confirmation 105
82 Labels 106
83 Add Reminder 107
84 Reminder Date 108
85 Reminder Time 109
86 Diagnostics 110
87 Spreadsheet Grid Viewport 111
88 Word Synthetic Paper Page 112
89 Word Zoom 113
90 Word Link Form 114
91 Document Pdf Options 115
92 Document Keyboard 116

Navigation map

Start from Home, return to the actual caller

Home has two workspace tabs: Notes and Doc. Tap a card to edit, or the New control for the active workspace to create content. Horizontal board swipes are an alternative when nothing is selected; vertical gestures scroll.

Library contains secondary destinations: Archive, Trash, Folders, Voice inbox, Settings, Open file and Viewed files. Checklist creation is retained in Library for Notes. Candidate42 removes duplicate Notes and Doc rows because those tabs already exist on Home.

Settings leads to appearance, speech engine, home widget, storage/recovery, diagnostics and About/offline models. Storage leads to backup and optional app-recovery setup. A page opened from Folders should return to Folders; one caller route was repaired, but all Back combinations are not yet physically accepted.

Open file shows read-only originals/previews or explicitly creates an editable copy. Those files do not become saved Notes just because they appear in Viewed files. Close a sheet before trying to interact with the page behind it.

Data safety first

Distinguish private content, external originals and optional copies

Saved Notes and Docs remain on device. There is no account, advertising or Internet permission. Optional selected local folders provide additional content copies; their availability must not erase the authoritative private copy. Existing personal directories and originals must not be silently repurposed.

Opening TXT/Word as an editable copy creates separate MyNotes content. PDF/CSV/Word previews do not edit the original bytes. Exporting creates a separate destination and should verify readback. Never assume another installed reader shares MyNotes privacy restrictions.

Trash retains ordinary deleted notes for the documented seven-day period, with explicit permanent-purge actions. Original recordings are kept separately from note Trash. Native JSON backup is readable and unencrypted; protect it as personal content.

Before installing a candidate, back up important notes and separately export recordings. Install over the existing app with the stable package/signature. Do not uninstall, clear data or downgrade while migration or recovery is unverified.

Save and recovery states

An on-screen edit and a verified external copy are different

Continue writing normally, then inspect any save or storage notice before leaving important work. MyNotes serializes storage writes so two background operations do not overwrite each other out of order. Coalescing can skip obsolete queued snapshots; that is not evidence of a failed final save.

If a folder provider is unavailable, keep the private content and use storage settings or Retry save as offered. Repeatedly tapping Create, Import or Save can make a problem harder to diagnose. Do not use app-data clearing as a repair step.

A complete App folder checkpoint and a portable JSON note backup are different products. Check which categories include voice, settings, history or diagnostics rather than assuming every export is complete. Recovery previews must remain non-destructive until confirmation.

After recovery or an upgrade, inspect titles, rich blocks, checklists, tables, images, diagrams and recording playback. Re-open selected items and compare saved content, not just card counts. Physical acceptance is separate from synthetic emulator tests.

File-type quick reference

Preview, import and external-reader routes

PDF: continuous native pages, embedded-text search and Page text. Candidate43 adds direct glyph selection on supported unrotated pages. Scans need explicit offline OCR; OCR is a separate fallible result.

DOCX: choose approximate MyNotes pages, an installed original-layout reader, or a separate editable text copy. Text imports do not preserve complete Word media/layout. Older DOC files use a compatible installed reader rather than an undocumented faithful native engine.

CSV/XLSX: read-only grid using parsed text/cached values. Quoting and multiline CSV cells matter; formulas and scripts are not executed. Legacy XLS/PPT use an installed compatible reader. Other supported Office/text routes can be lossy; read the import explanation.

TXT: choose view-only or a separate editable note. Native JSON: distinguish a supported note document from a multi-note backup/restore merge. Unsupported or unsafe content should give an error without replacing existing notes. Keep originals when fidelity matters.

PDF selection and scanned pages

Do not confuse a detached text view with on-page selection

For supported embedded-text PDF pages, candidate43 projects PDFBox glyph coordinates over the actual displayed page raster. Long-press text, adjust the blue endpoints and choose Copy in the floating native toolbar. Zoom and pan must share the same coordinate transform as the highlights.

The initial implementation rejects rotated pages and rotated writing rather than drawing knowingly wrong highlights. Page text remains the explicit fallback for those layouts and for pages exceeding the safe glyph limit. That fallback is not a claim that direct selection works everywhere.

Image-only scans have no embedded glyph layer. Choose Recognize page offline, review the engine result and compare it with the source before copying. No recognition step edits the PDF.

The guide itself contains embedded text, bookmarks and clickable contents. It is suitable for testing text search, direct selection, page navigation and re-opening. Exact Android results remain pending until the source-pinned workflow runs and its evidence is reviewed.

Word fidelity boundaries

Authored geometry is more than extracted words

The preview supports local paper geometry, inline raster images, explicit/cached page breaks and default header/footer content. Candidate43 removes forced global line spacing, reads authored automatic paragraph spacing, preserves header/footer paragraph alignment and discloses unmappable legacy symbol-font glyphs.

A company logo may be a floating object or a vector unsupported by the bounded Android preview. Fields, merged tables, font substitution, section rules and complex wrapping can still differ from Word. A visible placeholder or warning is more honest than silently omitting content.

Compare with the authored Word file when exact logos, line gaps and headers matter. Open original in a compatible installed offline reader when appropriate; that reader has its own permissions and privacy policy.

Native editable imports remain separate and lossy. Keep the DOCX original and a native MyNotes backup where continued native editing matters. No general equivalence to Microsoft Word has been qualified, and no user-authored Word comparison file was supplied with the current report.

Image OCR and emoji

Review text, preserve uncertain visuals as pixels

Default OCR runs automatically with bundled English, Hindi and Kannada models. A full-screen image selector lets you inspect the original, select recognized words and keep a visual area as an image. It does not turn the whole image into a perfect semantic document.

Compare every extracted name, digit, symbol and line break. Decorative fonts, small labels and low-contrast regions can be missed. An emoji can be misrecognized as a Kannada numeral; blindly replacing Kannada digits would damage genuine Kannada text. No universal emoji fix is claimed.

Use the selected-image option to preserve an uncertain visual exactly as pixels, then type a reviewed description if needed. A pixel crop is not an emoji classification or reconstruction of unseen detail.

Recognition engine scores are not calibrated accuracy percentages. Existing pilot emoji training performed poorly on a small development check and was not adopted. Broader licensed datasets, holdouts and physical acceptance remain pending; a training job count alone is not success.

Voice and speech engines

Original audio is the recovery anchor

Record only after explicitly granting the optional microphone permission. Voice inbox retains original audio independently of note Trash. Play, pause and progress should remain accessible even when transcription is missing or failed. Export important recordings separately from JSON note backups.

Recording options contains advanced controls such as quiet-playback boost, audio export, retry transcription and opening a linked note. Code41 initially constructs20 cards and provides Show more; pagination must never delete recordings.

Vosk remains the standard offline engine. Experimental Whisper is opt-in and uses the actual593-step adaptation on one Indian-English training speaker. It is not qualified for unseen Indian speakers and can use more CPU, memory and battery.

Independent30-second windows may miss boundary words. Review punctuation and transcript text against audio before inserting into a note. Switching engines requires an explanatory non-destructive warning, not a trash icon, and must not change or upload recordings.

Home arrangement

Presentation order without rewriting user documents

Candidate42 adds long-hold-and-drag ordering on Home. Release a card without moving to select it; while holding, drag toward the intended peer position to arrange. Synthetic selection helpers are not accepted as proof of this physical gesture.

After a changed drop, Sort exposes the exact label arranged as per user. Presentation IDs persist across controller restart and are validated when included in portable settings recovery. The note contents, creation times and edited timestamps are not rewritten merely to fake a sort result.

Filtered/folder views replace only visible slots in the overall presentation order; hidden items retain their slots. Pinned items stay first and drag targets stay within the same pin group. Newly created or unknown IDs remain reachable rather than disappearing.

Search results and Trash do not permit manual arrangement. Clear search or return Home, finish multi-selection, then arrange. Cancelled drags must restore the previous board. Device gesture testing and accessibility review remain required.

Diagram context and branching

Duplicate, delete and split without flattening

Candidate42 adds a long-press context menu on a shape. Duplicate shape creates a distinct editable copy. A grouped member exposes Duplicate group and Delete group. Duplication preserves text, colour and geometry, assigns new IDs and copies internal arrows only. External connections are not guessed.

Delete asks for confirmation, removes the selected unit and connected arrows, and records a diagram Undo step. Existing surrounding shapes remain. Group movement clamps the whole unit to the logical canvas so relative positions survive edge collisions.

Split arrow inserts a small editable junction in one chosen connector while retaining its original endpoints and label. Select the junction and Connect to add a branch. It does not arbitrarily erase or disconnect the original semantic path.

Undo diagram restores the previous graph. Cancelled holds/moves must not commit a partial edit. Pixel previews and PDF export remain separate from editable native shape/edge data.

Accessibility and motion

Reachability, readable state and honest performance

Prefer labelled actions, meaningful icons, readable contrast and48dp touch targets. Large system text and landscape can change how rails, dialogs and bottom sheets fit. Scroll the actual panel rather than tapping an obscured control behind it.

Animation should respect the system reduced-motion setting. Short transitions are not a substitute for frame-time measurement. Lag can originate in UI work, bitmap churn, storage queues, model CPU load or a document provider; diagnostic event counts alone cannot identify the cause.

The first loading patch separates private folder and voice reads from serial storage writes. Provider access remains serialized for storage safety. Private folders should become usable while optional connected-folder discovery proceeds in the background.

A blocked-writer fixture checks that separation, not every real provider stall. Broad swipe, scroll, click, keyboard and page-switch smoothness still needs tracing and phone acceptance. No full-performance completion claim is made.

Backup and upgrade checklist

Keep recovery paths independent

Before installing: verify the new versionCode increases, package identity/signing stay stable, and the artifact is a raw testing APK rather than a public release. Export an up-to-date native note backup and important original recordings.

Install over the existing app; do not uninstall or clear data. Open representative simple Notes, rich Docs, checklists, tables, diagrams and images. Compare original data and test recording playback, not just launch success.

For App folder recovery, inspect selected categories and use an empty appropriate directory. Reselect it after reinstall only when the intended recovery process is available and verified. Portable JSON omissions remain explicit.

Actual-process recovery and upgrade smokes must target the exact candidate bytes, not merely an earlier version. Prior code39 PDF/DOCX/CSV recovery results do not automatically certify43. Native emulator coverage, process tests and physical acceptance are three distinct evidence types.

Troubleshooting

Preserve evidence before trying repairs

Folders appears stuck: keep the private copy; open another page, then inspect Storage & recovery. Record the entry route and duration. Candidate41 introduced independent private reads; candidate42 restores explanation/Backups access. A hung connected provider remains a separate problem.

CSV will not appear/open: retain the original, filename/extension and error text. Android MIME aliases were repaired in39, but current bytes/provider cases need their own verification. Do not change personal file contents just to satisfy a picker.

Back returns incorrectly: report the exact page sequence, sheet/dialog state, keyboard state and whether Android Back or the visible arrow was used. Screenshots alone do not reveal the full caller chain.

OCR/Word differs from the original: preserve the source and mark the missing regions. Export optional diagnostics privately. Do not clear data, purge content or reinstall as a first troubleshooting step.

Validation status and provenance

Source evidence, not an all-items-complete statement

Reference images: synthetic debug-host captures committed under native/41503575601, source c463ece1 (code41). The workflow built successfully but failed a retained Folders explanation/Backups assertion on all four primary profiles. It is not a green complete qualification run.

Candidate42 source adds ordering, diagram actions, Library deduplication and restores the missing folder content. Workflow41508204889 is independently source-pinned but failed Android compilation: a diagram callback initializer referenced a final listener before assignment. Candidate43 fixes that initialization;42 is not qualified. Candidate43 adds initial direct PDF glyph selection and limited Word spacing/alignment improvements; its Android results must be recorded after execution.

Local root checks and Java syntax parsing are not Android compilation or device acceptance. Exact counts are computed by the qualification planner; no test failures are waived because a screenshot looks good.

This handbook is a detailed working edition, not certification that all app surfaces are flawless or that every pending task is finished. Universal emoji recognition, broad Indian speech, full Word fidelity, complete Back coverage and measured physical smoothness remain open.

Glossary

Read operation names literally

Note: native everyday writing workspace content. Doc: native structured document workspace content, not synonymous with a DOCX original. Viewed file: a read-only original/preview opened through the file feature; history/indexing does not make it a saved note.

Private copy: internal on-device content retained independently of an optional external destination. App folder checkpoint: optional selected-category additional recovery copy. JSON backup: portable, readable note-only export with explicit exclusions.

Glyph layer: embedded PDF text positions projected over a page. OCR: fallible recognition of text pixels, not embedded text extraction. Crop: retained pixels, not universal object/emoji understanding.

Selection: the precise words, card, cell or block currently targeted. Group: independent diagram members moved/duplicated as a unit. Split arrow: insert a junction while preserving the connector path. Physical acceptance: successful real-device interaction, which automated coverage alone cannot establish.

Viewed files and original documents

Library > Viewed files

Viewed files is a recent-file history and bounded text index, not another saved-note workspace. Each file card should explain what will open. Use Open file to select another local original. Re-opening a changed original refreshes the indexed content; the index is limited to32 files and up to2 Mi characters per file.

Clear viewed history and index removes the local history/search index only. Read the confirmation: it does not delete original files or saved Notes/Docs. Reopen an original through the picker after clearing if you want it indexed again.

PDF, Word and spreadsheet viewers restore bounded page/query/viewport state where supported. Restoration can fail if the URI grant is unavailable; that must not be treated as lost saved-note content. Back returns to the actual caller, such as Viewed files or the note from which Open file was reached.

A card-based presentation was introduced in41. Wider consistency and all Back routes remain under review; this chapter is not a claim that every file/provider combination is accepted.

Selection, Archive and card actions

Home > long press a card

Long-press without a changed drag to select a card. Tap additional cards to extend selection. Done exits the selection state. Pin, Archive and Trash are different operations: pins affect ordering, Archive hides content from the ordinary workspace, and Trash starts the ordinary deletion lifecycle.

Selection actions can include labels, colour, share, copy, merge and Move to folder. Review scope carefully; the selection count matters. Copy is distinct from moving the original. Merge can reject rich/visual combinations rather than silently flatten content.

Library > Archive provides access to archived content; it is not permanent deletion. Library > Trash offers Restore and explicit permanent-purge actions. These destinations should not offer the same creation tools as ordinary Home when doing so would be misleading.

Before a bulk destructive action, verify the selected items and export important content. Native Undo is scoped to the operation; do not assume it survives a permanent purge or app-data clearing.

Home widget and Android integration

Settings > Home widget

The home widget exposes pinned/recent notes through Android home-screen integration. Follow the visible setup and launcher instructions; Android or the launcher can ask for confirmation before adding a widget. The widget is not cloud synchronization and does not replace opening the app to verify rich content.

Microphone permission is optional and belongs to voice recording. Notification permission/settings matter for reminders. Local document access uses Android picker grants, which can be revoked independently of the app private content.

Opening an original in another installed reader hands control to that reader. Its appearance, sharing, network access and storage behaviour follow its own implementation and permissions. Choose an offline reader when privacy requires it.

Keep the package/signature stable during testing upgrades. Independent apps in this repository are not substitutes for MyNotes and are not modified by this guide. Phone launcher, OS and vendor behaviour require physical checks beyond the emulator profiles.

Design language and state checklist

Read every page as a task, not a pile of buttons

A page should tell you where you are, what its rows do and what Back will return to. Cards combine a short title with an explanation; inline field editing stays distinct from destructive or note-wide operations. A sheet over a page is a temporary task, not a second hidden navigation destination.

Use a meaningful semantic icon: microphone for speech opt-in, trash for actual deletion, check for harmless confirmation and folder for location. Keep the warning when it describes real experimental limitations. Removing an inappropriate trash glyph must not remove the warning.

Loading should leave safe private controls usable, with a clear explanation when an optional provider is still pending. Empty, error, busy and complete states need different messages. A completed device check must not be overwritten by an old timeout.

The illustrated screens are reference evidence, not a declaration of perfect design. Small text, large font, night mode, landscape, keyboard overlap, focus, touch targets, frame time and navigation must all be reviewed against physical reports.

01 / Home

Home

WHAT THIS SCREEN DOES


Use Notes and Doc tabs to choose a workspace. Tap New note or New Doc to create there. The lower dock contains Library, voice capture, search and Filters. Open a card to continue writing; the content stays in private device storage.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A successful screen transition is not evidence that a pending external copy has finished. Read storage/save notices before disconnecting a folder.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • home

02 / Notes Workspace

Home > Notes

WHAT THIS SCREEN DOES


Keep everyday writing and selected-text checklists together. Notes can contain mixed content without being silently turned into Docs. Tap the Notes tab to return from the Doc workspace, or swipe horizontally over the board when nothing is selected.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Existing older notes can use the earlier editor. Do not assume an editor change has reconstructed formatting that was never stored.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • notes-workspace

03 / Doc Workspace

Home > Doc

WHAT THIS SCREEN DOES


Use Doc for structured writing, tables, visual blocks and richer document composition. New Doc creates a separate document. Moving a note is different from making a Doc copy; review the action explanation before confirming.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A Doc is native MyNotes content, not a guarantee of Microsoft Word layout fidelity.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • doc-workspace

04 / Library

Home > Library

WHAT THIS SCREEN DOES


Library opens secondary destinations: Archive, Trash, Folders, Voice inbox, Settings, Open file and Viewed files. Checklist creation is available here in the Notes workspace. Tap a row to navigate; close the sheet to return without changing content.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

This captured code41 frame still includes duplicate Notes/Doc rows. Candidate42 removes those rows; the Home workspace tabs remain.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • library

05 / Filters View

Home > Filters > View

WHAT THIS SCREEN DOES


Choose Grid view for compact cards or List view for one card per row. Options remain a draft until Apply filters. If a row is partly offscreen, scroll within the panel rather than tapping an unrelated underlying card.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

View selection changes presentation, not stored note contents or folder placement.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • filters-view

06 / Filters Sort

Home > Filters > Sort

WHAT THIS SCREEN DOES


Choose last edited, created or title order. Apply to update the board. Candidate42 also adds arranged as per user after a Home drag, with persisted presentation IDs and pinned items still first.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

The screenshot predates manual ordering. Drag ordering is a candidate feature awaiting Android qualification, not an accepted phone result.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • filters-sort

07 / Filters Labels

Home > Filters > Labels

WHAT THIS SCREEN DOES


All notes means no label restriction. Otherwise choose any combination, optionally including Without a label. Select none deliberately produces an empty result. Use Manage labels to maintain names, then Apply filters.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Label filtering is any-of, not an all-labels intersection. Hidden notes are not deleted.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • filters-labels

08 / Device Folders Filter

Home > Filters > Folders

WHAT THIS SCREEN DOES


Browse folders without treating labels as disk directories. Choose device folder opens Android's local folder selection. Library > Folders is another entry point into folder browsing.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A provider grant may be revoked or unavailable. Private content remains authoritative; do not clear app data to repair a missing external location.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • device-folders-filter

09 / Search Keyboard

Home > search field

WHAT THIS SCREEN DOES


Enter a distinctive title, phrase or setting name. Search covers saved content and the bounded Viewed files index. Review each result category before opening: saved Notes/Docs, viewed originals and Settings are different destinations.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

An empty result can reflect index limits or a changed file. Reopen the original to refresh its indexed text.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • search-keyboard

10 / Home Doc Swipe

Home > board gesture

WHAT THIS SCREEN DOES


Swipe horizontally across the board to switch between Notes and Doc when no cards are selected. Use tabs as the direct alternative. A vertical gesture scrolls cards instead of changing workspace.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A selected board uses selection actions; finish selection before workspace swiping. Respect reduced-motion settings.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • home-doc-swipe

11 / Editor

Home > note card

WHAT THIS SCREEN DOES


The title and writing area are editable. Use the upper Undo, Redo and Find controls and the contextual formatting/insertion tools. Keep the keyboard focused on the actual writing field and use Back to leave the editor.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

An unsaved-looking toolbar does not mean original external TXT or Word files are being overwritten; imports are separate MyNotes copies.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • editor

12 / Editor Keyboard

Open a note > writing field

WHAT THIS SCREEN DOES


Tap writing to place the caret and type. Native selection handles support copying and selected-range operations. In short viewports some chrome adapts so writing remains reachable. Dismiss the keyboard when you need the full page tools.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Keyboard readiness and cursor position matter. Reopen the field if Android focus moved; avoid repeated taps that create duplicate notes.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • editor-keyboard

13 / Adaptive Notes Rails

Note editor > landscape

WHAT THIS SCREEN DOES


Landscape redistributes tools into reachable rails while preserving the writing area between them. Rotate only after checking the current field and selection. Use the same action labels as portrait rather than hunting for a second command set.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Captured layouts are synthetic device profiles. Your font scale, keyboard and window size can produce different visible bounds.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • adaptive-notes-rails

14 / Adaptive Doc Rails

Doc editor > landscape

WHAT THIS SCREEN DOES


Structured Docs retain writing, Insert, Format and document actions in a narrower-height layout. Scroll the content instead of expecting every block to fit simultaneously. Return to portrait if an IME covers the intended control.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A landscape screenshot verifies one frame, not every orientation change or keyboard/vendor combination.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • adaptive-doc-rails

15 / Format

Note editor > Format

WHAT THIS SCREEN DOES


Select words to format that range, or place a caret for new typing. Bold, italic, underline and strike are inline choices. Clear removes applicable formatting without deleting the selected words. Check the scope indicator before applying.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Mixed selections can have partially active styles. A highlighted control is not a promise that every character shares one style.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • format

16 / Adaptive Notes Format

Note editor > Format

WHAT THIS SCREEN DOES


The Format surface groups inline styles, font, size, paragraph style and numbering. Size steppers alter the chosen size within supported bounds. Reopen Format when you need another choice; keep text selection intact.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Formatting must not expand a selected range to the whole note unless the operation explicitly says so.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • adaptive-notes-format

17 / Format Keyboard

Note editor > Format with keyboard

WHAT THIS SCREEN DOES


Open formatting while the writing field remains focused. The panel must stay reachable above or around the keyboard. Choose an option, then inspect the same selected text rather than assuming the cursor moved to the end.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

If a control is clipped, scroll the panel or dismiss the keyboard. Do not save a different selection simply to bypass a UI defect.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • format-keyboard

18 / Stage Aa Selection

Doc > Format > selected text

WHAT THIS SCREEN DOES


A selected-range scope means the formatting applies to the chosen characters. Paragraph actions affect the paragraphs touched by that range. Check the preview and use Undo if the wrong scope changed.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Paragraph heading/numbering scope differs from character styling. Preserve the original selection while opening controls.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • stage-aa-selection

19 / Stage Aa Typing

Doc > Format > caret only

WHAT THIS SCREEN DOES


With an empty selection, an inline style can govern newly typed text. Existing earlier words stay unchanged. Enter a short sample, inspect the style and clear or toggle the pending choice before continuing plain text.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Moving the caret can inherit another run's style. Do not interpret every toolbar state as a document-wide setting.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • stage-aa-typing

20 / Document Format

Doc > Format

WHAT THIS SCREEN DOES


Use one formatting surface instead of unrelated Style submenus. Font, size, headings, numbering and clearing remain text operations; visual block tools belong to their own menus. Select the field inside a table or checklist when that is your target.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A table-cell selection is not the same as selecting the entire table block.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-format

21 / Document Typing Style

Doc > Format > saved styles

WHAT THIS SCREEN DOES


A saved style stores formatting choices, not note text. Apply it to a selected range or compatible typing position. Choose meaningful names so a later document does not receive an unexpected font/size combination.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Saved styles are local settings. Portable note-only backups do not imply all profile settings were included.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-typing-style

22 / Document Saved Styles

Doc > saved styles

WHAT THIS SCREEN DOES


Review a stored style before applying it. Use the available management actions for obsolete entries. Undo the content change if a style was applied to the wrong range; managing a style and applying it are separate actions.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Restoring a note does not automatically restore every UI preference or saved-style profile.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-saved-styles

23 / Numeric H1

Writing > heading style

WHAT THIS SCREEN DOES


A paragraph heading changes visual hierarchy while retaining the actual numeric text. Select the intended paragraph and apply Heading1. Inspect glyph ascenders and descenders so large text is not mistaken for a clipped selection.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Heading size is not automatic outline numbering. Typed numbers remain authored characters unless a list operation transforms them.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • numeric-h1

24 / Numeric H2

Writing > heading style

WHAT THIS SCREEN DOES


Use Heading2 for a subordinate section. Keep a consistent hierarchy within a long Doc and use Find to navigate distinctive headings. Clear returns selected text/paragraph formatting toward ordinary writing without erasing content.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Rendering can vary with Android fonts. Verify large text after rotation and re-opening, especially around line boundaries.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • numeric-h2

25 / Writing Lines

Editor > Appearance > Writing lines

WHAT THIS SCREEN DOES


Writing backgrounds guide your eye while you type. Choose the saved background you prefer and verify text remains legible. The guides are not underscore characters and should not change copying, search or text spans.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

PDF printing may offer separate guide inclusion. A decorative background is not a guarantee of ruled paper in every export.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • writing-lines

26 / Backgrounds

Editor > Appearance > backgrounds

WHAT THIS SCREEN DOES


Choose a background treatment independently from note colour. Inspect contrast with existing links, drawings and checklist boxes. Keep a neutral choice for dense content if decorative patterns compete with reading.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Background selection is presentation metadata; it must not flatten editable content into an image.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • backgrounds

27 / Background Editor

Editor > saved background

WHAT THIS SCREEN DOES


The writing surface reflects the chosen background while native text remains editable. Scroll and type normally. Use Undo for content edits; use appearance choices when you only want a different visual treatment.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

An appearance change should not be used as evidence that a pending content write completed.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • background-editor

28 / Palette

Editor > Appearance > colours

WHAT THIS SCREEN DOES


Select a note colour that keeps text, icons and links readable. Existing labels, images and diagrams remain in the same note. Inspect both light and dark appearance before relying on colour alone to communicate meaning.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Colour is not a substitute for a label or a descriptive title, especially for colour-vision accessibility.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • palette

29 / Word Appearance

Doc > Appearance

WHAT THIS SCREEN DOES


Use the document appearance panel for colour/background choices. Text formatting belongs to Format and image editing belongs to its object controls. Keep a consistent page treatment when composing a multi-section Doc.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

This is native Doc appearance, not the Word original-file preview's authored page style.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • word-appearance

30 / Note Find Sheet

Note editor > Find

WHAT THIS SCREEN DOES


Enter the exact phrase or a distinctive fragment. Review match counts and move through results. Find should keep writing context and not create a second duplicate search icon in the same toolbar.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Find does not change the text. A selection caused by Find still needs explicit editing or formatting to alter content.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • note-find-sheet

31 / Note Find Result

Note editor > Find result

WHAT THIS SCREEN DOES


Inspect the highlighted match and adjacent text before replacing or typing. Move to the next occurrence when the same phrase appears in several paragraphs. Exit Find to return to ordinary writing.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not assume the first match is the intended replacement target.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • note-find-result

32 / Find Keyboard Inline

Note editor > Find with keyboard

WHAT THIS SCREEN DOES


The inline query must remain usable with the keyboard visible. Keep the active field clear: typing in Find changes the query, while typing in the body changes content. Close Find before continuing prose.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Keyboard focus is not interchangeable with a visible selection. Check where new characters appear.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • find-keyboard-inline

33 / Document Find Inline

Doc > Find

WHAT THIS SCREEN DOES


Search within structured document writing while keeping the surrounding Doc intact. Navigate each match and verify the correct text block or table-cell context. Close the search controls without rebuilding the document from extracted text.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Search navigation must not flatten images, drawings, tables or mixed blocks.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • document-find-inline

34 / Checklist

Notes > Library > Checklist

WHAT THIS SCREEN DOES


Create a list, write each item and tap a checkbox to change completion. Item controls provide indentation/reordering where available. The list title is distinct from item text. Keep completed items hidden only when you intentionally choose that view.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Hide checked is not delete. Existing item IDs, completion and indentation should survive saving and re-opening.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • checklist

35 / Checklist Item Actions

Checklist > item options

WHAT THIS SCREEN DOES


Use the selected item's own control for operations such as indentation, movement or removal. Drag an item grip for row ordering; do not confuse the row grip with a whole-checklist block grip.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Actions must stay scoped to the selected item. Confirm the neighbouring items remain unchanged.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • checklist-item-actions

36 / Mixed Notes Selection

Note > selected text > convert to checklist

WHAT THIS SCREEN DOES


Select only the lines you want in a checklist, then use the conversion action. Unselected writing before and after stays ordinary text. Inspect checked states and formatting after conversion; use Undo for a single structural reversal.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Converting the whole note is a different operation. Do not accept a whole-document conversion as a selected-range fix.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • mixed-notes-selection

37 / Stage Named Checklist

Doc > checklist box name

WHAT THIS SCREEN DOES


A named checklist groups related rows inside mixed writing. Tap the name or block grip for box-level options, including rename or movement. Give the box a descriptive name that is different from its first item.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

The box name is persisted content. Unsupported older APKs may reject named blocks; do not downgrade important data.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • stage-named-checklist

38 / Stage Checklist Drop Preview

Doc > checklist block grip > drag

WHAT THIS SCREEN DOES


Drag the whole checklist toward the intended writing line and use the insertion marker before releasing. Holding near an edge can scroll. A tap-to-place movement alternative can be easier on a short screen.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Wrapped screen lines depend on font and width. The saved destination is a text position, not a permanent screen pixel.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • stage-checklist-drop-preview

39 / Content Item Drag

Doc > block move handle

WHAT THIS SCREEN DOES


Move one rich-content block using its grip and inspect the insertion marker. The block identity and contents travel together. Undo restores the previous structural placement rather than reconstructing a new block from a plain-text excerpt.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A cancelled or rejected drop must leave the original block where it was.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • content-item-drag

40 / Document Dragged

Doc > after block movement

WHAT THIS SCREEN DOES


Review the new ordering, surrounding writing and block-specific controls. Check tables, drawings and checklist rows remain editable. Re-open the document to verify the arrangement was saved.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Visual order alone does not prove that embedded rich content was preserved; inspect each moved object.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-dragged

41 / Document Content Options

Doc > object overflow

WHAT THIS SCREEN DOES


Open the local options for the selected block instead of applying note-wide actions. Rename/copy/cut/paste and placement operations are scoped to the chosen content where supported. Read confirmation text before removal.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Clipboard object payloads and plain text have different fidelity. Do not promise unsupported external-app paste preserves native structure.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-content-options

42 / Content Pen

Doc > content editing control

WHAT THIS SCREEN DOES


Enable the relevant editing mode before changing object content or block-scoped names. Keep a clear distinction between selecting a visual block and editing its internal text/cells. Return to ordinary writing when finished.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A grip should not open an unrelated Move item command merely because it was tapped.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • content-pen

43 / Content List Caret

Writing > Insert > List at caret

WHAT THIS SCREEN DOES


With no selected words, insert a checklist/list at the caret using the available List action. Existing surrounding writing should remain. With selected words, inspect whether the action converts only that range.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Empty selection and nonempty selection have different semantics; check the result before adding more content.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • content-list-caret

44 / Content Typed Numbering

Writing > typed numbering

WHAT THIS SCREEN DOES


Typing a recognised numbering prefix can begin paragraph numbering. Continue with Enter when intended, and use Backspace/escape behaviour to return to ordinary writing on an empty numbered paragraph.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Numbering is structural formatting, not a reason to silently renumber arbitrary identifiers, phone numbers or pasted data.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • content-typed-numbering

45 / Mixed Note Header

Note containing rich blocks

WHAT THIS SCREEN DOES


A Notes-workspace item may contain selected-text checklist blocks and other rich content while remaining a Note. The header and toolbar should reflect the actual workspace, not assume every rich block means Doc.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Workspace membership is stored metadata, not reconstructed from a screenshot or a filename.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • mixed-note-header

46 / Document Mixed

Doc > mixed content

WHAT THIS SCREEN DOES


Combine writing, checklists, tables, images, drawings and diagrams in a single native Doc. Use each object's local controls and preserve text between objects. Back should return through the document rather than an unrelated Settings page.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Exports may simplify some rich content. Keep a native backup when continued editing matters.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-mixed

47 / Document Table

Doc > Insert > Table

WHAT THIS SCREEN DOES


Create a table, then edit a cell directly. Use the table's own overflow for structural actions instead of changing unrelated writing. Check row/column counts and header treatment before filling a large grid.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Table operations must retain other cells and surrounding blocks; a successful screenshot is not a complete data roundtrip test.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • document-table

48 / Word Table Options

Doc > table options

WHAT THIS SCREEN DOES


Choose row/column changes and supported width/header options deliberately. Fit and fixed widths affect presentation. Inspect long cell text after a width change and confirm no cell contents disappeared.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Native Doc tables are separate from read-only Word-preview table fidelity, which remains limited.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • word-table-options

49 / Doc Header Table

Doc > table header

WHAT THIS SCREEN DOES


Use a header row to identify columns and keep the body cells directly editable. Confirm header styling follows the saved setting rather than being inferred from the first row's text.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A visual header style does not automatically make a full Office spreadsheet or preserve every external table feature.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • doc-header-table

50 / Document Visuals

Doc > Insert > visual content

WHAT THIS SCREEN DOES


Add an image, drawing or diagram from Insert. Each type has its own editor and preview. Keep captions in editable writing rather than embedding all instructions into pixels.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Visual previews can be bounded for memory; the app must not claim the preview reconstructs lost original detail.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • document-visuals

51 / Image Editor

Image > edit image

WHAT THIS SCREEN DOES


Review the image preview, then rotate, mirror or crop using the supported controls. Undo/Redo applies to the editing session. Save image edits only after inspecting the result; Cancel retains the prior note image.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Edits affect the saved MyNotes image copy, not the source file selected from the device.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • image-editor

52 / Image Crop Preview

Image editor > crop preview

WHAT THIS SCREEN DOES


Inspect the selected crop bounds before saving. A crop retains the selected pixels; it does not infer hidden detail outside the image. Reset or Undo if the boundary cuts off useful writing or a logo.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Keep a separate original when future uncropping or higher-resolution editing matters.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • image-crop-preview

53 / Remove Image Confirmation

Image > Remove

WHAT THIS SCREEN DOES


Read the removal warning and cancel if the selected image is not the one intended. Removing a note image is distinct from editing its pixels or deleting the original external file.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A destructive-looking icon belongs to removal, not speech-engine opt-in or a harmless view change.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • remove-image-confirmation

54 / Drawing

Editor > Insert > Drawing

WHAT THIS SCREEN DOES

Draw directly on the local canvas and inspect the stroke before saving. The drawing is inserted as a visual in the current note/Doc. Use the session controls rather than navigating away mid-stroke.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A preview is not a promise of infinite-resolution vector storage in every export.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • drawing

55 / Drawing Tools

Drawing > tool controls

WHAT THIS SCREEN DOES

Choose the appropriate pen/eraser and supported colour/size controls. Test a short stroke before a large annotation. Zoom/pan should not be mistaken for ink input; keep the intended mode clear.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Undo an accidental stroke before saving. Canvas bounds and tool behaviour can differ from the surrounding text editor.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • drawing-tools

56 / Drawing Options

Drawing > options

WHAT THIS SCREEN DOES


Use available session actions deliberately. Clear canvas is destructive within the session and needs the proper confirmation; Cancel does not save a new drawing. Save returns to the note with the visual inserted.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not clear the whole note merely to start a new drawing.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • drawing-options

57 / Diagram

Editor > Diagram

WHAT THIS SCREEN DOES


Add shapes, select one and drag its interior to move. Drag a selected corner to resize. Connect creates an arrow to another existing shape; diagram Undo/Redo handles structural changes.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

The diagram uses a bounded logical canvas. Edges refer to stable shape IDs, not arbitrary screen positions.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • diagram

58 / Shape Picker

Diagram > Add shape

WHAT THIS SCREEN DOES


Choose among the supported geometric shapes by name and preview. Place the new shape, then edit its label and colour. Geometric names help distinguish the visible form from legacy stored shape identifiers.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A shape's display name is not a conversion of its existing ID or text.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • shape-picker

59 / Shape Dialog

Diagram > Edit shape

WHAT THIS SCREEN DOES


Select a shape first, then edit its text or colour. Save commits the change; Cancel keeps the existing shape. Inspect labels at the current size to avoid unreadable long text.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Editing one grouped member's label is different from moving or deleting the whole group.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • shape-dialog

60 / Diagram Options

Diagram > Diagram options

WHAT THIS SCREEN DOES


Group shapes and Edit arrows are available here. Candidate42 adds Split arrow, which inserts a small junction into a connector while retaining endpoints and label. Select the junction and Connect to branch.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

The code41 screenshot does not show candidate42's new command. Native and phone checks are still required.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • diagram-options

61 / Group Prerequisites

Diagram > Group shapes

WHAT THIS SCREEN DOES


Select at least two shapes to enable Group. Existing groups merge as units. Use Ungroup selected when the selected shape belongs to a group and you want separate movement again.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Grouping is not flattening: each shape and connector remains editable.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • group-prerequisites

62 / Diagram Group

Diagram > grouped shapes

WHAT THIS SCREEN DOES


Dragging a member moves the group together with clamped geometry. Candidate42 long-press context offers Duplicate group or Delete group. Duplication copies internal arrows into an independent group, not external connections.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Deletion includes connected arrows and is undoable in diagram history. A duplicated group may overlap at canvas boundaries.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • diagram-group

63 / Read Image Auto

Capture > Read from image

WHAT THIS SCREEN DOES


Choose a local image. Recognition runs on device with bundled English/Hindi/Kannada models and automatic language handling. Wait for review or Cancel reading. No language prompt is required for the default path.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

OCR is fallible. Small text, blur, decorative fonts and emoji can be missed or misread, including emoji mistaken for Kannada digits.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • read-image-auto

64 / Image Text Selection

Read image > Select from image

WHAT THIS SCREEN DOES

The source image is visible behind text-region selection. Tap words, drag an area, use Choose words, or select all/clear. Pinch to zoom. Use selected text replaces the review text; saving the note is a separate step.



BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Keep selected image preserves pixels for emoji or objects the OCR cannot interpret. It is not universal emoji recognition.

VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • image-text-selection

65 / Ocr Review

Read image > review recognized text

WHAT THIS SCREEN DOES


Compare extracted text against the image, especially names, dates, digits, symbols and line breaks. Edit mistakes before Save as note or Append to note. Open Select from image again if you need a smaller region.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

An engine confidence number is not calibrated correctness. Do not auto-convert real Kannada digits to emoji.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • ocr-review

66 / Ocr Review Empty

Read image > empty review

WHAT THIS SCREEN DOES


If no text was detected, retain the original image and try a sharper crop or another source. You can type reviewed text manually. Saving actions remain unavailable until there is nonblank text.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not create an empty note as a substitute for an explicit OCR failure or missing-region explanation.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • ocr-review-empty

67 / Capture

Editor/Home > capture tools

WHAT THIS SCREEN DOES


Choose image reading, drawing or voice capture according to the content you need. Capture produces a reviewable local result rather than silently replacing existing writing. Check the current note target before inserting.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Mic permission is optional and should not be requested for unrelated text/image features.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • capture

68 / Doc Capture Language

Doc > image/voice capture

WHAT THIS SCREEN DOES


Capture results can append into the open Doc without flattening existing blocks. OCR language handling is automatic by default, while speech uses the selected offline engine. Review the result before insertion.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

The fixture name is historical; it does not mean the current default OCR requires a language-selection prompt.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • doc-capture-language

69 / Voice Inbox

Library > Voice inbox

WHAT THIS SCREEN DOES


Original recordings remain independently available for playback and transcript review. Code41 shows primary transport/progress with Recording options collapsed and the first20 cards loaded; Show more reaches the rest.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

No recording is deleted by pagination. JSON note backups exclude original audio; export important recordings separately.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • voice-inbox

70 / Settings

Library > Settings

WHAT THIS SCREEN DOES


Settings groups appearance, speech, home-widget access, storage/recovery, diagnostics and About/offline models. Each descriptive card should explain its destination. Back should leave the current page rather than revisit an unrelated Settings route.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Experimental model labels are limitations disclosures, not proof of broad Indian-speaker accuracy.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • settings

71 / Settings After Navigation

Secondary page > Back > Settings

WHAT THIS SCREEN DOES


Check the actual caller when using Back. Pages reached from Folders should return to Folders where appropriate, while ordinary Settings subpages return to Settings. Android Back and the visible Back action should agree.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Known route repairs do not certify every navigation sequence; report the exact entry path when a page returns incorrectly.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • settings-after-navigation

72 / About

Settings > About & offline models

WHAT THIS SCREEN DOES


Read the version, privacy statement and bundled model/licence details. MyNotes has no account or Internet permission. OCR and speech run locally; other readers launched for originals control their own privacy/network behaviour.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

The experimental Whisper adaptation uses one training speaker. Do not infer universal speech or emoji accuracy from its presence.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • about

73 / App Folder Copy Choices

Settings > Storage & recovery > App folder

WHAT THIS SCREEN DOES


Choose optional categories for a complete app recovery checkpoint in an empty selected App folder. Native content remains on device; selected copies provide additional recovery after reinstall and folder reselection.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Portable note-only JSON and complete app checkpoints have different exclusions. Read selected categories before assuming audio/settings/history are copied.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • app-folder-copy-choices

74 / Storage

Settings > Storage & recovery

WHAT THIS SCREEN DOES


Inspect the selected storage location, recovery options and backups. A private internal copy remains the content authority. Choose/reselect a local directory through Android, preserving grants and existing user files.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not uninstall, clear app data or downgrade while migration/recovery is unverified. Provider stalls do not mean private notes vanished.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • storage

75 / Folders

Library > Folders

WHAT THIS SCREEN DOES


Private folders and notes should become usable before optional connected-provider discovery completes. Open All notes or Main folder, select a subfolder or Create folder. Storage settings and Backups remain available.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

This captured frame precedes restoration of the private-storage explanation/Backups card in candidate42. External checks can still wait behind provider work.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • folders

76 / Editor Folder Create

Editor > location > Create folder

WHAT THIS SCREEN DOES


Enter a valid folder name and confirm once. Wait for success before assuming the note has moved. Folder names and storage constraints are validated; a failed creation should leave note content intact.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Creating a folder and moving notes are distinct operations. Avoid repeated Create taps during an outstanding operation.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • editor-folder-create

77 / Document Folder Sheet

Open document > Move to folder

WHAT THIS SCREEN DOES


Choose Main folder or a named destination, or create one from the sheet. Confirm the selected content target before moving. Closing the sheet without choosing must not relocate the document.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Connected-folder enumeration may still involve the storage provider. The first private-first browsing fix does not prove every move-sheet stall is removed.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • document-folder-sheet

78 / Backups

Settings > Storage & recovery > Backups

WHAT THIS SCREEN DOES


Export a readable native JSON note backup and keep a verified copy in local storage. Import first previews a merge; review conflicts and totals before Confirm merge. Important existing content gets a recovery snapshot.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

JSON is not encrypted and excludes original recordings, settings and history unless a different complete-checkpoint feature explicitly includes them.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • backups

79 / Restore Preview

Backups > Import > preview merge

WHAT THIS SCREEN DOES


Compare the current library with the incoming snapshot. Review additions and conflicts, then Confirm merge only if the plan still matches the current library. Cancel before confirmation leaves notes unchanged.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A changed library invalidates the preview. Do not silently apply a stale plan or overwrite conflicting content.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • restore-preview

80 / Trash

Library > Trash

WHAT THIS SCREEN DOES


Deleted notes remain recoverable for the retention period. Select an item and Restore to return it. Permanent deletion and Empty Trash are separate destructive operations with confirmation.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Original voice recordings have a separate lifecycle. A deleted transcript note does not automatically mean its audio was erased.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • trash

81 / Trash Confirmation

Trash > Delete permanently / Empty Trash

WHAT THIS SCREEN DOES


Read the warning, check how many items are affected and use Cancel if unsure. Permanent deletion is not ordinary Archive or Hide checked. Export important data before purging.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not promise Undo after a confirmed permanent purge. Seven-day retention is not a backup guarantee after app-data clearing.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • trash-confirmation

82 / Labels

Editor/selection > Labels

WHAT THIS SCREEN DOES


Assign labels to organise content across folders. Use clear names and verify the intended note/selection receives them. Filters match any selected label. Rename and removal should not alter unrelated writing.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Labels are metadata, not device directories or a substitute for verified storage location.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • labels

83 / Add Reminder

Editor > reminder action

WHAT THIS SCREEN DOES


Choose a date/time only when you want a local reminder for that note. Inspect notification permission and battery constraints. Saved dates alone do not guarantee Android will display an alert.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Force-stop disables alarms until reopening; notification settings and battery policies can delay or prevent delivery.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • add-reminder

84 / Reminder Date

Reminder > date picker

WHAT THIS SCREEN DOES


Select the intended future calendar date, then continue to time selection. Check month/year carefully around date boundaries. Cancel leaves the existing reminder unchanged.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A past date/time should be rejected rather than silently scheduling an unintended reminder.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • reminder-date

85 / Reminder Time

Reminder > time picker

WHAT THIS SCREEN DOES


Choose the local time and confirm the complete future date/time. MyNotes uses the device's time and Android delivery system. Revisit the reminder if the timezone or travel schedule changes.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Local scheduling is not a cloud sync service and does not bypass Android notification/battery policies.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • reminder-time

86 / Diagnostics

Settings > Diagnostics

WHAT THIS SCREEN DOES


Opt in only if you want app-event diagnostics. Export a report when investigating a failure; clear only with confirmation. Reports omit note bodies/audio/images/URI paths but environment details can identify a device.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not post private exports publicly. Event counts do not measure frame time or prove the physical cause of lag.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • diagnostics

87 / Spreadsheet Grid Viewport

Library > Open file > CSV/XLSX

WHAT THIS SCREEN DOES


Open the local sheet as a read-only grid. Scroll rows/columns, choose a sheet where available and search cached values. CSV quoted multiline fields remain cell values; formulas are not executed.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Android CSV MIME aliases were repaired in code39. Current candidate bytes and provider combinations still require their own validation.



Synthetic spreadsheet preview
Synthetic-xxxx

88 / Word Synthetic Paper Page

Open file > DOCX > MyNotes pages

WHAT THIS SCREEN DOES

The local paper preview renders supported inline images, text, explicit breaks and default headers/footers. Inspect the result against the authored original. Other views offers an installed compatible reader or a separate editable text copy.



BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

This is approximate: substituted fonts, floating logos, merged tables, section rules, fields and legacy symbols may differ. No Word-equivalence claim.

VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • word-synthetic-paper-page

89 / Word Zoom

Word/PDF preview > pinch

WHAT THIS SCREEN DOES


Pinch to zoom and drag to pan while zoomed. Double-tap resets/toggles the supported view scale. The lazy page raster remains bounded rather than allocating a giant bitmap for every pinch level.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Zoom changes the preview viewport, not the document's original page size or source bytes.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • word-zoom

90 / Word Link Form

Doc > Insert > Hyperlink

WHAT THIS SCREEN DOES


Select the exact words, including multiple lines when intended, then enter a safe HTTP/HTTPS address. The selected words remain visible and styled as a link; the URL is separate from their display text.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

Do not execute arbitrary URI schemes. Editing a link does not upload the note or replace the selected words with a guessed label.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • word-link-form

91 / Document Pdf Options

Document actions > Export PDF

WHAT THIS SCREEN DOES


Choose the appropriate export options, including guide inclusion if offered. MyNotes writes a separate PDF and verifies the destination by readback. Keep the native document for continued rich editing.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

A failed readback may leave a partial destination that needs removing. The native note and original external files should stay unchanged.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • current-api36 • document-pdf-options

92 / Document Keyboard

Doc > writing with keyboard

WHAT THIS SCREEN DOES


Place the caret in the intended writing block before typing. Formatting, insertion and selection should preserve the active field across viewport adaptation. Scroll the document when the keyboard reduces space.

BEFORE YOU ACT

Follow the route above and check the current note, workspace, selection and open panel. A local object action is different from a note-wide or library-wide operation. Use Cancel or Back if the target is wrong.

IMPORTANT BOUNDARY

An accepted IME show request and actual active keyboard target are different states; inspect the current field if text goes elsewhere.



VERIFY THE RESULT

Inspect the intended change and the neighbouring content. Where the action saves or moves data, re-open the affected item and check the saved state. Preserve originals and use the documented recovery/export route before destructive changes. Report the actual entry path and visible failure; a screenshot alone is not full validation.

Image: synthetic code41 fixture • run41503575601 • min-api26-b • document-keyboard