Installed-app comparison — runtime evidence, acceptance still open

Pinned MyNotes0.71.0/code71 release APK SHA256 a7d6f685992c68fe4ffc7f3a5705d0514986c9d9fd82ca67c6f68d392ca41de3; official Obsidian1.15.0/code396 SHA256 2d92966fba5441a8976ae86b39cf138c0a845d3dcd318e6f0d29d304950bca5d. Neither APK is rebuilt or re-signed. Fresh public disposable emulator fixtures only, no user library/account access.

READ FIRST: runtime page inspection is not a functional pass,74 attempt records are not74 accepted tasks, and these probes do not complete the original37 requested acceptance tasks. All whole-module, physical and fix-phase approval flags remain false. Failures and unavailable routes are preserved, not assigned zero feature scores or interpreted as feature absence.

Exact Actions run, source and job outcomes

Machine-readable coverage and limitations

Original-file SHA256 manifest

Profile	Attempts /74	Actual outcome types
light-portrait	74	{'bounded_outcome_verified': 3, 'blocked': 54, 'interaction_observed': 16, 'inspection_only': 1}
dark-portrait	74	{'bounded_outcome_verified': 3, 'blocked': 54, 'interaction_observed': 16, 'inspection_only': 1}
light-landscape	0	{}
dark-landscape	0	{}

Methods differ and are disclosed: MyNotes public note is entered using native touch/input and reopened after process restart; Obsidian public fixtures are seeded using its official vault API, and command/settings APIs navigate some surfaces. Those shortcuts are not user-route, creation-efficiency or latency evidence. Native screens are real adb captures; no UI reconstruction. Standard font scale1.0; light/dark portrait/landscape at API34, not physical phones or accessibility acceptance.

Fixture validity warning: this first run generates incomplete DOCX/ODT/PPTX ZIP containers. Any failure on those files is INVALID as an app-format or fidelity finding until standards-valid fixtures are rerun. The PDF is a small synthetic3-page file, not the requested18MB+ varied-document acceptance corpus.

Activity launch milestones and gfx/memory diagnostics, if present, are NOT time-to-ready, touch latency, human completion time, animation quality, battery or a cross-engine performance ranking. Accounts, Sync/Publish service operation and community-plugin execution are not performed. Original task text and actual smaller probe are printed separately on every page.

PLAN-X01 | Find, organise, label and reorder | light-portrait


Original acceptance task (NOT automatically accepted): Find an archived body-only match while a folder filter is active; reorder a distant card, then return.


mynotes — bounded_outcome_verified. Actual bounded check: Body-only search returns the known title and marker passage outside the search input; not latency or broad search acceptance.

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for ^global-search:open$; not proof of feature absence

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Record actual scope, result passage, selected filters and persisted order; repeat list/grid, keyboard and large text. Measure drag continuity only in a new live session.

PLAN-X02 | Writing, reading and formatting | light-portrait


Original acceptance task (NOT automatically accepted): Format the middle of a paragraph, type new text, undo, dismiss the keyboard and reopen the note.


mynotes — bounded_outcome_verified. Actual bounded check: Exact public body read back after force-stop/relaunch and opening the saved note; bounded plain-note persistence only.

mynotes original screenshot

obsidian — bounded_outcome_verified. Actual bounded check: Official vault readback retains exact API-seeded public body. Fixture setup is not a UI creation or cross-app typing-efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Retain surrounding prose, correct style target, caret and saved result. Repeat with large text; compare actual task completion and mistakes, not assertion counts.

PLAN-X03 | Checklists, numbering and list editing | light-portrait


Original acceptance task (NOT automatically accepted): Insert an item in the middle, indent it, move it past the viewport, hide completed rows and undo.


mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No lost items, wrong-list operations or accidental workspace swipes. Verify numbering after insertion and Backspace exit at an empty item.

PLAN-X04 | Tables and direct cell editing | light-portrait


Original acceptance task (NOT automatically accepted): Edit a long cell in a wide table; insert a column beside it, toggle header role, delete a row and undo.


mynotes — blocked. Actual bounded check: No visible enabled exact-label control: ('Add to document',); labels=['', '', '', '', '', '', 'Back', 'Saved · internal · Device storage', 'Undo', 'Redo', 'Find in document', 'Document', '', '', 'Title', '', 'Text section', 'Editor tools', '', 'Insert', 'Format', 'List', 'Background', '', '']

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Keep the active cell visible above the IME; no unexpected horizontal jump; restore content and header meaning after undo. Compare the same table, not these unequal fixtures.

PLAN-X05 | Images, attachments and inline media | light-portrait


Original acceptance task (NOT automatically accepted): Insert a photo, select two recognized words, keep the image, edit its crop, then remove only the intended attachment.


mynotes — interaction_observed. Actual bounded check: Image insertion/picker entry, not image-import success.

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Keep source bytes, unrelated blocks and names intact; make copy versus replacement clear. Verify offscreen word selection and explicit outside-tap dismissal.

PLAN-X06 | Web hyperlinks and external opening | light-portrait


Original acceptance task (NOT automatically accepted): Add a long URL to selected words, correct a malformed address, reopen, edit and remove the link.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot



Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No duplicate URL per line, changed neighboring prose or unnoticed external launch. Check keyboard visibility, wrapped fields and TalkBack error announcement.

PLAN-X07 | Internal links, backlinks, graph and previews | light-portrait


Original acceptance task (NOT automatically accepted): Link A to a heading in B, rename B, return through backlinks and preview the target without losing A.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Target identity and rename behavior must be verified live; count wrong destinations and recovery steps. No graph speed or link-integrity winner has been measured.

PLAN-X08 | Long-note orientation, tags, footnotes and word count | light-portrait


Original acceptance task (NOT automatically accepted): Locate a middle heading, find a repeated phrase, follow a footnote and return to the exact reading location.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify target and return anchors, heading levels, counts and generated text treatment; do not infer footnote success from a registered command.

PLAN-X09 | Properties and Bases | light-portrait


Original acceptance task (NOT automatically accepted): For users who need records, edit one typed field, filter a view, rename a file and reopen the view.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot



Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Validate data types, retained filters, note identity and error recovery. No Bases performance, formulas or equivalent MyNotes capability is certified here.

PLAN-X10 | Quick capture, daily notes, templates and unique notes | light-portrait


Original acceptance task (NOT automatically accepted): From a cold start, capture a short thought; then create a repeated meeting structure and return tomorrow.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Observe time to first saved words, setup mistakes, duplicate daily notes and return continuity. Do not populate fake user content to make the app feel busy.

PLAN-X11 | Freehand drawing and Canvas | light-portrait


Original acceptance task (NOT automatically accepted): Draw a diagram annotation, leave and reopen it; in Canvas connect two cards, pan/zoom and reopen the board.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Evaluate each tool against its own output goal. For common save/return work, preserve content and location; latency needs real stroke traces on matched hardware.

PLAN-X12 | Diagrams, shapes, arrows and grouping | light-portrait


Original acceptance task (NOT automatically accepted): Add two shapes, connect them, group, resize, split the arrow, undo and reopen.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check actual anchor geometry, target selection, retained names and no accidental duplication. Run long-press/context-menu actions with large text and TalkBack.

PLAN-X13 | PDF reading, selection, search and markup | light-portrait


Original acceptance task (NOT automatically accepted): Open a large scanned/mixed PDF, zoom a distant page, select offscreen text, find a hit with IME, mark a rotated page and export.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Public attachment opened through official vault/workspace API shortcut; actual view type captured, not full format fidelity or user import-route acceptance.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Compare the original bytes; inspect hit position, highlight geometry and rendered export. Exercise cancellation and a partial destination; private markup drafts are outside Notes backups.

PLAN-X14 | Word files and original-layout expectations | light-portrait


Original acceptance task (NOT automatically accepted): Open a DOCX with headers, inline images, wide tables and hard page breaks; select text, zoom and create an editable copy.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check original bytes and document return position, compare rendered pages with a suitable Word reference, and disclose any dropped layout/media. Do not invent fidelity from a synthetic one-page frame.

PLAN-X15 | Large TXT and read-only text viewing | light-portrait


Original acceptance task (NOT automatically accepted): Open a large multilingual TXT, find a repeated phrase near the end, select across the viewport and return to the prior file list.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Measure open/find latency separately from rendering; inspect Unicode integrity, clear selection on deliberate tap, retained page and unchanged original.

PLAN-X16 | Spreadsheet previews and cached values | light-portrait


Original acceptance task (NOT automatically accepted): Open quoted CSV and a multi-sheet XLSX with formulas, missing cached results and wide cells; locate a value and copy it.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Compare visible rows/columns and Unicode with source values, disclose cached-only results, retain sheet/scroll position and never execute macros or scripts.

PLAN-X17 | Markdown, HTML, RTF, ODT and slide imports | light-portrait

Original acceptance task (NOT automatically accepted): Open one realistic file of each advertised type, inspect text order and unsupported elements, then cancel or create a copy.

mynotes — interaction_observed. Actual bounded check: Each named format attempted separately; blocked or text-only views are not full import fidelity passes.


mynotes original screenshot


Format subtasks: Comparison.md:blocked; Comparison.html:blocked; Comparison.rtf:blocked; Comparison.odt:blocked; Comparison.pptx:blocked

obsidian — interaction_observed. Actual bounded check: Each real attachment attempted independently; view type is not import fidelity.

obsidian original screenshot

Format subtasks: Comparison.md:interaction_observed; Comparison.html:blocked; Comparison.rtf:blocked; Comparison.odt:blocked; Comparison.pptx:blocked





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Record per-format fidelity and actionable errors; preserve originals, reject malformed/oversized archives safely and distinguish external-reader delegation from in-app support.

PLAN-X18 | OCR, image-region text and scanned-page recognition | light-portrait


Original acceptance task (NOT automatically accepted): Read tiny/oblique/multilingual public scenes, blank controls and selected image regions; compare exact expected text and corrected output.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for ocr|recogniz; not proof of feature absence

obsidian original screenshot



Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Retain source hashes, full hypotheses, CER, omissions/false words, cold/warm latency and correction time. No new accuracy study or training occurred in this report.

PLAN-X19 | Voice recording, playback and transcription | light-portrait


Original acceptance task (NOT automatically accepted): Record varied Indian speakers, pause/resume, deny/regrant permission, play through a headset and correct names/numbers while listening.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for audio-recorder; not proof of feature absence

obsidian original screenshot



Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Measure word errors, boundary losses, time-to-review, seek accuracy and actual audible playback on physical hardware. Verify originals export separately from note backups.

PLAN-X20 | Reminders and notifications | light-portrait


Original acceptance task (NOT automatically accepted): Set, rename and reschedule a reminder, deny notifications, reboot and then tap the delivered notification.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for reminder; not proof of feature absence

obsidian original screenshot



Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Use disposable notes; verify no stale/duplicate notification, correct note identity and sensible blocked-state feedback. Measure actual delivery under power restrictions separately.

PLAN-X21 | Home widget and Android entry points | light-portrait


Original acceptance task (NOT automatically accepted): Place/resize the widget, pin and archive notes, share text from another app and open a reminder deep link.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — inspection_only. Actual bounded check: Android provider diagnostic, not placement, usability or proof of all entry points.

obsidian original screenshot



Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify labels, intended note, no duplicates and return context on real launchers, including large system text. Do not restore widget/notification consent silently during recovery.

PLAN-X22 | Appearance, backgrounds, fonts and accessibility | light-portrait


Original acceptance task (NOT automatically accepted): Switch system theme, increase font scale, navigate with TalkBack and format selected text over a patterned background.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official settings API navigation; actual visible surface retained. Requested tab is not presumed reached without subsequent evidence review.

Capture blocker: Connection to remote host was lost.



No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check clipping, announced scope/selection, contrast and focus order across orientations; screenshots alone do not establish 48dp targets or a successful screen-reader task.

PLAN-X23 | First-use storage, private folders and optional App folder | light-portrait

Original acceptance task (NOT automatically accepted): Create notes offline, choose an empty optional folder, revoke access, save again and reconnect without clearing app data.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device offline

Capture blocker: ('exec-out', 'screencap', '-p'): error: device offline

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device offline

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Inspect exact copied categories and pending status; test reinstall/reselection only on disposable fixtures. Never tell the user to uninstall or clear their real library for this review.

PLAN-X24 | Portable backup, import merge and full recovery | light-portrait

Original acceptance task (NOT automatically accepted): Export a near-limit rich library, exceed the limit safely, import identical and same-ID changed notes, then verify every supported content type.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device offline

Capture blocker: ('exec-out', 'screencap', '-p'): error: device offline

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device offline

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No silent partial success or overwrite; disclose omitted categories and readable/non-encrypted JSON. A complete App-folder checkpoint is a separate opt-in recovery mechanism, not this portable file.

PLAN-X25 | Trash, permanent deletion and recovery | light-portrait

Original acceptance task (NOT automatically accepted): Delete/restore a rich note, inspect what happens to its audio and exports, then purge only a disposable selected note.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify the exact affected IDs, Undo boundaries, expiry policy and retained separate data. Never infer crash or power-loss recovery from a confirmation screenshot.

PLAN-X26 | Archive, pinning and bookmarks | light-portrait

Original acceptance task (NOT automatically accepted): Pin a note, archive it, find it globally, restore it and compare a saved Obsidian bookmark task.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check persisted identity/order, scope labels and no accidental duplicate. Bookmark persistence must be newly verified rather than inferred from its empty pane.

PLAN-X27 | Undo, redo, editing history and save feedback | light-portrait

Original acceptance task (NOT automatically accepted): Edit text/table/image, undo and redo, leave and reopen; repeat after controlled process restart on disposable data.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify exact rich payload and history matching the saved revision; preserve current content when history is invalid or trimmed. Never run destructive migration on the user library.

PLAN-X28 | Workspaces, tabs and mobile navigation | light-portrait

Original acceptance task (NOT automatically accepted): Switch between two notes, a PDF and Settings; reorder content near an edge, then return to the initial editing location.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Log wrong destinations, lost context, accidental switches and state after restart. Workspace restoration is outstanding until a matching live task succeeds.

PLAN-X29 | Settings, commands, quick actions and help discovery | light-portrait

Original acceptance task (NOT automatically accepted): Without a walkthrough, find move, undo, export, a setting and one uncommon editor action using touch alone.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Observe search terms, wrong taps and help requests; distinguish disabled/contextual/unconfigured actions. Do not use all 205 inventoried commands as a usability success count.

PLAN-X30 | Export, sharing, duplication and note composition | light-portrait

Original acceptance task (NOT automatically accepted): Share a mixed note, export PDF and JSON, duplicate it, merge selected notes and undo the merge.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check text/media/table fidelity for each promised format, exact source IDs and retained source copies; destination failure must not silently destroy content.

PLAN-X31 | Local summary and text assistance | light-portrait

Original acceptance task (NOT automatically accepted): Summarize varied notes with negation, dates and multilingual sentences; check the retained source and decide whether the result is useful.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify each sentence comes from the source, essential cautions are not lost and limits are clear. No summary-quality test was executed in this report.

PLAN-X32 | Privacy, permission boundaries and diagnostic logs | light-portrait

Original acceptance task (NOT automatically accepted): Deny microphone, use notes normally, enable logs for a dummy issue, filter/export/delete and inspect the resulting local file.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify opt-out, readable levels/time range, explicit delete confirmation and exported content minimisation. Security of all native dependencies was not certified here.

PLAN-X33 | Smoothness, speed, footprint and reliability | light-portrait

Original acceptance task (NOT automatically accepted): On matched hardware, cold start, create/type, search a large library, drag a distant card, open a large PDF and recover from a controlled failure.

mynotes — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Collect touch-to-visible timings, frame trace, dropped frames, memory and exact failure logs. Distinguish timeouts/socket failures from app crashes and do not publish a fabricated global score.

PLAN-X34 | Core modules, community plugins and extensibility | light-portrait

Original acceptance task (NOT automatically accepted): Find a core module, understand its description, enable/disable it and identify changed controls; inspect restricted/plugin trust text without installing unknown code.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify reversible configuration and a stable default note workflow. No community code was installed or executed; unknown plugins and future modules are outside this pinned-version inventory.

PLAN-X35 | Sync, Publish, account and service boundaries | light-portrait

Original acceptance task (NOT automatically accepted): For a future explicitly authorised service study, evaluate offline edits, conflicts, account loss, export and deliberate public visibility with disposable data.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No login, purchase, upload or publishing was performed. Conflict resolution, encryption, recovery and cost/value remain untested; an entry screen is not a passed sync task.

PLAN-X36 | Slides, presentation and reading projections | light-portrait

Original acceptance task (NOT automatically accepted): Present a multi-slide disposable note, navigate, dismiss the keyboard, rotate and return to editing; compare PDF reading only as a separate output route.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify every slide, media, controls and return location. Obsidian landscape was not qualified by its retained audit; no physical presentation run occurred here.

PLAN-X37 | About, models, licences and honest help | light-portrait

Original acceptance task (NOT automatically accepted): Ask a novice to identify where notes are saved, how to protect audio and how to export useful diagnostics without sending private notes.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Observe whether they can explain the result in their own words. Do not substitute long notices or a generated guide for successful comprehension.

PLAN-X01 | Find, organise, label and reorder | dark-portrait


Original acceptance task (NOT automatically accepted): Find an archived body-only match while a folder filter is active; reorder a distant card, then return.


mynotes — bounded_outcome_verified. Actual bounded check: Body-only search returns the known title and marker passage outside the search input; not latency or broad search acceptance.

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for ^global-search:open$; not proof of feature absence

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Record actual scope, result passage, selected filters and persisted order; repeat list/grid, keyboard and large text. Measure drag continuity only in a new live session.

PLAN-X02 | Writing, reading and formatting | dark-portrait


Original acceptance task (NOT automatically accepted): Format the middle of a paragraph, type new text, undo, dismiss the keyboard and reopen the note.


mynotes — bounded_outcome_verified. Actual bounded check: Exact public body read back after force-stop/relaunch and opening the saved note; bounded plain-note persistence only.

mynotes original screenshot

obsidian — bounded_outcome_verified. Actual bounded check: Official vault readback retains exact API-seeded public body. Fixture setup is not a UI creation or cross-app typing-efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Retain surrounding prose, correct style target, caret and saved result. Repeat with large text; compare actual task completion and mistakes, not assertion counts.

PLAN-X03 | Checklists, numbering and list editing | dark-portrait


Original acceptance task (NOT automatically accepted): Insert an item in the middle, indent it, move it past the viewport, hide completed rows and undo.


mynotes — interaction_observed. Actual bounded check: Named native controls opened; no implicit persistence, discoverability or module acceptance.

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No lost items, wrong-list operations or accidental workspace swipes. Verify numbering after insertion and Backspace exit at an empty item.

PLAN-X04 | Tables and direct cell editing | dark-portrait


Original acceptance task (NOT automatically accepted): Edit a long cell in a wide table; insert a column beside it, toggle header role, delete a row and undo.


mynotes — blocked. Actual bounded check: No visible enabled exact-label control: ('Add to document',); labels=['', '', '', '', '', '', 'Back', 'Saved · internal · Device storage', 'Undo', 'Redo', 'Find in document', 'Document', '', '', 'Title', '', 'Text section', 'Editor tools', '', 'Insert', 'Format', 'List', 'Background', '', '']

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Keep the active cell visible above the IME; no unexpected horizontal jump; restore content and header meaning after undo. Compare the same table, not these unequal fixtures.

PLAN-X05 | Images, attachments and inline media | dark-portrait


Original acceptance task (NOT automatically accepted): Insert a photo, select two recognized words, keep the image, edit its crop, then remove only the intended attachment.


mynotes — interaction_observed. Actual bounded check: Image insertion/picker entry, not image-import success.

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Keep source bytes, unrelated blocks and names intact; make copy versus replacement clear. Verify offscreen word selection and explicit outside-tap dismissal.

PLAN-X06 | Web hyperlinks and external opening | dark-portrait


Original acceptance task (NOT automatically accepted): Add a long URL to selected words, correct a malformed address, reopen, edit and remove the link.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No duplicate URL per line, changed neighboring prose or unnoticed external launch. Check keyboard visibility, wrapped fields and TalkBack error announcement.

PLAN-X07 | Internal links, backlinks, graph and previews | dark-portrait


Original acceptance task (NOT automatically accepted): Link A to a heading in B, rename B, return through backlinks and preview the target without losing A.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Target identity and rename behavior must be verified live; count wrong destinations and recovery steps. No graph speed or link-integrity winner has been measured.

PLAN-X08 | Long-note orientation, tags, footnotes and word count | dark-portrait


Original acceptance task (NOT automatically accepted): Locate a middle heading, find a repeated phrase, follow a footnote and return to the exact reading location.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify target and return anchors, heading levels, counts and generated text treatment; do not infer footnote success from a registered command.

PLAN-X09 | Properties and Bases | dark-portrait


Original acceptance task (NOT automatically accepted): For users who need records, edit one typed field, filter a view, rename a file and reopen the view.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Validate data types, retained filters, note identity and error recovery. No Bases performance, formulas or equivalent MyNotes capability is certified here.

PLAN-X10 | Quick capture, daily notes, templates and unique notes | dark-portrait


Original acceptance task (NOT automatically accepted): From a cold start, capture a short thought; then create a repeated meeting structure and return tomorrow.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Observe time to first saved words, setup mistakes, duplicate daily notes and return continuity. Do not populate fake user content to make the app feel busy.

PLAN-X11 | Freehand drawing and Canvas | dark-portrait


Original acceptance task (NOT automatically accepted): Draw a diagram annotation, leave and reopen it; in Canvas connect two cards, pan/zoom and reopen the board.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Evaluate each tool against its own output goal. For common save/return work, preserve content and location; latency needs real stroke traces on matched hardware.

PLAN-X12 | Diagrams, shapes, arrows and grouping | dark-portrait


Original acceptance task (NOT automatically accepted): Add two shapes, connect them, group, resize, split the arrow, undo and reopen.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official command API navigation shortcut; resulting real UI captured, not a functional or touch-route efficiency pass.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check actual anchor geometry, target selection, retained names and no accidental duplication. Run long-press/context-menu actions with large text and TalkBack.

PLAN-X13 | PDF reading, selection, search and markup | dark-portrait


Original acceptance task (NOT automatically accepted): Open a large scanned/mixed PDF, zoom a distant page, select offscreen text, find a hit with IME, mark a rotated page and export.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Public attachment opened through official vault/workspace API shortcut; actual view type captured, not full format fidelity or user import-route acceptance.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Compare the original bytes; inspect hit position, highlight geometry and rendered export. Exercise cancellation and a partial destination; private markup drafts are outside Notes backups.

PLAN-X14 | Word files and original-layout expectations | dark-portrait


Original acceptance task (NOT automatically accepted): Open a DOCX with headers, inline images, wide tables and hard page breaks; select text, zoom and create an editable copy.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check original bytes and document return position, compare rendered pages with a suitable Word reference, and disclose any dropped layout/media. Do not invent fidelity from a synthetic one-page frame.

PLAN-X15 | Large TXT and read-only text viewing | dark-portrait


Original acceptance task (NOT automatically accepted): Open a large multilingual TXT, find a repeated phrase near the end, select across the viewport and return to the prior file list.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Measure open/find latency separately from rendering; inspect Unicode integrity, clear selection on deliberate tap, retained page and unchanged original.

PLAN-X16 | Spreadsheet previews and cached values | dark-portrait


Original acceptance task (NOT automatically accepted): Open quoted CSV and a multi-sheet XLSX with formulas, missing cached results and wide cells; locate a value and copy it.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: ('Target file view not established', {'type': 'markdown', 'file': 'Comparison37/Meeting.md', 'body': 'Meeting\n Public comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.\n\n\n\t\n\n\n\n\n\n\t\n\n\n\n\n1'})

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Compare visible rows/columns and Unicode with source values, disclose cached-only results, retain sheet/scroll position and never execute macros or scripts.

PLAN-X17 | Markdown, HTML, RTF, ODT and slide imports | dark-portrait

Original acceptance task (NOT automatically accepted): Open one realistic file of each advertised type, inspect text order and unsupported elements, then cancel or create a copy.

mynotes — interaction_observed. Actual bounded check: Each named format attempted separately; blocked or text-only views are not full import fidelity passes.


mynotes original screenshot


Format subtasks: Comparison.md:blocked; Comparison.html:blocked; Comparison.rtf:blocked; Comparison.odt:blocked; Comparison.pptx:blocked

obsidian — interaction_observed. Actual bounded check: Each real attachment attempted independently; view type is not import fidelity.

obsidian original screenshot

Format subtasks: Comparison.md:interaction_observed; Comparison.html:blocked; Comparison.rtf:blocked; Comparison.odt:blocked; Comparison.pptx:blocked





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Record per-format fidelity and actionable errors; preserve originals, reject malformed/oversized archives safely and distinguish external-reader delegation from in-app support.

PLAN-X18 | OCR, image-region text and scanned-page recognition | dark-portrait


Original acceptance task (NOT automatically accepted): Read tiny/oblique/multilingual public scenes, blank controls and selected image regions; compare exact expected text and corrected output.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for ocr|recogniz; not proof of feature absence

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Retain source hashes, full hypotheses, CER, omissions/false words, cold/warm latency and correction time. No new accuracy study or training occurred in this report.

PLAN-X19 | Voice recording, playback and transcription | dark-portrait


Original acceptance task (NOT automatically accepted): Record varied Indian speakers, pause/resume, deny/regrant permission, play through a headset and correct names/numbers while listening.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for audio-recorder; not proof of feature absence

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Measure word errors, boundary losses, time-to-review, seek accuracy and actual audible playback on physical hardware. Verify originals export separately from note backups.

PLAN-X20 | Reminders and notifications | dark-portrait


Original acceptance task (NOT automatically accepted): Set, rename and reschedule a reminder, deny notifications, reboot and then tap the delivered notification.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — blocked. Actual bounded check: No matching installed core command established for reminder; not proof of feature absence

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Use disposable notes; verify no stale/duplicate notification, correct note identity and sensible blocked-state feedback. Measure actual delivery under power restrictions separately.

PLAN-X21 | Home widget and Android entry points | dark-portrait


Original acceptance task (NOT automatically accepted): Place/resize the widget, pin and archive notes, share text from another app and open a reminder deep link.


mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — inspection_only. Actual bounded check: Android provider diagnostic, not placement, usability or proof of all entry points.

obsidian original screenshot





Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify labels, intended note, no duplicates and return context on real launchers, including large system text. Do not restore widget/notification consent silently during recovery.

PLAN-X22 | Appearance, backgrounds, fonts and accessibility | dark-portrait


Original acceptance task (NOT automatically accepted): Switch system theme, increase font scale, navigate with TalkBack and format selected text over a patterned background.

mynotes — blocked. Actual bounded check: Home Library control not ready; app error is not suppressed

mynotes original screenshot

obsidian — interaction_observed. Actual bounded check: Official settings API navigation; actual visible surface retained. Requested tab is not presumed reached without subsequent evidence review.

Capture blocker: Connection to remote host was lost.



No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check clipping, announced scope/selection, contrast and focus order across orientations; screenshots alone do not establish 48dp targets or a successful screen-reader task.

PLAN-X23 | First-use storage, private folders and optional App folder | dark-portrait

Original acceptance task (NOT automatically accepted): Create notes offline, choose an empty optional folder, revoke access, save again and reconnect without clearing app data.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device offline

Capture blocker: ('exec-out', 'screencap', '-p'): error: device offline

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device offline

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Inspect exact copied categories and pending status; test reinstall/reselection only on disposable fixtures. Never tell the user to uninstall or clear their real library for this review.

PLAN-X24 | Portable backup, import merge and full recovery | dark-portrait

Original acceptance task (NOT automatically accepted): Export a near-limit rich library, exceed the limit safely, import identical and same-ID changed notes, then verify every supported content type.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device offline

Capture blocker: ('exec-out', 'screencap', '-p'): error: device offline

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device offline

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No silent partial success or overwrite; disclose omitted categories and readable/non-encrypted JSON. A complete App-folder checkpoint is a separate opt-in recovery mechanism, not this portable file.

PLAN-X25 | Trash, permanent deletion and recovery | dark-portrait

Original acceptance task (NOT automatically accepted): Delete/restore a rich note, inspect what happens to its audio and exports, then purge only a disposable selected note.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device offline

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify the exact affected IDs, Undo boundaries, expiry policy and retained separate data. Never infer crash or power-loss recovery from a confirmation screenshot.

PLAN-X26 | Archive, pinning and bookmarks | dark-portrait

Original acceptance task (NOT automatically accepted): Pin a note, archive it, find it globally, restore it and compare a saved Obsidian bookmark task.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check persisted identity/order, scope labels and no accidental duplicate. Bookmark persistence must be newly verified rather than inferred from its empty pane.

PLAN-X27 | Undo, redo, editing history and save feedback | dark-portrait

Original acceptance task (NOT automatically accepted): Edit text/table/image, undo and redo, leave and reopen; repeat after controlled process restart on disposable data.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify exact rich payload and history matching the saved revision; preserve current content when history is invalid or trimmed. Never run destructive migration on the user library.

PLAN-X28 | Workspaces, tabs and mobile navigation | dark-portrait

Original acceptance task (NOT automatically accepted): Switch between two notes, a PDF and Settings; reorder content near an edge, then return to the initial editing location.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Log wrong destinations, lost context, accidental switches and state after restart. Workspace restoration is outstanding until a matching live task succeeds.

PLAN-X29 | Settings, commands, quick actions and help discovery | dark-portrait

Original acceptance task (NOT automatically accepted): Without a walkthrough, find move, undo, export, a setting and one uncommon editor action using touch alone.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Observe search terms, wrong taps and help requests; distinguish disabled/contextual/unconfigured actions. Do not use all 205 inventoried commands as a usability success count.

PLAN-X30 | Export, sharing, duplication and note composition | dark-portrait

Original acceptance task (NOT automatically accepted): Share a mixed note, export PDF and JSON, duplicate it, merge selected notes and undo the merge.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Check text/media/table fidelity for each promised format, exact source IDs and retained source copies; destination failure must not silently destroy content.

PLAN-X31 | Local summary and text assistance | dark-portrait

Original acceptance task (NOT automatically accepted): Summarize varied notes with negation, dates and multilingual sentences; check the retained source and decide whether the result is useful.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify each sentence comes from the source, essential cautions are not lost and limits are clear. No summary-quality test was executed in this report.

PLAN-X32 | Privacy, permission boundaries and diagnostic logs | dark-portrait

Original acceptance task (NOT automatically accepted): Deny microphone, use notes normally, enable logs for a dummy issue, filter/export/delete and inspect the resulting local file.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify opt-out, readable levels/time range, explicit delete confirmation and exported content minimisation. Security of all native dependencies was not certified here.

PLAN-X33 | Smoothness, speed, footprint and reliability | dark-portrait

Original acceptance task (NOT automatically accepted): On matched hardware, cold start, create/type, search a large library, drag a distant card, open a large PDF and recover from a controlled failure.

mynotes — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Collect touch-to-visible timings, frame trace, dropped frames, memory and exact failure logs. Distinguish timeouts/socket failures from app crashes and do not publish a fabricated global score.

PLAN-X34 | Core modules, community plugins and extensibility | dark-portrait

Original acceptance task (NOT automatically accepted): Find a core module, understand its description, enable/disable it and identify changed controls; inspect restricted/plugin trust text without installing unknown code.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify reversible configuration and a stable default note workflow. No community code was installed or executed; unknown plugins and future modules are outside this pinned-version inventory.

PLAN-X35 | Sync, Publish, account and service boundaries | dark-portrait

Original acceptance task (NOT automatically accepted): For a future explicitly authorised service study, evaluate offline edits, conflicts, account loss, export and deliberate public visibility with disposable data.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: No login, purchase, upload or publishing was performed. Conflict resolution, encryption, recovery and cost/value remain untested; an entry screen is not a passed sync task.

PLAN-X36 | Slides, presentation and reading projections | dark-portrait

Original acceptance task (NOT automatically accepted): Present a multi-slide disposable note, navigate, dismiss the keyboard, rotate and return to editing; compare PDF reading only as a separate output route.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Verify every slide, media, controls and return location. Obsidian landscape was not qualified by its retained audit; no physical presentation run occurred here.

PLAN-X37 | About, models, licences and honest help | dark-portrait

Original acceptance task (NOT automatically accepted): Ask a novice to identify where notes are saved, how to protect audio and how to export useful diagnostics without sending private notes.

mynotes — blocked. Actual bounded check: ('shell', 'am', 'force-stop', 'app.space.notes'): adb: device 'emulator-5554' not found

Capture blocker: ('exec-out', 'screencap', '-p'): error: device 'emulator-5554' not found

obsidian — blocked. Actual bounded check: ('shell', 'cmd', 'package', 'resolve-activity', '--brief', '-c', 'android.intent.category.LAUNCHER', 'md.obsidian'): adb: device 'emulator-5554' not found

Capture blocker: socket is already closed.

No original capture

No original capture

Both original records, exact checks, errors and profile observations

No whole-family acceptance. Remaining: Observe whether they can explain the result in their own words. Do not substitute long notices or a generated guide for successful comprehension.

light-landscape — provisioning blocked

Zero paired attempts; provisioning failed.

{ "error": "No visible enabled exact-label control: ('Comparison37 Meeting',); labels=['', '', '', '', 'Notes and Doc workspaces', 'Notes', 'Doc', '', '', 'Untitled. Comparison37 MeetingPublic comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.. Long press and drag to arrange, or long press to select when arrangement is unavailable.', 'Comparison37 MeetingPublic comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.', '', '', 'New note', '', 'Library', 'Record voice', '', 'Search all content & settings', 'Filters', '', '']", "module_attempts_completed": 0, "all37_families_attempted_in_both_apps": false }

Original provisioning failure

dark-landscape — provisioning blocked

Zero paired attempts; provisioning failed.

{ "error": "No visible enabled exact-label control: ('Comparison37 Meeting',); labels=['', '', '', '', 'Notes and Doc workspaces', 'Notes', 'Doc', '', '', 'Untitled. Comparison37 MeetingPublic comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.. Long press and drag to arrange, or long press to select when arrangement is unavailable.', 'Comparison37 MeetingPublic comparison fixture. Decision marker cobalt42 belongs here. Keep the original text unchanged.', '', '', 'New note', '', 'Library', 'Record voice', '', 'Search all content & settings', 'Filters', '', '']", "module_attempts_completed": 0, "all37_families_attempted_in_both_apps": false }

Original provisioning failure