Obsidian 1.15.0 - coverage matrix

This is not 100% functional acceptance.

Commands offered by the inspected mobile configuration: 205

{'inventoried_only': 154, 'invoked_ui_inspected': 24, 'functional_readback_pass': 27}

Paid services, credentials, community add-ons and all value combinations are not fully tested.

Core module definitions

file-explorer | file-explorer | definition inventoried; enabled=True

global-search | global-search | definition inventoried; enabled=True

switcher | switcher | definition inventoried; enabled=True

graph | graph | definition inventoried; enabled=True

backlink | backlink | definition inventoried; enabled=True

canvas | canvas | definition inventoried; enabled=True

outgoing-link | outgoing-link | definition inventoried; enabled=True

tag-pane | tag-pane | definition inventoried; enabled=True

footnotes | footnotes | definition inventoried; enabled=True

properties | properties | definition inventoried; enabled=True

page-preview | page-preview | definition inventoried; enabled=True

daily-notes | daily-notes | definition inventoried; enabled=True

templates | templates | definition inventoried; enabled=True

note-composer | note-composer | definition inventoried; enabled=True

command-palette | command-palette | definition inventoried; enabled=True

slash-command | slash-command | definition inventoried; enabled=True

editor-status | editor-status | definition inventoried; enabled=True

bookmarks | bookmarks | definition inventoried; enabled=True

zk-prefixer | zk-prefixer | definition inventoried; enabled=True

random-note | random-note | definition inventoried; enabled=True

outline | outline | definition inventoried; enabled=True

word-count | word-count | definition inventoried; enabled=True

slides | slides | definition inventoried; enabled=True

audio-recorder | audio-recorder | definition inventoried; enabled=True

workspaces | workspaces | definition inventoried; enabled=True

file-recovery | file-recovery | definition inventoried; enabled=True

publish | publish | definition inventoried; enabled=False

sync | sync | definition inventoried; enabled=True

bases | bases | definition inventoried; enabled=True

Command census

Save current file | editor:save-file | inventoried_only

Download attachments for current file | editor:download-attachments | inventoried_only

Follow link under cursor | editor:follow-link | inventoried_only

Open link under cursor in new tab | editor:open-link-in-new-leaf | inventoried_only

Toggle pin | workspace:toggle-pin | inventoried_only

Rename file | workspace:edit-file-title | inventoried_only

Copy current file path from vault folder | workspace:copy-path | inventoried_only

Copy Obsidian URL for current file | workspace:copy-url | inventoried_only

Undo close tab | workspace:undo-close-pane | inventoried_only

Export to PDF... | workspace:export-pdf | inventoried_only

Rename this heading... | editor:rename-heading | inventoried_only

Go to next tab | workspace:next-tab | inventoried_only

Go to tab #1 | workspace:goto-tab-1 | inventoried_only

Go to tab #2 | workspace:goto-tab-2 | inventoried_only

Go to tab #3 | workspace:goto-tab-3 | inventoried_only

Go to tab #4 | workspace:goto-tab-4 | inventoried_only

Go to tab #5 | workspace:goto-tab-5 | inventoried_only

Go to tab #6 | workspace:goto-tab-6 | inventoried_only

Go to tab #7 | workspace:goto-tab-7 | inventoried_only

Go to tab #8 | workspace:goto-tab-8 | inventoried_only

Go to last tab | workspace:goto-last-tab | inventoried_only

Go to previous tab | workspace:previous-tab | inventoried_only

New tab | workspace:new-tab | inventoried_only

Close current tab | workspace:close | inventoried_only

Close all other tabs | workspace:close-others | inventoried_only

Close this tab group | workspace:close-tab-group | inventoried_only

Close others in tab group | workspace:close-others-tab-group | inventoried_only

Configure mobile Quick Action | mobile:quick-action | invoked_ui_inspected

Navigate back | app:go-back | inventoried_only

Navigate forward | app:go-forward | inventoried_only

Manage vaults | app:open-vault | inventoried_only

Change vault... | app:switch-vault | inventoried_only

Show tab overview | app:show-tab-switcher | invoked_ui_inspected

Toggle light/dark mode | theme:toggle-light-dark | inventoried_only

Change theme... | theme:switch | inventoried_only

Open settings | app:open-settings | inventoried_only

Show release notes | app:show-release-notes | inventoried_only

Toggle reading view | markdown:toggle-preview | inventoried_only

Add file property | markdown:add-metadata-property | inventoried_only

Add alias | markdown:add-alias | inventoried_only

Clear file properties | markdown:clear-metadata-properties | inventoried_only

Delete current file | app:delete-file | inventoried_only

Toggle ribbon | app:toggle-ribbon | inventoried_only

Toggle readable line length | editor:toggle-readable-line-length | inventoried_only

Toggle line numbers | editor:toggle-line-numbers | inventoried_only

Toggle left sidebar | app:toggle-left-sidebar | inventoried_only

Toggle right sidebar | app:toggle-right-sidebar | inventoried_only

Toggle default mode for new tabs | app:toggle-default-new-pane-mode | inventoried_only

Open help | app:open-help | inventoried_only

Reload app without saving | app:reload | inventoried_only

Format converter: Frontmatter migration | app:migrate-frontmatter | inventoried_only

Show debug info | app:show-debug-info | inventoried_only

Increase font size | app:increase-font-size | inventoried_only

Decrease font size | app:decrease-font-size | inventoried_only

Create new note | file-explorer:new-file | inventoried_only

Create new note in current tab | file-explorer:new-file-in-current-tab | inventoried_only

Create note to the right | file-explorer:new-file-in-new-pane | inventoried_only

Share | open-with-default-app:open | inventoried_only

Move current file to another folder | file-explorer:move-file | inventoried_only

Make a copy of the current file | file-explorer:duplicate-file | inventoried_only

Toggle Live Preview/Source mode | editor:toggle-source | inventoried_only

Search current file | editor:open-search | inventoried_only

Search & replace in current file | editor:open-search-replace | inventoried_only

Focus on last note | editor:focus | inventoried_only

Toggle fold properties in current file | editor:toggle-fold-properties | inventoried_only

Toggle fold on the current line | editor:toggle-fold | inventoried_only

Fold all headings and lists | editor:fold-all | inventoried_only

Unfold all headings and lists | editor:unfold-all | inventoried_only

Fold less | editor:fold-less | inventoried_only

Fold more | editor:fold-more | inventoried_only

Add internal link | editor:insert-wikilink | inventoried_only

Add embed | editor:insert-embed | inventoried_only

Insert Markdown link | editor:insert-link | inventoried_only

Add tag | editor:insert-tag | inventoried_only

Toggle heading | editor:set-heading | inventoried_only

Remove heading | editor:set-heading-0 | inventoried_only

Set as heading 1 | editor:set-heading-1 | functional_readback_pass

Set as heading 2 | editor:set-heading-2 | functional_readback_pass

Set as heading 3 | editor:set-heading-3 | functional_readback_pass

Set as heading 4 | editor:set-heading-4 | functional_readback_pass

Set as heading 5 | editor:set-heading-5 | functional_readback_pass

Set as heading 6 | editor:set-heading-6 | functional_readback_pass

Toggle bold | editor:toggle-bold | functional_readback_pass

Toggle italic | editor:toggle-italics | functional_readback_pass

Toggle strikethrough | editor:toggle-strikethrough | functional_readback_pass

Toggle highlight | editor:toggle-highlight | functional_readback_pass

Toggle red highlight | editor:toggle-highlight-red | functional_readback_pass

Toggle orange highlight | editor:toggle-highlight-orange | functional_readback_pass

Toggle yellow highlight | editor:toggle-highlight-yellow | functional_readback_pass

Toggle green highlight | editor:toggle-highlight-green | functional_readback_pass

Toggle blue highlight | editor:toggle-highlight-blue | functional_readback_pass

Toggle purple highlight | editor:toggle-highlight-purple | functional_readback_pass

Toggle code | editor:toggle-code | functional_readback_pass

Toggle inline math | editor:toggle-inline-math | inventoried_only

Toggle blockquote | editor:toggle-blockquote | functional_readback_pass

Toggle comment | editor:toggle-comments | inventoried_only

Clear formatting | editor:clear-formatting | inventoried_only

Toggle bullet list | editor:toggle-bullet-list | functional_readback_pass

Toggle numbered list | editor:toggle-numbered-list | functional_readback_pass

Toggle checkbox status | editor:toggle-checklist-status | functional_readback_pass

Cycle bullet/checkbox | editor:cycle-list-checklist | inventoried_only

Insert callout | editor:insert-callout | functional_readback_pass

Insert code block | editor:insert-codeblock | functional_readback_pass

Insert horizontal rule | editor:insert-horizontal-rule | functional_readback_pass

Insert math block | editor:insert-mathblock | functional_readback_pass

Insert table | editor:insert-table | functional_readback_pass

Insert footnote | editor:insert-footnote | functional_readback_pass

Indent list item | editor:indent-list | inventoried_only

Unindent list item | editor:unindent-list | inventoried_only

Move line up | editor:swap-line-up | inventoried_only

Move line down | editor:swap-line-down | inventoried_only

Undo | editor:undo | inventoried_only

Redo | editor:redo | inventoried_only

Move caret up | editor:move-caret-up | inventoried_only

Move caret down | editor:move-caret-down | inventoried_only

Move caret left | editor:move-caret-left | inventoried_only

Move caret right | editor:move-caret-right | inventoried_only

Go to first line | editor:go-start | inventoried_only

Go to last line | editor:go-end | inventoried_only

Toggle keyboard | editor:toggle-keyboard | inventoried_only

Configure mobile toolbar | editor:configure-toolbar | invoked_ui_inspected

Insert attachment | editor:attach-file | inventoried_only

Delete paragraph | editor:delete-paragraph | inventoried_only

Add cursor below | editor:add-cursor-below | inventoried_only

Add cursor above | editor:add-cursor-above | inventoried_only

Toggle spellcheck | editor:toggle-spellcheck | inventoried_only

Table: Add row above | editor:table-row-before | inventoried_only

Table: Add row below | editor:table-row-after | inventoried_only

Table: Move row up | editor:table-row-up | inventoried_only

Table: Move row down | editor:table-row-down | inventoried_only

Table: Duplicate row | editor:table-row-copy | inventoried_only

Table: Delete row | editor:table-row-delete | inventoried_only

Table: Add column to the left | editor:table-col-before | inventoried_only

Table: Add column to the right | editor:table-col-after | inventoried_only

Table: Move column left | editor:table-col-left | inventoried_only

Table: Move column right | editor:table-col-right | inventoried_only

Table: Duplicate column | editor:table-col-copy | inventoried_only

Table: Delete column | editor:table-col-delete | inventoried_only

Table: Align left | editor:table-col-align-left | inventoried_only

Table: Align center | editor:table-col-align-center | inventoried_only

Table: Align right | editor:table-col-align-right | inventoried_only

Cut | editor:cut | inventoried_only

Copy | editor:copy | inventoried_only

Paste | editor:paste | inventoried_only

Show context menu under cursor | editor:context-menu | inventoried_only

Files: Show file explorer | file-explorer:open | invoked_ui_inspected

Files: Reveal current file in navigation | file-explorer:reveal-active-file | inventoried_only

Files: Create new folder | file-explorer:new-folder | inventoried_only

Search: Search in all files | global-search:open | invoked_ui_inspected

Quick switcher: Open quick switcher | switcher:open | invoked_ui_inspected

Graph view: Open graph view | graph:open | invoked_ui_inspected

Graph view: Open local graph | graph:open-local | invoked_ui_inspected

Graph view: Start graph timelapse animation | graph:animate | inventoried_only

Backlinks: Show backlinks | backlink:open | inventoried_only

Backlinks: Open backlinks for the current note | backlink:open-backlinks | invoked_ui_inspected

Backlinks: Toggle backlinks in document | backlink:toggle-backlinks-in-document | inventoried_only

Canvas: Create new canvas | canvas:new-file | inventoried_only

Canvas: Jump to group | canvas:jump-to-group | inventoried_only

Canvas: Convert to file... | canvas:convert-to-file | inventoried_only

Outgoing links: Show outgoing links | outgoing-links:open | inventoried_only

Outgoing links: Open outgoing links for the current file | outgoing-links:open-for-current | invoked_ui_inspected

Tags view: Show tags | tag-pane:open | invoked_ui_inspected

Properties view: Show all properties | properties:open | invoked_ui_inspected

Properties view: Show file properties | properties:open-local | inventoried_only

Daily notes: Open today's daily note | daily-notes | invoked_ui_inspected

Daily notes: Open previous daily note | daily-notes:goto-prev | inventoried_only

Daily notes: Open next daily note | daily-notes:goto-next | inventoried_only

Templates: Insert template | insert-template | invoked_ui_inspected

Templates: Insert current date | insert-current-date | inventoried_only

Templates: Insert current time | insert-current-time | inventoried_only

Note composer: Merge current file with another file... | note-composer:merge-file | inventoried_only

Note composer: Extract current selection... | note-composer:split-file | inventoried_only

Note composer: Extract this heading... | note-composer:extract-heading | inventoried_only

Command palette: Open command palette | command-palette:open | invoked_ui_inspected

Bookmarks: Show bookmarks | bookmarks:open | invoked_ui_inspected

Bookmarks: Bookmark... | bookmarks:bookmark-current-view | inventoried_only

Bookmarks: Bookmark current search... | bookmarks:bookmark-current-search | inventoried_only

Bookmarks: Remove bookmark for the current file | bookmarks:unbookmark-current-view | inventoried_only

Bookmarks: Bookmark block under cursor... | bookmarks:bookmark-current-section | inventoried_only

Bookmarks: Bookmark heading under cursor... | bookmarks:bookmark-current-heading | inventoried_only

Bookmarks: Bookmark all tabs... | bookmarks:bookmark-all-tabs | inventoried_only

Outline: Show outline | outline:open | invoked_ui_inspected

Outline: Open outline of the current file | outline:open-for-current | inventoried_only

File recovery: Open local history | file-recovery:open | invoked_ui_inspected

Sync: Set up Sync | sync:setup | invoked_ui_inspected

Sync: Open version history for the current file | sync:view-version-history | inventoried_only

Sync: Show Sync history | sync:open-sync-view | inventoried_only

Sync: Open activity log | sync:open-sync-log | inventoried_only

Bases: Create new base | bases:new-file | inventoried_only

Bases: Insert new base | bases:insert | inventoried_only

Bases: Copy table to clipboard | bases:copy-table | inventoried_only

Bases: Switch view... | bases:change-view | inventoried_only

Bases: Add view | bases:add-view | inventoried_only

Bases: Add item | bases:add-item | inventoried_only

Footnotes view: Show footnotes | footnotes:open | invoked_ui_inspected

Unique note creator: Create new unique note | zk-prefixer | invoked_ui_inspected

Unique note creator: Add unique internal link | insert-unique-link | inventoried_only

Random note: Open random note | random-note | invoked_ui_inspected

Slides: Start presentation | slides:start | invoked_ui_inspected

Audio recorder: Start recording audio | audio-recorder:start | inventoried_only

Audio recorder: Stop recording audio | audio-recorder:stop | inventoried_only

Workspaces: Load workspace layout | workspaces:load | inventoried_only

Workspaces: Save layout | workspaces:save | inventoried_only

Workspaces: Save and load another layout | workspaces:save-and-load | inventoried_only

Workspaces: Manage workspace layouts | workspaces:open-modal | invoked_ui_inspected