Obsidian 1.15.0 Android

Actual feature screenshots and coverage report

Official unmodified APK. Public dummy data only. Native emulator screenshots; no generated UI mockups. Feature inspection uses real app commands, CDP input and the app vault API, not an Obsidian-owned test suite.

Important: this is NOT 100% functional feature coverage. A screenshot proves the shown state, not every behavior. Paid/account/cloud services, desktop-only capabilities, community plugins, settings combinations and unexecuted commands are not certified.

Captured feature entries: 65; status counts: {'functional_pass': 29, 'screen_inspected': 29, 'blocked': 7}

Full per-feature briefs, actions/observations and screenshots follow. Successful harness execution is not a claim that every feature passed.


Source: github.com/obsidianmd/obsidian-releases/releases/tag/v1.15.0. Obsidian is a third-party product; no affiliation or endorsement is implied.

1. Local private vault

Coverage: functional_pass

Onboarding selected private app storage without an account.

Observed: Official application exposed its initialized vault object.




2. Markdown files, folders and local readback

Coverage: functional_pass

Create a nested dummy vault corpus through the app file API, then open it in the real editor.

Observed:




3. Markdown source mode

Coverage: screen_inspected

Same dummy note shown in an editor or rendered reading view.

Observed:




4. Markdown preview mode

Coverage: screen_inspected

Same dummy note shown in an editor or rendered reading view.

Observed:




5. Properties

Coverage: screen_inspected

Structured fields, tags, aliases, a number and a checkbox in note frontmatter.

Observed: Rendered selector found=True




6. Rich Markdown formatting

Coverage: screen_inspected

Bold/italic/strike/highlight, lists, code and task syntax in a real rendered note.

Observed: Rendered selector found=True




7. Callouts

Coverage: screen_inspected

An admonition with a title and body.

Observed: Rendered selector found=True



Feature playground

A public dummy note; no real user data.

Formatting

Bold, *italic*, ~~strike~~, highlight and `inline code`.

- Bullet
  - Nested bullet

1. Numbered item
2. Second item

- [ ] Pending task
- [x] ~~Completed task~~


> **Callout**
>
> A callout keeps related content together

8. Tables

Coverage: screen_inspected

A Markdown table rendered as rows and columns.

Observed: Rendered selector found=True



Feature playground

A public dummy note; no real user data.

Formatting

Bold, *italic*, ~~strike~~, highlight and `inline code`.

- Bullet
  - Nested bullet

1. Numbered item
2. Second item

- [ ] Pending task
- [x] ~~Completed task~~


> **Callout**
>
> A callout keeps related content together

9. Code blocks

Coverage: screen_inspected

A fenced code sample rendered without executing its code.

Observed: Rendered selector found=True



Feature playground

A public dummy note; no real user data.

Formatting

Bold, *italic*, ~~strike~~, highlight and `inline code`.

- Bullet
  - Nested bullet

1. Numbered item
2. Second item

- [ ] Pending task
- [x] ~~Completed task~~

> **Callout**
>
> A callout keeps related content together

10. Internal links and embeds

Coverage: screen_inspected

An internal note link and an embedded second note.

Observed: Rendered selector found=True

Feature	Value
Table	Supported

```
print("dummy example")
```

Linking

Linked note and Linked note > Linked note. #audit

> **Linked note**
>
> # Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$$E = mc^2$$

Folding

11. Math

Coverage: screen_inspected

Inline mathematical notation rendered by the app.

Observed: Rendered selector found=True

#audit

> **Linked note**
>
> # Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$E = mc^2$

Folding

Content under a heading can be folded.

Multilingual text

ಕನ್ನಡ — हिन्दी — English

12. Footnotes

Coverage: blocked

Footnote references and their note body.

Observed: Rendered selector found=False

#audit

> **Linked note**
>
> ## Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$$E = mc^2$$

Folding

Content under a heading can be folded.

Multilingual text


ಕನ್ನಡ — हिन्दी — English

13. Canvas

Coverage: screen_inspected

A real canvas document with a text card, a linked-file card and a connecting edge.

Observed:




14. Bases

Coverage: screen_inspected

A local .base document opened by the app; no database account is used.

Observed:




15. File explorer

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: file-explorer:open; invoked=True




16. Quick switcher

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: switcher:open; invoked=True




17. Vault search

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: global-search:open; invoked=True




18. Command palette

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: command-palette:open; invoked=True




19. Global graph

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: graph:open; invoked=True




20. Local graph

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: graph:open-local; invoked=True





21. Backlinks

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: backlink:open-backlinks; invoked=True







22. Outgoing links

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: outgoing-links:open-for-current; invoked=True






23. Outline

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: outline:open; invoked=True




24. Tags view

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: tag-pane:open; invoked=True




25. Bookmarks

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: bookmarks:open; invoked=True




26. Daily notes

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: daily-notes; invoked=True




27. File recovery

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: file-recovery:open; invoked=True




28. Editor: toggle-bold

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-bold; resulting Markdown=**Audi**t selection




29. Editor: toggle-italics

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-italics; resulting Markdown=*Audi*t selection




30. Editor: toggle-strikethrough

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-strikethrough; resulting Markdown=~~Audi~~t selection




31. Editor: toggle-highlight

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight; resulting Markdown===Audi==t selection




32. Editor: toggle-code

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-code; resulting Markdown=`Audi`t selection




33. Editor: toggle-blockquote

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-blockquote; resulting Markdown=> Audit selection




34. Editor: toggle-bullet-list

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-bullet-list; resulting Markdown=- Audit selection




35. Editor: toggle-numbered-list

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-numbered-list; resulting Markdown=1. Audit selection




36. Editor: toggle-checklist-status

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-checklist-status; resulting Markdown=- [ ] Audit selection




37. Editor: insert-callout

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-callout; resulting Markdown=> [!NOTE] > Audit selection




38. Editor: insert-codeblock

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-codeblock; resulting Markdown=``` Audit selection ```




39. Editor: insert-horizontal-rule

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-horizontal-rule; resulting Markdown= --- t selection




40. Editor: insert-mathblock

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-mathblock; resulting Markdown=$$ Audit selection $$




41. Editor: insert-table

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-table; resulting Markdown=Audit selection | | | | --- | --- | | | | |




42. Editor: insert-footnote

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-footnote; resulting Markdown=[^1]Audit selection [^1]:




43. Editor: set-heading-1

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-1; resulting Markdown=# [^1]Audit selection [^1]:




44. Editor: set-heading-2

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-2; resulting Markdown=## Audit selection




45. Editor: set-heading-3

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-3; resulting Markdown=### Audit selection




46. Editor: set-heading-4

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-4; resulting Markdown=#### Audit selection




47. Editor: set-heading-5

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-5; resulting Markdown=##### Audit selection




48. Editor: set-heading-6

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-6; resulting Markdown=###### Audit selection




49. Editor: toggle-highlight-red

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-red; resulting Markdown===■Audi==t selection




Real Android emulator capture | Obsidian 1.15.0 | 42171020483

50. Editor: toggle-highlight-orange

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-orange; resulting Markdown===■Audi==t selection




Real Android emulator capture | Obsidian 1.15.0 | 42171020483

51. Editor: toggle-highlight-yellow

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-yellow; resulting Markdown===■Audi==t selection




52. Editor: toggle-highlight-green

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-green; resulting Markdown===■Audi==t selection




Real Android emulator capture | Obsidian 1.15.0 | 42171020483

53. Editor: toggle-highlight-blue

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-blue; resulting Markdown===■Audi==t selection




Real Android emulator capture | Obsidian 1.15.0 | 42171020483

54. Editor: toggle-highlight-purple

Coverage: functional_pass

Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-purple; resulting Markdown===■Audi==t selection




Real Android emulator capture | Obsidian 1.15.0 | 42171020483

55. Footnotes view

Coverage: blocked

Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent




56. Unique note creator

Coverage: blocked

Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent




57. Random note

Coverage: blocked

Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent




58. Templates

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: insert-template; invoked=True




59. Slash commands

Coverage: blocked

Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent




60. Slides

Coverage: blocked

Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent




61. Workspaces

Coverage: blocked

Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent




62. Mobile toolbar

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: editor:configure-toolbar; invoked=True




63. Mobile quick action

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: mobile:quick-action; invoked=True




64. Tab overview

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: app:show-tab-switcher; invoked=True



65. Vault management

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: app:open-vault; invoked=True

