Obsidian 1.15.0 Android

Actual feature screenshots and coverage report

Official unmodified APK. Public dummy data only. Native emulator screenshots; no generated UI mockups. Feature inspection uses real app commands, CDP input and the app vault API, not an Obsidian-owned test suite.

Important: this is NOT 100% functional feature coverage. A screenshot proves the shown state, not every behavior. Paid/account/cloud services, desktop-only capabilities, community plugins, settings combinations and unexecuted commands are not certified.

Captured feature entries: 656; status counts: {'functional_pass': 31, 'screen_inspected': 566, 'blocked': 59}

Capture provenance: command entries combine 192 preserved paint-fenced captures and 13 independent continuation captures. The earlier native run lost its debug connection and did NOT complete. This is a completed catalogue, not an uninterrupted 205-command execution.

Full per-feature briefs, actions/observations and screenshots follow. Successful harness execution is not a claim that every feature passed.

Source: github.com/obsidianmd/obsidian-releases/releases/tag/v1.15.0. Obsidian is a third-party product; no affiliation or endorsement is implied.

1. Local private vault

Coverage: functional_pass

Check scope: Onboarding selected private app storage without an account.

Observed: Official application exposed its initialized vault object.



2. Markdown files, folders and local readback

Coverage: functional_pass

Check scope: Create a nested dummy vault corpus through the app file API, then open it in the real editor.

Observed:



Real Android emulator capture | Obsidian 1.15.0 | 42182162974

3. Markdown source mode

Coverage: screen_inspected

Check scope: Same dummy note shown in an editor or rendered reading view.

Observed: Requested=source; actual=source





4. Markdown preview mode

Coverage: screen_inspected

Check scope: Same dummy note shown in an editor or rendered reading view.

Observed: Requested=preview; actual=preview



5. Properties

Coverage: screen_inspected

Check scope: Structured fields, tags, aliases, a number and a checkbox in note frontmatter.

Observed: Rendered selector found=True



6. Rich Markdown formatting

Coverage: screen_inspected

Check scope: Bold/italic/strike/highlight, lists, code and task syntax in a real rendered note.

Observed: Rendered selector found=True



7. Callouts

Coverage: screen_inspected

Check scope: An admonition with a title and body.

Observed: Rendered selector found=True



8. Tables

Coverage: screen_inspected

Check scope: A Markdown table rendered as rows and columns.

Observed: Rendered selector found=True



9. Code blocks

Coverage: screen_inspected

Check scope: A fenced code sample rendered without executing its code.

Observed: Rendered selector found=True



10. Internal links and embeds

Coverage: screen_inspected

Check scope: An internal note link and an embedded second note.

Observed: Rendered selector found=True

Feature	Value
Table	Supported

```
print("dummy example")
```

Linking

Linked note and Linked note > Linked note.

#audit

> **Linked note**
>
> # Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$$E = mc^2$$

Folding

11. Math

Coverage: screen_inspected

Check scope: Inline mathematical notation rendered by the app.

Observed: Rendered selector found=True



12. Footnotes

Coverage: blocked

Check scope: Footnote references and their note body.

Observed: Rendered selector found=False



A footnote reference.one

one: Footnote text.

Math

$$E = mc^2$$

Folding

Content under a heading can be folded.

Multilingual text

ಕನ್ನಡ — हिन्दी — English

13. Canvas

Coverage: screen_inspected

Check scope: A real canvas document with a text card, a linked-file card and a connecting edge.

Observed:



14. Bases

Coverage: screen_inspected

Check scope: A local .base document opened by the app; no database account is used.

Observed:



15. File explorer

Coverage: screen_inspected

About the feature: File explorer. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: file-explorer:open; invoked=True



16. Quick switcher

Coverage: screen_inspected

About the feature: Quick switcher. Quickly locate and open a note by its name.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: switcher:open; invoked=True



17. Vault search

Coverage: screen_inspected

About the feature: Vault search. Search across the vault rather than just the currently open note.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: global-search:open; invoked=True



18. Command palette

Coverage: screen_inspected

About the feature: Command palette. Find and invoke named application commands from a searchable list.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: command-palette:open; invoked=True



19. Global graph

Coverage: screen_inspected

About the feature: Global graph. Visualize relationships created by links between notes; the local graph focuses on a single note.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: graph:open; invoked=True



20. Local graph

Coverage: screen_inspected

About the feature: Local graph. Visualize relationships created by links between notes; the local graph focuses on a single note.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: graph:open-local; invoked=True



21. Backlinks

Coverage: screen_inspected

About the feature: Backlinks. Find other notes that refer to the current note, including linked and unlinked mentions where offered.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: backlink:open; invoked=True



22. Outgoing links

Coverage: screen_inspected

About the feature: Outgoing links. Inspect links going from the current note to other notes.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: outgoing-links:open; invoked=True



23. Outline

Coverage: screen_inspected

About the feature: Outline. Navigate the heading structure of the current note.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: outline:open; invoked=True



24. Tags view

Coverage: screen_inspected

About the feature: Tags view. Browse tags used in notes and navigate matching content.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: tag-pane:open; invoked=True



25. Bookmarks

Coverage: screen_inspected

About the feature: Bookmarks. Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: bookmarks:open; invoked=True



26. Daily notes

Coverage: screen_inspected

About the feature: Daily notes. Create or navigate date-based daily notes using the configured format and folder.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: daily-notes; invoked=True



27. File recovery

Coverage: screen_inspected

About the feature: File recovery. Inspect local snapshots of note edits; this differs from cloud version history and the file trash.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: file-recovery:open; invoked=True



28. Editor: toggle-bold

Coverage: functional_pass

About the feature: toggle-bold. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-bold; resulting Markdown=**Audi**t selection



29. Editor: toggle-italics

Coverage: functional_pass

About the feature: toggle-italics. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-italics; resulting Markdown=*Audi*t selection



30. Editor: toggle-strikethrough

Coverage: functional_pass

About the feature: toggle-strikethrough. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-strikethrough; resulting Markdown=~~Audi~~t selection



31. Editor: toggle-highlight

Coverage: functional_pass

About the feature: Apply or remove default text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight; resulting Markdown===Audi==t selection



32. Editor: toggle-code

Coverage: functional_pass

About the feature: toggle-code. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-code; resulting Markdown=`Audi`t selection



33. Editor: toggle-blockquote

Coverage: functional_pass

About the feature: toggle-blockquote. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-blockquote; resulting Markdown=> Audit selection



34. Editor: toggle-bullet-list

Coverage: functional_pass

About the feature: toggle-bullet-list. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-bullet-list; resulting Markdown=- Audit selection



35. Editor: toggle-numbered-list

Coverage: functional_pass

About the feature: toggle-numbered-list. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-numbered-list; resulting Markdown=1. Audit selection



36. Editor: toggle-checklist-status

Coverage: functional_pass

About the feature: toggle-checklist-status. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-checklist-status; resulting Markdown=- [ ] Audit selection



37. Editor: insert-callout

Coverage: functional_pass

About the feature: insert-callout. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-callout; resulting Markdown=> [!NOTE] > Audit selection



38. Editor: insert-codeblock

Coverage: functional_pass

About the feature: insert-codeblock. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-codeblock; resulting Markdown=``` Audit selection ```



39. Editor: insert-horizontal-rule

Coverage: functional_pass

About the feature: insert-horizontal-rule. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-horizontal-rule; resulting Markdown= --- t selection



40. Editor: insert-mathblock

Coverage: functional_pass

About the feature: insert-mathblock. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-mathblock; resulting Markdown=$$ Audit selection $$



41. Editor: insert-table

Coverage: functional_pass

About the feature: insert-table. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-table; resulting Markdown=Audit selection | | | | --- | --- | | | |



42. Editor: insert-footnote

Coverage: functional_pass

About the feature: insert-footnote. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:insert-footnote; resulting Markdown=[^1]Audit selection [^1]:



43. Editor: set-heading-1

Coverage: functional_pass

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-1; resulting Markdown=# Audit selection



44. Editor: set-heading-2

Coverage: functional_pass

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-2; resulting Markdown=## Audit selection



45. Editor: set-heading-3

Coverage: functional_pass

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-3; resulting Markdown=### Audit selection



46. Editor: set-heading-4

Coverage: functional_pass

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-4; resulting Markdown=#### Audit selection



47. Editor: set-heading-5

Coverage: functional_pass

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-5; resulting Markdown=##### Audit selection



48. Editor: set-heading-6

Coverage: functional_pass

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:set-heading-6; resulting Markdown=###### Audit selection



49. Editor: toggle-highlight-red

Coverage: functional_pass

About the feature: Apply or remove red text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-red; resulting Markdown===■Audi==t selection



50. Editor: toggle-highlight-orange

Coverage: functional_pass

About the feature: Apply or remove orange text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-orange; resulting Markdown===■Audi==t selection



51. Editor: toggle-highlight-yellow

Coverage: functional_pass

About the feature: Apply or remove yellow text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-yellow; resulting Markdown===■Audi==t selection



52. Editor: toggle-highlight-green

Coverage: functional_pass

About the feature: Apply or remove green text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-green; resulting Markdown===■Audi==t selection



53. Editor: toggle-highlight-blue

Coverage: functional_pass

About the feature: Apply or remove blue text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-blue; resulting Markdown===■Audi==t selection



54. Editor: toggle-highlight-purple

Coverage: functional_pass

About the feature: Apply or remove purple text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Execute the installed editor command on selected dummy text, save through the app and inspect actual Markdown readback.

Observed: Command=editor:toggle-highlight-purple; resulting Markdown===■Audi==t selection



55. Footnotes view

Coverage: screen_inspected

About the feature: Footnotes view. Inspect footnotes associated with the current note.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: footnotes:open; invoked=True

56. Unique note creator

Coverage: screen_inspected

About the feature: Unique note creator. Create a note with a unique, typically time-based name.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: zk-prefixer; invoked=True

57. Random note

Coverage: screen_inspected

About the feature: Random note. Open a randomly selected existing note.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: random-note; invoked=True



58. Templates

Coverage: blocked

About the feature: Templates. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: insert-template; invoked=True; Visual review: Template insertion was blocked: the dummy vault has no configured template folder. Settings and the attempted action are captured; insertion is not verified.



59. Slash commands

Coverage: blocked

Check scope: Command not found in the installed mobile command registry.

Observed: Harness found no matching command; not proof the feature is absent



60. Slides

Coverage: screen_inspected

About the feature: Slides. Present suitably separated Markdown sections as slides.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: slides:start; invoked=True

61. Workspaces

Coverage: screen_inspected

About the feature: Workspaces. Save or restore the arrangement of open views; a layout is not a note-content backup.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: workspaces:open-modal; invoked=True



62. Mobile toolbar

Coverage: screen_inspected

About the feature: Mobile toolbar. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: editor:configure-toolbar; invoked=True



63. Mobile quick action

Coverage: screen_inspected

About the feature: Mobile quick action. Configure a mobile-specific toolbar or quick-action entry.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: mobile:quick-action; invoked=True



64. Tab overview

Coverage: screen_inspected

About the feature: Tab overview. An application-level navigation, settings or configuration action.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: app:show-tab-switcher; invoked=True



65. Sync sign-in entry

Coverage: screen_inspected

About the feature: Sync sign-in entry. An Obsidian Sync account/service action. The cloud service is not end-to-end verified in this report.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: sync:setup; invoked=True



66. Properties view

Coverage: blocked

About the feature: Properties view. Inspect structured note metadata, either for one note or across the vault.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: properties:open; invoked=True; Visual review: Tab overview obscured this attempted properties-panel capture. See the separate Command entry: Properties view: Show all properties screenshot for the actual property list.



67. Local source preservation

Coverage: functional_pass

Check scope: Read back the seeded Markdown through the official app vault API.

Observed:



68. Command entry: Save current file

Coverage: screen_inspected

About the feature: Save current file. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:save-file; invoked=True; semantic outcome not individually certified.



69. Command entry: Download attachments for current file

Coverage: screen_inspected

About the feature: Download attachments for current file. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:download-attachments; invoked=True; semantic outcome not individually certified.



70. Command entry: Follow link under cursor

Coverage: blocked

About the feature: Follow link under cursor. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:follow-link; checkCallback did not permit invocation in the seeded context.



71. Command entry: Open link under cursor in new tab

Coverage: blocked

About the feature: Open link under cursor in new tab. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:open-link-in-new-leaf; checkCallback did not permit invocation in the seeded context.



72. Command entry: Toggle pin

Coverage: screen_inspected

About the feature: Toggle pin. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:toggle-pin; invoked=True; semantic outcome not individually certified.



73. Command entry: Rename file

Coverage: screen_inspected

About the feature: Rename file. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:edit-file-title; invoked=True; semantic outcome not individually certified.



74. Command entry: Copy current file path from vault folder

Coverage: screen_inspected

About the feature: Copy current file path from vault folder. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:copy-path; invoked=True; semantic outcome not individually certified.



75. Command entry: Copy Obsidian URL for current file

Coverage: screen_inspected

About the feature: Copy Obsidian URL for current file. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:copy-url; invoked=True; semantic outcome not individually certified.



76. Command entry: Undo close tab

Coverage: blocked

About the feature: Undo close tab. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:undo-close-pane; checkCallback did not permit invocation in the seeded context.



77. Command entry: Export to PDF...

Coverage: screen_inspected

About the feature: Export to PDF.... A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:export-pdf; invoked=True; semantic outcome not individually certified.



78. Command entry: Rename this heading...

Coverage: blocked

About the feature: Rename this heading.... An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:rename-heading; checkCallback did not permit invocation in the seeded context.



79. Command entry: Go to next tab

Coverage: screen_inspected

About the feature: Go to next tab. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:next-tab; invoked=True; semantic outcome not individually certified.



80. Command entry: Go to tab #1

Coverage: blocked

About the feature: Go to tab #1. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-1; checkCallback did not permit invocation in the seeded context.



81. Command entry: Go to tab #2

Coverage: blocked

About the feature: Go to tab #2. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-2; checkCallback did not permit invocation in the seeded context.



82. Command entry: Go to tab #3

Coverage: blocked

About the feature: Go to tab #3. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-3; checkCallback did not permit invocation in the seeded context.



83. Command entry: Go to tab #4

Coverage: blocked

About the feature: Go to tab #4. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-4; checkCallback did not permit invocation in the seeded context.



84. Command entry: Go to tab #5

Coverage: blocked

About the feature: Go to tab #5. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-5; checkCallback did not permit invocation in the seeded context.



85. Command entry: Go to tab #6

Coverage: blocked

About the feature: Go to tab #6. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-6; checkCallback did not permit invocation in the seeded context.



86. Command entry: Go to tab #7

Coverage: blocked

About the feature: Go to tab #7. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-7; checkCallback did not permit invocation in the seeded context.



87. Command entry: Go to tab #8

Coverage: blocked

About the feature: Go to tab #8. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:goto-tab-8; checkCallback did not permit invocation in the seeded context.



88. Command entry: Go to last tab

Coverage: screen_inspected

About the feature: Go to last tab. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:goto-last-tab; invoked=True; semantic outcome not individually certified.



89. Command entry: Go to previous tab

Coverage: screen_inspected

About the feature: Go to previous tab. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:previous-tab; invoked=True; semantic outcome not individually certified.



90. Command entry: New tab

Coverage: screen_inspected

About the feature: New tab. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:new-tab; invoked=True; semantic outcome not individually certified.



91. Command entry: Close current tab

Coverage: screen_inspected

About the feature: Close current tab. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:close; invoked=True; semantic outcome not individually certified.



92. Command entry: Close all other tabs

Coverage: screen_inspected

About the feature: Close all other tabs. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspace:close-others; invoked=True; semantic outcome not individually certified.



93. Command entry: Close this tab group

Coverage: blocked

About the feature: Close this tab group. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:close-tab-group; checkCallback did not permit invocation in the seeded context.



94. Command entry: Close others in tab group

Coverage: blocked

About the feature: Close others in tab group. A file/tab/workspace action that changes how notes are opened, arranged, renamed, shared or exported.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=workspace:close-others-tab-group; checkCallback did not permit invocation in the seeded context.



95. Command entry: Configure mobile Quick Action

Coverage: screen_inspected

About the feature: Configure mobile Quick Action. Configure a mobile-specific toolbar or quick-action entry.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=mobile:quick-action; invoked=True; semantic outcome not individually certified.



96. Command entry: Navigate back

Coverage: screen_inspected

About the feature: Navigate back. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:go-back; invoked=True; semantic outcome not individually certified.



97. Command entry: Navigate forward

Coverage: screen_inspected

About the feature: Navigate forward. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:go-forward; invoked=True; semantic outcome not individually certified.



98. Command entry: Manage vaults

Coverage: blocked

About the feature: Manage vaults. An application-level navigation, settings or configuration action.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=app:open-vault; Vault manager is inspected last because it unloads the JS context.



99. Command entry: Change vault...

Coverage: blocked

About the feature: Change vault.... An application-level navigation, settings or configuration action.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=app:switch-vault; Switching vaults unloads this inspection context.



100. Command entry: Show tab overview

Coverage: screen_inspected

About the feature: Show tab overview. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:show-tab-switcher; invoked=True; semantic outcome not individually certified.



101. Command entry: Toggle light/dark mode

Coverage: screen_inspected

About the feature: Toggle light/dark mode. Change the application appearance or switch its light/dark scheme.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=theme:toggle-light-dark; invoked=True; semantic outcome not individually certified.



102. Command entry: Change theme...

Coverage: screen_inspected

About the feature: Change theme.... Change the application appearance or switch its light/dark scheme.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=theme:switch; invoked=True; semantic outcome not individually certified.



103. Command entry: Open settings

Coverage: screen_inspected

About the feature: Open settings. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:open-settings; invoked=True; semantic outcome not individually certified.



104. Command entry: Show release notes

Coverage: screen_inspected

About the feature: Show release notes. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:show-release-notes; invoked=True; semantic outcome not individually certified.



105. Command entry: Toggle reading view

Coverage: screen_inspected

About the feature: Toggle reading view. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=markdown:toggle-preview; invoked=True; semantic outcome not individually certified.



106. Command entry: Add file property

Coverage: screen_inspected

About the feature: Add file property. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=markdown:add-metadata-property; invoked=True; semantic outcome not individually certified.



107. Command entry: Add alias

Coverage: screen_inspected

About the feature: Add alias. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=markdown:add-alias; invoked=True; semantic outcome not individually certified.



108. Command entry: Clear file properties

Coverage: screen_inspected

About the feature: Clear file properties. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=markdown:clear-metadata-properties; invoked=True; semantic outcome not individually certified.



109. Command entry: Delete current file

Coverage: screen_inspected

About the feature: Delete current file. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:delete-file; invoked=True; semantic outcome not individually certified.



110. Command entry: Toggle ribbon

Coverage: blocked

About the feature: Toggle ribbon. An application-level navigation, settings or configuration action.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=app:toggle-ribbon; checkCallback did not permit invocation in the seeded context.



111. Command entry: Toggle readable line length

Coverage: screen_inspected

About the feature: Toggle readable line length. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-readable-line-length; invoked=True; semantic outcome not individually certified.



112. Command entry: Toggle line numbers

Coverage: screen_inspected

About the feature: Toggle line numbers. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-line-numbers; invoked=True; semantic outcome not individually certified.



113. Command entry: Toggle left sidebar

Coverage: screen_inspected

About the feature: Toggle left sidebar. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:toggle-left-sidebar; invoked=True; semantic outcome not individually certified.



114. Command entry: Toggle right sidebar

Coverage: screen_inspected

About the feature: Toggle right sidebar. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:toggle-right-sidebar; invoked=True; semantic outcome not individually certified.



115. Command entry: Toggle default mode for new tabs

Coverage: screen_inspected

About the feature: Toggle default mode for new tabs. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:toggle-default-new-pane-mode; invoked=True; semantic outcome not individually certified.



116. Command entry: Open help

Coverage: screen_inspected

About the feature: Open help. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:open-help; invoked=True; semantic outcome not individually certified.



117. Command entry: Reload app without saving

Coverage: blocked

About the feature: Reload app without saving. An application-level navigation, settings or configuration action.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=app:reload; Reload action is not invoked; the separate process-restart check is not equivalent.



118. Command entry: Format converter: Frontmatter migration

Coverage: blocked

About the feature: Format converter: Frontmatter migration. An application-level navigation, settings or configuration action.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=app:migrate-frontmatter; Vault-wide conversion is not run on the preserved reference corpus.



119. Command entry: Show debug info

Coverage: screen_inspected

About the feature: Show debug info. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:show-debug-info; invoked=True; semantic outcome not individually certified.



120. Command entry: Increase font size

Coverage: screen_inspected

About the feature: Increase font size. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:increase-font-size; invoked=True; semantic outcome not individually certified.



121. Command entry: Decrease font size

Coverage: screen_inspected

About the feature: Decrease font size. An application-level navigation, settings or configuration action.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=app:decrease-font-size; invoked=True; semantic outcome not individually certified.



122. Command entry: Create new note

Coverage: screen_inspected

About the feature: Create new note. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:new-file; invoked=True; semantic outcome not individually certified.



123. Command entry: Create new note in current tab

Coverage: screen_inspected

About the feature: Create new note in current tab. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:new-file-in-current-tab; invoked=True; semantic outcome not individually certified.



124. Command entry: Create note to the right

Coverage: screen_inspected

About the feature: Create note to the right. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:new-file-in-new-pane; invoked=True; semantic outcome not individually certified.



125. Command entry: Share

Coverage: screen_inspected

About the feature: Share. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=open-with-default-app:open; invoked=True; semantic outcome not individually certified.



126. Command entry: Move current file to another folder

Coverage: screen_inspected

About the feature: Move current file to another folder. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:move-file; invoked=True; semantic outcome not individually certified.



127. Command entry: Make a copy of the current file

Coverage: screen_inspected

About the feature: Make a copy of the current file. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:duplicate-file; invoked=True; semantic outcome not individually certified.



128. Command entry: Toggle Live Preview/Source mode

Coverage: screen_inspected

About the feature: Toggle Live Preview/Source mode. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-source; invoked=True; semantic outcome not individually certified.



129. Command entry: Search current file

Coverage: screen_inspected

About the feature: Search current file. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:open-search; invoked=True; semantic outcome not individually certified.



130. Command entry: Search & replace in current file

Coverage: screen_inspected

About the feature: Search & replace in current file. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:open-search-replace; invoked=True; semantic outcome not individually certified.



131. Command entry: Focus on last note

Coverage: screen_inspected

About the feature: Focus on last note. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:focus; invoked=True; semantic outcome not individually certified.



132. Command entry: Toggle fold properties in current file

Coverage: screen_inspected

About the feature: Toggle fold properties in current file. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-fold-properties; invoked=True; semantic outcome not individually certified.



133. Command entry: Toggle fold on the current line

Coverage: screen_inspected

About the feature: Toggle fold on the current line. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-fold; invoked=True; semantic outcome not individually certified.



134. Command entry: Fold all headings and lists

Coverage: screen_inspected

About the feature: Fold all headings and lists. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:fold-all; invoked=True; semantic outcome not individually certified.



135. Command entry: Unfold all headings and lists

Coverage: screen_inspected

About the feature: Unfold all headings and lists. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:unfold-all; invoked=True; semantic outcome not individually certified.



136. Command entry: Fold less

Coverage: screen_inspected

About the feature: Fold less. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:fold-less; invoked=True; semantic outcome not individually certified.



137. Command entry: Fold more

Coverage: screen_inspected

About the feature: Fold more. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:fold-more; invoked=True; semantic outcome not individually certified.



138. Command entry: Add internal link

Coverage: screen_inspected

About the feature: Add internal link. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-wikilink; invoked=True; semantic outcome not individually certified.



139. Command entry: Add embed

Coverage: screen_inspected

About the feature: Add embed. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-embed; invoked=True; semantic outcome not individually certified.



140. Command entry: Insert Markdown link

Coverage: screen_inspected

About the feature: Insert Markdown link. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-link; invoked=True; semantic outcome not individually certified.



141. Command entry: Add tag

Coverage: screen_inspected

About the feature: Add tag. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-tag; invoked=True; semantic outcome not individually certified.



142. Command entry: Toggle heading

Coverage: screen_inspected

About the feature: Toggle heading. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading; invoked=True; semantic outcome not individually certified.



143. Command entry: Remove heading

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-0; invoked=True; semantic outcome not individually certified.



144. Command entry: Set as heading 1

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-1; invoked=True; semantic outcome not individually certified.



145. Command entry: Set as heading 2

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-2; invoked=True; semantic outcome not individually certified.



146. Command entry: Set as heading 3

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-3; invoked=True; semantic outcome not individually certified.



147. Command entry: Set as heading 4

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-4; invoked=True; semantic outcome not individually certified.



148. Command entry: Set as heading 5

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-5; invoked=True; semantic outcome not individually certified.



149. Command entry: Set as heading 6

Coverage: screen_inspected

About the feature: Set the selected paragraph to the named Markdown heading level, changing its place in the note outline.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:set-heading-6; invoked=True; semantic outcome not individually certified.



150. Command entry: Toggle bold

Coverage: screen_inspected

About the feature: Toggle bold. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-bold; invoked=True; semantic outcome not individually certified.



151. Command entry: Toggle italic

Coverage: screen_inspected

About the feature: Toggle italic. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-italics; invoked=True; semantic outcome not individually certified.



152. Command entry: Toggle strikethrough

Coverage: screen_inspected

About the feature: Toggle strikethrough. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-strikethrough; invoked=True; semantic outcome not individually certified.



153. Command entry: Toggle highlight

Coverage: screen_inspected

About the feature: Apply or remove default text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight; invoked=True; semantic outcome not individually certified.



154. Command entry: Toggle red highlight

Coverage: screen_inspected

About the feature: Apply or remove red text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight-red; invoked=True; semantic outcome not individually certified.



155. Command entry: Toggle orange highlight

Coverage: screen_inspected

About the feature: Apply or remove orange text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight-orange; invoked=True; semantic outcome not individually certified.



156. Command entry: Toggle yellow highlight

Coverage: screen_inspected

About the feature: Apply or remove yellow text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight-yellow; invoked=True; semantic outcome not individually certified.



157. Command entry: Toggle green highlight

Coverage: screen_inspected

About the feature: Apply or remove green text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight-green; invoked=True; semantic outcome not individually certified.



158. Command entry: Toggle blue highlight

Coverage: screen_inspected

About the feature: Apply or remove blue text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight-blue; invoked=True; semantic outcome not individually certified.



159. Command entry: Toggle purple highlight

Coverage: screen_inspected

About the feature: Apply or remove purple text highlighting in a Markdown note. The readback check does not by itself certify the rendered color.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-highlight-purple; invoked=True; semantic outcome not individually certified.



160. Command entry: Toggle code

Coverage: screen_inspected

About the feature: Toggle code. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-code; invoked=True; semantic outcome not individually certified.



161. Command entry: Toggle inline math

Coverage: screen_inspected

About the feature: Toggle inline math. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-inline-math; invoked=True; semantic outcome not individually certified.



162. Command entry: Toggle blockquote

Coverage: screen_inspected

About the feature: Toggle blockquote. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-blockquote; invoked=True; semantic outcome not individually certified.



163. Command entry: Toggle comment

Coverage: screen_inspected

About the feature: Toggle comment. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-comments; invoked=True; semantic outcome not individually certified.



164. Command entry: Clear formatting

Coverage: screen_inspected

About the feature: Clear formatting. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:clear-formatting; invoked=True; semantic outcome not individually certified.



165. Command entry: Toggle bullet list

Coverage: screen_inspected

About the feature: Toggle bullet list. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-bullet-list; invoked=True; semantic outcome not individually certified.



166. Command entry: Toggle numbered list

Coverage: screen_inspected

About the feature: Toggle numbered list. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-numbered-list; invoked=True; semantic outcome not individually certified.



167. Command entry: Toggle checkbox status

Coverage: screen_inspected

About the feature: Toggle checkbox status. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-checklist-status; invoked=True; semantic outcome not individually certified.



168. Command entry: Cycle bullet/checkbox

Coverage: screen_inspected

About the feature: Cycle bullet/checkbox. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:cycle-list-checklist; invoked=True; semantic outcome not individually certified.



169. Command entry: Insert callout

Coverage: screen_inspected

About the feature: Insert callout. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-callout; invoked=True; semantic outcome not individually certified.



170. Command entry: Insert code block

Coverage: screen_inspected

About the feature: Insert code block. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-codeblock; invoked=True; semantic outcome not individually certified.



171. Command entry: Insert horizontal rule

Coverage: screen_inspected

About the feature: Insert horizontal rule. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-horizontal-rule; invoked=True; semantic outcome not individually certified.



172. Command entry: Insert math block

Coverage: screen_inspected

About the feature: Insert math block. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-mathblock; invoked=True; semantic outcome not individually certified.



173. Command entry: Insert table

Coverage: screen_inspected

About the feature: Insert table. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-table; invoked=True; semantic outcome not individually certified.



174. Command entry: Insert footnote

Coverage: screen_inspected

About the feature: Insert footnote. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:insert-footnote; invoked=True; semantic outcome not individually certified.



175. Command entry: Indent list item

Coverage: screen_inspected

About the feature: Indent list item. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:indent-list; invoked=True; semantic outcome not individually certified.



176. Command entry: Unindent list item

Coverage: screen_inspected

About the feature: Unindent list item. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:unindent-list; invoked=True; semantic outcome not individually certified.



177. Command entry: Move line up

Coverage: screen_inspected

About the feature: Move line up. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:swap-line-up; invoked=True; semantic outcome not individually certified.



178. Command entry: Move line down

Coverage: screen_inspected

About the feature: Move line down. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:swap-line-down; invoked=True; semantic outcome not individually certified.



179. Command entry: Undo

Coverage: screen_inspected

About the feature: Undo. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:undo; invoked=True; semantic outcome not individually certified.



180. Command entry: Redo

Coverage: screen_inspected

About the feature: Redo. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:redo; invoked=True; semantic outcome not individually certified.



181. Command entry: Move caret up

Coverage: screen_inspected

About the feature: Move caret up. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:move-caret-up; invoked=True; semantic outcome not individually certified.



182. Command entry: Move caret down

Coverage: screen_inspected

About the feature: Move caret down. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:move-caret-down; invoked=True; semantic outcome not individually certified.



183. Command entry: Move caret left

Coverage: screen_inspected

About the feature: Move caret left. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:move-caret-left; invoked=True; semantic outcome not individually certified.



184. Command entry: Move caret right

Coverage: screen_inspected

About the feature: Move caret right. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:move-caret-right; invoked=True; semantic outcome not individually certified.



185. Command entry: Go to first line

Coverage: screen_inspected

About the feature: Go to first line. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:go-start; invoked=True; semantic outcome not individually certified.



186. Command entry: Go to last line

Coverage: screen_inspected

About the feature: Go to last line. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:go-end; invoked=True; semantic outcome not individually certified.



187. Command entry: Toggle keyboard

Coverage: screen_inspected

About the feature: Toggle keyboard. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-keyboard; invoked=True; semantic outcome not individually certified.



188. Command entry: Configure mobile toolbar

Coverage: screen_inspected

About the feature: Configure mobile toolbar. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:configure-toolbar; invoked=True; semantic outcome not individually certified.



189. Command entry: Insert attachment

Coverage: screen_inspected

About the feature: Insert attachment. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:attach-file; invoked=True; semantic outcome not individually certified.



190. Command entry: Delete paragraph

Coverage: screen_inspected

About the feature: Delete paragraph. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:delete-paragraph; invoked=True; semantic outcome not individually certified.



191. Command entry: Add cursor below

Coverage: screen_inspected

About the feature: Add cursor below. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:add-cursor-below; invoked=True; semantic outcome not individually certified.



192. Command entry: Add cursor above

Coverage: screen_inspected

About the feature: Add cursor above. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:add-cursor-above; invoked=True; semantic outcome not individually certified.



193. Command entry: Toggle spellcheck

Coverage: screen_inspected

About the feature: Toggle spellcheck. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:toggle-spellcheck; invoked=True; semantic outcome not individually certified.



194. Command entry: Table: Add row above

Coverage: blocked

About the feature: Table: Add row above. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-row-before; checkCallback did not permit invocation in the seeded context.



195. Command entry: Table: Add row below

Coverage: blocked

About the feature: Table: Add row below. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-row-after; checkCallback did not permit invocation in the seeded context.



196. Command entry: Table: Move row up

Coverage: blocked

About the feature: Table: Move row up. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-row-up; checkCallback did not permit invocation in the seeded context.



197. Command entry: Table: Move row down

Coverage: blocked

About the feature: Table: Move row down. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-row-down; checkCallback did not permit invocation in the seeded context.



198. Command entry: Table: Duplicate row

Coverage: blocked

About the feature: Table: Duplicate row. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-row-copy; checkCallback did not permit invocation in the seeded context.



199. Command entry: Table: Delete row

Coverage: blocked

About the feature: Table: Delete row. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-row-delete; checkCallback did not permit invocation in the seeded context.



200. Command entry: Table: Add column to the left

Coverage: blocked

About the feature: Table: Add column to the left. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-before; checkCallback did not permit invocation in the seeded context.



201. Command entry: Table: Add column to the right

Coverage: blocked

About the feature: Table: Add column to the right. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-after; checkCallback did not permit invocation in the seeded context.



202. Command entry: Table: Move column left

Coverage: blocked

About the feature: Table: Move column left. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-left; checkCallback did not permit invocation in the seeded context.



203. Command entry: Table: Move column right

Coverage: blocked

About the feature: Table: Move column right. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-right; checkCallback did not permit invocation in the seeded context.



204. Command entry: Table: Duplicate column

Coverage: blocked

About the feature: Table: Duplicate column. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-copy; checkCallback did not permit invocation in the seeded context.



205. Command entry: Table: Delete column

Coverage: blocked

About the feature: Table: Delete column. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-delete; checkCallback did not permit invocation in the seeded context.



206. Command entry: Table: Align left

Coverage: blocked

About the feature: Table: Align left. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-align-left; checkCallback did not permit invocation in the seeded context.



207. Command entry: Table: Align center

Coverage: blocked

About the feature: Table: Align center. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-align-center; checkCallback did not permit invocation in the seeded context.



208. Command entry: Table: Align right

Coverage: blocked

About the feature: Table: Align right. This table-editor action changes rows, columns or alignment in the active Markdown table.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=editor:table-col-align-right; checkCallback did not permit invocation in the seeded context.



209. Command entry: Cut

Coverage: screen_inspected

About the feature: Cut. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:cut; invoked=True; semantic outcome not individually certified.



210. Command entry: Copy

Coverage: screen_inspected

About the feature: Copy. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:copy; invoked=True; semantic outcome not individually certified.



211. Command entry: Paste

Coverage: screen_inspected

About the feature: Paste. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:paste; invoked=True; semantic outcome not individually certified.



212. Command entry: Show context menu under cursor

Coverage: screen_inspected

About the feature: Show context menu under cursor. An editor action for the current note, selection, caret or formatting. Some actions require a particular editing context.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=editor:context-menu; invoked=True; semantic outcome not individually certified.



213. Command entry: Files: Show file explorer

Coverage: screen_inspected

About the feature: Files: Show file explorer. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:open; invoked=True; semantic outcome not individually certified.



214. Command entry: Files: Reveal current file in navigation

Coverage: screen_inspected

About the feature: Files: Reveal current file in navigation. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:reveal-active-file; invoked=True; semantic outcome not individually certified.



215. Command entry: Files: Create new folder

Coverage: screen_inspected

About the feature: Files: Create new folder. An action in the vault file browser for creating, locating or organizing local files and folders.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-explorer:new-folder; invoked=True; semantic outcome not individually certified.



216. Command entry: Search: Search in all files

Coverage: screen_inspected

About the feature: Search: Search in all files. Search across the vault rather than just the currently open note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=global-search:open; invoked=True; semantic outcome not individually certified.



217. Command entry: Quick switcher: Open quick switcher

Coverage: screen_inspected

About the feature: Quick switcher: Open quick switcher. Quickly locate and open a note by its name.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=switcher:open; invoked=True; semantic outcome not individually certified.



218. Command entry: Graph view: Open graph view

Coverage: screen_inspected

About the feature: Graph view: Open graph view. Visualize relationships created by links between notes; the local graph focuses on a single note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=graph:open; invoked=True; semantic outcome not individually certified.



219. Command entry: Graph view: Open local graph

Coverage: screen_inspected

About the feature: Graph view: Open local graph. Visualize relationships created by links between notes; the local graph focuses on a single note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=graph:open-local; invoked=True; semantic outcome not individually certified.



220. Command entry: Graph view: Start graph timelapse animation

Coverage: blocked

About the feature: Graph view: Start graph timelapse animation. Visualize relationships created by links between notes; the local graph focuses on a single note.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=graph:animate; checkCallback did not permit invocation in the seeded context.



221. Command entry: Backlinks: Show backlinks

Coverage: screen_inspected

About the feature: Backlinks: Show backlinks. Find other notes that refer to the current note, including linked and unlinked mentions where offered.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=backlink:open; invoked=True; semantic outcome not individually certified.



222. Command entry: Backlinks: Open backlinks for the current note

Coverage: blocked

About the feature: Backlinks: Open backlinks for the current note. Find other notes that refer to the current note, including linked and unlinked mentions where offered.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=backlink:open-backlinks; checkCallback did not permit invocation in the seeded context.



Real Android emulator capture | Obsidian 1.15.0 | 42182162974

223. Command entry: Backlinks: Toggle backlinks in document

Coverage: screen_inspected

About the feature: Backlinks: Toggle backlinks in document. Find other notes that refer to the current note, including linked and unlinked mentions where offered.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=backlink:toggle-backlinks-in-document; invoked=True; semantic outcome not individually certified.



224. Command entry: Canvas: Create new canvas

Coverage: screen_inspected

About the feature: Canvas: Create new canvas. Arrange text cards, files and connecting edges on a spatial canvas.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=canvas:new-file; invoked=True; semantic outcome not individually certified.



225. Command entry: Canvas: Jump to group

Coverage: screen_inspected

About the feature: Canvas: Jump to group. Arrange text cards, files and connecting edges on a spatial canvas.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=canvas:jump-to-group; invoked=True; semantic outcome not individually certified.



226. Command entry: Canvas: Convert to file...

Coverage: blocked

About the feature: Canvas: Convert to file.... Arrange text cards, files and connecting edges on a spatial canvas.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=canvas:convert-to-file; checkCallback did not permit invocation in the seeded context.



227. Command entry: Outgoing links: Show outgoing links

Coverage: screen_inspected

About the feature: Outgoing links: Show outgoing links. Inspect links going from the current note to other notes.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=outgoing-links:open; invoked=True; semantic outcome not individually certified.



228. Command entry: Outgoing links: Open outgoing links for the current file

Coverage: blocked

About the feature: Outgoing links: Open outgoing links for the current file. Inspect links going from the current note to other notes.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=outgoing-links:open-for-current; checkCallback did not permit invocation in the seeded context.



229. Command entry: Tags view: Show tags

Coverage: screen_inspected

About the feature: Tags view: Show tags. Browse tags used in notes and navigate matching content.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=tag-pane:open; invoked=True; semantic outcome not individually certified.



230. Command entry: Properties view: Show all properties

Coverage: screen_inspected

About the feature: Properties view: Show all properties. Inspect structured note metadata, either for one note or across the vault.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=properties:open; invoked=True; semantic outcome not individually certified.



231. Command entry: Properties view: Show file properties

Coverage: screen_inspected

About the feature: Properties view: Show file properties. Inspect structured note metadata, either for one note or across the vault.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=properties:open-local; invoked=True; semantic outcome not individually certified.



232. Command entry: Daily notes: Open today's daily note

Coverage: screen_inspected

About the feature: Daily notes: Open today's daily note. Create or navigate date-based daily notes using the configured format and folder.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=daily-notes; invoked=True; semantic outcome not individually certified.



233. Command entry: Daily notes: Open previous daily note

Coverage: blocked

About the feature: Daily notes: Open previous daily note. Create or navigate date-based daily notes using the configured format and folder.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=daily-notes:goto-prev; checkCallback did not permit invocation in the seeded context.



234. Command entry: Daily notes: Open next daily note

Coverage: blocked

About the feature: Daily notes: Open next daily note. Create or navigate date-based daily notes using the configured format and folder.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=daily-notes:goto-next; checkCallback did not permit invocation in the seeded context.



235. Command entry: Templates: Insert template

Coverage: blocked

About the feature: Templates: Insert template. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=insert-template; invoked=True; semantic outcome not individually certified.; Visual review: Template insertion was blocked: the dummy vault has no configured template folder. Settings and the attempted action are captured; insertion is not verified.



236. Command entry: Templates: Insert current date

Coverage: screen_inspected

About the feature: Templates: Insert current date. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=insert-current-date; invoked=True; semantic outcome not individually certified.



237. Command entry: Templates: Insert current time

Coverage: screen_inspected

About the feature: Templates: Insert current time. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=insert-current-time; invoked=True; semantic outcome not individually certified.



238. Command entry: Note composer: Merge current file with another file...

Coverage: screen_inspected

About the feature: Note composer: Merge current file with another file.... Split selected content into another note or merge note content; these are editing operations, not backups.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=note-composer:merge-file; invoked=True; semantic outcome not individually certified.



239. Command entry: Note composer: Extract current selection...

Coverage: screen_inspected

About the feature: Note composer: Extract current selection.... Split selected content into another note or merge note content; these are editing operations, not backups.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=note-composer:split-file; invoked=True; semantic outcome not individually certified.



240. Command entry: Note composer: Extract this heading...

Coverage: blocked

About the feature: Note composer: Extract this heading.... Split selected content into another note or merge note content; these are editing operations, not backups.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=note-composer:extract-heading; checkCallback did not permit invocation in the seeded context.



241. Command entry: Command palette: Open command palette

Coverage: screen_inspected

About the feature: Command palette: Open command palette. Find and invoke named application commands from a searchable list.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=command-palette:open; invoked=True; semantic outcome not individually certified.



242. Command entry: Bookmarks: Show bookmarks

Coverage: screen_inspected

About the feature: Bookmarks: Show bookmarks. Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bookmarks:open; invoked=True; semantic outcome not individually certified.



243. Command entry: Bookmarks: Bookmark...

Coverage: screen_inspected

About the feature: Bookmarks: Bookmark.... Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bookmarks:bookmark-current-view; invoked=True; semantic outcome not individually certified.



244. Command entry: Bookmarks: Bookmark current search...

Coverage: screen_inspected

About the feature: Bookmarks: Bookmark current search.... Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bookmarks:bookmark-current-search; invoked=True; semantic outcome not individually certified.



245. Command entry: Bookmarks: Remove bookmark for the current file

Coverage: blocked

About the feature: Bookmarks: Remove bookmark for the current file. Save shortcuts to files, headings, searches or views for later navigation.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=bookmarks:unbookmark-current-view; checkCallback did not permit invocation in the seeded context.



246. Command entry: Bookmarks: Bookmark block under cursor...

Coverage: screen_inspected

About the feature: Bookmarks: Bookmark block under cursor.... Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bookmarks:bookmark-current-section; invoked=True; semantic outcome not individually certified.



247. Command entry: Bookmarks: Bookmark heading under cursor...

Coverage: screen_inspected

About the feature: Bookmarks: Bookmark heading under cursor.... Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bookmarks:bookmark-current-heading; invoked=True; semantic outcome not individually certified.



248. Command entry: Bookmarks: Bookmark all tabs...

Coverage: screen_inspected

About the feature: Bookmarks: Bookmark all tabs.... Save shortcuts to files, headings, searches or views for later navigation.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bookmarks:bookmark-all-tabs; invoked=True; semantic outcome not individually certified.



249. Command entry: Outline: Show outline

Coverage: screen_inspected

About the feature: Outline: Show outline. Navigate the heading structure of the current note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=outline:open; invoked=True; semantic outcome not individually certified.



250. Command entry: Outline: Open outline of the current file

Coverage: screen_inspected

About the feature: Outline: Open outline of the current file. Navigate the heading structure of the current note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=outline:open-for-current; invoked=True; semantic outcome not individually certified.



251. Command entry: File recovery: Open local history

Coverage: screen_inspected

About the feature: File recovery: Open local history. Inspect local snapshots of note edits; this differs from cloud version history and the file trash.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=file-recovery:open; invoked=True; semantic outcome not individually certified.



252. Command entry: Sync: Set up Sync

Coverage: blocked

About the feature: Sync: Set up Sync. An Obsidian Sync account/service action. The cloud service is not end-to-end verified in this report.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=sync:setup; Account/cloud operation: entry is inventoried; no login or service operation is performed.



253. Command entry: Sync: Open version history for the current file

Coverage: blocked

About the feature: Sync: Open version history for the current file. An Obsidian Sync account/service action. The cloud service is not end-to-end verified in this report.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=sync:view-version-history; Account/cloud operation: entry is inventoried; no login or service operation is performed.



254. Command entry: Sync: Show Sync history

Coverage: blocked

About the feature: Sync: Show Sync history. An Obsidian Sync account/service action. The cloud service is not end-to-end verified in this report.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=sync:open-sync-view; Account/cloud operation: entry is inventoried; no login or service operation is performed.



255. Command entry: Sync: Open activity log

Coverage: blocked

About the feature: Sync: Open activity log. An Obsidian Sync account/service action. The cloud service is not end-to-end verified in this report.

Check scope: The real command entry is documented without completing its sensitive/context-resetting operation.

Observed: Command=sync:open-sync-log; Account/cloud operation: entry is inventoried; no login or service operation is performed.



256. Command entry: Bases: Create new base

Coverage: screen_inspected

About the feature: Bases: Create new base. Create and manipulate structured views of vault files using note properties; it is not a separate cloud database.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bases:new-file; invoked=True; semantic outcome not individually certified.



257. Command entry: Bases: Insert new base

Coverage: blocked

About the feature: Bases: Insert new base. Create and manipulate structured views of vault files using note properties; it is not a separate cloud database.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=bases:insert; checkCallback did not permit invocation in the seeded context.



258. Command entry: Bases: Copy table to clipboard

Coverage: screen_inspected

About the feature: Bases: Copy table to clipboard. Create and manipulate structured views of vault files using note properties; it is not a separate cloud database.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bases:copy-table; invoked=True; semantic outcome not individually certified.



259. Command entry: Bases: Switch view...

Coverage: blocked

About the feature: Bases: Switch view.... Create and manipulate structured views of vault files using note properties; it is not a separate cloud database.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=bases:change-view; checkCallback did not permit invocation in the seeded context.



260. Command entry: Bases: Add view

Coverage: screen_inspected

About the feature: Bases: Add view. Create and manipulate structured views of vault files using note properties; it is not a separate cloud database.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bases:add-view; invoked=True; semantic outcome not individually certified.



261. Command entry: Bases: Add item

Coverage: screen_inspected

About the feature: Bases: Add item. Create and manipulate structured views of vault files using note properties; it is not a separate cloud database.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=bases:add-item; invoked=True; semantic outcome not individually certified.

262. Command entry: Footnotes view: Show footnotes

Coverage: screen_inspected

About the feature: Footnotes view: Show footnotes. Inspect footnotes associated with the current note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=footnotes:open; invoked=True; semantic outcome not individually certified.

263. Command entry: Unique note creator: Create new unique note

Coverage: screen_inspected

About the feature: Unique note creator: Create new unique note. Create a note with a unique, typically time-based name.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=zk-prefixer; invoked=True; semantic outcome not individually certified.



264. Command entry: Unique note creator: Add unique internal link

Coverage: screen_inspected

About the feature: Unique note creator: Add unique internal link. A built-in action exposed in this inspected mobile configuration; use the coverage status to distinguish intent from verified behavior.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=insert-unique-link; invoked=True; semantic outcome not individually certified.



265. Command entry: Random note: Open random note

Coverage: screen_inspected

About the feature: Random note: Open random note. Open a randomly selected existing note.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=random-note; invoked=True; semantic outcome not individually certified.



266. Command entry: Slides: Start presentation

Coverage: screen_inspected

About the feature: Slides: Start presentation. Present suitably separated Markdown sections as slides.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=slides:start; invoked=True; semantic outcome not individually certified.



267. Command entry: Audio recorder: Start recording audio

Coverage: blocked

About the feature: Audio recorder: Start recording audio. Record microphone input into a vault attachment. Entry/permission screenshots are not recording-quality proof.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=audio-recorder:start; invoked=True; semantic outcome not individually certified.; Visual review: Audio recording was blocked by permission denial. This is not a recording or microphone-quality pass.



268. Command entry: Audio recorder: Stop recording audio

Coverage: blocked

About the feature: Audio recorder: Stop recording audio. Record microphone input into a vault attachment. Entry/permission screenshots are not recording-quality proof.

Check scope: This registered action needs another selection/context; it was not falsely counted as passed.

Observed: Command=audio-recorder:stop; checkCallback did not permit invocation in the seeded context.



269. Command entry: Workspaces: Load workspace layout

Coverage: screen_inspected

About the feature: Workspaces: Load workspace layout. Save or restore the arrangement of open views; a layout is not a note-content backup.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspaces:load; invoked=True; semantic outcome not individually certified.



270. Command entry: Workspaces: Save layout

Coverage: screen_inspected

About the feature: Workspaces: Save layout. Save or restore the arrangement of open views; a layout is not a note-content backup.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspaces:save; invoked=True; semantic outcome not individually certified.



271. Command entry: Workspaces: Save and load another layout

Coverage: screen_inspected

About the feature: Workspaces: Save and load another layout. Save or restore the arrangement of open views; a layout is not a note-content backup.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspaces:save-and-load; invoked=True; semantic outcome not individually certified.



272. Command entry: Workspaces: Manage workspace layouts

Coverage: screen_inspected

About the feature: Workspaces: Manage workspace layouts. Save or restore the arrangement of open views; a layout is not a note-content backup.

Check scope: Invoke this registered built-in action in a seeded Markdown, Canvas or Bases context. Screenshot documents the resulting entry/state, not every follow-on behavior.

Observed: Command=workspaces:open-modal; invoked=True; semantic outcome not individually certified.



273. Settings: General

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



274. General: Version 1.15.0 (396)

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



275. General: Language

Coverage: screen_inspected

Check scope: Change the display language.

Observed: Control inspected only; not all values/branches functionally verified.



276. General: Help

Coverage: screen_inspected

Check scope: Learn how to use Obsidian and get help from the community.

Observed: Control inspected only; not all values/branches functionally verified.



277. General: Account

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



278. General: Your account

Coverage: screen_inspected

Check scope: You're not logged in right now. An account is only needed for Obsidian Sync, Obsidian Publish, and early access versions.

Observed: Control inspected only; not all values/branches functionally verified.



279. General: Catalyst license

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



280. General: Commercial license

Coverage: screen_inspected

Check scope: Help keep Obsidian 100% user-supported.

Observed: Control inspected only; not all values/branches functionally verified.



281. General: Advanced

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



282. General: Notify if startup takes longer than expected

Coverage: screen_inspected

Check scope: Diagnose issues with your app by seeing what is causing the app to load slowly.

Observed: Control inspected only; not all values/branches functionally verified.



283. Settings: Appearance

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



284. Appearance: Base color scheme

Coverage: screen_inspected

Check scope: Choose Obsidian's default color scheme.

Observed: Control inspected only; not all values/branches functionally verified.



285. Appearance: Accent color

Coverage: screen_inspected

Check scope: Choose the accent color used throughout the app.

Observed: Control inspected only; not all values/branches functionally verified.



286. Appearance: Themes

Coverage: screen_inspected

Check scope: Manage installed themes and browse community themes.

Observed: Control inspected only; not all values/branches functionally verified.



287. Appearance: Current community themes

Coverage: screen_inspected

Check scope: You currently have 0 themes installed.

Observed: Control inspected only; not all values/branches functionally verified.



288. Appearance: CSS snippets

Coverage: screen_inspected

Check scope: Manage your collection of CSS files for tweaking the app's appearance.

Observed: Control inspected only; not all values/branches functionally verified.



289. Appearance: Font

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



290. Appearance: Interface font

Coverage: screen_inspected

Check scope: Set base font for all of Obsidian.

Observed: Control inspected only; not all values/branches functionally verified.



291. Appearance: Text font

Coverage: screen_inspected

Check scope: Set font for editing and reading views.

Observed: Control inspected only; not all values/branches functionally verified.



292. Appearance: Monospace font

Coverage: screen_inspected

Check scope: Set font for places like code blocks and frontmatter.

Observed: Control inspected only; not all values/branches functionally verified.



293. Appearance: Font size

Coverage: screen_inspected

Check scope: Font size in pixels that affects editing and reading views.

Observed: Control inspected only; not all values/branches functionally verified.



294. Appearance: Quick font size adjustment

Coverage: screen_inspected

Check scope: Adjust the font size using Ctrl + Scroll, or using the trackpad pinch-zoom gesture.

Observed: Control inspected only; not all values/branches functionally verified.



295. Settings: Interface

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



296. Interface: Full screen

Coverage: screen_inspected

Check scope: Automatically hide interface elements while reading.

Observed: Control inspected only; not all values/branches functionally verified.



297. Interface: Floating navigation

Coverage: screen_inspected

Check scope: Navigation buttons float over the content instead of being anchored.

Observed: Control inspected only; not all values/branches functionally verified.



298. Interface: Sliding sidebars

Coverage: screen_inspected

Check scope: Sidebars slide to the side of the content instead of floating above.

Observed: Control inspected only; not all values/branches functionally verified.



299. Interface: Ribbon menu configuration

Coverage: screen_inspected

Check scope: Configure what commands appear in the ribbon menu.

Observed: Control inspected only; not all values/branches functionally verified.



300. Interface: Mobile

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



301. Interface: Configure mobile Quick Action

Coverage: screen_inspected

Check scope: Configure which command to trigger when pulling down from the top. The current command is set to “Command palette: Open command palette”.

Observed: Control inspected only; not all values/branches functionally verified.



302. Interface: Configure mobile toolbar

Coverage: screen_inspected

Check scope: Manage toolbar options

Observed: Control inspected only; not all values/branches functionally verified.



303. Settings: Editor

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



304. Editor: Default view for new tabs

Coverage: screen_inspected

Check scope: The default view that a new Markdown tab gets opened in.

Observed: Control inspected only; not all values/branches functionally verified.



305. Editor: Default editing mode

Coverage: screen_inspected

Check scope: The default editing mode a new tab will start with.

Observed: Control inspected only; not all values/branches functionally verified.



306. Editor: Show editing mode in status bar

Coverage: screen_inspected

Check scope: Show the editing mode toggle in the status bar.

Observed: Control inspected only; not all values/branches functionally verified.



307. Editor: Display

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



308. Editor: Inline title

Coverage: screen_inspected

Check scope: Display the filename as an editable title inline with the file contents.

Observed: Control inspected only; not all values/branches functionally verified.



309. Editor: Readable line length

Coverage: screen_inspected

Check scope: Limit maximum line length. Less content fits onscreen, but long blocks of text are more readable.

Observed: Control inspected only; not all values/branches functionally verified.



310. Editor: Strict line breaks

Coverage: screen_inspected

Check scope: Markdown specs ignore single line breaks in reading view. Turn this off to make single line breaks visible.

Observed: Control inspected only; not all values/branches functionally verified.



311. Editor: Properties in document

Coverage: screen_inspected

Check scope: Choose how properties are displayed at the top of notes. Select “source” to show properties as raw YAML.

Observed: Control inspected only; not all values/branches functionally verified.



312. Editor: Fold heading

Coverage: screen_inspected

Check scope: Lets you fold all content under a heading.

Observed: Control inspected only; not all values/branches functionally verified.



313. Editor: Fold indent

Coverage: screen_inspected

Check scope: Lets you fold part of an indentation, such as lists.

Observed: Control inspected only; not all values/branches functionally verified.



314. Editor: Line numbers

Coverage: screen_inspected

Check scope: Show line numbers in the gutter.

Observed: Control inspected only; not all values/branches functionally verified.



315. Editor: Indentation guides

Coverage: screen_inspected

Check scope: Show vertical relationship lines between list items.

Observed: Control inspected only; not all values/branches functionally verified.



316. Editor: Right-to-left (RTL)

Coverage: screen_inspected

Check scope: Sets the default text direction of notes to right-to-left.

Observed: Control inspected only; not all values/branches functionally verified.



317. Editor: Behavior

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



318. Editor: Spellcheck

Coverage: screen_inspected

Check scope: Turn on the spellchecker.

Observed: Control inspected only; not all values/branches functionally verified.



319. Editor: Auto-pair brackets

Coverage: screen_inspected

Check scope: Pair brackets and quotes automatically.

Observed: Control inspected only; not all values/branches functionally verified.



320. Editor: Auto-pair Markdown syntax

Coverage: screen_inspected

Check scope: Pair symbols automatically for bold, italic, code, and more.

Observed: Control inspected only; not all values/branches functionally verified.



321. Editor: Smart lists

Coverage: screen_inspected

Check scope: Automatically set indentation and place list items correctly.

Observed: Control inspected only; not all values/branches functionally verified.



322. Editor: Indent using tabs

Coverage: screen_inspected

Check scope: Use tabs to indent by pressing the “Tab” key. Turn this off to indent using 4 spaces.

Observed: Control inspected only; not all values/branches functionally verified.



323. Editor: Indent visual width

Coverage: screen_inspected

Check scope: Number of spaces a tab character will render as.

Observed: Control inspected only; not all values/branches functionally verified.



324. Editor: Advanced

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



325. Editor: Convert pasted HTML to Markdown

Coverage: screen_inspected

Check scope: Automatically convert HTML to Markdown when pasting and drag-and-drop from web pages. Use Ctrl/Cmd+Shift+V to paste HTML without converting.

Observed: Control inspected only; not all values/branches functionally verified.



326. Editor: Vim key bindings

Coverage: screen_inspected

Check scope: Use Vim key bindings when editing. On mobile devices, this setting is per-device and is not synchronized through the config file.

Observed: Control inspected only; not all values/branches functionally verified.



327. Settings: Files and links

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



328. Files and links: Default file to open

Coverage: screen_inspected

Check scope: Choose which file to open when the app starts.

Observed: Control inspected only; not all values/branches functionally verified.



329. Files and links: File to open

Coverage: screen_inspected

Check scope: Select a specific file to open by default.

Observed: Control inspected only; not all values/branches functionally verified.



330. Files and links: Always focus new tabs

Coverage: screen_inspected

Check scope: When you open a link in a new tab, switch to it immediately.

Observed: Control inspected only; not all values/branches functionally verified.



331. Files and links: Default location for new notes

Coverage: screen_inspected

Check scope: Where newly created notes are placed.

Observed: Control inspected only; not all values/branches functionally verified.



332. Files and links: Folder to create new notes in

Coverage: screen_inspected

Check scope: Newly created notes will appear in this folder.

Observed: Control inspected only; not all values/branches functionally verified.



333. Files and links: Default location for new attachments

Coverage: screen_inspected

Check scope: Where newly added attachments are placed.

Observed: Control inspected only; not all values/branches functionally verified.



334. Files and links: Attachment folder path

Coverage: screen_inspected

Check scope: Place newly created attachment files, such as images created via drag-and-drop or audio recordings, in this folder.

Observed: Control inspected only; not all values/branches functionally verified.



335. Files and links: Subfolder name

Coverage: screen_inspected

Check scope: If your file is in “vault/folder”, and you set subfolder name to “attachments”, attachments will be saved to “vault/folder/attachments”.

Observed: Control inspected only; not all values/branches functionally verified.



336. Files and links: Links

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



337. Files and links: New link format

Coverage: screen_inspected

Check scope: What links to insert when auto-generating internal links.

Observed: Control inspected only; not all values/branches functionally verified.



338. Files and links: Automatically update internal links

Coverage: screen_inspected

Check scope: Turn off to be prompted to update links after renaming a file.

Observed: Control inspected only; not all values/branches functionally verified.



339. Files and links: Use [[Wikilinks]]

Coverage: screen_inspected

Check scope: Auto-generate Wikilinks for [[links]] and ![[images]] instead of Markdown links and images. Disable this option to generate Markdown links instead.

Observed: Control inspected only; not all values/branches functionally verified.



340. Files and links: Show all file types

Coverage: screen_inspected

Check scope: Show files with any extension even if Obsidian can't open them natively, so you can link to them and see them in File Explorer and Quick Switcher.

Observed: Control inspected only; not all values/branches functionally verified.



341. Files and links: Trash

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



342. Files and links: Confirm before deleting files

Coverage: screen_inspected

Check scope: Avoid accidentally deleting files.

Observed: Control inspected only; not all values/branches functionally verified.



343. Files and links: Delete attachments when deleting files

Coverage: screen_inspected

Check scope: Automatically remove attachments linked to the deleted file if they're not used elsewhere.

Observed: Control inspected only; not all values/branches functionally verified.



344. Files and links: Deleted files

Coverage: screen_inspected

Check scope: What happens to a file after you delete it.

Observed: Control inspected only; not all values/branches functionally verified.



345. Files and links: Advanced

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



346. Files and links: Excluded files

Coverage: screen_inspected

Check scope: Excluded files will be hidden in Search, Graph View, and Unlinked Mentions, less noticeable in Quick Switcher and link suggestions.

Observed: Control inspected only; not all values/branches functionally verified.



347. Files and links: Override config folder

Coverage: screen_inspected

Check scope: Use a different config folder than the default one. Must start with a dot.

Observed: Control inspected only; not all values/branches functionally verified.



348. Files and links: Allow URI callbacks

Coverage: screen_inspected

Check scope: Enable the use of x-callback-url through x-success or x-error when handling Obsidian URIs. Learn more

Observed: Control inspected only; not all values/branches functionally verified.



349. Files and links: Rebuild vault cache

Coverage: screen_inspected

Check scope: Rebuilding the cache could take a few seconds to a few minutes depending on the size of your vault. Learn more

Observed: Control inspected only; not all values/branches functionally verified.



350. Settings: Hotkeys

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



351. Hotkeys: Add alias

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



352. Hotkeys: Add cursor above

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



353. Hotkeys: Add cursor below

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



354. Hotkeys: Add embed

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



355. Hotkeys: Add file property

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



356. Hotkeys: Add internal link

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



357. Hotkeys: Add tag

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



358. Hotkeys: Audio recorder: Start recording audio

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



359. Hotkeys: Audio recorder: Stop recording audio

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



360. Hotkeys: Backlinks: Open backlinks for the current note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



361. Hotkeys: Backlinks: Show backlinks

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



362. Hotkeys: Backlinks: Toggle backlinks in document

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



363. Hotkeys: Bases: Add item

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



364. Hotkeys: Bases: Add view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



365. Hotkeys: Bases: Copy table to clipboard

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



366. Hotkeys: Bases: Create new base

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



367. Hotkeys: Bases: Insert new base

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



368. Hotkeys: Bases: Switch view...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



369. Hotkeys: Bookmarks: Bookmark all tabs...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



370. Hotkeys: Bookmarks: Bookmark block under cursor...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



371. Hotkeys: Bookmarks: Bookmark current search...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



372. Hotkeys: Bookmarks: Bookmark heading under cursor...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



373. Hotkeys: Bookmarks: Bookmark...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



374. Hotkeys: Bookmarks: Remove bookmark for the current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



375. Hotkeys: Bookmarks: Show bookmarks

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



376. Hotkeys: Canvas: Convert to file...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



377. Hotkeys: Canvas: Create new canvas

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



378. Hotkeys: Canvas: Jump to group

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



379. Hotkeys: Change theme...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



380. Hotkeys: Change vault...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



381. Hotkeys: Clear file properties

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



382. Hotkeys: Clear formatting

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



383. Hotkeys: Close all other tabs

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



384. Hotkeys: Close current tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



385. Hotkeys: Close others in tab group

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



386. Hotkeys: Close this tab group

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



387. Hotkeys: Command palette: Open command palette

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



388. Hotkeys: Configure mobile Quick Action

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



389. Hotkeys: Configure mobile toolbar

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



390. Hotkeys: Copy

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



391. Hotkeys: Copy current file path from vault folder

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



392. Hotkeys: Copy Obsidian URL for current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



393. Hotkeys: Create new note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



394. Hotkeys: Create new note in current tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



395. Hotkeys: Create note to the right

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



396. Hotkeys: Cut

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



397. Hotkeys: Cycle bullet/checkbox

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



398. Hotkeys: Daily notes: Open next daily note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



399. Hotkeys: Daily notes: Open previous daily note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



400. Hotkeys: Daily notes: Open today's daily note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



401. Hotkeys: Decrease font size

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



402. Hotkeys: Delete current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



403. Hotkeys: Delete paragraph

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



404. Hotkeys: Download attachments for current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



405. Hotkeys: Export to PDF...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



406. Hotkeys: File recovery: Open local history

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



407. Hotkeys: Files: Create new folder

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



408. Hotkeys: Files: Reveal current file in navigation

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



409. Hotkeys: Files: Show file explorer

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



410. Hotkeys: Focus on last note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



411. Hotkeys: Fold all headings and lists

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



412. Hotkeys: Fold less

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



413. Hotkeys: Fold more

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



414. Hotkeys: Follow link under cursor

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



415. Hotkeys: Footnotes view: Show footnotes

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



416. Hotkeys: Format converter: Frontmatter migration

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



417. Hotkeys: Go to first line

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



418. Hotkeys: Go to last line

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



419. Hotkeys: Go to last tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



420. Hotkeys: Go to next tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



421. Hotkeys: Go to previous tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



422. Hotkeys: Go to tab #1

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



423. Hotkeys: Go to tab #2

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



424. Hotkeys: Go to tab #3

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



425. Hotkeys: Go to tab #4

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



426. Hotkeys: Go to tab #5

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



427. Hotkeys: Go to tab #6

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



428. Hotkeys: Go to tab #7

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



429. Hotkeys: Go to tab #8

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



430. Hotkeys: Graph view: Open graph view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



431. Hotkeys: Graph view: Open local graph

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



432. Hotkeys: Graph view: Start graph timelapse animation

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



433. Hotkeys: Increase font size

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



434. Hotkeys: Indent list item

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



435. Hotkeys: Insert attachment

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



436. Hotkeys: Insert callout

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



437. Hotkeys: Insert code block

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



438. Hotkeys: Insert footnote

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



439. Hotkeys: Insert horizontal rule

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



440. Hotkeys: Insert Markdown link

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



441. Hotkeys: Insert math block

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



442. Hotkeys: Insert table

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



443. Hotkeys: Make a copy of the current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



444. Hotkeys: Manage vaults

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



445. Hotkeys: Move caret down

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



446. Hotkeys: Move caret left

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



447. Hotkeys: Move caret right

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



448. Hotkeys: Move caret up

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



449. Hotkeys: Move current file to another folder

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



450. Hotkeys: Move line down

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



451. Hotkeys: Move line up

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



452. Hotkeys: Navigate back

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



453. Hotkeys: Navigate forward

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



454. Hotkeys: New tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



455. Hotkeys: Note composer: Extract current selection...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



456. Hotkeys: Note composer: Extract this heading...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



457. Hotkeys: Note composer: Merge current file with another file...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



458. Hotkeys: Open help

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



459. Hotkeys: Open link under cursor in new tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



460. Hotkeys: Open settings

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



461. Hotkeys: Outgoing links: Open outgoing links for the current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



462. Hotkeys: Outgoing links: Show outgoing links

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



463. Hotkeys: Outline: Open outline of the current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



464. Hotkeys: Outline: Show outline

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



465. Hotkeys: Paste

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



466. Hotkeys: Properties view: Show all properties

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



467. Hotkeys: Properties view: Show file properties

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



468. Hotkeys: Quick switcher: Open quick switcher

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



469. Hotkeys: Random note: Open random note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



470. Hotkeys: Redo

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



471. Hotkeys: Reload app without saving

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



472. Hotkeys: Remove heading

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



473. Hotkeys: Rename file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



474. Hotkeys: Rename this heading...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



475. Hotkeys: Save current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



476. Hotkeys: Search & replace in current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



477. Hotkeys: Search current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



478. Hotkeys: Search: Search in all files

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



479. Hotkeys: Set as heading 1

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



480. Hotkeys: Set as heading 2

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



481. Hotkeys: Set as heading 3

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



482. Hotkeys: Set as heading 4

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



483. Hotkeys: Set as heading 5

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



484. Hotkeys: Set as heading 6

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



485. Hotkeys: Share

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



486. Hotkeys: Show context menu under cursor

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



487. Hotkeys: Show debug info

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



488. Hotkeys: Show release notes

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



489. Hotkeys: Show tab overview

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



490. Hotkeys: Slides: Start presentation

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



491. Hotkeys: Sync: Open activity log

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



492. Hotkeys: Sync: Open version history for the current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



493. Hotkeys: Sync: Set up Sync

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



494. Hotkeys: Sync: Show Sync history

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



495. Hotkeys: Table: Add column to the left

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



496. Hotkeys: Table: Add column to the right

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



497. Hotkeys: Table: Add row above

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



498. Hotkeys: Table: Add row below

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



499. Hotkeys: Table: Align center

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



500. Hotkeys: Table: Align left

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



501. Hotkeys: Table: Align right

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



502. Hotkeys: Table: Delete column

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



503. Hotkeys: Table: Delete row

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



504. Hotkeys: Table: Duplicate column

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



505. Hotkeys: Table: Duplicate row

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



506. Hotkeys: Table: Move column left

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



507. Hotkeys: Table: Move column right

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



508. Hotkeys: Table: Move row down

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



509. Hotkeys: Table: Move row up

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



510. Hotkeys: Tags view: Show tags

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



511. Hotkeys: Templates: Insert current date

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



512. Hotkeys: Templates: Insert current time

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



513. Hotkeys: Templates: Insert template

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



514. Hotkeys: Toggle blockquote

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



515. Hotkeys: Toggle blue highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



516. Hotkeys: Toggle bold

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



517. Hotkeys: Toggle bullet list

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



518. Hotkeys: Toggle checkbox status

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



519. Hotkeys: Toggle code

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



520. Hotkeys: Toggle comment

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



521. Hotkeys: Toggle default mode for new tabs

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



522. Hotkeys: Toggle fold on the current line

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



523. Hotkeys: Toggle fold properties in current file

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



524. Hotkeys: Toggle green highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



525. Hotkeys: Toggle heading

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



526. Hotkeys: Toggle highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



527. Hotkeys: Toggle inline math

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



528. Hotkeys: Toggle italic

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



529. Hotkeys: Toggle keyboard

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



530. Hotkeys: Toggle left sidebar

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



531. Hotkeys: Toggle light/dark mode

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



532. Hotkeys: Toggle line numbers

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



533. Hotkeys: Toggle Live Preview/Source mode

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



534. Hotkeys: Toggle numbered list

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



535. Hotkeys: Toggle orange highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



536. Hotkeys: Toggle pin

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



537. Hotkeys: Toggle purple highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



538. Hotkeys: Toggle readable line length

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



539. Hotkeys: Toggle reading view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



540. Hotkeys: Toggle red highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



541. Hotkeys: Toggle ribbon

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



542. Hotkeys: Toggle right sidebar

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



543. Hotkeys: Toggle spellcheck

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



544. Hotkeys: Toggle strikethrough

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



545. Hotkeys: Toggle yellow highlight

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



546. Hotkeys: Undo

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



547. Hotkeys: Undo close tab

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



548. Hotkeys: Unfold all headings and lists

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



549. Hotkeys: Unindent list item

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



550. Hotkeys: Unique note creator: Add unique internal link

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



551. Hotkeys: Unique note creator: Create new unique note

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



552. Hotkeys: Workspaces: Load workspace layout

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



553. Hotkeys: Workspaces: Manage workspace layouts

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



554. Hotkeys: Workspaces: Save and load another layout

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



555. Hotkeys: Workspaces: Save layout

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



556. Settings: Keychain

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



557. Keychain: Secrets

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



558. Keychain: No secrets have been added. Secrets are used to store information like API keys and passwords that plugins can use.

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



559. Keychain: Add secret

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



560. Settings: Core plugins

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



561. Core plugins: Audio recorder

Coverage: screen_inspected

Check scope: Record audio notes and save them as attachments.

Observed: Control inspected only; not all values/branches functionally verified.



562. Core plugins: Backlinks

Coverage: screen_inspected

Check scope: Show links from other files to the current file. Backlinks can be shown in a separate view or at the bottom of the note.

Observed: Control inspected only; not all values/branches functionally verified.



563. Core plugins: Bases

Coverage: screen_inspected

Check scope: Create custom views that let you edit, sort, and filter files using their properties.

Observed: Control inspected only; not all values/branches functionally verified.



564. Core plugins: Bookmarks

Coverage: screen_inspected

Check scope: Save shortcuts to files, searches, headings, and graphs.

Observed: Control inspected only; not all values/branches functionally verified.



565. Core plugins: Canvas

Coverage: screen_inspected

Check scope: Arrange and connect notes on an infinite canvas.

Observed: Control inspected only; not all values/branches functionally verified.



566. Core plugins: Command palette

Coverage: screen_inspected

Check scope: Use Cmd/Ctrl+P and begin typing to invoke a command.

Observed: Control inspected only; not all values/branches functionally verified.



567. Core plugins: Daily notes

Coverage: screen_inspected

Check scope: Create or open today's daily note.

Observed: Control inspected only; not all values/branches functionally verified.



568. Core plugins: File recovery

Coverage: screen_inspected

Check scope: Restore recent snapshots to recover from accidental data loss. Snapshots are only saved for Markdown files.

Observed: Control inspected only; not all values/branches functionally verified.



569. Core plugins: Files

Coverage: screen_inspected

Check scope: Browse the files and folders in your vault.

Observed: Control inspected only; not all values/branches functionally verified.



570. Core plugins: Footnotes view

Coverage: screen_inspected

Check scope: Show a list of footnotes from the current note.

Observed: Control inspected only; not all values/branches functionally verified.



571. Core plugins: Graph view

Coverage: screen_inspected

Check scope: Visualize the relationships between your notes.

Observed: Control inspected only; not all values/branches functionally verified.



572. Core plugins: Note composer

Coverage: screen_inspected

Check scope: Merge two notes or split one into two.

Observed: Control inspected only; not all values/branches functionally verified.



573. Core plugins: Outgoing links

Coverage: screen_inspected

Check scope: Show outgoing links and detect unlinked mentions of other notes in the current note.

Observed: Control inspected only; not all values/branches functionally verified.



574. Core plugins: Outline

Coverage: screen_inspected

Check scope: Show the table of contents for the current note.

Observed: Control inspected only; not all values/branches functionally verified.



575. Core plugins: Page preview

Coverage: screen_inspected

Check scope: Hover an internal link to preview its content. In editor mode, press Ctrl/Cmd while hovering.

Observed: Control inspected only; not all values/branches functionally verified.



576. Core plugins: Properties view

Coverage: screen_inspected

Check scope: Show the metadata for your files in the sidebar.

Observed: Control inspected only; not all values/branches functionally verified.



577. Core plugins: Publish

Coverage: screen_inspected

Check scope: Host your notes online as a website, wiki or documentation.

Observed: Control inspected only; not all values/branches functionally verified.



578. Core plugins: Quick switcher

Coverage: screen_inspected

Check scope: Jump to other files with your keyboard.

Observed: Control inspected only; not all values/branches functionally verified.



579. Core plugins: Random note

Coverage: screen_inspected

Check scope: Open a random note to rediscover or review.

Observed: Control inspected only; not all values/branches functionally verified.



580. Core plugins: Search

Coverage: screen_inspected

Check scope: Search for a keyword in all the notes.

Observed: Control inspected only; not all values/branches functionally verified.



581. Core plugins: Slash commands

Coverage: screen_inspected

Check scope: Trigger commands in the editor by using the forward slash key.

Observed: Control inspected only; not all values/branches functionally verified.



582. Core plugins: Slides

Coverage: screen_inspected

Check scope: Create a presentation by using “---” to separate slides.

Observed: Control inspected only; not all values/branches functionally verified.



583. Core plugins: Sync

Coverage: screen_inspected

Check scope: Synchronize your files through Obsidian Sync.

Observed: Control inspected only; not all values/branches functionally verified.



584. Core plugins: Tags view

Coverage: screen_inspected

Check scope: Show a list of all tags and their number of occurrences.

Observed: Control inspected only; not all values/branches functionally verified.



585. Core plugins: Templates

Coverage: screen_inspected

Check scope: Insert template content from a folder of template files.

Observed: Control inspected only; not all values/branches functionally verified.



586. Core plugins: Unique note creator

Coverage: screen_inspected

Check scope: Create notes with unique timestamp prefixes, for workflows like zettelkasten or slip box.

Observed: Control inspected only; not all values/branches functionally verified.



587. Core plugins: Word count

Coverage: screen_inspected

Check scope: Show word count in the status bar.

Observed: Control inspected only; not all values/branches functionally verified.



588. Core plugins: Workspaces

Coverage: screen_inspected

Check scope: Save and load workspace layouts.

Observed: Control inspected only; not all values/branches functionally verified.



589. Settings: Community plugins

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



590. Community plugins: Community plugins, like any other software you install, could potentially cause data integrity and security issues. Plugin security is important to us. Here's what we do:

Coverage: screen_inspected

Check scope: Code review Plugins in the official community directory are automatically reviewed after every update. Open source Most plugins are open source on GitHub, so you can inspect the code yourself. Peer audit We have a large community of developers who watch out for each other. Report mechanism We follow up and remove faulty plugins upon user report.

Observed: Control inspected only; not all values/branches functionally verified.



591. Community plugins: Allow community plugins

Coverage: screen_inspected

Check scope: Plugins can execute arbitrary code on your device. We recommend backing up your data before enabling them.

Observed: Control inspected only; not all values/branches functionally verified.



592. Community plugins: Learn more about plugin security

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



593. Settings: Quick switcher

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



594. Quick switcher: Show existing only

Coverage: screen_inspected

Check scope: Only show results from existing files. Links to files that are not yet created will be hidden.

Observed: Control inspected only; not all values/branches functionally verified.



595. Quick switcher: Show attachments

Coverage: screen_inspected

Check scope: Show attachment files like images, videos, and PDFs.

Observed: Control inspected only; not all values/branches functionally verified.



596. Quick switcher: Show all file types

Coverage: screen_inspected

Check scope: Show all files including ones that Obsidian can't open. The file will be opened with the default app for that file type.

Observed: Control inspected only; not all values/branches functionally verified.



597. Settings: Sync

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



598. Settings: Backlinks

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



599. Backlinks: Show backlinks at the bottom of notes

Coverage: screen_inspected

Check scope: Make backlinks visible in new tabs by default.

Observed: Control inspected only; not all values/branches functionally verified.



600. Settings: Canvas

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



601. Canvas: Default location for new canvas files

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



602. Canvas: Folder to create new canvas files in

Coverage: screen_inspected

Check scope: Newly created canvas files will appear under this folder.

Observed: Control inspected only; not all values/branches functionally verified.



603. Canvas: Default mouse wheel behavior

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



604. Canvas: Default Ctrl + Drag behavior

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



605. Canvas: Show card names

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



606. Canvas: Snap to grid

Coverage: screen_inspected

Check scope: Snap cards to the background grid when moving and resizing.

Observed: Control inspected only; not all values/branches functionally verified.



607. Canvas: Snap to objects

Coverage: screen_inspected

Check scope: Snap cards to nearby objects when moving and resizing.

Observed: Control inspected only; not all values/branches functionally verified.



608. Canvas: Zoom threshold for hiding card content

Coverage: screen_inspected

Check scope: Lower values will increase performance but hide card content sooner when zooming out.

Observed: Control inspected only; not all values/branches functionally verified.



609. Settings: Page preview

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



610. Page preview: Require Ctrl to trigger page preview on hover

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



611. Page preview: Search, Backlinks, and Outgoing links

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



612. Page preview: Reading view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



613. Page preview: Editing view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



614. Page preview: Tab header

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



615. Page preview: Files

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



616. Page preview: Properties view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



617. Page preview: Bookmarks

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



618. Page preview: Outline

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



619. Page preview: Bases

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



620. Page preview: Graph view

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



621. Settings: Daily notes

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



622. Daily notes: Date format

Coverage: screen_inspected

Check scope: Choose how daily note are named in your vault.

Observed: Control inspected only; not all values/branches functionally verified.



623. Daily notes: Custom format

Coverage: screen_inspected

Check scope: For more syntax, refer to format reference Your current syntax looks like this: 2026-11-06

Observed: Control inspected only; not all values/branches functionally verified.



624. Daily notes: New file location

Coverage: screen_inspected

Check scope: New daily notes will be placed here.

Observed: Control inspected only; not all values/branches functionally verified.



625. Daily notes: Template file location

Coverage: screen_inspected

Check scope: Choose the file to use as a template.

Observed: Control inspected only; not all values/branches functionally verified.



626. Settings: Templates

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



627. Templates: Template folder location

Coverage: screen_inspected

Check scope: Files in this folder will be available as templates.

Observed: Control inspected only; not all values/branches functionally verified.



628. Templates: Date format

Coverage: screen_inspected

Check scope: {{date}} in the template file will be replaced with this value. You can also use {{date:YYYY-MM-DD}} to override the format once. For more syntax, refer to format reference
Your current syntax looks like this: 2026-11-06

Observed: Control inspected only; not all values/branches functionally verified.



629. Templates: Time format

Coverage: screen_inspected

Check scope: {{time}} in the template file will be replaced with this value. You can also use {{time:HH:mm}} to override the format once. For more syntax, refer to format reference Your current syntax looks like this: 07:21

Observed: Control inspected only; not all values/branches functionally verified.



630. Settings: Note composer

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



631. Note composer: Text after extraction

Coverage: screen_inspected

Check scope: What to show in place of the selected text after extracting it.

Observed: Control inspected only; not all values/branches functionally verified.



632. Note composer: Template file location

Coverage: screen_inspected

Check scope: Template file to use when merging or extracting. Available variables: {{content}}, {{fromTitle}}, {{newTitle}}, {{date:FORMAT}}, e.g. {{date:YYYY-MM-DD}}.

Observed: Control inspected only; not all values/branches functionally verified.



633. Note composer: Confirm file merge

Coverage: screen_inspected

Check scope: Prompt before merge two files.

Observed: Control inspected only; not all values/branches functionally verified.



634. Settings: Command palette

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



635. Command palette: Pinned commands

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



636. Command palette: No commands found.

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



637. Command palette: Add a command...

Coverage: screen_inspected

Check scope: Setting offered by this version of the Android application.

Observed: Control inspected only; not all values/branches functionally verified.



638. Settings: File recovery

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



639. File recovery: Snapshot interval

Coverage: screen_inspected

Check scope: Minimal interval in minutes between two snapshots.

Observed: Control inspected only; not all values/branches functionally verified.



640. File recovery: History length

Coverage: screen_inspected

Check scope: Number of days the snapshots are kept for.

Observed: Control inspected only; not all values/branches functionally verified.



641. File recovery: Snapshots

Coverage: screen_inspected

Check scope: View and restore saved snapshots.

Observed: Control inspected only; not all values/branches functionally verified.



642. File recovery: Clear history

Coverage: screen_inspected

Check scope: Delete all snapshots.

Observed: Control inspected only; not all values/branches functionally verified.



643. Settings: Unique note creator

Coverage: screen_inspected

Check scope: Installed mobile settings category. Settings are not blindly changed, especially account, sync or security controls.

Observed:



644. Unique note creator: New file location

Coverage: screen_inspected

Check scope: The folder path to create the new unique note in.

Observed: Control inspected only; not all values/branches functionally verified.



645. Unique note creator: Template file location

Coverage: screen_inspected

Check scope: The file path to use as template.

Observed: Control inspected only; not all values/branches functionally verified.



646. Unique note creator: Unique prefix format

Coverage: screen_inspected

Check scope: For more syntax, refer to format reference Your current syntax looks like this: 202611060722

Observed: Control inspected only; not all values/branches functionally verified.



647. Cold restart and retained local note

Coverage: functional_pass

Check scope: Force-stop and relaunch the same installed app, then compare the exact original Markdown.

Observed:



648. Appearance variant: light portrait

Coverage: screen_inspected

Check scope: Official app theme-toggle command and actual Android device rotation; no screenshot restyling.

Observed: {'dark': False, 'landscape': False, 'width': 360, 'height': 640}



649. Canvas variant: light portrait

Coverage: screen_inspected

Check scope: Native screenshot of the same real Canvas file under the selected device/theme configuration.

Observed:



650. Appearance variant: light landscape

Coverage: blocked

Check scope: Official app theme-toggle command and actual Android device rotation; no screenshot restyling.

Observed: {'dark': False, 'landscape': False, 'width': 360, 'height': 640}



651. Canvas: requested light landscape (not achieved)

Coverage: blocked

Check scope: Native screenshot of the same real Canvas file under the selected device/theme configuration.

Observed: Requested orientation/theme was not achieved: {'dark': False, 'landscape': False, 'width': 360, 'height': 640}. Actual screenshot retained; this is not landscape proof.



652. Appearance variant: dark portrait

Coverage: screen_inspected

Check scope: Official app theme-toggle command and actual Android device rotation; no screenshot restyling.

Observed: {'dark': True, 'landscape': False, 'width': 360, 'height': 640}



653. Canvas variant: dark portrait

Coverage: screen_inspected

Check scope: Native screenshot of the same real Canvas file under the selected device/theme configuration.

Observed:



654. Appearance variant: dark landscape

Coverage: blocked

Check scope: Official app theme-toggle command and actual Android device rotation; no screenshot restyling.

Observed: {'dark': True, 'landscape': False, 'width': 360, 'height': 640}



655. Canvas: requested dark landscape (not achieved)

Coverage: blocked

Check scope: Native screenshot of the same real Canvas file under the selected device/theme configuration.

Observed: Requested orientation/theme was not achieved: {'dark': True, 'landscape': False, 'width': 360, 'height': 640}. Actual screenshot retained; this is not landscape proof.



656. Vault management

Coverage: screen_inspected

About the feature: Vault management. An application-level navigation, settings or configuration action.

Check scope: Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: app:open-vault; invoked=True