Obsidian 1.15.0 Android

Actual feature screenshots and coverage report

Official unmodified APK. Public dummy data only. Native emulator screenshots; no generated UI mockups. Feature inspection uses real app commands, CDP input and the app vault API, not an Obsidian-owned test suite.

Important: this is NOT 100% functional feature coverage. A screenshot proves the shown state, not every behavior. Paid/account/cloud services, desktop-only capabilities, community plugins, settings combinations and unexecuted commands are not certified.

Captured feature entries: 27; status counts: {'functional_pass': 2, 'screen_inspected': 24, 'blocked': 1}

Full per-feature briefs, actions/observations and screenshots follow. Successful harness execution is not a claim that every feature passed.


Source: github.com/obsidianmd/obsidian-releases/releases/tag/v1.15.0. Obsidian is a third-party product; no affiliation or endorsement is implied.

1. Local private vault

Coverage: functional_pass

Onboarding selected private app storage without an account.

Observed: Official application exposed its initialized vault object.




2. Markdown files, folders and local readback

Coverage: functional_pass

Create a nested dummy vault corpus through the app file API, then open it in the real editor.

Observed:




3. Markdown source mode

Coverage: screen_inspected

Same dummy note shown in an editor or rendered reading view.

Observed:




4. Markdown preview mode

Coverage: screen_inspected

Same dummy note shown in an editor or rendered reading view.

Observed:




5. Properties

Coverage: screen_inspected

Structured fields, tags, aliases, a number and a checkbox in note frontmatter.

Observed: Rendered selector found=True




6. Rich Markdown formatting

Coverage: screen_inspected

Bold/italic/strike/highlight, lists, code and task syntax in a real rendered note.

Observed: Rendered selector found=True




7. Callouts

Coverage: screen_inspected

An admonition with a title and body.

Observed: Rendered selector found=True



Feature playground

A public dummy note; no real user data.

Formatting

Bold, *italic*, ~~strike~~, highlight and `inline code`.

- Bullet
  - Nested bullet

1. Numbered item
2. Second item

- [ ] Pending task
- [x] ~~Completed task~~


> **Callout**
>
> A callout keeps related content together

8. Tables

Coverage: screen_inspected

A Markdown table rendered as rows and columns.

Observed: Rendered selector found=True



Feature playground

A public dummy note; no real user data.

Formatting

Bold, *italic*, ~~strike~~, highlight and `inline code`.

- Bullet
  - Nested bullet

1. Numbered item
2. Second item

- [ ] Pending task
- [x] ~~Completed task~~


> **Callout**
>
> A callout keeps related content together

9. Code blocks

Coverage: screen_inspected

A fenced code sample rendered without executing its code.

Observed: Rendered selector found=True



Feature playground

A public dummy note; no real user data.

Formatting

Bold, *italic*, ~~strike~~, highlight and `inline code`.

- Bullet
  - Nested bullet

1. Numbered item
2. Second item

- [ ] Pending task
- [x] ~~Completed task~~

> **Callout**
>
> A callout keeps related content together

10. Internal links and embeds

Coverage: screen_inspected

An internal note link and an embedded second note.

Observed: Rendered selector found=True

Feature	Value
Table	Supported

```
print("dummy example")
```

Linking

Linked note and Linked note > Linked note. #audit

> **Linked note**
>
> # Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$$E = mc^2$$

Folding

11. Math

Coverage: screen_inspected

Inline mathematical notation rendered by the app.

Observed: Rendered selector found=True

#audit

> **Linked note**
>
> # Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$E = mc^2$

Folding

Content under a heading can be folded.

Multilingual text

ಕನ್ನಡ — हिन्दी — English

12. Footnotes

Coverage: blocked

Footnote references and their note body.

Observed: Rendered selector found=False

#audit

> **Linked note**
>
> # Linked note
>
> A second note with a return link to Playground. #audit

A footnote reference.one

one: Footnote text.

Math

$$E = mc^2$$

Folding

Content under a heading can be folded.

Multilingual text


ಕನ್ನಡ — हिन्दी — English

13. Canvas

Coverage: screen_inspected

A real canvas document with a text card, a linked-file card and a connecting edge.

Observed:




14. Bases

Coverage: screen_inspected

A local .base document opened by the app; no database account is used.

Observed:




15. File explorer

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: file-explorer:open; invoked=True




16. Quick switcher

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: switcher:open; invoked=True




17. Vault search

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: global-search:open; invoked=True




18. Command palette

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: command-palette:open; invoked=True




19. Global graph

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: graph:open; invoked=True




20. Local graph

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: graph:open-local; invoked=True




21. Backlinks

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: backlink:open-backlinks; invoked=True




22. Outgoing links

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: outgoing-links:open-for-current; invoked=True




23. Outline

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: outline:open-for-current; invoked=True




24. Tags view

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: tag-pane:open; invoked=True




25. Bookmarks

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: bookmarks:open; invoked=True




26. Daily notes

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: daily-notes; invoked=True



27. File recovery

Coverage: screen_inspected

Built-in action invoked by the official app command API; screenshot records the resulting real UI.

Observed: file-recovery:open; invoked=True

