Improvement execution ledger

ONGOING / INCOMPLETE — fresh bounded installed-app probes, not whole-app acceptance. Two production changes implemented and focused checks passed on candidate71 (0.71.0/code71). Expanded native qualification completed: 2671/2676 passed originally; API26 full-shard recheck 218/218; three navigation/large-text failures reproduced in isolation. Broader acceptance and exhaustive 37-module paired comparison remain incomplete. Native evidence and raw traces are retained in this repository; no user library was accessed.

Document contract: Do not treat this document as a completed comparison of every control. Untested pages/features/aspects stay not tested. Knowing our source helps form a mechanism hypothesis; it does not prove the exclusive root cause or that a proposed fix works.

Pinned baseline apps: MyNotes 0.69.0/code69, signed development APK SHA256 03d839d58b828ac72e211b69a1904e00e5f44f9f5c2b37704d4312501431d167; official Obsidian 1.15.0/code396 SHA256 2d92966fba5441a8976ae86b39cf138c0a845d3dcd318e6f0d29d304950bca5d.

Method: Fresh scripted interactions on one disposable Actions emulator, followed by visual evidence review and source tracing. This is not a human participant study. UI inspection and command/API setup shortcuts are identified separately. No E2E pass total is interpreted as UX quality.

Known measurement limits: Activity launch TotalTime is not interactive-ready time. Host command elapsed durations include inspection/adb overhead, not touch latency or human efficiency. Gfx/memory dumps are diagnostics, not a cross-engine smoothness rank. Animations, frame jank, battery and physical playback are not accepted without separate experiments.

Implementation phase: Two production changes implemented and focused checks passed on candidate71 (0.71.0/code71). Expanded native qualification completed: 2671/2676 passed originally; API26 full-shard recheck 218/218; three navigation/large-text failures reproduced in isolation. Broader acceptance and exhaustive 37-module paired comparison remain incomplete.

Scope still outstanding: physical devices, participant usability, precise touch latency, animation quality, frame jank, battery, all unexecuted plan tasks

Expanded qualification — completed, not all green

Original full native inventory: 2671/2676 passed across 6 profiles; 5 actual failures. Fresh JVM 366 passed; debug/release build and lint passed; signed 69-to71 public-rich retention passed API26/34.

Completed recheck: 218/221 selected executions passed. API26 owning shard 218/218 after API-compatible instrumentation observer correction. Three unchanged navigation/large-text assertions fail again in isolation. Original spreadsheet discrepancy not reproduced; not an app fix.

Scope remains open: Completed full discovered native inventory, not whole-app UX acceptance. API26 full shard 218/218 after instrumentation observer correction; original spreadsheet mismatch not reproduced, not fixed. Three unchanged navigation/large-text checks reproduce in isolated rechecks. Original failures retained; no release approval.

https://github.com/tarungittarun/TicTic/actions/runs/42277337133

https://github.com/tarungittarun/TicTic/actions/runs/42282354356

Actual runs and provenance

Run	Execution / scope
42217004191	provisioning_failed_before_apps — APK retrieval/verification step failed; emulator interactions did not run. The exact CLI failure is not inferred from its exit code. Raw-artifact-aware download used for the next attempt.
42217122419	fresh_session_retained — Both signed apps installed; bounded interactions retained. W01 checks were unequal and Obsidian body had extra leading #. Wave-one S01 screenshots show actual matches in both. Obsidian Bold selector and MyNotes Appearance route blocked. Initial connectivity receipt shows Active default network: 100; offline isolation NOT established. Workflow success is not UX acceptance.
42217446693	evidence_publication_gate_failed — Source session was complete, but the retention root gate failed; no app regression is inferred.
42218137421	evidence_publication_gate_failed — Individual host-gate diagnostics were added; the initial annotation was truncated by GitHub. Assertions were not disabled.
42218403144	evidence_retained_after_root_gate — Same retained original session saved after adding the report dependency set used by the local gate. No app or assertion change. This is a publication outcome, not an app UX pass.
42218900341	fresh_session_retained_with_review_override — Repeat completed and originals retained. MyNotes W01/S01 visible outcomes and P01 entry observed. Obsidian W01 exact-body check blocked on empty readback; W02 shows **** in an otherwise empty body, not comparable formatted prose. Obsidian S01 raw pass is INVALIDATED by visual/DOM review: actual pane says 0 results / No matches found; title was in background editor. Initial default network none, not pre-install isolation proof.
42219043546	evidence_retained_after_root_gate — Second-session original bytes and CDP command trace retained; publication success does not validate the raw false-positive search assertion.
42220127426	fresh_session_retained_and_visually_reviewed — Third session completed. Offline bootstrap verified three consecutive disabled-WiFi/no-default checks before APK installation, then returned shell UID2000. Initial/final network receipts none. MyNotes W01/S01 visible outcomes, W02/P01 interactions observed. Obsidian W01 independently passed exact editor/vault body readback BEFORE separate explicit API fixture setup; downstream S01 visible result-passage/title checks passed and native screenshot confirms one highlighted result. W02 B activation observed, not formatted persistence. Earlier blockers/invalidated pass remain retained.
42220747328	evidence_retained_after_root_gate — Third session originals, pre-install offline proof, final connectivity receipt and CDP trace saved unchanged after root gate. No app build, fix, or physical acceptance.
42227937679	candidate70_build_failed_before_native — Initial candidate70 JVM task completed, but instrumentation compilation failed because existing OfflineOcrTest requires the opt-in Tesseract Android-test dependency. No native case executed; not an app UX failure. Corrected qualification enables existing -PmoduleE2E instrumentation setup, without weakening assertions.
42228792197	candidate70_three_profiles_passed_api26_preflight_blocked — Build, lint and 365 JVM tests passed. Three native profiles each passed 8 selected methods (API36 portrait, API34 large text and dark landscape). API26 preflight queried a focus field absent from that API; no native case ran there. Not 32/32, not whole-app acceptance.
42228984590	original_candidate70_evidence_retained — Original JVM and three passing/one blocked profile receipts retained; capture bytes unchanged. No full acceptance inferred.
42230595033	api26_supplement_workflow_schema_failed — Supplement workflow used quoted boolean scheduling fields; rejected before jobs/apps. Corrected types without changing assertions.
42230660156	candidate70_api26_actual_viewport_failure — Exact same candidate70 APK with corrected API26 current-window preflight. 7/8 methods passed; formattingBudgetPreservesWritingAndSelection timed out on the unchanged three-visible-line constraint. Not a successful full profile. This real failing constraint led to candidate71 compact header/padding, not a relaxed assertion.
42230835892	supplement_retention_incomplete_then_corrected — Single downloaded native artifact was flattened; first retention kept only JVM receipt. Actual source native result was not lost or changed. Parser now requires explicit flat-lane provenance and refuses no-native retention.
42231621588	supplement_originals_retained_after_parser_correction — Same original API26 7-pass/1-failure receipts now retained with explicit lane/source pins; shared candidate70 JVM count must not be counted twice.
42231478498	candidate71_focused_qualification_passed — Actions build/lint passed; 366 JVM tests passed, no skipped/failed/error cases. Each of four native profiles passed exactly 8 selected methods (32 executions total), with no missing/duplicate/unexpected/failing cases. This includes normal-font portrait three-line viewport, original selection/body and persisted Bold checks, actual matching substring and open/persistence checks, existing font/numbering/typing/rails regressions and resource checks. This is focused qualification, not all446 native methods or whole-app/physical usability acceptance.

Run	Execution / scope
42231725611	candidate71_original_evidence_retained — Original four-profile receipts, public screenshots, new JVM XML and exact source pins retained after root gate. Screenshots inspected separately; retention/job success alone does not supply acceptance.
42277337133	completed_failure — Fresh 366 JVM/build/debug+release lint/audit passed; 446 native methods across 6 profiles: 2671/2676 passed, 5 actual failures. Signed release69-to71 public-rich install-over passed API26/34. Not a release approval.
42282354356	completed_failure — Corrected internally consistent debug pair; API26 owning shard 218/218, including fixed API26 test observer. Three unchanged navigation/large-text checks fail again in isolation. The original spreadsheet mismatch is not reproduced, not marked fixed. Original full-run score is unchanged.

OBS-0001 / W01 / create a note containing the shared agenda: Wave one created the agenda words in both apps, but Obsidian saved source had an extra leading #. MyNotes accessibility body and home title versus Obsidian editor/vault readback are unequal checks, not crash-recovery proof. Wave two did NOT correct the fixture: its exact Obsidian body assertion blocked on empty readback. No creation success or data-loss conclusion is drawn from that wave.

OBS-0002 / S01 / find the note by body-only marker cobalt42: Both apps found UX Meeting. MyNotes showed title/type with no body passage; Obsidian showed a passage with highlighted cobalt42. Global search pane setup used the built-in Obsidian command API, so touch-route efficiency is not compared. The extra leading # does not change this body-only query criterion. This is wave-one evidence only. The second-wave raw Obsidian search pass is invalidated: the actual pane has zero results after the body-entry blocker. It is not a successful independent reproduction.

OBS-0003 / W02 / inspect writing context while keyboard and formatting affordances are present: Our Format panel opened and Bold selected state changed false to true. Our body node bounds shrank from 506px to 176px high. Obsidian keyboard and visible B toolbar were captured, but the wave-one selector could not activate B; no successful paired bold-formatting outcome is claimed. Viewport comparison is bounded to the captured states, not equal caret/default font or productivity.

OBS-0004 / P01 / appearance entry: MyNotes route was blocked because the harness sent two Back presses and landed on the launcher before looking for Library. This is a harness precondition error, not proof of missing Library. Obsidian Appearance was opened by settings API, not a measured touch route. Values, contrast and assistive use were not tested. Wave two reached MyNotes Settings and Appearance through the corrected one-Back touch route; Obsidian used settings API again. This establishes entry visibility only, not theme switching or equal route efficiency.

OBS-0005 / Third-session W01/S01/W02/P01 bounded repeat: Third W01 exact editor and vault body checks passed in Obsidian before API fixture preparation; MyNotes retained accessibility/home-title checks, not equal storage durability. Third S01 native screenshots show actual results in both: our title/type only versus Obsidian highlighted passage; this is a valid bounded repeat after invalidated wave two. Third MyNotes body node again shrank 506px to176px on Format opening. Obsidian B target was activated on the seeded body, not a verified persisted-bold workflow. MyNotes Appearance opened by touch route; Obsidian by API. No module fully accepted. The reason the same W01 input method failed in wave two but passed in wave three is unisolated; reliability is NOT established.

Evidence review and corrected claims

REVIEW-NETWORK: Wave one reports Active default network: 100 despite disable commands. Offline was NOT established. Wave two initial receipt reports none, but lacks consecutive pre-install checks. Neither proves absence of background traffic. Public dummy data only; no login, sync credentials or intentional upload actions. Do not infer no network transfer.

REVIEW-WAVE2-S01: INVALIDATED RAW PASS: Obsidian S01 recorded visible_outcome_verified, but native screenshot and DOM explicitly show 0 results / No matches found. The assertion searched the whole document for UX Meeting and accepted a background-editor title. Reviewed status: invalidated_harness_false_positive; no successful paired search in this wave. Raw retained files remain unchanged. W01 fixture readback was empty; creation/body entry is blocked, not evidence of app data loss.

REVIEW-WAVE3-METHOD: COMPLETED: third session verified fresh-emulator offline provisioning before installation and visible result-container checks. Obsidian W01 independently passed exact editor/vault body readback before the separate API fixture setup. That later setup seeds/reads the same exact public body for downstream W02/S01 and cannot rescue earlier W01 failures or count as a user creation/typing/durability test. S01 screenshot shows 1 result and a highlighted cobalt42 passage. Our screenshot again shows title/type without passage. No packet capture, continuous network audit, account/physical-device or user-efficiency acceptance.

Changed-build qualification — bounded, not closed

Current candidate: Two production changes implemented and focused checks passed on candidate71 (0.71.0/code71). Expanded native qualification completed: 2671/2676 passed originally; API26 full-shard recheck 218/218; three navigation/large-text failures reproduced in isolation. Broader acceptance and exhaustive 37-module paired comparison remain incomplete.

Exact tested source: 95f5d24f668ac899ef595f2765b491d2c2a6f5dd

Scope and limits: Focused functional/geometry checks plus separate screenshot review. Public seeded repository fixtures, not participant note-creation/typing-time tests. Baseline comparison remains MyNotes69 versus pinned Obsidian; no new competitor speed ranking. No migration/install-over or physical acceptance; no release published.

JVM result: 366 tests; failures=0; errors=0; skipped=0

Native profile	Selected methods / actual result
improvement71-api26-portrait	8/8; exact receipt ok=True
improvement71-api36-portrait	8/8; exact receipt ok=True
improvement71-api34-large	8/8; exact receipt ok=True
improvement71-api34-landscape	8/8; exact receipt ok=True

IMP-0001 implementation: Display-only bounded Body/Title/Labels/Content names/Diagram passage computed on existing search worker for at most 200 sorted results. Original Note.matches inclusion semantics, archived/global scope, query generation guard and grouped sections remain unchanged. Unicode case-expansion offsets map to original code points; bold+underline mark the real substring without colour-only dependence. Long matches get an explicit bounded fallback. No note text/index or diagnostics content changes.

Implementation commits: be8643bb9967ff5f3cda0093fdf89e5736703609 / b39248606ad6d3a7a119ea70e1c83fb24105b16c

IMP-0001 candidate result: Actual Body: Agenda cobalt42 decision text and exact bold substring span verified, note opened through real native input, stored body unchanged, on all four selected profiles. Separate screenshot review confirms a real body passage and bold/underlined marker. Fixture is repository-seeded and differs from the initial paired agenda; not typing efficiency, crash recovery, scale/relevance or all-search-surface acceptance.

Acceptance still outstanding: Continue similarly named notes with different matching passages, rich tables/checklists/labels/diagrams, Unicode boundaries, 200-result limit, stale-query cancellation and large corpora. Native focused checks passed, but physical/TalkBack/efficiency/latency and broader acceptance remain open; no global search-quality score.

IMP-0002 implementation: Portrait panel recomputes from the measured root budget minus visible chrome/padding/margins, reserves a three-line/96dp body budget where space permits, and keeps measured inline-control minimums. Existing scrollable advanced controls, Clear fifth, selection/typing semantics and landscape rails remain. Very short/large-text layouts may not fit three lines; these were included in focused native qualification, not fully accepted by source inspection. Candidate70 missed the normal-font API26 three-line constraint. Candidate71 removes redundant header/outer vertical padding and reduces the control minimum to measured header+inline rows+8dp (floor104dp), while retaining 48dp actions. It does not lower that assertion. Failure-time screenshot capture is now placed before the viewport assertion.


Implementation commits: be8643bb9967ff5f3cda0093fdf89e5736703609 / b39248606ad6d3a7a119ea70e1c83fb24105b16c

IMP-0002 candidate result: Unchanged normal-font portrait three-line geometry constraint now passed on API26 and API36. All four selected profiles verified original selection/body, Bold selected-text persistence and protected font/numbering/typing/rails regressions in the tested fixtures. Screenshot review: API26 shows three prose lines above the IME; large text shows fewer lines (approximately two in the retained frame), not a universal three-line guarantee. Landscape frame has no keyboard after the existing short-viewport dismissal, so keyboard-open landscape acceptance remains unestablished.


Acceptance still outstanding: Broader acceptance still needs keyboard show/hide transitions, fixed-font/caret/scroll paired comparison, physical and TalkBack reachability, more short/large-text viewports, rotated selection and longer styled notes. Specifically evaluate landscape keyboard retention; current screenshot does not establish it. Do not infer smoothness or task-time gains from focused geometry assertions.

IMP-0001 | Candidate71 native evidence

Changed MyNotes build only. Public repository-seeded fixture; not a new paired speed/typing comparison. Capture helper resized actual screenshots to 540px before artifact retention; no UI reconstruction or retention-time pixel alteration. Left/right profile labels below.



improvement71-api26-portrait | open original




improvement71-api36-portrait | open original


Actual Body: Agenda cobalt42 decision text and exact bold substring span verified, note opened through real native input, stored body unchanged, on all four selected profiles. Separate screenshot review confirms a real body passage and bold/underlined marker. Fixture is repository-seeded and differs from the initial paired agenda; not typing efficiency, crash recovery, scale/relevance or all-search-surface acceptance.

IMP-0002 | Candidate71 native evidence

Changed MyNotes build only. Public repository-seeded fixture; not a new paired speed/typing comparison. Capture helper resized actual screenshots to 540px before artifact retention; no UI reconstruction or retention-time pixel alteration. Left/right profile labels below.



improvement71-api26-portrait | open original



improvement71-api34-large | open original

Unchanged normal-font portrait three-line geometry constraint now passed on API26 and API36. All four selected profiles verified original selection/body, Bold selected-text persistence and protected font/numbering/typing/rails regressions in the tested fixtures. Screenshot review: API26 shows three prose lines above the IME; large text shows fewer lines (approximately two in the retained frame), not a universal three-line guarantee. Landscape frame has no keyboard after the existing short-viewport dismissal, so keyboard-open landscape acceptance remains unestablished.

Measured quantities — narrowly defined

MET-L01-MYNOTES-WAVE1: Android am start -W TotalTime after am force-stop; persistent app data retained, three process-cold launches.

App / samples / units: mynotes | [2102, 2341, 2606] | milliseconds

Interpretation limit: First activity-launch milestone only; not time to interactive editor. App order not counterbalanced, restored content/start state differs, host/software GPU is not a phone. No general speed ranking, p95, significance or APK-size causality is inferred. Network conditions are not equivalently established: wave-one initial default network 100, wave-two initial none without pre-install isolation proof.

MET-L01-OBSIDIAN-WAVE1: Android am start -W TotalTime after am force-stop; persistent app data retained, three process-cold launches.

App / samples / units: obsidian | [3310, 3559, 3894] | milliseconds

Interpretation limit: First activity-launch milestone only; not time to interactive editor. App order not counterbalanced, restored content/start state differs, host/software GPU is not a phone. No general speed ranking, p95, significance or APK-size causality is inferred. Network conditions are not equivalently established: wave-one initial default network 100, wave-two initial none without pre-install isolation proof.

MET-W02-MYNOTES-NODE-HEIGHT-WAVE1: Height of the live body EditText bounds reported by UIAutomator before opening Format and after opening it, with the same keyboard state.

App / samples / units: mynotes | [506, 176] | physical pixels in UI tree bounds, before then after

Interpretation limit: 1080x1920 display, 480 dpi (3 px/dp), font scale1.0. This is clipped node geometry, not glyph-line count, touch latency, readability score or a comparable Obsidian node-height measurement. One activation sequence; not two independent trials.

MET-L01-MYNOTES-WAVE2: Android am start -W TotalTime after am force-stop; persistent app data retained, three process-cold launches.

App / samples / units: mynotes | [3188, 4211, 2838] | milliseconds

Interpretation limit: First activity-launch milestone only; not time to interactive editor. App order not counterbalanced, restored content/start state differs, host/software GPU is not a phone. No general speed ranking, p95, significance or APK-size causality is inferred. Network conditions are not equivalently established: wave-one initial default network 100, wave-two initial none without pre-install isolation proof.

MET-L01-OBSIDIAN-WAVE2: Android am start -W TotalTime after am force-stop; persistent app data retained, three process-cold launches.

App / samples / units: obsidian | [4136, 3212, 3426] | milliseconds

Interpretation limit: First activity-launch milestone only; not time to interactive editor. App order not counterbalanced, restored content/start state differs, host/software GPU is not a phone. No general speed ranking, p95, significance or APK-size causality is inferred. Network conditions are not equivalently established: wave-one initial default network 100, wave-two initial none without pre-install isolation proof.

MET-L01-MYNOTES-WAVE3: Android am start -W TotalTime after am force-stop; persistent app data retained, three process-cold launches.

App / samples / units: mynotes | [2780, 2267, 2253] | milliseconds

Interpretation limit: First Android activity-start milestone, NOT usable editor or touch latency. Three samples, fixed app order, different restored states, software GPU, no phone/user-efficiency claim. This wave has pre-install offline bootstrap and initial/final no-default-network receipts; earlier waves did not have equivalent verified provisioning. No combined speed ranking, significance, p95, APK-size causality or continuous traffic guarantee.

MET-L01-OBSIDIAN-WAVE3: Android am start -W TotalTime after am force-stop; persistent app data retained, three process-cold launches.

App / samples / units: obsidian | [3442, 3251, 3918] | milliseconds

Interpretation limit: First Android activity-start milestone, NOT usable editor or touch latency. Three samples, fixed app order, different restored states, software GPU, no phone/user-efficiency claim. This wave has pre-install offline bootstrap and initial/final no-default-network receipts; earlier waves did not have equivalent verified provisioning. No combined speed ranking, significance, p95, APK-size causality or continuous traffic guarantee.

MET-W02-MYNOTES-NODE-HEIGHT-WAVE2: Height of the live body EditText bounds reported by UIAutomator before opening Format and after opening it, with the same keyboard state.

App / samples / units: mynotes | [506, 176] | physical pixels in UI tree bounds, before then after

Interpretation limit: Same recorded 1080x1920/480dpi/font1.0/keyboard configuration: UI-tree body bounds [60,277][1020,783] then [60,264][1020,440]. Geometry only, not glyph count/readability/productivity or an equivalent cross-engine node measurement. Repeated independent emulator session; still not physical, large-text, landscape or successful persisted-bold acceptance.

MET-W02-MYNOTES-NODE-HEIGHT-WAVE3: Height of the live body EditText bounds reported by UIAutomator before opening Format and after opening it, with the same keyboard state.

App / samples / units: mynotes | [506, 176] | physical pixels in UI tree bounds, before then after

Interpretation limit: Same recorded 1080x1920/480dpi/font1.0/keyboard configuration: UI-tree body bounds [60,277][1020,783] then [60,264][1020,440]. Geometry only, not glyph count/readability/productivity or an equivalent cross-engine node measurement. Repeated independent emulator session; still not physical, large-text, landscape or successful persisted-bold acceptance.

Actionable improvements — evidence-gated

IMP-0001 | Show why a body-search result matched

Status: implemented_partially_verified

Owner / execution status: Arena coding agent; candidate71 implemented and focused qualification passed; broader acceptance open

Acceptance on changed build: focused_checks_passed_broader_acceptance_pending

Bounded task / expected result: Find UX Meeting using cobalt42, a term present only in the body, and identify the relevant passage without opening candidate notes.

Preconditions and exact actions: Use UX Meeting with body-only marker cobalt42. MyNotes: touch home search, type marker, inspect actual result row. Obsidian: open built-in search pane by command API, type marker, inspect result title and visible passage, not background document text. Wave one used typed body words with an extra # in Obsidian. Wave three independently passed exact UI-entry/readback, then used disclosed exact public API fixture preparation before downstream probes. Wave-two empty fixture / false search pass is excluded.

Baseline MyNotes actual result: One result is returned: UX Meeting followed by Note. No body passage or in-result highlighting of cobalt42 is shown in the captured result. The query field/keyboard containing cobalt42 are not a result snippet.

Baseline Obsidian actual result: Reviewed wave-one and wave-three native result panes show UX Meeting with a contextual passage and highlighted cobalt42. Wave-three result-container checks confirm visible marker passage and result title. API search-pane/fixture setup is disclosed; no touch-route efficiency advantage is claimed. Wave-two pane shows zero results and is invalidated, not an app search defect.

User consequence: Without match context, users must open candidates to understand why they matched. Extra effort with multiple results is an expert inference, not measured user completion time in this one-note case.

Reproduction and severity: P2 expert triage: a missing result passage weakens disambiguation in this sampled state; not a measured task failure. Actual single-result presentation reviewed in waves one and three, with different fixture/network setup explicitly recorded. Wave two is not a paired successful reproduction.

Root-cause confidence: source_supported_mechanism_not_exclusive_cause

Baseline source-supported mechanism: NotesController.filterNow uses Note.matches to include body matches, but renderUniversalResults constructs a title button plus type/archive/folder metadata only. It does not create a matched-body passage or highlighted result range. This renderer design is consistent with the fresh visible result; no causal patch experiment has yet been run.

Alternative explanations / limits: The single-match corpus does not measure relevance, search speed, task failure, or user burden at scale. A future configured view could differ. Leading # and default typography differ between fixtures. The installed source/byte identity and raw results are retained; no blanket claim about every search surface is made.

Original proposal: Build bounded match metadata on the existing search worker, preserving the current matching semantics: note identity, matched source (title/body/label/content name/diagram), and a short passage/range where available. Render a readable snippet/highlight for body hits and an honest source label for other hits. Reuse the query-generation guard; do not scan full bodies again on the UI thread. Keep grouped Saved notes & Docs, Viewed files and Settings and the 200-result disclosure.


Protected requirements / risks: Preserve archive/global-scope behavior until explicitly redesigned, plain/rich note identity, native accessible labels, Unicode correctness and the user-required floating New note. Do not introduce stale snippets, reveal private content in logs, or silently change search ranking/scope. Position mapping across case-normalised Unicode needs explicit tests.


Acceptance task: Retest the same body-only marker on both apps; add same/similar titles, two body occurrences, rich tables/checklists, label-only hits and multilingual/emoji boundaries. Each returned body hit must show an accurate bounded passage and visible accessible match treatment. No false source label, stale-query result or data mutation. Measure correction/navigation effort separately before claiming an efficiency gain.

Next discriminating test: Continue similarly named notes with different matching passages, rich tables/checklists/labels/diagrams, Unicode boundaries, 200-result limit, stale-query cancellation and large corpora. Native focused checks passed, but physical/TalkBack/efficiency/latency and broader acceptance remain open; no global search-quality score.

IMP-0001 | Paired native evidence

BASELINE MyNotes 0.69.0 (left) / Obsidian 1.15.0 (right), NOT changed-build proof. This pair illustrates only the bounded state described in the work item; it is not a global speed or functionality ranking.





mynotes-S01-body-match-results.png | open original

obsidian-S01-body-match-results.png | open original

Whole native screenshots; see evidence paths for exact original PNGs. No UI reconstruction.

Source reference: mynotes/runtime/src/main/java/app/space/notes/runtime/NotesController.java:398 filterNow | sha256=4fb7c955f8f2bc9477e3d7f0415253652fb1509e48fb7816f68321241fdfb3a9

View immutable source and exact line

Source reference: mynotes/runtime/src/main/java/app/space/notes/runtime/NotesController.java:424 renderUniversalResults | sha256=4fb7c955f8f2bc9477e3d7f0415253652fb1509e48fb7816f68321241fdfb3a9

View immutable source and exact line

IMP-0002 | Reserve writing context when the Format panel opens with the keyboard

Status: implemented_partially_verified

Owner / execution status: Arena coding agent; candidate71 implemented and focused qualification passed; broader acceptance open

Acceptance on changed build: focused_checks_passed_broader_acceptance_pending

Bounded task / expected result: Keep nearby note prose visible while choosing inline formatting with the keyboard open. This item concerns viewport allocation, not whether bold formatting saves correctly.

Preconditions and exact actions: Recorded public agenda in the same portrait emulator configuration. MyNotes: reopen note, focus body, capture keyboard, open Format, capture, activate Bold and inspect state. Obsidian: focus editor, inspect compact B toolbar, activate its visible SVG target. Wave-one B selector blocked; wave-two target worked on an empty fixture and is not a paired prose trial; wave-three exact API-prepared body and B activation are retained. Caret, default font and scroll remain unmatched.

Baseline MyNotes actual result: Fresh screenshots show only a short strip of prose above the Format panel. Body node bounds change from [60,277][1020,783] (506px high) to [60,264][1020,440] (176px); panel bounds are [60,476][1020,999]. Bold control selected state changes false to true. These are geometry/state observations, not a failed formatting assertion.

Baseline Obsidian actual result: Wave-one and wave-three native keyboard/editor screenshots leave a larger prose region above a compact B toolbar. Text reaches/overlaps the top system-bar area, so this is not a flawless reading layout. Wave-three B interaction observed on known fixture; no persisted styled-text or selection correctness acceptance. Default font/caret/scroll not matched, no productivity ratio. Wave-one selector failure and wave-two empty fixture retained.

User consequence: Losing surrounding prose can require closing/reopening controls to retain sentence context. That consequence is an expert inference; no novice task-time or satisfaction study was performed.

Reproduction and severity: P1 expert triage for a core writing state. Our 506px to176px body-node geometry repeated in all three fresh scripted sessions, but equal-prose comparison uses only waves one/three with fixture caveats. Not incidence, physical readability, large-text or complete-formatting acceptance.

Root-cause confidence: source_supported_mechanism_not_exclusive_cause

Baseline source-supported mechanism: In portrait toggleFormatting allocates a height clamped between112dp and360dp based on55% of shell height. buildFormatting supplies its own header/options layout; adaptEditorViewport can hide/compact other chrome but does not express an explicit readable-body budget in that allocation. This mechanism is consistent with the observed shrinkage. Which allocation/header contribution dominates has not been isolated by a patch experiment.

Alternative explanations / limits: Caret/scroll, IME height, window insets, font and title visibility affect context. UI tree bounds are not rendered glyph counts. The larger Obsidian visible region does not prove its whole formatting workflow is better; the first activation attempt was blocked. Landscape rails and large text were not tested in this pair.

Original proposal: Prototype an IME/inset-aware portrait layout that reserves a defined readable body area before allocating panel height. Keep the common five inline controls compact and advanced controls reachable through scroll/progressive disclosure; use an explicit large-text/very-short-viewport fallback rather than silently shrinking targets. Treat the three-readable-lines idea as a proposed normal-font target to validate, not an existing measurement or universal promise.


Protected requirements / risks: Keep single A Format, fifth inline Clear, selected-text/new-typing semantics, accessible selected state, 48dp targets, Undo/Redo and safe Back. Do not remove fonts/size/paragraphs, steal typing focus, reopen a dismissed keyboard or undo existing landscape rails. Preserve the actual selected text and caret.


Acceptance task: Repeat the same before/after task with fixed caret and equalised note content; record viewport and actual task success. Exercise selected text/new typing, keyboard show/hide, portrait/landscape and font1.0/1.5. Verify reachability, focus, correct formatting, persistence and unchanged note content. Measure interaction time/jank separately before claiming a smoothness improvement.

Next discriminating test: Broader acceptance still needs keyboard show/hide transitions, fixed-font/caret/scroll paired comparison, physical and TalkBack reachability, more short/large-text viewports, rotated selection and longer styled notes. Specifically evaluate landscape keyboard retention; current screenshot does not establish it. Do not infer smoothness or task-time gains from focused geometry assertions.

IMP-0002 | Paired native evidence

BASELINE MyNotes 0.69.0 (left) / Obsidian 1.15.0 (right), NOT changed-build proof. This pair illustrates only the bounded state described in the work item; it is not a global speed or functionality ranking.





mynotes-W02-format-keyboard.png | open original

obsidian-W02-keyboard-before-format.png | open original

Whole native screenshots; see evidence paths for exact original PNGs. No UI reconstruction.

Source reference: mynotes/runtime/src/main/java/app/space/notes/runtime/NotesController.java:554 buildFormatting | sha256=4fb7c955f8f2bc9477e3d7f0415253652fb1509e48fb7816f68321241fdfb3a9

View immutable source and exact line

Source reference: mynotes/runtime/src/main/java/app/space/notes/runtime/NotesController.java:600 toggleFormatting | sha256=4fb7c955f8f2bc9477e3d7f0415253652fb1509e48fb7816f68321241fdfb3a9

View immutable source and exact line

Source reference: mynotes/runtime/src/main/java/app/space/notes/runtime/NotesController.java:587 adaptEditorViewport | sha256=4fb7c955f8f2bc9477e3d7f0415253652fb1509e48fb7816f68321241fdfb3a9

View immutable source and exact line

Pending module task inventory — not findings

Coverage rule: A bounded test on one page does not mark its whole module or all its aspects complete. 37 module plans and 231 literal source control definitions are starting inventories, not 268 completed tests or an exhaustive inventory of generated/OS states.

Per-aspect scope: Pages/navigation, feature outcomes, icon discovery, visual hierarchy, layout/keyboard, animation, efficiency, smoothness, timing, accessibility and save/recovery are tracked separately. A screenshot does not pass any performance/gesture/assistive task.

PLAN-X01 / Find, organise, label and reorder: partially_probed_not_module_accepted

Task still required: Find an archived body-only match while a folder filter is active; reorder a distant card, then return.

Acceptance: Record actual scope, result passage, selected filters and persisted order; repeat list/grid, keyboard and large text. Measure drag continuity only in a new live session.

Aspect statuses: page navigation: not_tested; feature outcome: partially_verified: candidate71 single-result passage/exact substring/open/body retention on four profiles; broader search/organisation pending; icon discovery: not_tested; visual hierarchy: partially_reviewed: S01 result-passage presentation only; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X02 / Writing, reading and formatting: partially_probed_not_module_accepted

Task still required: Format the middle of a paragraph, type new text, undo, dismiss the keyboard and reopen the note.

Acceptance: Retain surrounding prose, correct style target, caret and saved result. Repeat with large text; compare actual task completion and mistakes, not assertion counts.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: partially_verified: candidate71 three-line normal portrait geometry and selected-text persistence; large-text/landscape and broad acceptance scoped separately; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X03 / Checklists, numbering and list editing: not_tested_in_fresh_paired_study

Task still required: Insert an item in the middle, indent it, move it past the viewport, hide completed rows and undo.

Acceptance: No lost items, wrong-list operations or accidental workspace swipes. Verify numbering after insertion and Backspace exit at an empty item.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X04 / Tables and direct cell editing: not_tested_in_fresh_paired_study

Task still required: Edit a long cell in a wide table; insert a column beside it, toggle header role, delete a row and undo.

Acceptance: Keep the active cell visible above the IME; no unexpected horizontal jump; restore content and header meaning after undo. Compare the same table, not these unequal fixtures.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X05 / Images, attachments and inline media: not_tested_in_fresh_paired_study

Task still required: Insert a photo, select two recognized words, keep the image, edit its crop, then remove only the intended attachment.

Acceptance: Keep source bytes, unrelated blocks and names intact; make copy versus replacement clear. Verify offscreen word selection and explicit outside-tap dismissal.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X06 / Web hyperlinks and external opening: not_tested_in_fresh_paired_study

Task still required: Add a long URL to selected words, correct a malformed address, reopen, edit and remove the link.

Acceptance: No duplicate URL per line, changed neighboring prose or unnoticed external launch. Check keyboard visibility, wrapped fields and TalkBack error announcement.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X07 / Internal links, backlinks, graph and previews: not_tested_in_fresh_paired_study

Task still required: Link A to a heading in B, rename B, return through backlinks and preview the target without losing A.

Acceptance: Target identity and rename behavior must be verified live; count wrong destinations and recovery steps. No graph speed or link-integrity winner has been measured.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X08 / Long-note orientation, tags, footnotes and word count: not_tested_in_fresh_paired_study

Task still required: Locate a middle heading, find a repeated phrase, follow a footnote and return to the exact reading location.

Acceptance: Verify target and return anchors, heading levels, counts and generated text treatment; do not infer footnote success from a registered command.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X09 / Properties and Bases: not_tested_in_fresh_paired_study

Task still required: For users who need records, edit one typed field, filter a view, rename a file and reopen the view.

Acceptance: Validate data types, retained filters, note identity and error recovery. No Bases performance, formulas or equivalent MyNotes capability is certified here.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X10 / Quick capture, daily notes, templates and unique notes: not_tested_in_fresh_paired_study

Task still required: From a cold start, capture a short thought; then create a repeated meeting structure and return tomorrow.

Acceptance: Observe time to first saved words, setup mistakes, duplicate daily notes and return continuity. Do not populate fake user content to make the app feel busy.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X11 / Freehand drawing and Canvas: not_tested_in_fresh_paired_study

Task still required: Draw a diagram annotation, leave and reopen it; in Canvas connect two cards, pan/zoom and reopen the board.

Acceptance: Evaluate each tool against its own output goal. For common save/return work, preserve content and location; latency needs real stroke traces on matched hardware.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X12 / Diagrams, shapes, arrows and grouping: not_tested_in_fresh_paired_study

Task still required: Add two shapes, connect them, group, resize, split the arrow, undo and reopen.

Acceptance: Check actual anchor geometry, target selection, retained names and no accidental duplication. Run long-press/context-menu actions with large text and TalkBack.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X13 / PDF reading, selection, search and markup: not_tested_in_fresh_paired_study

Task still required: Open a large scanned/mixed PDF, zoom a distant page, select offscreen text, find a hit with IME, mark a rotated page and export.

Acceptance: Compare the original bytes; inspect hit position, highlight geometry and rendered export. Exercise cancellation and a partial destination; private markup drafts are outside Notes backups.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X14 / Word files and original-layout expectations: not_tested_in_fresh_paired_study

Task still required: Open a DOCX with headers, inline images, wide tables and hard page breaks; select text, zoom and create an editable copy.

Acceptance: Check original bytes and document return position, compare rendered pages with a suitable Word reference, and disclose any dropped layout/media. Do not invent fidelity from a synthetic one-page frame.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X15 / Large TXT and read-only text viewing: not_tested_in_fresh_paired_study

Task still required: Open a large multilingual TXT, find a repeated phrase near the end, select across the viewport and return to the prior file list.

Acceptance: Measure open/find latency separately from rendering; inspect Unicode integrity, clear selection on deliberate tap, retained page and unchanged original.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X16 / Spreadsheet previews and cached values: not_tested_in_fresh_paired_study

Task still required: Open quoted CSV and a multi-sheet XLSX with formulas, missing cached results and wide cells; locate a value and copy it.

Acceptance: Compare visible rows/columns and Unicode with source values, disclose cached-only results, retain sheet/scroll position and never execute macros or scripts.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X17 / Markdown, HTML, RTF, ODT and slide imports: not_tested_in_fresh_paired_study

Task still required: Open one realistic file of each advertised type, inspect text order and unsupported elements, then cancel or create a copy.

Acceptance: Record per-format fidelity and actionable errors; preserve originals, reject malformed/oversized archives safely and distinguish external-reader delegation from in-app support.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X18 / OCR, image-region text and scanned-page recognition: not_tested_in_fresh_paired_study

Task still required: Read tiny/oblique/multilingual public scenes, blank controls and selected image regions; compare exact expected text and corrected output.

Acceptance: Retain source hashes, full hypotheses, CER, omissions/false words, cold/warm latency and correction time. No new accuracy study or training occurred in this report.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X19 / Voice recording, playback and transcription: not_tested_in_fresh_paired_study

Task still required: Record varied Indian speakers, pause/resume, deny/regrant permission, play through a headset and correct names/numbers while listening.

Acceptance: Measure word errors, boundary losses, time-to-review, seek accuracy and actual audible playback on physical hardware. Verify originals export separately from note backups.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X20 / Reminders and notifications: not_tested_in_fresh_paired_study

Task still required: Set, rename and reschedule a reminder, deny notifications, reboot and then tap the delivered notification.

Acceptance: Use disposable notes; verify no stale/duplicate notification, correct note identity and sensible blocked-state feedback. Measure actual delivery under power restrictions separately.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X21 / Home widget and Android entry points: not_tested_in_fresh_paired_study

Task still required: Place/resize the widget, pin and archive notes, share text from another app and open a reminder deep link.

Acceptance: Verify labels, intended note, no duplicates and return context on real launchers, including large system text. Do not restore widget/notification consent silently during recovery.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X22 / Appearance, backgrounds, fonts and accessibility: partially_probed_not_module_accepted

Task still required: Switch system theme, increase font scale, navigate with TalkBack and format selected text over a patterned background.

Acceptance: Check clipping, announced scope/selection, contrast and focus order across orientations; screenshots alone do not establish 48dp targets or a successful screen-reader task.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X23 / First-use storage, private folders and optional App folder: not_tested_in_fresh_paired_study

Task still required: Create notes offline, choose an empty optional folder, revoke access, save again and reconnect without clearing app data.

Acceptance: Inspect exact copied categories and pending status; test reinstall/reselection only on disposable fixtures. Never tell the user to uninstall or clear their real library for this review.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X24 / Portable backup, import merge and full recovery: not_tested_in_fresh_paired_study

Task still required: Export a near-limit rich library, exceed the limit safely, import identical and same-ID changed notes, then verify every supported content type.

Acceptance: No silent partial success or overwrite; disclose omitted categories and readable/non-encrypted JSON. A complete App-folder checkpoint is a separate opt-in recovery mechanism, not this portable file.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X25 / Trash, permanent deletion and recovery: not_tested_in_fresh_paired_study

Task still required: Delete/restore a rich note, inspect what happens to its audio and exports, then purge only a disposable selected note.

Acceptance: Verify the exact affected IDs, Undo boundaries, expiry policy and retained separate data. Never infer crash or power-loss recovery from a confirmation screenshot.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X26 / Archive, pinning and bookmarks: not_tested_in_fresh_paired_study

Task still required: Pin a note, archive it, find it globally, restore it and compare a saved Obsidian bookmark task.

Acceptance: Check persisted identity/order, scope labels and no accidental duplicate. Bookmark persistence must be newly verified rather than inferred from its empty pane.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X27 / Undo, redo, editing history and save feedback: not_tested_in_fresh_paired_study

Task still required: Edit text/table/image, undo and redo, leave and reopen; repeat after controlled process restart on disposable data.

Acceptance: Verify exact rich payload and history matching the saved revision; preserve current content when history is invalid or trimmed. Never run destructive migration on the user library.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X28 / Workspaces, tabs and mobile navigation: not_tested_in_fresh_paired_study

Task still required: Switch between two notes, a PDF and Settings; reorder content near an edge, then return to the initial editing location.

Acceptance: Log wrong destinations, lost context, accidental switches and state after restart. Workspace restoration is outstanding until a matching live task succeeds.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X29 / Settings, commands, quick actions and help discovery: not_tested_in_fresh_paired_study

Task still required: Without a walkthrough, find move, undo, export, a setting and one uncommon editor action using touch alone.

Acceptance: Observe search terms, wrong taps and help requests; distinguish disabled/contextual/unconfigured actions. Do not use all 205 inventoried commands as a usability success count.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X30 / Export, sharing, duplication and note composition: not_tested_in_fresh_paired_study

Task still required: Share a mixed note, export PDF and JSON, duplicate it, merge selected notes and undo the merge.

Acceptance: Check text/media/table fidelity for each promised format, exact source IDs and retained source copies; destination failure must not silently destroy content.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X31 / Local summary and text assistance: not_tested_in_fresh_paired_study

Task still required: Summarize varied notes with negation, dates and multilingual sentences; check the retained source and decide whether the result is useful.

Acceptance: Verify each sentence comes from the source, essential cautions are not lost and limits are clear. No summary-quality test was executed in this report.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X32 / Privacy, permission boundaries and diagnostic logs: not_tested_in_fresh_paired_study

Task still required: Deny microphone, use notes normally, enable logs for a dummy issue, filter/export/delete and inspect the resulting local file.

Acceptance: Verify opt-out, readable levels/time range, explicit delete confirmation and exported content minimisation. Security of all native dependencies was not certified here.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X33 / Smoothness, speed, footprint and reliability: partially_probed_not_module_accepted

Task still required: On matched hardware, cold start, create/type, search a large library, drag a distant card, open a large PDF and recover from a controlled failure.

Acceptance: Collect touch-to-visible timings, frame trace, dropped frames, memory and exact failure logs. Distinguish timeouts/socket failures from app crashes and do not publish a fabricated global score.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: Android activity-start milestone sampled only; interactive-ready time not measured; accessibility: not_tested; save and recovery: not_tested

PLAN-X34 / Core modules, community plugins and extensibility: not_tested_in_fresh_paired_study

Task still required: Find a core module, understand its description, enable/disable it and identify changed controls; inspect restricted/plugin trust text without installing unknown code.

Acceptance: Verify reversible configuration and a stable default note workflow. No community code was installed or executed; unknown plugins and future modules are outside this pinned-version inventory.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X35 / Sync, Publish, account and service boundaries: not_tested_in_fresh_paired_study

Task still required: For a future explicitly authorised service study, evaluate offline edits, conflicts, account loss, export and deliberate public visibility with disposable data.

Acceptance: No login, purchase, upload or publishing was performed. Conflict resolution, encryption, recovery and cost/value remain untested; an entry screen is not a passed sync task.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X36 / Slides, presentation and reading projections: not_tested_in_fresh_paired_study

Task still required: Present a multi-slide disposable note, navigate, dismiss the keyboard, rotate and return to editing; compare PDF reading only as a separate output route.

Acceptance: Verify every slide, media, controls and return location. Obsidian landscape was not qualified by its retained audit; no physical presentation run occurred here.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

PLAN-X37 / About, models, licences and honest help: not_tested_in_fresh_paired_study

Task still required: Ask a novice to identify where notes are saved, how to protect audio and how to export useful diagnostics without sending private notes.

Acceptance: Observe whether they can explain the result in their own words. Do not substitute long notices or a generated guide for successful comprehension.

Aspect statuses: page navigation: not_tested; feature outcome: not_tested; icon discovery: not_tested; visual hierarchy: not_tested; layout and keyboard: not_tested; animation: not_tested; efficiency: not_tested; smoothness: not_tested; timing: not_tested; accessibility: not_tested; save and recovery: not_tested

How this ledger must drive later fixes

Stable IDs: Do not renumber or delete items to make the record look clean. Add dated evidence, affected builds and changed confidence. Preserve blockers and failed attempts.

Before implementation: Confirm actual reproduction and source mechanism, isolate alternatives, define a minimal change and protect earlier requested behavior. Do not copy Obsidian architecture by default.

After implementation: Record the implementation commit, run the same task on the new signed app, retain before/after evidence, verify persistence and regressions, then change the item status. Proposed is not fixed.

Source inventory: source-surfaces.json inventories literal first-party definitions only. Dynamic names, generated controls, OS/provider dialogs and states not visited are not exhaustively enumerated.

No unsupported certainty: Never report general speed, smoothness, reliability, accessibility, user satisfaction or exclusive causality from the current bounded emulator evidence. Unknowns require named next tests, not confident filler.