Installed-app comparison — runtime evidence, acceptance still open

Pinned MyNotes0.71.0/code71 release APK SHA256 a7d6f685992c68fe4ffc7f3a5705d0514986c9d9fd82ca67c6f68d392ca41de3; official Obsidian1.15.0/code396 SHA256 2d92966fba5441a8976ae86b39cf138c0a845d3dcd318e6f0d29d304950bca5d. Neither APK is rebuilt or re-signed. Fresh public disposable emulator fixtures only, no user library/account access.

READ FIRST: runtime page inspection is not a functional pass,74 attempt records are not74 accepted tasks, and these probes do not complete the original37 requested acceptance tasks. All whole-module, physical and fix-phase approval flags remain false. Failures and unavailable routes are preserved, not assigned zero feature scores or interpreted as feature absence.

Exact Actions run, source and job outcomes

Machine-readable coverage and limitations

Original-file SHA256 manifest

Profile	Attempts /74	Actual outcome types
light-portrait	0	{}
dark-portrait	0	{}
light-landscape	0	{}
dark-landscape	0	{}

light-portrait capture health: 0 complete original snapshot records; 0 capture errors. Capture-owner fields exist for 0 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

dark-portrait capture health: 0 complete original snapshot records; 0 capture errors. Capture-owner fields exist for 0 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

light-landscape capture health: 0 complete original snapshot records; 0 capture errors. Capture-owner fields exist for 0 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

dark-landscape capture health: 0 complete original snapshot records; 0 capture errors. Capture-owner fields exist for 0 records. Zero owner fields in older originals means unrecorded, not that no app frames exist.

Short-session evidence may span several fresh guests per profile. This is disclosed setup isolation, NOT proof that a long session is reliable. Repeated public inputs may share a SHA256-addressed retained_path in the manifest; every original entry and its exact uncompressed hash is retained. Large text records may use verified lossless gzip to avoid a huge duplicate dataset. Modules and PNG screenshots remain directly readable; the manifest identifies each stored path and encoding.

Methods differ and are disclosed: MyNotes public note is entered using native touch/input and reopened after process restart; Obsidian public fixtures are seeded using its official vault API, and command/settings APIs navigate some surfaces. Offscreen selector targets may be scrolled into view by the harness before touch. Those shortcuts are not user-route, unaided discoverability, creation-efficiency or latency evidence. Native screens are real adb captures; no UI reconstruction. Standard font scale1.0; light/dark portrait/landscape at API34, not physical phones or accessibility acceptance.

Public synthetic fixture bytes are retained with hashes where generated before the failure. Office packages use real format libraries; these are still small test documents, not complex-layout fidelity or18MB+ PDF acceptance.

Activity launch milestones and gfx/memory diagnostics, if present, are NOT time-to-ready, touch latency, human completion time, animation quality, battery or a cross-engine performance ranking. Accounts, Sync/Publish service operation and community-plugin execution are not performed. Original task text and actual smaller probe are printed separately on every page.

Independent frame review and comparability limits

CMP37-H15 — Code-only strace-k recheck42610424422 also observed SIGSEGV/SEGV_MAPERR in QEMU PID3336. At the fatal signal the unwinder emitted only > [heap]() [0xc60], with no named module or caller. Receipt reports returncode_before_harness_stop0 and stopped_by_harness false.

Limits: No usable fault-component attribution was obtained. Heap frame is not proof of a graphics, app, memory-pressure or specific QEMU code defect. This instrumented recheck failed during comparator setup/capture and supplies no completed original module records. It does not constitute a functional comparison or timing result.

Immutable reviewed original: emulator-exit-trace.txt

Immutable reviewed original: emulator-exit-trace-receipt.json

light-portrait — provisioning blocked

Zero paired attempts; provisioning failed.

{ "error": "('get-state',): error: device offline\n", "module_attempts_completed": 0, "all37_families_attempted_in_both_apps": false, "capture_error": "('exec-out', 'screencap', '-p'): error: device offline\n" }

Original provisioning failure

dark-portrait — provisioning blocked

No original modules.json; no app coverage inferred

light-landscape — provisioning blocked

No original modules.json; no app coverage inferred

dark-landscape — provisioning blocked

No original modules.json; no app coverage inferred