

Defaults 1: Programming Barcodes for DS8178

Configuration name in Utility : Defaults 1
Last Modified : 07-Aug-17
Windows Filename : DS8187.scncfg
Plug-in Name : DS8178-STANDARD DL MODELS + CRADLE-013
Report Type : Only parameters changed from defaults shown



Defaults 1: Programming Barcodes for DS8178

Configuration name in Utility : Defaults 1
Last Modified : 07-Aug-17
Windows Filename : DS8187.scncfg
Plug-in Name : DS8178-STANDARD DL MODELS + CRADLE-013
Report Type : Only parameters changed from defaults shown



Set Defaults

Cable Connection Settings

USB

USB Device Type IBM Handheld USB

IBM-RS485

PortAddress None

Keyboard Wedge

Keyboard Wedge Host Type IBM AT Notebook

Modify Data - DL Parsing

DL Parsing Options

Rule Name Untitled

Driver's License Parsing Embedded Driver's License Parsing

Output Format:

1.\$

2.First Name*

3.;

4.Middle Name / Initial*

5.;

6.Last Name*

Sample Output

\$	First Name*	;	Middle Name / Initial*	;	Last Name*	;	...
...	Birth Date* (MMDDCCYY)	;	Mailing Address Line 1	;	...		
...	Mailing Address Line 2	;	Mailing Address City	;	...		
...	Mailing address State	;	Mailing Address Postal Code	;	...		

Defaults 1: Programming Barcodes for DS8178



Configuration name in Utility : Defaults 1
Last Modified : 07-Aug-17
Windows Filename : DS8187.scncfg
Plug-in Name : DS8178-STANDARD DL MODELS + CRADLE-013
Report Type : Only parameters changed from defaults shown

7.;
8.Birth Date* (MMDDCCYY)
9.;
10.Mailing Address Line 1
11.;
12.Mailing Address Line 2
13.;
14.Mailing Address City
15.;
16.Mailing address State
17.;
18.Mailing Address Postal Code

General Parameter Settings

Configuration File

Defaults 1

Firmware:

SAACXS00-001-R07

Supported Scanner Models for Plug-in :

DS8178-DL0F006ZMWW
DS8178-DL0F007ZMWW
DS8178-DL0F007ZZWW
DS8178-DL0F004ZZWW
DS8178-DL0F00WZZWW

Defaults 1: Programming Barcodes for DS8178

Configuration name in Utility : Defaults 1
Last Modified : 07-Aug-17
Windows Filename : DS8187.scncfg
Plug-in Name : DS8178-STANDARD DL MODELS + CRADLE-013
Report Type : Only parameters changed from defaults shown



CR8178-PC100F4WW

CR8178-PC100FBWW

CR8178-SC100F4WW

CR8178-SC100FBWW

CR8178-PCM00FBWW