

**CONNECT TO HEAL**  
*A Project Report*  
*Submitted in partial fulfilment of the*  
*Requirements for the award of the Degree of*  
**BACHELOR OF ENGINEERING**  
**IN**  
**INFORMATION TECHNOLOGY**

By

**B. HARSHITH(1602-19-737-073)**

**N. TARUNI (1602-19-737-120)**

**A. KARTHIK(1602-19-737-310)**

*Under the guidance of*

*HASEEBA YASEEN,*

*KEZIA RANI*

*MUKESH TRIPATHI*

**Assistant Professors**



**Department of Information Technology**  
**Vasavi College of Engineering (Autonomous)**  
**(Affiliated to Osmania University) Ibrahim Bagh,**  
**Hyderabad-31**

**2020-2021**

**Vasavi College of Engineering (Autonomous)**

**(Affiliated to Osmania University)**

**Hyderabad-500031**

**Department of Information Technology**



## **DECLARATION BY THE CANDIDATES**

We, **B. HARSHITH, N. TARUNI, A.KARTHIK** bearing hall ticket number, **1602-19-737-073, 1602-19-737-120, 1602-19-737-310** hereby declare that the project report entitled “**CONNECT TO HEAL**” under the guidance of **HASEEBA YASEEN, KEZIA RANI, MIKESH TRIPATHI** Assistant Professors, Department of Information Technology, Vasavi College of Engineering, Hyderabad, is submitted in partial fulfilment of the requirement of MINI PROJECT of VI semester of **Bachelor of Engineering in Information Technology**.

This is a record of bonafide work carried out by us and the results embodied in this project report have not been submitted to any other university or institute for the award of any other degree or diploma.

**B. HARSHITH (1602-19-737-073)**

**N. TARUNI (1602-19-737-120)**

**A.KARTHIK (1602-19-737-310)**

**Vasavi College of Engineering (Autonomous)**

**(Affiliated to Osmania University)**

**Hyderabad-500031**

**Department of Information Technology**



### **BONAFIDE CERTIFICATE**

This is to certify that the project entitled “**CONNECT TO HEAL**” being submitted by **B.HARSHITH, N. TARUNI, A. KARTHIK** bearing hall ticket numbers 1602-19-737-073, 1602-19-737-120, 1602-19-737-310 in partial fulfilment of the requirements for the completion of MINI PROJECT of Bachelor of Engineering in Information Technology is a record of bonafide work carried out by them under guidance.

**HASEEBA YASEEN**  
**KEZIA RANI**  
**MUKESH TRIPATHI**  
**Assistant Professors**  
**Internal Guide**

**DR. K. Ram Mohan Rao**  
**HOD, IT**

## **ACKNOWLEDGEMENT**

The satisfaction that accompanies the successful completion of the project would not have been possible without the kind support and help of many individuals. We would like to extend my sincere thanks to all of them. We would like to take the opportunity to express our humble gratitude to **HASEEBA YASEEN, KEZIA RANI, MUKESH TRIPATHI (Assistant Professors)** under whom we executed this project. We would also use this opportunity to thank our Head of Department **Dr. K. Ram Mohan Rao**. We would also like to thank all faculty members and staff of the Department of Information Technology for their generous help in various ways for the completion of this project.

## ABSTRACT

Mental health is the most neglected health problem worldwide. We hear many cases where people suffer from depression and anxiety due to various reasons like work-related stress. Statistically speaking, approximately 280 million people in the world have depression. Though many people stigmatize it, mental illness is a very serious problem that needs to be addressed. If you suffer from a mental illness, the common conception is that there's something wrong with you, as a person, as a human being. This needs to stop. Although we see a drastic change in the number of people considering mental health as a serious issue, we still have a long way to go.

Untreated mental illnesses are also becoming increasingly common across the globe. Worldwide, about 450 million people have a mental illness – this is equal to 1 in 4 people. Most of these people, about 400 million, are not receiving the treatment that they need. More than 75% of people in low- and middle-income countries receive no treatment. Not to forget, many people neglect treatment due to their busy schedule. We need to remember that mental health is not a luxury but a necessity.

Therefore we introduce to you - 'Connect To Heal', a safe space for your thoughts. Connect To Heal is a mental-wellness web application, aimed at providing affordable and reliable treatment for mental illness. It allows you to book counselling sessions with therapists at your own time. You get to choose your preferred therapist and share anything you want with them. Not comfortable sharing your personal information to a stranger on the internet? We got you! You can book the sessions anonymously without revealing your identity.

This is us, doing our part in reducing the devastating repercussions of untreated mental illnesses, because as they say, Change doesn't happen overnight.

# Contents

<b><u>CHAPTER1</u></b> .....	1
<b><u>TITLEANDDESCRIPTION</u></b> .....	1
<b><u>1.1Motivation</u></b> .....	1
<b><u>CHAPTER 2</u></b> .....	2
<b><u>SOFTWAREREQUIREMENTSPECIFICATIONS</u></b> .....	2
<b><u>2.1 Introduction</u></b> .....	2
<b><u>2.1.1 Description ofProblemStatement</u></b> .....	2
<b><u>2.1.2 Scope</u></b> .....	2
<b><u>2.1.3 Definitions, AcronymsandAbbreviations</u></b> .....	3
<b><u>2.1.4 Overview</u></b> .....	3
<b><u>2.2 Generaldescription</u></b> .....	4
<b><u>2.2.1 ProductPerspective</u></b> .....	4
<b><u>2.2.2 ProductFunctions</u></b> .....	4
<b><u>2.2.3 UserCharacteristics</u></b> .....	5
<b><u>2.3 Modulesdescription:</u></b> .....	5
<b><u>2.4 SystemRequirements</u></b> .....	6
<b><u>2.4.1 HardwareRequirements:</u></b> .....	6
<b><u>2.4.2 SoftwareRequirementSpecifications:</u></b> .....	6
<b><u>2.5 DesignConstraints</u></b> .....	8
<b><u>CHAPTER 3</u></b> .....	9
<b><u>RESEARCH</u></b> .....	9
<b><u>CHAPTER 4</u></b> .....	10
<b><u>SYSTEM DESIGN</u></b> .....	10
<b><u>4.1 ArchitectureandTechnologies:</u></b> .....	10
<b><u>4.2 UMLDiagrams:</u></b> .....	11
<b><u>CHAPTER 5</u></b> .....	12
<b><u>IMPLEMENTATIONCODE</u></b> .....	12
<b><u>5.1 SYSTEMARCHITECTURE(DESIGN)</u></b> .....	12
<b><u>5.2 IMPLEMENTATIONANDCODE</u></b> .....	13
<b><u>5.2.1. PYTHONFILES</u></b> .....	13
<b><u>5.2.2 HTMLANDCSS</u></b> .....	26
<b><u>CHAPTER 6</u></b> .....	75
<b><u>RESULTS</u></b> .....	75
<b><u>6.1DATABASEDESIGN</u></b> .....	79
<b><u>DjangoAdministration:</u></b> .....	79

<u>CHAPTER 7</u> .....	80
<u>TESTING</u> .....	80
<u>CHAPTER 8</u> .....	81
<u>CONCLUSION</u> .....	81
<u>FUTURESCOPE</u> .....	81
<u>CHAPTER 9</u> .....	82
<u>REFERENCES</u> .....	82

# CHAPTER 1

## **TITLE AND DESCRIPTION: -**

**“CONNECT TO HEAL”** is a web-based application where people who suffer from mental health problems like depression, anxiety can find a therapist for the treatment. Here, the user who has health issues can book counselling sessions with the therapists at their own time by signing up to Connect To Heal using their email id. In return the therapists will verify their session requests and approves for sessions. Then the user needs to complete the payment and can join the session. Connect to Heal provides affordable and reliable treatment for mental illness.

### **1.1 Motivation:**

Many people feel shy, insecure and hesitant to express their mental health problems with parents, therapists. The user can book the sessions anonymously without revealing his/her identity. So, our website will help them to get proper affordable and reliable treatment for their mental illness.



## **CHAPTER 2**

### **SOFTWARE REQUIREMENT SPECIFICATIONS:**

#### **2.1 Introduction**

##### **2.1.1 Description of Problem Statement:**

Mental health is the most neglected health problem worldwide. We hear many cases where people suffer from depression and anxiety due to various reasons like work-related stress. Statistically speaking, approximately 280 million people in the world have depression. Though many people stigmatize it, mental illness is a very serious problem that needs to be addressed. If you suffer from a mental illness, the common conception is that there's something wrong with you, as a person, as a human being. This needs to stop. Although we see a drastic change in the number of people considering mental health as a serious issue, we still have a long way to go. Developing a web application which will be helpful for the people in search of good therapist with their preferences is encouraged.

Our application has a solution for it in keeping in view of the socio-economic conditions of the users we help then providing affordable and reliable treatment for mental illness according to their preferences. Therefore we introduce to you - 'Connect To Heal', a safe space for your thoughts. Connect To Heal is a mental-wellness web application, aimed at providing affordable and reliable treatment for mental illness. It allows you to book counselling sessions with therapists at your own time. You get to choose your preferred therapist and share anything you want with them.

##### **2.1.2 Scope:**

This web application will help people to provide a safe and therapeutic space for people, where they can get their mental and emotional needs met. They can use our platform to vent, feel, heal and become better versions of themselves.

### 2.1.3 Definitions, Acronyms and Abbreviations:

HTML- Hyper Text Markup Language

CSS - Cascading Style Sheets

JS-JavaScript

#### 2.1.4 Overview:

This document includes a brief description of our project. This chapter provides the requirements specification in detailed terms and a description of the different system interfaces. Description of the modules are also included.

The third chapter provides information about the work related to our project with examples.

The fourth chapter has the information of the technologies used and UML diagrams.

The fifth chapter includes implementation part with the coding part

The sixth chapter is included with the result screenshots of our project.

## 2.2 General description

### 2.2.1 Product Perspective:

This system is a web application which will be used to find therapist and view information about them and also to manage the new information.

Since this is a data centric product it will need somewhere to store the data. For that a database is used. The web application will use the database to get data and also to modify the data. But, the modifications of the data by the user are restricted only to their properties. All the database communication will go over the Internet.

### 2.2.2 Product Functions:

With the web application, the users will be able to search data for therapist and also to add their profiles and blogs. The results will be based on the criteria.

If a user is searching for therapist, depending on what criteria included in the search a list of problem will be displayed. Each therapist will have the detailed information. The user will also be provided with detailed information about mental and stress problem.

Any kind of modifications in the website are done only by the admin and some modification permissions are also given to the user and therapist profile changes.

### 2.2.3 User Characteristics:

There are two types of users that interact with this system: users i.e., users and therapists and administrators.

#### **Users:**

- ☐ Users have to register into the website and login if account already exists and have to sign up if they are new user.
- ☐ The User1 will choose from the list of available therapists and requests for a counselling session.
- ☐ The Therapists will verify the pending requests and confirms the counselling sessions.
- ☐ The User1 then needs to finish the payment and join the session.

#### **Admin/Administrator:**

- ☐ The admin has to login to the website.
- ☐ The admin will verify the details of the therapist posted.
- ☐ Add the verified therapist into the database by which it will get available on the website.
- ☐ Has access to database and makes necessary modifications as requested by the user.
- ☐ Checks for proper working of the web application.

### 2.3 Modules description:

- **Registration Module:** This module will help the user to register to the website.
- **Login Module:** The users can login to the website once they have successfully registered.
- **Property Module:** The property details like property type, area, price, location and photos are shown.
- **Search Module:** The specifications applied while searching a property by the tenant will be applied and respective results are shown in a list.

- **Post ad Module:** Properties are sent to the admin which are posted after verification.
- **Gallery Module:** The photos or videos uploaded by the landlord will get stored in the database and will help the tenants to have a virtual view of the property.

## 2.4 System Requirements

### 2.4.1 Hardware Requirements:

- ☐ Computers with 1 GB RAM is required.
- ☐ A Computer with an internet connection and any internet browser is required for the client to run the web application.

### 2.4.2 Software Requirement Specifications:

#### **Python 3.7: -**

Python 3.8 benefited from both new functionality and optimizations.

Python is the language used to build the Django framework. It is a dynamic scripting language similar to Perl and Ruby. The principal author of Python is Guido van Rossum. Python supports dynamic typing and has a garbage collector for automatic memory management. Another important feature of Python is dynamic name resolution which binds the names of functions and variables during execution.

#### **Interpreter:**

Visual Studio code: It features a lightning-fast source code editor, perfect for day to day use with support of hundreds of languages. It also helps to be instantly productive with syntax highlighting, bracket-matching, auto-indentation, box-section, snippets etc.

#### **Python-Django:**

#### **Django Framework:**

Django is a free and open-source web framework, written in Python, which follows the model-view-template architectural pattern. It is maintained by the Django Software Foundation, an independent organization established as a 501.

The primary goal of Django is to make the development of complex, data-based websites easier. Thus, Django emphasizes the reusability and pluggability of components to ensure rapid developments.

**Model:**

Model is a single, definitive data source which contains the essential field and behaviour of the data. Usually, one model is one table in the database. Each attribute in the model represents a field of a table in the database. Django provides a set of automatically-generated database application programming interfaces (APIs) for the convenience of users.

**View:**

View is a short form of view file. It is a file containing a Python function which takes web requests and returns web responses. A response can be HTML content or XML documents or a “404 error” and so on. The logic inside the view function can be arbitrary as long as it returns the desired response. To link the view function with a particular URL we need to use a structure called URL conf which maps URLs to view functions.

**Template:**

Template Django’s template is a simple text file which can generate a text-based format like HTML and XML. The template contains variables and tags. Variables will be replaced by the result when the template is evaluated. Tags control the logic of the template. We also can modify the variables by using filters. For example, a lowercase filter can convert the variable from uppercase into lowercase.

**Bootstrap:**

Bootstrap is a free and open-source front-end framework for designing websites and web applications. It contains HTML- and CSS-based design templates for typography, forms, buttons, navigation and other interface components, as well as optional JavaScript extensions.

## 2.5 Design Constraints:

**Software Constraints:** User can run the application either on LINUX or Windows with an internet connection and any internet browser.

**Hardware Constraints:** This system will run on a core processor with minimum of 1GB RAM.

**Acceptance criteria:** Before accepting, the developer must check whether the application is running properly or not.

## CHAPTER 3

### RESEARCH

#### Connect to Heal:

Connect to Heal is a web application which bring people, their therapists, data, and benefits together under one connected health care eco-system partnering where we can get all the information about therapists data and their qualification. To provide a safe and therapeutic space for people, where they can get their mental and emotional needs met. They can use our platform to vent, feel, heal and become better versions of themselves. There are also many gated communities which directly post ads in this website. We are connecting people with therapists by taking affordability and availability into consideration. We're listening to the ones who need to talk and talking to the ones in need of a guiding light. and hence start a conversation that empowers people to come forward and seek help. Thereby, provide a safe space and build an amazing open community that leads.



## CHAPTER 4

### SYSTEM DESIGN

#### 4.1 Architecture and Technologies:

##### **Front-end:**


1. HTML
2. CSS
3. Bootstrap

##### **Back-end:**

SqlLite (For database)  
Django framework

## 4.2 UML Diagrams:


### USE CASE DIAGRAM:



## CHAPTER 5

### IMPLEMENTATION CODE

#### 5.1 SYSTEM ARCHITECTURE(DESIGN)



## 5.2 IMPLEMENTATION AND CODE

### 5.2.1. PYTHON FILES

#### i) settings.py(mysite):

```
from pathlib import Path
import os

# Build paths inside the project like this:
BASE_DIR / 'subdir'.
BASE_DIR =
Path(__file__).resolve().parent.parent
PROJECT_DIR =
os.path.dirname(__file__)

# Quick-start development settings -
unsuitable for production
# See
https://docs.djangoproject.com/en/3.2/howto/deployment/checklist/

# SECURITY WARNING: keep the secret
key used in production secret!
SECRET_KEY = 'django-insecure-
b1mraorj##5_$f8&%71h$-dzdl@g-
=!2k9me2q2f79(1zl(qaq'

# SECURITY WARNING: don't run with
debug turned on in production!
DEBUG = True

ALLOWED_HOSTS = []

# Application definition

INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'connectToHeal',
```

```

]

MIDDLEWARE = [

'django.middleware.security.SecurityMiddl
eware',

'django.contrib.sessions.middleware.Sessio
nMiddleware',

'django.middleware.common.CommonMid
dleware',

'django.middleware.csrf.CsrfViewMiddlew
are',

'django.contrib.auth.middleware.Authentic
ationMiddleware',

'django.contrib.messages.middleware.Mess
ageMiddleware',

'django.middleware.clickjacking.XFrameO
ptionsMiddleware',
]

ROOT_URLCONF = 'mysite.urls'

TEMPLATES = [
    {
        'BACKEND':
'django.template.backends.django.DjangoT
emplates',
        'DIRS': [],
        'APP_DIRS': True,
        'OPTIONS': {
            'context_processors': [

'django.template.context_processors.debug'
,

'django.template.context_processors.reques
t',

'django.contrib.auth.context_processors.aut
h',

'django.contrib.messages.context_processo
rs.messages',
            ],

```

```
    },  
    },  
]
```

```
WSGI_APPLICATION =  
'mysite.wsgi.application'
```

```
# Database  
#  
https://docs.djangoproject.com/en/3.2/ref/s  
ettings/#databases
```

```
DATABASES = {  
    'default': {  
        'ENGINE':  
'django.db.backends.sqlite3',  
        'NAME': BASE_DIR / 'db.sqlite3',  
    }  
}
```

```
# Password validation  
#  
https://docs.djangoproject.com/en/3.2/ref/s  
ettings/#auth-password-validators
```

```
AUTH_PASSWORD_VALIDATORS = [  
    {  
        'NAME':  
'django.contrib.auth.password_validation.U  
serAttributeSimilarityValidator',  
    },  
    {  
        'NAME':  
'django.contrib.auth.password_validation.  
MinimumLengthValidator',  
    },  
    {  
        'NAME':  
'django.contrib.auth.password_validation.C  
ommonPasswordValidator',  
    },  
    {  
        'NAME':  
'django.contrib.auth.password_validation.N  
umericPasswordValidator',  
    },  
]
```

```

MEDIA_ROOT =
os.path.join(BASE_DIR, 'media')
MEDIA_URL = '/media/'

CURRENT_PATH =
os.path.abspath(os.path.dirname(__file__))

STATIC_ROOT =
os.path.join(BASE_DIR, 'static')
STATIC_URL = '/static/'
STATICFILES_DIRS = (
    os.path.join(PROJECT_DIR,
'staticfiles'),
)

LANGUAGE_CODE = 'en-us'

TIME_ZONE = 'UTC'

USE_I18N = True

USE_L10N = True

USE_TZ = True

# Static files (CSS, JavaScript, Images)
#
https://docs.djangoproject.com/en/3.2/howto/static-files/

STATIC_URL = '/static/'

# Default primary key field type
#
https://docs.djangoproject.com/en/3.2/ref/settings/#default-auto-field

DEFAULT_AUTO_FIELD =
'django.db.models.BigAutoField'

```

## **ii) urls.py(connect to heal):**

```

from django.contrib import admin
from django.urls import path, include

```

```

urlpatterns = [
    path("", include('connectToHeal.urls')),

```

```
    path('admin/', admin.site.urls),
]
```

### iii) asgi.py:

```
"""
```

ASGI config for mysite project.

It exposes the ASGI callable as a module-level variable named ``application``.

For more information on this file, see

<https://docs.djangoproject.com/en/3.2/howto/deployment/asgi/>

```
"""
```

```
import os
```

```
from django.core.asgi import get_asgi_application
```

```
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'mysite.settings')
```

```
application = get_asgi_application()
```

### iv) wsgi.py:

```
"""
```

WSGI config for mysite project.

It exposes the WSGI callable as a module-level variable named ``application``.

For more information on this file, see

<https://docs.djangoproject.com/en/3.2/howto/deployment/wsgi/>

```
"""
```

```
import os
```

```
from django.core.wsgi import get_wsgi_application
```

```
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'mysite.settings')
```

```
application = get_wsgi_application()
```



#### **v) manage.py:**

```
#!/usr/bin/env python
"""Django's command-line utility for administrative tasks."""
import os
import sys

def main():
    """Run administrative tasks."""
    os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'mysite.settings')
    try:
        from django.core.management import execute_from_command_line
    except ImportError as exc:
        raise ImportError(
            "Couldn't import Django. Are you sure it's installed and "
            "available on your PYTHONPATH environment variable? Did you "
            "forget to activate a virtual environment?"
        ) from exc
    execute_from_command_line(sys.argv)

if __name__ == '__main__':
    main()
```

#### **vi)0001\_initial.py**

# Generated by Django 3.2.7 on 2021-12-12 07:08

```
from django.db import migrations, models
import django.db.models.deletion
```

```
class Migration(migrations.Migration):
```

```
    initial = True
```

```
    dependencies = [
    ]
```

```
    operations = [
        migrations.CreateModel(
            name='Question',
            fields=[
                ('id', models.BigAutoField(auto_created=True, primary_key=True,
serialize=False, verbose_name='ID')),
                ('question_text', models.CharField(max_length=200)),
                ('pub_date', models.DateTimeField(verbose_name='date published')),
            ],
        ),
        migrations.CreateModel(
```

```

        name='Choice',
        fields=[
            ('id', models.BigAutoField(auto_created=True, primary_key=True,
serialize=False, verbose_name='ID')),
            ('choice_text', models.CharField(max_length=200)),
            ('votes', models.IntegerField(default=0)),
            ('question',
models.ForeignKey(on_delete=django.db.models.deletion.CASCADE,
to='connectToHeal.question')),
        ],
    ),
]

```

#### **vii)0002\_auto\_20211212\_0947.py:**

# Generated by Django 3.2.7 on 2021-12-12 09:47

```
from django.db import migrations, models
```

```
class Migration(migrations.Migration):
```

```

    dependencies = [
        ('connectToHeal', '0001_initial'),
    ]

    operations = [
        migrations.CreateModel(
            name='Blogs',
            fields=[
                ('id', models.BigAutoField(auto_created=True, primary_key=True, serialize=False,
verbose_name='ID')),
                ('title', models.CharField(max_length=255)),
                ('author', models.CharField(max_length=150)),
                ('date_published', models.DateField(verbose_name='date published')),
                ('blog', models.TextField()),
            ],
        ),
        migrations.DeleteModel(
            name='Choice',
        ),
        migrations.DeleteModel(
            name='Question',
        ),
    ]

```

#### **viii) 0003\_rename\_blogs\_blog.py:**

# Generated by Django 3.2.7 on 2021-12-12 09:48

```
from django.db import migrations
```

```
class Migration(migrations.Migration):
```

```

dependencies = [
    ('connectToHeal', '0002_auto_20211212_0947'),
]

operations = [
    migrations.RenameModel(
        old_name='Blogs',
        new_name='Blog',
    ),
]

```

#### **ix) 0004\_blog\_cover.py:**

# Generated by Django 3.2.7 on 2021-12-12 09:56

from django.db import migrations, models

class Migration(migrations.Migration):

```

dependencies = [
    ('connectToHeal', '0003_rename_blogs_blog'),
]

operations = [
    migrations.AddField(
        model_name='blog',
        name='cover',
        field=models.ImageField(default='default.jpg', upload_to='blogCovers'),
    ),
]

```

#### **x) 0005\_blog\_link.py:**

# Generated by Django 3.2.7 on 2021-12-12 14:55

from django.db import migrations, models

class Migration(migrations.Migration):

```

dependencies = [
    ('connectToHeal', '0004_blog_cover'),
]

operations = [
    migrations.AddField(
        model_name='blog',
        name='link',
        field=models.URLField(default=""),
    ),
]

```

#### **xi) 0006\_auto\_20211215\_0457.py:**

# Generated by Django 3.2.7 on 2021-12-15 04:57

from django.db import migrations, models

class Migration(migrations.Migration):

```
dependencies = [
    ('connectToHeal', '0005_blog_link'),
]

operations = [
    migrations.CreateModel(
        name='DiscussionModel',
        fields=[
            ('id', models.BigAutoField(auto_created=True, primary_key=True, serialize=False, verbose_name='ID')),
            ('info', models.TextField(max_length=255)),
        ],
    ),
    migrations.AlterField(
        model_name='blog',
        name='blog',
        field=models.TextField(default=""),
    ),
]
```

#### **xii)admin.py:**

```
from django.contrib import admin
from .models import Blog, DiscussionModel
```

```
admin.site.register(Blog)
admin.site.register(DiscussionModel)
```

#### **xiii)apps.py:**

```
from django.apps import AppConfig
```

```
class ConnecttohealConfig(AppConfig):
    default_auto_field = 'django.db.models.BigAutoField'
    name = 'connectToHeal'
```

#### **xiv) forms.py:**

```
from django import forms
from django.contrib.auth.forms import UserCreationForm
from django.contrib.auth.models import User
from django.db.models import fields
from django.forms import ModelForm
from .models import *
```

```

class createUserForm(UserCreationForm):
    class Meta:
        model = User
        fields = ["username", "email", "password1", "password2"]

'''
class createTherapistForm(UserCreationForm):
    aboutMe = forms.CharField(max_length = 1024)
    workExperience = forms.CharField(max_length = 1024)
    pricePerSession = forms.IntegerField()

    class Meta:
        model = Therapist
        fields = ["username", "email", "password1", "password2", "aboutMe", "workExperience",
"pricePerSession"]

class NewUserForm(UserCreationForm):
    email = forms.EmailField(required=True)

    class Meta:
        model = User
        fields = ("username", "email", "password1", "password2")

    def save(self, commit=True):
        user = super(NewUserForm, self).save(commit=False)
        user.email = self.cleaned_data['email']
        if commit:
            user.save()
        return user

'''

class DiscussionForm(forms.ModelForm):
    class Meta:
        model = DiscussionModel
        fields = ['info']

```

## **xv) models.py:**

```

from django.db import models
from django.contrib.auth.models import AbstractUser

class Blog(models.Model):
    title = models.CharField(max_length = 255)
    author = models.CharField(max_length = 150)

```

```

date_published = models.DateField('date published');
blog = models.TextField(default = "")
cover = models.ImageField(default = 'default.jpg', upload_to = 'blogCovers')
link = models.URLField(default = "", max_length = 200)
def __str__(self):
    return self.title

class DiscussionModel(models.Model):
    info = models.TextField(max_length = 255)
    def _str_(self):
        return DiscussionModel.objects.count() + 1

'''

class Therapist(AbstractUser):
    username = models.CharField(max_length = 50, blank = True, null = True, unique = True)
    email = models.EmailField(('email address'), unique = True)
    aboutMe = models.CharField(max_length = 1024)
    workExperience = models.CharField(max_length = 1024)
    pricePerSession = models.IntegerField()
    USERNAME_FIELD = 'email'
    REQUIRED_FIELDS = ['username', 'pricePerSession']
    def __str__(self):
        return "{}".format(self.email)

'''

```

#### **xvi) urls.py:**

```

from django.urls import path
from . import views
from django.conf import settings
from django.conf.urls.static import static
from django.contrib.staticfiles.urls import staticfiles_urlpatterns

```

```

urlpatterns = [
    path("", views.homepage, name = "Home Page"),
    path('home/', views.homepage, name = "Homepage"),
    path('userhome/', views.userhomepage, name = "userhome"),
    path('discussion/', views.discussionPage, name = "dicussion"),
    path('about/', views.aboutpage, name = "about"),
    path('blogs/', views.viewBlogs, name = "blogs"),
    path("registerUser/", views.registerUserPage, name="registerUser"),
    path("registerTherapist/", views.registerTherapistPage, name = " registerTherapist"),
    path("loginPage/", views.loginPage, name="loginPage"),
    path("logout/", views.logoutUser, name = "logout"),
] + static(settings.MEDIA_URL, document_root = settings.MEDIA_ROOT)

```

```

urlpatterns += staticfiles_urlpatterns()

```

#### **xvii) views.py:**

```

from django.shortcuts import render, redirect

```

```

from .forms import createUserForm, DiscussionForm
from .models import *
from django.contrib.auth import login, authenticate, logout
from django.contrib.auth.decorators import login_required
from django.contrib.auth.forms import UserCreationForm
from django.contrib import messages

def homepage(request):
    return render(request, "connectToHeal/home.html")

@login_required(login_url = 'loginPage')
def userhomepage(request):
    return render(request, "connectToHeal/userhome.html")

def aboutpage(request):
    return render(request, "connectToHeal/about.html")

def viewBlogs(request):
    blogs = Blog.objects.all()
    return render(request, "connectToHeal/viewBlogs.html", {'blogs': blogs})

def registerUserPage(request):
    if request.user.is_authenticated:
        return redirect('userhome')
    else:
        form = createUserForm()
        if request.method == 'POST':
            form = createUserForm(request.POST)
            if form.is_valid():
                form.save() #creating user - handles already existing user, password validation and
                #everything by default
                messages.success(request, "Account has been created for " +
                form.cleaned_data.get('username') + " successfully!")
                return redirect('loginPage')

        context = {'form': form}
        return render(request, "connectToHeal/registerUser.html", context)

def registerTherapistPage(request):
    form = createUserForm()
    if request.method == 'POST':
        form = createUserForm(request.POST)
        if form.is_valid():
            form.save() #creating user - handles already existing user, password validation and
            #everything by default
            messages.success(request, "Account has been created for " +
            form.cleaned_data.get('username') + " successfully!")
            return redirect('loginPage')

    context = {'form': form}

```

```

return render(request, "connectToHeal/registerTherapist.html", context)

def loginPage(request):
    if request.method == 'POST':
        username = request.POST.get('username')
        password = request.POST.get('password')
        user = authenticate(request, username = username, password = password)
        if user is not None:
            login(request, user)
            return redirect('userhome')
        else:
            messages.info(request, "Username or Password is INCORRECT!")
    context = {}
    return render(request, "connectToHeal/login.html", context)

def logoutUser(request):
    logout(request)
    return redirect('loginPage')

def discussionPage(request):
    form = DiscussionForm()
    if request.method == 'POST':
        form = DiscussionForm(request.POST)
        if form.is_valid():
            form.save()

    forums= DiscussionModel.objects.all()
    return render(request, 'connectToHeal/discussion.html', {'form': form,'forums':forums})

```



## 5.2.2 HTML AND CSS

### i)home.html:

```
{% extends "connectToHeal/base.html" %}
{% block content%}
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700"
rel="stylesheet">

  <link rel="stylesheet" href="fonts/icomoon/style.css">

  <link rel="stylesheet" href="css/owl.carousel.min.css">
  <link rel="stylesheet" href="css/bootstrap.min.css">

  <link rel="stylesheet" href="css/style.css">
<style>
  body {
    font-family: "Open Sans", -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
    "Helvetica Neue", Arial, "Noto Sans", sans-serif, "Apple Color Emoji", "Segoe UI Emoji",
    "Segoe UI Symbol", "Noto Color Emoji";
    background-color: #fff;
    height: 200vh;
    position: relative; }
  body:before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background: rgba(0, 0, 0, 0.5);
    -webkit-transition: .3s all ease;
    -o-transition: .3s all ease;
    transition: .3s all ease;
    opacity: 0;
    visibility: hidden;
    z-index: 1; }
  body.offcanvas-menu:before {
    opacity: 1;
    visibility: visible; }

  p {
```

```

color: #b3b3b3;
font-weight: 300; }

h1, h2, h3, h4, h5, h6,
.h1, .h2, .h3, .h4, .h5, .h6 {
  font-family: "Open Sans", -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
"Helvetica Neue", Arial, "Noto Sans", sans-serif, "Apple Color Emoji", "Segoe UI Emoji",
"Segoe UI Symbol", "Noto Color Emoji"; }

a {
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease; }
a, a:hover {
  text-decoration: none !important; }

.hero {
  height: 100vh;
  width: 100%;
  background-size: cover;
  background-position: center center;
  background-repeat: no-repeat; }

.site-navbar {
  margin-bottom: 0px;
  z-index: 1999;
  position: absolute;
  top: 2rem;
  width: 100%; }
.site-navbar.transparent {
  background: transparent; }
.site-navbar.absolute {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%; }
.site-navbar .site-logo {
  position: relative;
  left: 0;
  font-size: 24px !important; }
.site-navbar .site-navigation .site-menu {
  margin-bottom: 0; }
.site-navbar .site-navigation .site-menu .active > a span {
  background: #007bff;
  color: #fff;
  border-radius: 30px;
  display: inline-block;
  padding: 5px 20px; }
.site-navbar .site-navigation .site-menu a {
  text-decoration: none !important;
  display: inline-block; }

```

```

.site-navbar .site-navigation .site-menu > li {
  display: inline-block; }
.site-navbar .site-navigation .site-menu > li > a {
  padding: 10px 0px;
  color: #fff;
  font-size: 16px;
  text-decoration: none !important; }
.site-navbar .site-navigation .site-menu > li > a > span {
  padding: 5px 20px;
  display: inline-block;
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease;
  border-radius: 30px; }
.site-navbar .site-navigation .site-menu > li > a:hover > span {
  background: #007bff;
  color: #fff;
  border-radius: 30px;
  display: inline-block; }
.site-navbar .site-navigation .site-menu .has-children {
  position: relative; }
.site-navbar .site-navigation .site-menu .has-children > a span {
  position: relative;
  padding-right: 30px; }
.site-navbar .site-navigation .site-menu .has-children > a span:before {
  position: absolute;
  content: "\e313";
  font-size: 16px;
  top: 50%;
  right: 10px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  transform: translateY(-50%);
  font-family: 'icomoon'; }
.site-navbar .site-navigation .site-menu .has-children .dropdown {
  visibility: hidden;
  opacity: 0;
  top: 100%;
  position: absolute;
  text-align: left;
  border-top: 2px solid #007bff;
  -webkit-box-shadow: 0 2px 10px -2px rgba(0, 0, 0, 0.1);
  box-shadow: 0 2px 10px -2px rgba(0, 0, 0, 0.1);
  padding: 0px 0;
  margin-top: 20px;
  margin-left: 0px;
  background: #fff;
  -webkit-transition: 0.2s 0s;
  -o-transition: 0.2s 0s;
  transition: 0.2s 0s; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top {

```

```

position: absolute; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top:before {
  bottom: 100%;
  left: 20%;
  border: solid transparent;
  content: " ";
  height: 0;
  width: 0;
  position: absolute;
  pointer-events: none; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top:before {
  border-color: rgba(136, 183, 213, 0);
  border-bottom-color: #fff;
  border-width: 10px;
  margin-left: -10px; }
.site-navbar .site-navigation .site-menu .has-children .dropdown a {
  text-transform: none;
  letter-spacing: normal;
  -webkit-transition: 0s all;
  -o-transition: 0s all;
  transition: 0s all;
  color: #343a40; }
.site-navbar .site-navigation .site-menu .has-children .dropdown .active > a {
  color: #007bff !important; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li {
  list-style: none;
  padding: 0;
  margin: 0;
  min-width: 200px; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li > a {
  padding: 9px 20px;
  display: block; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li > a:hover {
  background: #fafafb; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children > a {
  position: relative; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
a:after {
  position: absolute;
  right: 0;
  content: "\e315";
  right: 20px;
  font-family: 'icomoon'; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
.dropdown, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children
> ul {
  left: 100%;
  top: 0; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-
children:hover > a, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-
children:active > a, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-

```

```

children:focus > a {
    background: #fafafb; }
.site-navbar .site-navigation .site-menu .has-children:hover > a, .site-navbar .site-
navigation .site-menu .has-children:focus > a, .site-navbar .site-navigation .site-menu .has-
children:active > a {
    color: #007bff; }
.site-navbar .site-navigation .site-menu .has-children:hover > a span, .site-navbar .site-
navigation .site-menu .has-children:focus > a span, .site-navbar .site-navigation .site-menu
.has-children:active > a span {
    background: #007bff;
    color: #fff; }
.site-navbar .site-navigation .site-menu .has-children:hover, .site-navbar .site-navigation
.site-menu .has-children:focus, .site-navbar .site-navigation .site-menu .has-children:active {
    cursor: pointer; }
.site-navbar .site-navigation .site-menu .has-children:hover > .dropdown, .site-navbar
.site-navigation .site-menu .has-children:focus > .dropdown, .site-navbar .site-navigation
.site-menu .has-children:active > .dropdown {
    -webkit-transition-delay: 0s;
    -o-transition-delay: 0s;
    transition-delay: 0s;
    margin-top: 0px;
    visibility: visible;
    opacity: 1; }

.site-mobile-menu {
    width: 300px;
    position: fixed;
    right: 0;
    z-index: 2000;
    padding-top: 20px;
    background: #fff;
    height: calc(100vh);
    -webkit-transform: translateX(110%);
    -ms-transform: translateX(110%);
    transform: translateX(110%);
    -webkit-box-shadow: -10px 0 20px -10px rgba(0, 0, 0, 0.1);
    box-shadow: -10px 0 20px -10px rgba(0, 0, 0, 0.1);
    -webkit-transition: .3s all ease-in-out;
    -o-transition: .3s all ease-in-out;
    transition: .3s all ease-in-out; }
.offcanvas-menu .site-mobile-menu {
    -webkit-transform: translateX(0%);
    -ms-transform: translateX(0%);
    transform: translateX(0%); }
.site-mobile-menu .site-mobile-menu-header {
    width: 100%;
    float: left;
    padding-left: 20px;
    padding-right: 20px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close {
    float: right;

```

```

margin-top: 8px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close span {
  font-size: 30px;
  display: inline-block;
  padding-left: 10px;
  padding-right: 0px;
  line-height: 1;
  cursor: pointer;
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close span:hover {
  color: #f8f9fa; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo {
  float: left;
  margin-top: 10px;
  margin-left: 0px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a {
  display: inline-block;
  text-transform: uppercase; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a img {
  max-width: 70px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a:hover {
  text-decoration: none; }
.site-mobile-menu .site-mobile-menu-body {
  overflow-y: scroll;
  -webkit-overflow-scrolling: touch;
  position: relative;
  padding: 0 20px 20px 20px;
  height: calc(100vh - 52px);
  padding-bottom: 150px; }
.site-mobile-menu .site-nav-wrap {
  padding: 0;
  margin: 0;
  list-style: none;
  position: relative; }
.site-mobile-menu .site-nav-wrap a {
  padding: 10px 20px;
  display: block;
  position: relative;
  color: #212529; }
.site-mobile-menu .site-nav-wrap a:hover {
  color: #007bff; }
.site-mobile-menu .site-nav-wrap li {
  position: relative;
  display: block; }
.site-mobile-menu .site-nav-wrap li.active > a {
  color: #007bff; }
.site-mobile-menu .site-nav-wrap .arrow-collapse {
  position: absolute;
  right: 0px;

```

```

top: 10px;
z-index: 20;
width: 36px;
height: 36px;
text-align: center;
cursor: pointer;
border-radius: 50%; }
.site-mobile-menu .site-nav-wrap .arrow-collapse:hover {
  background: #f8f9fa; }
.site-mobile-menu .site-nav-wrap .arrow-collapse:before {
  font-size: 12px;
  z-index: 20;
  font-family: "icomoon";
  content: "\f078";
  position: absolute;
  top: 50%;
  left: 50%;
  -webkit-transform: translate(-50%, -50%) rotate(-180deg);
  -ms-transform: translate(-50%, -50%) rotate(-180deg);
  transform: translate(-50%, -50%) rotate(-180deg);
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease; }
.site-mobile-menu .site-nav-wrap .arrow-collapse.collapsed:before {
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%); }
.site-mobile-menu .site-nav-wrap > li {
  display: block;
  position: relative;
  float: left;
  width: 100%; }
.site-mobile-menu .site-nav-wrap > li > a {
  padding-left: 20px;
  font-size: 20px; }
.site-mobile-menu .site-nav-wrap > li > ul {
  padding: 0;
  margin: 0;
  list-style: none; }
.site-mobile-menu .site-nav-wrap > li > ul > li {
  display: block; }
.site-mobile-menu .site-nav-wrap > li > ul > li > a {
  padding-left: 40px;
  font-size: 16px; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul {
  padding: 0;
  margin: 0; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul > li {
  display: block; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul > li > a {
  font-size: 16px;

```







</div>

</p>

<br>

## <h1> Five-Minute Activities for Self-Compassion</h1>

<p><div class = text-dark>

We are all burdened with stress. However, taking a step back and prioritizing self-care is crucial for optimal health. While your day-to-day responsibilities are important, taking some time off them to reflect and refresh is equally necessary. Even if you pause and reflect for 5 minutes, you will notice changes in your mood, efficiency, and concentration.

Here are a few 5-minute self-care activities that you can practice:<br>

## <h2> your Mental Load</h2>

Having too many things on your to-do list may overwhelm your mind. Spend 5 minutes a day thinking about the activities you can scrap from your day's or week's plate. Analyze if you can postpone your vacation plan or project deadline by a day or two. The more you lighten your mental load, the more pleasant you would feel without the extra weights bowing your mind down.

## <h2>Breathe out your stress</h2>

Deep breathing is the easiest way to cultivate mindfulness. It helps to quieten your racing mind, improve your mood, and reduce your stress and worries. Breathing exercises like box-breathing or diaphragmatic breathing can help you relax in just 5 minutes. Moreover, deep breathing can be done anytime, anywhere, be it a meeting or a phone call.

## <h2>Tune in to your favorite songs</h2>

Music goes a great way in energizing you and uplifting your mood. If there are songs that make you feel better, compile them in a playlist and use them for self-care. Tune in to the playlist for 5 minutes and dance with the released endorphins.

## <h2>Scribble your nagging thoughts</h2>

Take out 5 minutes from your day to record your thoughts in a diary or journal. This would help you increase your awareness and relax. Carry your journal with you to school or the workplace and write down how you feel. This will help you reflect on your thoughts.

## <h2>Get walking</h2>

Physical activity, no matter how trivial it may be, can do wonders for your mental health. Take a short 5-minute walk outside in your hallway. It will help you feel lighter and stimulate your thinking.

## <h2>Create a 'Gratitude' list</h2>

If negative thoughts weigh you down, let a gratitude list help you climb. Create a list of things you are grateful for and focus on them. This can feel soothing, promote happiness, and instantly improve your mood.

<h2>Make room for self-compassion</h2>

Don't be too hard on yourself. Don't let your inner voice judge or criticize you. Pause for 5 minutes, check in on yourself and validate how you are feeling. Engage in kind self-talk and handle yourself compassionately.

</div>  
</p>  
<br>  
<h1></h1>  
<p>  
</p>  
</div>  
</section>

<script src="js/jquery-3.3.1.min.js"></script>  
<script src="js/popper.min.js"></script>  
<script src="js/bootstrap.min.js"></script>  
<script src="js/jquery.sticky.js"></script>  
<script src="js/main.js"></script>  
</body>  
</html>

{% endblock % }

## ii) login.html:

{% extends "connectToHeal/base.html" % }

{% block content% }  
<html>

<head>  
    <title>Login</title>  
    <link rel="stylesheet"  
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"  
integrity="sha384-  
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"  
crossorigin="anonymous">  
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>  
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.6.1/css/all.css"  
integrity="sha384-  
gfdkjb5BdAXd+lj+gudLWI+BXq4IuLW5IT+brZEXsLFm++aCMIF1V92rMkPaX4PP"  
crossorigin="anonymous">

<style>  
    body,  
    html {  
        margin: 0;

```

        padding: 0;
        height: 100%;
        background-size: cover;
background-image: url('/media/home.jfif');
    }
    .user_card {
        width: 350px;
        margin-top: auto;
        margin-bottom: auto;
        background: #74cfbf;
        position: relative;
        display: flex;
        justify-content: center;
        flex-direction: column;
        padding: 10px;
        box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0,
0.19);
        -webkit-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0,
0, 0, 0.19);
        -moz-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0,
0, 0.19);
        border-radius: 5px;
    }

    .form_container {
        margin-top: 20px;
    }

    #form-title{
        color: #fff;
    }

    .login_btn {
        width: 100%;
        background: #F45C99 !important;
        color: white !important;
    }
    .login_btn:focus {
        box-shadow: none !important;
        outline: 0px !important;
    }
    .login_container {
        padding: 0 2rem;
    }
    .input-group-text {
        background: #F45C99 !important;
        color: white !important;
        border: 0 !important;
        border-radius: 0.25rem 0 0 0.25rem !important;
    }

```

```

    }
    .input_user,
    .input_pass:focus {
        box-shadow: none !important;
        outline: 0px !important;
    }

    #messages{
        background-color: grey;
        color: #fff;
        padding: 10px;
        margin-top: 10px;
    }
</style>

</head>
<body>
    <div class="container h-100">
        <div class="d-flex justify-content-center h-100">
            <div class="user_card">
                <div class="d-flex justify-content-center">

                    <h3 id="form-title">Login</h3>
                </div>
                <div class="d-flex justify-content-center form_container">
                    <form method="POST" action="">
                        {% csrf_token %}

                        <div class="input-group mb-3">
                            <div class="input-group-append">
                                <span class="input-group-text"><i class="fas fa-user"></i></span>
                            </div>
                            <input type="text" name="username" placeholder="Username..." class="form-control">
                        </div>
                        <div class="input-group mb-2">
                            <div class="input-group-append">
                                <span class="input-group-text"><i class="fas fa-key"></i></span>
                            </div>
                            <input type="password"
name="password" placeholder="Password..." class="form-control" >
                        </div>

                        <div class="d-flex justify-content-center mt-3 login_container">
                            <button class="btn login_btn" type="submit">Login</button>
                        </div>
                    </form>

                </div>
                {% for message in messages%}
                    <p id = "messages"> {{ message}} </p>
                {% endfor%}
            </div>
        </div>
    </div>

```

```

        <div class="mt-4">
            <div class="d-flex justify-content-center links">
                Don't have an account? <a href="{% url 'registerUser' %}" class="ml-2">Sign Up</a>
            </div>
        </div>
    </div>
</div>
</body>
</html>
{% endblock %}

```

### iii) registerUser.html:

```

{% extends "connectToHeal/base.html" %}

{% block content%}
<html>

<head>

    <title>Register</title>
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.6.1/css/all.css"
integrity="sha384-
gfdkjb5BdAXd+lj+gudLWI+BXq4IuLW5IT+brZEZsLFm++aCMIF1V92rMkPaX4PP"
crossorigin="anonymous">

    <style>
        body,
        html {
            margin: 0;
            padding: 0;
            height: 100%;
            background-size: cover;
            background-image: url('/media/home.jfif');
        }
        .user_card {
            width: 350px;
            margin-top: auto;
            margin-bottom: auto;
            background: #74cbbf;

```

```

    position: relative;
    display: flex;
    justify-content: center;
    flex-direction: column;
    padding: 10px;
    box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
    -webkit-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
    -moz-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
    border-radius: 5px;
}

```

```

.form_container {
    margin-top: 20px;
}

```

```

#form-title{
    color: #fff;
}
.login_btn {
    width: 100%;
    background: #F45C99 !important;
    color: white !important;
}
.login_btn:focus {
    box-shadow: none !important;
    outline: 0px !important;
}
.login_container {
    padding: 0 2rem;
}
.input-group-text {
    background: #F45C99 !important;
    color: white !important;
    border: 0 !important;
    border-radius: 0.25rem 0 0 0.25rem !important;
}
.input_user,
.input_pass:focus {
    box-shadow: none !important;
    outline: 0px !important;
}

```

</style>

</head>

<body style = "background-image: url('/media/home.jfif');">

<div class="container h-100">

<div class="d-flex justify-content-center h-100">

<div class="user\_card">

<div class="d-flex justify-content-center">

```

    <h3 id="form-title">Register as a User</h3>
</div>
<div class="d-flex justify-content-center form_container">

    <form method="POST" action="">
        {% csrf_token %}
        <div class="input-group mb-3">
            <div class="input-group-append">
                <span class="input-group-text"><i class="fas fa-user"></i></span>
            </div>
            {{ form.username }}
        </div>
        <div class="input-group mb-2">
            <div class="input-group-append">
                <span class="input-group-text"><i class="fas fa-envelope-
square"></i></span>
            </div>
            {{ form.email }}
        </div>
        <div class="input-group mb-2">
            <div class="input-group-append">
                <span class="input-group-text"><i class="fas fa-key"></i></span>
            </div>
            {{ form.password1 }}
        </div>
        <div class="input-group mb-2">
            <div class="input-group-append">
                <span class="input-group-text"><i class="fas fa-key"></i></span>
            </div>
            {{ form.password2 }}
        </div>

        <div class="d-flex justify-content-center mt-3 login_container">
            <input class="btn login_btn" type="submit" value="Register Account">
        </div>
    </form>
</div>
{{ form.errors }}
<div class="mt-4">
    <div class="d-flex justify-content-center links">
        Already have an account? <a href="{% url 'loginPage' %}" class="ml-
2">Login</a>
    </div>
</div>
</div>
</div>
</div>
<script>
    var form_fields = document.getElementsByTagName('input')
    form_fields[1].placeholder='Username..';
    form_fields[2].placeholder='Email..';

```



```
form_fields[3].placeholder='Enter password...';
form_fields[4].placeholder='Re-enter Password...';
```

```
for (var field in form_fields){
    form_fields[field].className += ' form-control'
}
```

```
</script>
```

```
</body>
```

```
</html>
```

```
{% endblock %}
```

#### iv) **registerTherapist:**

```
{% extends "connectToHeal/base.html" %}
```

```
{% block content%}
```

```
<html>
```

```
<head>
```

```
<title>Register</title>
```

```
<link rel="stylesheet"
```

```
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
```

```
integrity="sha384-
```

```
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
```

```
crossorigin="anonymous">
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
```

```
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.6.1/css/all.css"
```

```
integrity="sha384-
```

```
gfdkjb5BdAXdlj+gudLWI+BXq4IuLW5IT+brZEsLfm++aCMIF1V92rMkPaX4PP"
```

```
crossorigin="anonymous">
```

```
<style>
```

```
body,
```

```
html {
```

```
margin: 0;
```

```
padding: 0;
```

```
height: 100%;
```

```
background-size: cover;
```

```
background-image: url('/media/home.jfif');
```

```
}
```

```
.user_card {
```

```
width: 350px;
```

```
margin-top: auto;
```

```
margin-bottom: auto;
```

```
background: #74c9bf;
```

```
position: relative;
```

```
display: flex;
```

```
justify-content: center;
```

```
flex-direction: column;
```

```
padding: 10px;
```

```
box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
```

```

        -webkit-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
        -moz-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0, 0.19);
        border-radius: 5px;
    }

    .form_container {
        margin-top: 20px;
    }

    #form-title{
        color: #fff;
    }
    .login_btn {
        width: 100%;
        background: #F45C99 !important;
        color: white !important;
    }
    .login_btn:focus {
        box-shadow: none !important;
        outline: 0px !important;
    }
    .login_container {
        padding: 0 2rem;
    }
    .input-group-text {
        background: #F45C99 !important;
        color: white !important;
        border: 0 !important;
        border-radius: 0.25rem 0 0 0.25rem !important;
    }
    .input_user,
    .input_pass:focus {
        box-shadow: none !important;
        outline: 0px !important;
    }
}

</style>

</head>
<body style = "background-image: url('/media/home.jfif');">
    <div class="container h-100">
        <div class="d-flex justify-content-center h-100">
            <div class="user_card">
                <div class="d-flex justify-content-center">
                    <h3 id="form-title">Register as a Therapist</h3>
                </div>
                <div class="d-flex justify-content-center form_container">

                    <form method="POST" action="">
                        { % csrf_token % }

```

```

<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="fas fa-user"></i></span>
  </div>
  {{ form.username }}
</div>

<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="fas fa-envelope-
square"></i></span>
  </div>
  {{ form.email }}
</div>

<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="far fa-address-card"></i></span>
  </div>
  {{ form.aboutMe }}
</div>
<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="fas fa-address-card"></i></span>
  </div>
  {{ form.workExperience }}
</div>
<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="fas fa-rupee-sign
"></i></span>
  </div>
  {{ form.pricePerSession }}
</div>
<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="fas fa-key"></i></span>
  </div>
  {{ form.password1 }}
</div>
<div class="input-group mb-2">
  <div class="input-group-append">
    <span class="input-group-text"><i class="fas fa-key"></i></span>
  </div>
  {{ form.password2 }}
</div>

<div class="d-flex justify-content-center mt-3 login_container">
  <input class="btn login_btn" type="submit" value="Register Account">
</div>
</form>

```



```

integrity="sha384-
ChfqquxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>
<script type="text/javascript"
src="https://cdn.jsdelivr.net/momentjs/latest/moment.min.js"></script>
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<style>
body {
font-family: "Open Sans", -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
"Helvetica Neue", Arial, "Noto Sans", sans-serif, "Apple Color Emoji", "Segoe UI Emoji",
"Segoe UI Symbol", "Noto Color Emoji";
background-color: #fff;
height: 200vh;
position: relative; }
body:before {
content: "";
position: absolute;
top: 0;
left: 0;
right: 0;
bottom: 0;
background: rgba(0, 0, 0, 0.5);
-webkit-transition: .3s all ease;
-o-transition: .3s all ease;
transition: .3s all ease;
opacity: 0;
visibility: hidden;
z-index: 1; }
body.offcanvas-menu:before {
opacity: 1;
visibility: visible; }

p {
color: #b3b3b3;
font-weight: 300; }

h1, h2, h3, h4, h5, h6,
.h1, .h2, .h3, .h4, .h5, .h6 {
font-family: "Open Sans", -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
"Helvetica Neue", Arial, "Noto Sans", sans-serif, "Apple Color Emoji", "Segoe UI Emoji",
"Segoe UI Symbol", "Noto Color Emoji"; }

a {
-webkit-transition: .3s all ease;
-o-transition: .3s all ease;
transition: .3s all ease; }
a, a:hover {
text-decoration: none !important; }

```

```

.hero {
  height: 100vh;
  width: 100%;
  background-size: cover;
  background-position: center center;
  background-repeat: no-repeat; }

.site-navbar {
  margin-bottom: 0px;
  z-index: 1999;
  position: absolute;
  top: 2rem;
  width: 100%; }
.site-navbar.transparent {
  background: transparent; }
.site-navbar.absolute {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%; }
.site-navbar .site-logo {
  position: relative;
  left: 0;
  font-size: 24px !important; }
.site-navbar .site-navigation .site-menu {
  margin-bottom: 0; }
.site-navbar .site-navigation .site-menu .active > a span {
  background: #007bff;
  color: #fff;
  border-radius: 30px;
  display: inline-block;
  padding: 5px 20px; }
.site-navbar .site-navigation .site-menu a {
  text-decoration: none !important;
  display: inline-block; }
.site-navbar .site-navigation .site-menu > li {
  display: inline-block; }
.site-navbar .site-navigation .site-menu > li > a {
  padding: 10px 0px;
  color: #fff;
  font-size: 16px;
  text-decoration: none !important; }
.site-navbar .site-navigation .site-menu > li > a > span {
  padding: 5px 20px;
  display: inline-block;
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease;
  border-radius: 30px; }
.site-navbar .site-navigation .site-menu > li > a:hover > span {
  background: #007bff;

```

```

    color: #fff;
    border-radius: 30px;
    display: inline-block; }
.site-navbar .site-navigation .site-menu .has-children {
  position: relative; }
.site-navbar .site-navigation .site-menu .has-children > a span {
  position: relative;
  padding-right: 30px; }
.site-navbar .site-navigation .site-menu .has-children > a span:before {
  position: absolute;
  content: "\e313";
  font-size: 16px;
  top: 50%;
  right: 10px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  transform: translateY(-50%);
  font-family: 'icomoon'; }
.site-navbar .site-navigation .site-menu .has-children .dropdown {
  visibility: hidden;
  opacity: 0;
  top: 100%;
  position: absolute;
  text-align: left;
  border-top: 2px solid #007bff;
  -webkit-box-shadow: 0 2px 10px -2px rgba(0, 0, 0, 0.1);
  box-shadow: 0 2px 10px -2px rgba(0, 0, 0, 0.1);
  padding: 0px 0;
  margin-top: 20px;
  margin-left: 0px;
  background: #fff;
  -webkit-transition: 0.2s 0s;
  -o-transition: 0.2s 0s;
  transition: 0.2s 0s; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top {
  position: absolute; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top:before {
  bottom: 100%;
  left: 20%;
  border: solid transparent;
  content: " ";
  height: 0;
  width: 0;
  position: absolute;
  pointer-events: none; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top:before {
  border-color: rgba(136, 183, 213, 0);
  border-bottom-color: #fff;
  border-width: 10px;
  margin-left: -10px; }
.site-navbar .site-navigation .site-menu .has-children .dropdown a {

```

```

text-transform: none;
letter-spacing: normal;
-webkit-transition: 0s all;
-o-transition: 0s all;
transition: 0s all;
color: #343a40; }
.site-navbar .site-navigation .site-menu .has-children .dropdown .active > a {
color: #007bff !important; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li {
list-style: none;
padding: 0;
margin: 0;
min-width: 200px; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li > a {
padding: 9px 20px;
display: block; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li > a:hover {
background: #fafaeb; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children > a {
position: relative; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
a:after {
position: absolute;
right: 0;
content: "\e315";
right: 20px;
font-family: 'icomoon'; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
.dropdown, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
ul {
left: 100%;
top: 0; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children:hover >
a, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children:active > a,
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children:focus > a {
background: #fafaeb; }
.site-navbar .site-navigation .site-menu .has-children:hover > a, .site-navbar .site-navigation
.site-menu .has-children:focus > a, .site-navbar .site-navigation .site-menu .has-children:active >
a {
color: #007bff; }
.site-navbar .site-navigation .site-menu .has-children:hover > a span, .site-navbar .site-
navigation .site-menu .has-children:focus > a span, .site-navbar .site-navigation .site-menu .has-
children:active > a span {
background: #007bff;
color: #fff; }
.site-navbar .site-navigation .site-menu .has-children:hover, .site-navbar .site-navigation
.site-menu .has-children:focus, .site-navbar .site-navigation .site-menu .has-children:active {
cursor: pointer; }
.site-navbar .site-navigation .site-menu .has-children:hover > .dropdown, .site-navbar
.site-navigation .site-menu .has-children:focus > .dropdown, .site-navbar .site-navigation .site-
menu .has-children:active > .dropdown {

```



```

        -webkit-transition-delay: 0s;
        -o-transition-delay: 0s;
        transition-delay: 0s;
        margin-top: 0px;
        visibility: visible;
        opacity: 1; }

.site-mobile-menu {
    width: 300px;
    position: fixed;
    right: 0;
    z-index: 2000;
    padding-top: 20px;
    background: #fff;
    height: calc(100vh);
    -webkit-transform: translateX(110%);
    -ms-transform: translateX(110%);
    transform: translateX(110%);
    -webkit-box-shadow: -10px 0 20px -10px rgba(0, 0, 0, 0.1);
    box-shadow: -10px 0 20px -10px rgba(0, 0, 0, 0.1);
    -webkit-transition: .3s all ease-in-out;
    -o-transition: .3s all ease-in-out;
    transition: .3s all ease-in-out; }
.offcanvas-menu .site-mobile-menu {
    -webkit-transform: translateX(0%);
    -ms-transform: translateX(0%);
    transform: translateX(0%); }
.site-mobile-menu .site-mobile-menu-header {
    width: 100%;
    float: left;
    padding-left: 20px;
    padding-right: 20px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close {
    float: right;
    margin-top: 8px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close span {
    font-size: 30px;
    display: inline-block;
    padding-left: 10px;
    padding-right: 0px;
    line-height: 1;
    cursor: pointer;
    -webkit-transition: .3s all ease;
    -o-transition: .3s all ease;
    transition: .3s all ease; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close span:hover {
    color: #f8f9fa; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo {
    float: left;
    margin-top: 10px;
    margin-left: 0px; }

```

```

.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a {
  display: inline-block;
  text-transform: uppercase; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a img {
  max-width: 70px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a:hover {
  text-decoration: none; }
.site-mobile-menu .site-mobile-menu-body {
  overflow-y: scroll;
  -webkit-overflow-scrolling: touch;
  position: relative;
  padding: 0 20px 20px 20px;
  height: calc(100vh - 52px);
  padding-bottom: 150px; }
.site-mobile-menu .site-nav-wrap {
  padding: 0;
  margin: 0;
  list-style: none;
  position: relative; }
.site-mobile-menu .site-nav-wrap a {
  padding: 10px 20px;
  display: block;
  position: relative;
  color: #212529; }
.site-mobile-menu .site-nav-wrap a:hover {
  color: #007bff; }
.site-mobile-menu .site-nav-wrap li {
  position: relative;
  display: block; }
.site-mobile-menu .site-nav-wrap li.active > a {
  color: #007bff; }
.site-mobile-menu .site-nav-wrap .arrow-collapse {
  position: absolute;
  right: 0px;
  top: 10px;
  z-index: 20;
  width: 36px;
  height: 36px;
  text-align: center;
  cursor: pointer;
  border-radius: 50%; }
.site-mobile-menu .site-nav-wrap .arrow-collapse:hover {
  background: #f8f9fa; }
.site-mobile-menu .site-nav-wrap .arrow-collapse:before {
  font-size: 12px;
  z-index: 20;
  font-family: "icomoon";
  content: "\f078";
  position: absolute;
  top: 50%;
  left: 50%;

```

```

-webkit-transform: translate(-50%, -50%) rotate(-180deg);
-ms-transform: translate(-50%, -50%) rotate(-180deg);
transform: translate(-50%, -50%) rotate(-180deg);
-webkit-transition: .3s all ease;
-o-transition: .3s all ease;
transition: .3s all ease; }
.site-mobile-menu .site-nav-wrap .arrow-collapse.collapsed:before {
-webkit-transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%);
transform: translate(-50%, -50%); }
.site-mobile-menu .site-nav-wrap > li {
display: block;
position: relative;
float: left;
width: 100%; }
.site-mobile-menu .site-nav-wrap > li > a {
padding-left: 20px;
font-size: 20px; }
.site-mobile-menu .site-nav-wrap > li > ul {
padding: 0;
margin: 0;
list-style: none; }
.site-mobile-menu .site-nav-wrap > li > ul > li {
display: block; }
.site-mobile-menu .site-nav-wrap > li > ul > li > a {
padding-left: 40px;
font-size: 16px; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul {
padding: 0;
margin: 0; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul > li {
display: block; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul > li > a {
font-size: 16px;
padding-left: 60px; }
.site-mobile-menu .site-nav-wrap[data-class="social"] {
float: left;
width: 100%;
margin-top: 30px;
padding-bottom: 5em; }
.site-mobile-menu .site-nav-wrap[data-class="social"] > li {
width: auto; }
.site-mobile-menu .site-nav-wrap[data-class="social"] > li:first-child a {
padding-left: 15px !important; }

</style>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700"

```

```

rel="stylesheet">

<link rel="stylesheet" href="fonts/icomoon/style.css">

<link rel="stylesheet" href="css/owl.carousel.min.css">

<link rel="stylesheet" href="css/bootstrap.min.css">

<!-- Style -->
<link rel="stylesheet" href="css/style.css">
</head>
<body>

<nav class="navbar navbar-expand-lg navbar-light bg-light">
  <a class="navbar-brand" >Connect To Heal</a>
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>

  <div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
      <li class="nav-item">
        <a class="nav-link" href="/home">Home <span class="sr-only"></span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/home">Therapists <span class="sr-only"></span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/home">Upcoming Sessions <span class="sr-
only"></span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/home">Session History <span class="sr-only"></span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/home">Pending Sessions <span class="sr-only"></span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/blogs">Blogs</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/discussion">Venting Space <span class="sr-
only"></span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/about">About <span class="sr-only"></span></a>
      </li>
    </ul>

```

```
</div>
<a class="nav-link" href = "{% url 'logout' %}" style = "color:black">Logout
</a></span>
</nav>
<div class="site-mobile-menu">
  <div class="site-mobile-menu-header">
    <div class="site-mobile-menu-close mt-3">
      <span class="icon-close2 js-menu-toggle"></span>
    </div>
  </div>
  <div class="site-mobile-menu-body"></div>
</div>

<header class="site-navbar" role="banner">

  <div class="container">
    <div class="row align-items-center">


      <div class="col-12 col-md-15 d-none d-xl-block">


        <br>
        <br>
        <br>
        <section>
          <div >
            <br>
            <br>
            <div class="col-md-20 text-center">
              <!--<button type="button" class="btn btn-primary">Join
Anonymously</button><space> &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~>
              <button type="button" class="btn btn-primary">Join Session!</button>
              <br>
              <br>
              <br>
              <br>
              <br><h1 style= "color:black;font-weight: bold;font-size: 100px;"><span>Hey,
{{request.user}} <span></h1>
            </div>
            <br>
            <br>
          </div>
        </section>
      </div>
      <div class="d-inline-block d-xl-none ml-md-0 mr-auto py-3" style="position: relative; top:
3px;"><a href="#" class="site-menu-toggle js-menu-toggle text-white"><span class="icon-
menu h3"></span></a></div>
    </div>
  </div>
</div>
```

```

</div>

</header>

<div class="hero" style="background-image: url('/media/home.jfif');">

</div>
</body>
</html>

```

## vi) viewBlogs.html:

```

{% extends "connectToHeal/base.html" %}
{% load static %}
{% block content %}
{% for blog in blogs %}
    <div class="container-fluid">
        <!-- <img src = "{{ blog.cover.url }}" style = "width:100px;height:100px;"/> -->
        <div class="row">
            {% if forloop.counter|divisibleby:2 %}
                
                <div class="col-5 justify-content-center align-self-center">
                    <h2>{{ blog.title }}</h2>
                    <p> {{ blog.date_published }} </p>
                    <p> Author: {{ blog.author }} </p>
                    <p class="lead mb-0">{{ blog.blog }}</p>
                    <a class = "btn btn-outline-primary" href = "{{ blog.link }}">Read More </a>
                </div>
            {% else %}
                <div class="col-7 justify-content-center align-self-center">'
                    <h2>{{ blog.title }}</h2>
                    <p> {{ blog.date_published }} </p>
                    <p> Author: {{ blog.author }} </p>
                    <p class="lead mb-0">{{ blog.blog }}</p>
                    <a class = "btn btn-outline-primary" href = "{{ blog.link }}">Read More </a>
                </div>
                
            {% endif %}
        </div>
    </div>
{% endfor %}
{% endblock %}

```

## vii) base.html:

```
<html>
<head>
<title>Connect To Heal</title>

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
  <link rel="stylesheet" href="https://bootswatch.com/4/cosmo/bootstrap.min.css"
crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPiPm49"
crossorigin="anonymous"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"
integrity="sha384-
ChfqxZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>
  <script type="text/javascript"
src="https://cdn.jsdelivr.net/momentjs/latest/moment.min.js"></script>
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
</head>
<body>

  <nav class="navbar navbar-expand-lg navbar-light bg-light">
    <a class="navbar-brand" >Connect To Heal</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav mr-auto">
        <li class="nav-item">
          <a class="nav-link" href="/home">Home <span class="sr-only"></span></a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/blogs">Blogs</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/discussion">Venting Space <span class="sr-
only"></span></a>
```

```

    </li>
    <li class="nav-item">
      <a class="nav-link" href="/about">About <span class="sr-only"></span></a>
    </li>

  </ul>
</div>
</nav>
{ % block content % }
{ % endblock % }
</body>
</html>

```

### **viii) discussion.html:**

```

{ % extends "connectToHeal/base.html" % }
{ % block content% }
<!--<body style="background-image: url('/media/home.jfif');background-size: cover;"> -->
<body style="background-color:powderblue;">
<form method="post" enctype="multipart/form-data">
  { % csrf_token % }
  <fieldset class="form-group">
    <center>{{ form.label }} <br> {{ form }} </center>
  </fieldset>
  <center><div class="form-group">
    <button class="btn btn-outline-info" id = "submitbutton">Submit</button>
  </div></center>
</form>
{ % for forum in forums reversed % }
<p style="padding-left:10px"> {{ forum.info }} </p>

{ % endfor % }
</body>
{ % endblock% }

```

### **ix) about.html:**

```

{ % extends "connectToHeal/base.html" % }

{ % block content% }
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {
  font-family: Arial, Helvetica, sans-serif;
  margin: 0;

```



```

}

html {
  box-sizing: border-box;
}

*, *:before, *:after {
  box-sizing: inherit;
}

.column {
  float: left;
  width: 33.3%;
  margin-bottom: 16px;
  padding: 0 8px;
}

.card {
  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
  margin: 8px;
}

.about-section {
  padding: 50px;
  text-align: center;
  background-color: #474e5d;
  color: white;
}

.container {
  padding: 0 16px;
}

.container::after, .row::after {
  content: "";
  clear: both;
  display: table;
}

.title {
  color: grey;
}

.button {
  border: none;
  outline: 0;
  display: inline-block;
  padding: 8px;
  color: white;
  background-color: #000;
  text-align: center;

```

```

    cursor: pointer;
    width: 100%;
}

```

```

.button:hover {
    background-color: #555;
}

```

```

@media screen and (max-width: 650px) {
    .column {
        width: 100%;
        display: block;
    }
}
</style>
</head>
<body>

```

```

<div class="about-section">
    <h1>About Us Page</h1>
    <h2> OUR MISSION</h2>

```

```

    <p> We at Connect to Heal, aim to provide a safe and therapeutic space for people, where they
    can get their mental and emotional needs met. They can use our platform to vent, feel, heal and
    become better versions of themselves.</p>

```

```

</div>

```

```

<h2 style="text-align:center">Our Team</h2>
<div class="row">
    <div class="column">
        <div class="card">
            <style>
                .container {
                    text-align: center;
                }
            <!-- .img{
                display: block;
                margin-left: auto;
                margin-right: auto;
                width: 50%
            }-->
            </style>
            <!---->
            <div class="container">
                <h2>Taruni</h2>
                <p class="title">1602-19-737-120</p><br>
                <a href="https://github.com/taruni-always/"><span>Visit for GitHub Profile</span>
            </a><br>
                <br>
                <a href="https://www.linkedin.com/in/taruni-n-6b14021b0"><span>Linkedin

```

Profile</span></a>

</div>  
</div>  
</div>

```
<div class="column">
  <div class="card">
    <style>
      .container {
        text-align: center;
      }
      .img{
        display: block;
        margin-left: auto;
        margin-right: auto;
      }
    </style>
    <!---->
    <div class="container">
      <h2>Harshith</h2>
      <p class="title">1602-19-737-073</p><br>
      <a href="https://github.com/harshith28"><span>Visit for GitHub
Profile</span></a><br><br>
      <a href="https://www.linkedin.com/in/harshith-bojanapally-a4795b1b6"><span>Linkedin
Profile</span></a>
    </div>
  </div>
</div>
```

```
<div class="column">
  <div class="card">

    <style>
      .container {
        text-align: center;
      }
      .img{
        display: block;
        margin-left: auto;
        margin-right: auto;
      }
    </style>
    <!---->
    <div class="container">
      <h2>Karthik</h2>
      <p class="title">1602-19-737-310</p><br>
      <a href="https://github.com/ANTHATIKARTHIK"><span>Visit for GitHub
```

```

Profile</span></a><br><br>
  <a href="https://www.linkedin.com/in/anthati-karthik-26843b221"><span>Linkedin
Profile</span></a>

  </div>
</div>
</div>
</div>

</body>
</html>
{% endblock% }

```

## x) bookSession.html:

```

{% extends "connectToHeal/base.html" %}
{% load crispy_forms_tags %}
{% block content%}
<head>
  <title>Book a Session</title>
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css"
integrity="sha384-
MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPMO"
crossorigin="anonymous">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.6.1/css/all.css"
integrity="sha384-
gfdkjb5BdAXd+lj+gudLWI+BXq4IuLW5IT+brZEsLfm++aCMIF1V92rMkPaX4PP"
crossorigin="anonymous">

  <style>
    body,
    html {
      margin: 0;
      padding: 0;
      height: 100%;
      background-size: cover;
      background-image: url('/media/home.jfif');
    }
    .user_card {
      width: 350px;
      margin-top: auto;
      margin-bottom: auto;
      background: #74c9bf;
      position: relative;
      display: flex;

```

```

        justify-content: center;
        flex-direction: column;
        padding: 10px;
        box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0, 0,
0.19);
        -webkit-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0,
0, 0, 0.19);
        -moz-box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2), 0 6px 20px 0 rgba(0, 0,
0, 0.19);
        border-radius: 5px;
    }

    .form_container {
        margin-top: 20px;
    }

    #form-title{
        color: #fff;
    }

    .login_btn {
        width: 100%;
        background: #F45C99 !important;
        color: white !important;
    }
    .login_btn:focus {
        box-shadow: none !important;
        outline: 0px !important;
    }
    .login_container {
        padding: 0 2rem;
    }
    .input-group-text {
        background: #F45C99 !important;
        color: white !important;
        border: 0 !important;
        border-radius: 0.25rem 0 0 0.25rem !important;
    }
    .input_user,
    .input_pass:focus {
        box-shadow: none !important;
        outline: 0px !important;
    }

    #messages{
        background-color: grey;
        color: #fff;
        padding: 10px;
        margin-top: 10px;
    }

```

```

    }
</style>

</head>
<div class="container h-100">
    <div class="d-flex justify-content-center h-100">
        <div class="user_card">
            <div class="d-flex justify-content-center">
                <h3 id="form-title">Book a Session</h3>
            </div>
            <form method="post" enctype="multipart/form-data" align="center">
                {% csrf_token %}
                <p name="username" hidden> {{ user.username }} </p>
                <div class="input-group mb-2">
                    <div class="input-group-append">
                        <span class="input-group-text"><i class="fas fa-calendar-
alt"></i></span>
                    </div>
                    {{ form.date }}
                </div>
                <div class="input-group mb-2">
                    <div class="input-group-append">
                        <span class="input-group-text"><i class="fas fa-clock"></i></span>
                    </div>
                    {{ form.totime }}
                </div>
                <div class="input-group mb-2">
                    <div class="input-group-append">
                        <span class="input-group-text"><i class="fas fa-clock"></i></span>
                    </div>
                    {{ form.fromtime }}
                </div>
                <div class="d-flex justify-content-center mt-3 login_container">
                    <button type="submit" class="btn btn-primary" style = >Book</button>
                </div>
            </form>
        </div>
    </div>
</div>
</div>
</div>
{% endblock %}

```

## xi) therapistHome.html:

```
<html lang="en">
  <head>
    <title>Connect To Heal</title>

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="https://bootswatch.com/4/cosmo/bootstrap.min.css"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/18WvCWPIpM49"
crossorigin="anonymous"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/bootstrap.min.js"
integrity="sha384-
ChfqquxZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy"
crossorigin="anonymous"></script>
    <script type="text/javascript"
src="https://cdn.jsdelivr.net/momentjs/latest/moment.min.js"></script>
    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
    <style>
      body {
        font-family: "Open Sans", -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
"Helvetica Neue", Arial, "Noto Sans", sans-serif, "Apple Color Emoji", "Segoe UI Emoji",
"Segoe UI Symbol", "Noto Color Emoji";
        background-color: #fff;
        height: 200vh;
        position: relative; }
      body:before {
        content: "";
        position: absolute;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        background: rgba(0, 0, 0, 0.5);
        -webkit-transition: .3s all ease;
        -o-transition: .3s all ease;
        transition: .3s all ease;
        opacity: 0;
        visibility: hidden;
        z-index: 1; }
      body.offcanvas-menu:before {
        opacity: 1;
```

```

    visibility: visible; }

p {
    color: #b3b3b3;
    font-weight: 300; }

h1, h2, h3, h4, h5, h6,
.h1, .h2, .h3, .h4, .h5, .h6 {
    font-family: "Open Sans", -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto,
    "Helvetica Neue", Arial, "Noto Sans", sans-serif, "Apple Color Emoji", "Segoe UI Emoji",
    "Segoe UI Symbol", "Noto Color Emoji"; }

a {
    -webkit-transition: .3s all ease;
    -o-transition: .3s all ease;
    transition: .3s all ease; }
a, a:hover {
    text-decoration: none !important; }

.hero {
    height: 100vh;
    width: 100%;
    background-size: cover;
    background-position: center center;
    background-repeat: no-repeat; }

.site-navbar {
    margin-bottom: 0px;
    z-index: 1999;
    position: absolute;
    top: 2rem;
    width: 100%; }
.site-navbar.transparent {
    background: transparent; }
.site-navbar.absolute {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%; }
.site-navbar .site-logo {
    position: relative;
    left: 0;
    font-size: 24px !important; }
.site-navbar .site-navigation .site-menu {
    margin-bottom: 0; }
.site-navbar .site-navigation .site-menu .active > a span {
    background: #007bff;
    color: #fff;
    border-radius: 30px;
    display: inline-block;
    padding: 5px 20px; }

```



```

.site-navbar .site-navigation .site-menu a {
  text-decoration: none !important;
  display: inline-block; }
.site-navbar .site-navigation .site-menu > li {
  display: inline-block; }
.site-navbar .site-navigation .site-menu > li > a {
  padding: 10px 0px;
  color: #fff;
  font-size: 16px;
  text-decoration: none !important; }
.site-navbar .site-navigation .site-menu > li > a > span {
  padding: 5px 20px;
  display: inline-block;
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease;
  border-radius: 30px; }
.site-navbar .site-navigation .site-menu > li > a:hover > span {
  background: #007bff;
  color: #fff;
  border-radius: 30px;
  display: inline-block; }
.site-navbar .site-navigation .site-menu .has-children {
  position: relative; }
.site-navbar .site-navigation .site-menu .has-children > a span {
  position: relative;
  padding-right: 30px; }
.site-navbar .site-navigation .site-menu .has-children > a span:before {
  position: absolute;
  content: "\e313";
  font-size: 16px;
  top: 50%;
  right: 10px;
  -webkit-transform: translateY(-50%);
  -ms-transform: translateY(-50%);
  transform: translateY(-50%);
  font-family: 'icomoon'; }
.site-navbar .site-navigation .site-menu .has-children .dropdown {
  visibility: hidden;
  opacity: 0;
  top: 100%;
  position: absolute;
  text-align: left;
  border-top: 2px solid #007bff;
  -webkit-box-shadow: 0 2px 10px -2px rgba(0, 0, 0, 0.1);
  box-shadow: 0 2px 10px -2px rgba(0, 0, 0, 0.1);
  padding: 0px 0;
  margin-top: 20px;
  margin-left: 0px;
  background: #fff;
  -webkit-transition: 0.2s 0s;

```

```

-o-transition: 0.2s 0s;
transition: 0.2s 0s; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top {
  position: absolute; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top:before {
  bottom: 100%;
  left: 20%;
  border: solid transparent;
  content: " ";
  height: 0;
  width: 0;
  position: absolute;
  pointer-events: none; }
.site-navbar .site-navigation .site-menu .has-children .dropdown.arrow-top:before {
  border-color: rgba(136, 183, 213, 0);
  border-bottom-color: #fff;
  border-width: 10px;
  margin-left: -10px; }
.site-navbar .site-navigation .site-menu .has-children .dropdown a {
  text-transform: none;
  letter-spacing: normal;
  -webkit-transition: 0s all;
  -o-transition: 0s all;
  transition: 0s all;
  color: #343a40; }
.site-navbar .site-navigation .site-menu .has-children .dropdown .active > a {
  color: #007bff !important; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li {
  list-style: none;
  padding: 0;
  margin: 0;
  min-width: 200px; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li > a {
  padding: 9px 20px;
  display: block; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li > a:hover {
  background: #fafaeb; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children > a {
  position: relative; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
a:after {
  position: absolute;
  right: 0;
  content: "\e315";
  right: 20px;
  font-family: 'icomoon'; }
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
.dropdown, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children >
ul {
  left: 100%;
  top: 0; }

```

```

        .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children:hover
> a, .site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children:active > a,
.site-navbar .site-navigation .site-menu .has-children .dropdown > li.has-children:focus > a {
    background: #fafafb; }
        .site-navbar .site-navigation .site-menu .has-children:hover > a, .site-navbar .site-
navigation .site-menu .has-children:focus > a, .site-navbar .site-navigation .site-menu .has-
children:active > a {
    color: #007bff; }
        .site-navbar .site-navigation .site-menu .has-children:hover > a span, .site-navbar .site-
navigation .site-menu .has-children:focus > a span, .site-navbar .site-navigation .site-menu .has-
children:active > a span {
    background: #007bff;
    color: #fff; }
        .site-navbar .site-navigation .site-menu .has-children:hover, .site-navbar .site-navigation
.site-menu .has-children:focus, .site-navbar .site-navigation .site-menu .has-children:active {
    cursor: pointer; }
        .site-navbar .site-navigation .site-menu .has-children:hover > .dropdown, .site-navbar
.site-navigation .site-menu .has-children:focus > .dropdown, .site-navbar .site-navigation .site-
menu .has-children:active > .dropdown {
    -webkit-transition-delay: 0s;
    -o-transition-delay: 0s;
    transition-delay: 0s;
    margin-top: 0px;
    visibility: visible;
    opacity: 1; }

.site-mobile-menu {
    width: 300px;
    position: fixed;
    right: 0;
    z-index: 2000;
    padding-top: 20px;
    background: #fff;
    height: calc(100vh);
    -webkit-transform: translateX(110%);
    -ms-transform: translateX(110%);
    transform: translateX(110%);
    -webkit-box-shadow: -10px 0 20px -10px rgba(0, 0, 0, 0.1);
    box-shadow: -10px 0 20px -10px rgba(0, 0, 0, 0.1);
    -webkit-transition: .3s all ease-in-out;
    -o-transition: .3s all ease-in-out;
    transition: .3s all ease-in-out; }
.offcanvas-menu .site-mobile-menu {
    -webkit-transform: translateX(0%);
    -ms-transform: translateX(0%);
    transform: translateX(0%); }
.site-mobile-menu .site-mobile-menu-header {
    width: 100%;
    float: left;
    padding-left: 20px;
    padding-right: 20px; }

```

```

.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close {
  float: right;
  margin-top: 8px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close span {
  font-size: 30px;
  display: inline-block;
  padding-left: 10px;
  padding-right: 0px;
  line-height: 1;
  cursor: pointer;
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-close span:hover {
  color: #f8f9fa; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo {
  float: left;
  margin-top: 10px;
  margin-left: 0px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a {
  display: inline-block;
  text-transform: uppercase; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a img {
  max-width: 70px; }
.site-mobile-menu .site-mobile-menu-header .site-mobile-menu-logo a:hover {
  text-decoration: none; }
.site-mobile-menu .site-mobile-menu-body {
  overflow-y: scroll;
  -webkit-overflow-scrolling: touch;
  position: relative;
  padding: 0 20px 20px 20px;
  height: calc(100vh - 52px);
  padding-bottom: 150px; }
.site-mobile-menu .site-nav-wrap {
  padding: 0;
  margin: 0;
  list-style: none;
  position: relative; }
.site-mobile-menu .site-nav-wrap a {
  padding: 10px 20px;
  display: block;
  position: relative;
  color: #212529; }
.site-mobile-menu .site-nav-wrap a:hover {
  color: #007bff; }
.site-mobile-menu .site-nav-wrap li {
  position: relative;
  display: block; }
.site-mobile-menu .site-nav-wrap li.active > a {
  color: #007bff; }
.site-mobile-menu .site-nav-wrap .arrow-collapse {

```

```

position: absolute;
right: 0px;
top: 10px;
z-index: 20;
width: 36px;
height: 36px;
text-align: center;
cursor: pointer;
border-radius: 50%; }
.site-mobile-menu .site-nav-wrap .arrow-collapse:hover {
  background: #f8f9fa; }
.site-mobile-menu .site-nav-wrap .arrow-collapse:before {
  font-size: 12px;
  z-index: 20;
  font-family: "icomoon";
  content: "\f078";
  position: absolute;
  top: 50%;
  left: 50%;
  -webkit-transform: translate(-50%, -50%) rotate(-180deg);
  -ms-transform: translate(-50%, -50%) rotate(-180deg);
  transform: translate(-50%, -50%) rotate(-180deg);
  -webkit-transition: .3s all ease;
  -o-transition: .3s all ease;
  transition: .3s all ease; }
.site-mobile-menu .site-nav-wrap .arrow-collapse.collapsed:before {
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  transform: translate(-50%, -50%); }
.site-mobile-menu .site-nav-wrap > li {
  display: block;
  position: relative;
  float: left;
  width: 100%; }
.site-mobile-menu .site-nav-wrap > li > a {
  padding-left: 20px;
  font-size: 20px; }
.site-mobile-menu .site-nav-wrap > li > ul {
  padding: 0;
  margin: 0;
  list-style: none; }
.site-mobile-menu .site-nav-wrap > li > ul > li {
  display: block; }
.site-mobile-menu .site-nav-wrap > li > ul > li > a {
  padding-left: 40px;
  font-size: 16px; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul {
  padding: 0;
  margin: 0; }
.site-mobile-menu .site-nav-wrap > li > ul > li > ul > li {
  display: block; }

```

```

        .site-mobile-menu .site-nav-wrap > li > ul > li > ul > li > a {
            font-size: 16px;
            padding-left: 60px; }
.site-mobile-menu .site-nav-wrap[data-class="social"] {
    float: left;
    width: 100%;
    margin-top: 30px;
    padding-bottom: 5em; }
.site-mobile-menu .site-nav-wrap[data-class="social"] > li {
    width: auto; }
.site-mobile-menu .site-nav-wrap[data-class="social"] > li:first-child a {
    padding-left: 15px !important; }

</style>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400,700"
rel="stylesheet">

<link rel="stylesheet" href="fonts/icomoon/style.css">

<link rel="stylesheet" href="css/owl.carousel.min.css">

<link rel="stylesheet" href="css/bootstrap.min.css">

<!-- Style -->
<link rel="stylesheet" href="css/style.css">
</head>
<body>

<nav class="navbar navbar-expand-lg navbar-light bg-light">
    <a class="navbar-brand" >Connect To Heal</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item">
            <a class="nav-link" href="/home">Home <span class="sr-only"></span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="/home">Sessions <span class="sr-only"></span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="/blogs">Blogs</a>
        </li>
    </ul>
</div>

```

```

    <li class="nav-item">
      <a class="nav-link" href="/discussion">Venting Space <span class="sr-
only"></span></a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="/about">About <span class="sr-only"></span></a>
    </li>

  </ul>
</div>
<span ><a class="nav-link" href = "{ % url 'logout' % }" style = "color:black">Logout
</a></span>
</nav>
<div class="site-mobile-menu">
  <div class="site-mobile-menu-header">
    <div class="site-mobile-menu-close mt-3">
      <span class="icon-close2 js-menu-toggle"></span>
    </div>
  </div>
  <div class="site-mobile-menu-body"></div>
</div>

<header class="site-navbar" role="banner">

  <div class="container">
    <div class="row align-items-center">

      <div class="col-12 col-md-15 d-none d-xl-block">

        <br>
        <br>
        <br>
        <section>
          <div >
            <br>
            <br>
            <div class="col-md-20 text-center">

              <br><h1 style= "color:black;font-weight: bold;font-size: 100px;"><span>Hey,
{{request.user}}! Ready to make lives better? <span></h1>
            </div>
            <br>
            <br>
          </div>
        </section>
      </div>
      <div class="d-inline-block d-xl-none ml-md-0 mr-auto py-3" style="position: relative;
top: 3px;"><a href="#" class="site-menu-toggle js-menu-toggle text-white"><span class="icon-
menu h3"></span></a></div>
    </div>
  </div>

```

```

    </div>
</div>

</header>

<div class="hero" style="background-image: url('/media/home.jfif');">

</div>
</body>
</html>

```

## xxii) viewTherapists.html:

```

<head>
<title>Connect To Heal</title>

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://bootswatch.com/4/cosmo/bootstrap.min.css"
crossorigin="anonymous">
</head>
<body >
<div class="hero" style="background-image: url('/media/home.jfif');background-
size:cover;">
<div>

<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" >Connect To Heal</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item">
<a class="nav-link" href="/home">Home <span class="sr-only"></span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="/blogs">Blogs</a>
</li>
<li class="nav-item">
<a class="nav-link" href="/discussion">Venting Space <span class="sr-
only"></span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="/about">About <span class="sr-only"></span></a>
</li>

```



```

        </ul>
    </div>

    </nav>
</div>
<div class="container-fluid" style= "padding:10px">
    {% for therapist in therapists %}
        <div class="row">
            <div class = "card">
                <center></center>
                <div class="col-7 align-self-center">
                    <center>
                        <p name="therapistname">Name: {{ therapist.username }}<br> Email:
                        {{ therapist.email }}<br> Work Experience: {{ therapist.workExperience }} <br> About me:
                        {{ therapist.aboutMe }} <br>Price Per Session: {{ therapist.pricePerSession }} </p>
                        <button class = "btn btn-outline-primary" >Book Appointment</a>
                    </center>
                </div>
            </div>
        </div>
    </div>
    <br>
    {% endfor %}
</div>

</body>
</html>

```

## CHAPTER 6

### RESULTS

#### HomePage:



#### RegisterPage:

A screenshot of the 'Register Today' form in a web browser. The browser's address bar shows 'localhost:8000/signup/'. The form is titled 'Register Today' and contains the following fields and instructions:

- Username\***: A text input field. Below it, a note states: 'Required. 150 characters or fewer. Letters, digits and @/./+/-/\_ only.'
- Password\***: A text input field. Below it, a list of requirements is provided:
  - Your password can't be too similar to your other personal information.
  - Your password must contain at least 8 characters.
  - Your password can't be a commonly used password.
  - Your password can't be entirely numeric.
- Password confirmation\***: A text input field. Below it, a note states: 'Enter the same password as before, for verification.'
- Email\***: A text input field.

A 'Sign Up' button is located at the bottom left of the form.


## Login Page:




## UserPage:



## BlogPage:



## VentingspacePage:



## AboutPage:



[Connect To Heal](#) [Home](#) [About](#) [Blogs](#) [Venting Space](#) [Login](#) [Register](#)

### Contact Us

**Taruni**

1602-19-737-120

Vasavi College of Engineering

[Contact](#)

**Harshith**

1602-19-737-073

Vasavi College of Engineering

[Contact](#)

**Karthik**


1602-19-737-310

Vasavi College of Engineering

[Contact](#)

## 6.1 DATABASE DESIGN:

Django Administration:



## CHAPTER 7

### TESTING

**Unit Testing:** This is the lowest level of testing that is conducted to remove syntax & logic errors from a single unit. Individual components are used to ensure that they operate correctly. Each component is tested independently, without other system components.

**Module Testing:** A module is a collection of dependent components such as an object class, an abstract data type or some looser collection of procedures and functions. A module encapsulates related components, so can be tested without other system modules.

**System Testing:** The sub-systems are integrated to make up the system. The system as a complete entity is tested over here. This process is concerned with finding errors that result from unanticipated interactions between sub-systems. It is also concerned with validating that the system meets its functional and non-functional requirements and testing the emerged system properties.

**Accepting Testing:** This is the final stage in the testing process before the system is accepted for operational use. The system is tested with data supplied by the system customer rather than simulated test data. Acceptance testing may reveal errors and omissions in the system requirements defined because the real data exercise the system in different ways from test data. It may also reveal requirements problems where the system 's facilities do not really meet the user's needs or the system performance is unacceptable.

## **CHAPTER 8**

### **CONCLUSION:**

We have successfully developed a secure, user-friendly web application. This system is aim to provide a safe and therapeutic space for people, where they can get their mental and emotional needs met. They can use our platform to vent, feel, heal and become better versions of themselves. We're trying to bring a wave of change in the way we perceive our emotions and problems. The comfort around seeking help and talking about one's feelings should be made available to all. We are connecting people with therapists by taking affordability and availability into consideration. We're listening to the ones who need to talk and talking to the ones in need of a guiding light. and hence start a conversation that empowers people to come forward and seek help. Thereby, provide a safe space and build an amazing open community that leads India with not only better skills but better minds.

It uses a client/server architecture based on the HTTP protocol. It is developed in Microsoft's Visual Studio. The buyer performs a search for the property listings by putting either City/State in the search textbox. The business logic tier communicates with the database tier requesting the results of the query sent by it. The results obtained by the database are displayed on the data grid, by refreshing the grid rather than refreshing the entire web page.

This system will definitely reduce the time to search for a good therapist for healing their stress related problems by having all the properties online.

### **FUTURE SCOPE:**

This project has built as per the basic requirements of a user. But as time goes on there will be change in the requirements of the user.

The document verification process will be done in an advanced manner so that any kind of fraud attempts will be reduced to zero. The future verification process will include confirmation of the our employee and detailed verification of the therapist profile's documents so that the users will have complete trust.



## CHAPTER 9

### REFERENCES

- <https://docs.djangoproject.com/en/3.2/>
- [https://www.youtube.com/playlist?list=PLlrXD0HtieHjHCQ0JB\\_RrhbQp\\_9ccJztr](https://www.youtube.com/playlist?list=PLlrXD0HtieHjHCQ0JB_RrhbQp_9ccJztr)
- <https://docs.microsoft.com/en-in/learn/modules/django-get-started/>
- <https://data-flair.training/blogs/django-tutorials-home/>
- <https://www.w3schools.com/html/default.asp>
- <https://www.w3schools.com/css/default.asp>
- [https://www.w3schools.com/bootstrap/bootstrap\\_ver.asp](https://www.w3schools.com/bootstrap/bootstrap_ver.asp)