

Practical 1

Objective: Create tables and specify the Questionnaires in SQL.

Theory & Concepts:

Introduction about SOL-

SQL (Structured Query Language) is a nonprocedural language, you specify what you want, not how to get it. A block structured format of English key words is used in this Query language. It has the following components.

DDL (Data Definition Language)-

The SQL DDL provides command for defining relation schemas, deleting relations and modifying relation schema.

DML (DATA Manipulation Language)-

It includes commands to insert tuples into, delete tuples from and modify tuples in the database.

View definition-

The SQL DDL includes commands for defining views.

Transaction Control- SQL includes for specifying the beginning and ending of transactions.

Embedded SQL and Dynamic SQL-

Embedded and Dynamic SQL define how SQL statements can be embedded with in general purpose programming languages, such as C, C++, JAVA, COBOL, Pascal and Fortran.

Integrity-

The SQL DDL includes commands for specifying integrity constraints that the data stored in the database must specify. Updates that violate integrity constraints are allowed.

Authorization-

The SQL DDL includes commands for specifying access rights to relations and views.

Data Definition Language-

The SQL DDL allows specification of not only a set of relations but also information about each relation, including-

- Schema for each relation
- The domain of values associated with each attribute.
- The integrity constraints.
- The set of indices to be maintained for each relation.

- The security and authorization information for each relation.
- The physical storage structure of each relation on disk.

Domain types in SQL-

The SQL standard supports a variety of built in domain types, including-

- Char (n)- A fixed length character length string with user specified length .
- Varchar (n)- A variable character length string with user specified maximum length n.
- Int- An integer.
- Small integer- A small integer.
- Numeric (p, d)-A Fixed point number with user defined precision.
- Real, double precision- Floating point and double precision floating point numbers with machine dependent precision.
- Float (n)- A floating point number, with precision of at least n digits.
- Date- A calendar date containing a (four digit) year, month and day of the month.
- Time- The time of day, in hours, minutes and seconds Eg. Time '09:30:00'.
- Number- Number is used to store numbers (fixed or floating point).

DDL statement for creating a table-

Syntax-

Create table tablename
(columnname datatype(size), columnname datatype(size));

Creating a table from a table-

Syntax-

CREATE TABLE TABLENAME
[(columnname, columnname,)]
AS SELECT columnname, columnname.....FROM tablename;

Insertion of data into tables-

Syntax-

INSERT INTO tablename
[(columnname, columnname,)]
Values(expression, expression);

Inserting data into a table from another table:

Syntax-

INSERT INTO tablename

SELECT columnname, columnname,
FROM tablename;

Insertion of selected data into a table from another table:

Syntax-

INSERT INTO tablename
SELECT columnname, columnname.....
FROM tablename
WHERE columnname= expression;

Retrieving of data from the tables-

Syntax-

SELECT * FROM tablename;

The retrieving of specific columns from a table-

Syntax-

SELECT columnname, columnname,
FROM tablename;

Elimination of duplicates from the select statement-

Syntax-

SELECT DISTINCT columnname, columnname
FROM tablename;

Selecting a data set from table data-

Syntax-

SELECT columnname, columnname
FROM tablename
WHERE searchcondition;

Assignment No.1

Q1. Create the following tables:

i) **client_master**

columnname	datatype	size
client_no	varchar2	6
name	varchar2	20
address1	varchar2	30
address2	varchar2	30
city	varchar2	15
state	varchar2	15
pincode	number	6
bal_due	number	10,2

ii) **Product_master**

Columnname	datatype	size
Product_no	varchar2	
Description	varchar2	
Profit_percent	number	
Unit_measure	varchar2	
Qty_on_hand	number	
Reoder_lvl	number	
Sell_price	number	
Cost_price	number	

Q2- Insert the following data into their respective tables:

Clientno	Name	city	pincode	state	bal.due
0001	Ivan	Bombay	400054	Maharashtra	15000
0002	Vandana	Madras	780001	Tamilnadu	0
0003	Pramada	Bombay	400057	Maharashtra	5000
0004	Basu	Bombay	400056	Maharashtra	0
0005	Ravi	Delhi	100001		2000
0006	Rukmini	Bombay	400050	Maharashtra	0

Data for Product Master:

Product No.	Description	Profit %	Unit Percent	Qty measured	Reorder on hand	Sell lvl	Cost price
P00001	1.44floppies	5	piece	100	20	525	500
P03453	Monitors	6	piece	10	3	12000	11200
P06734	Mouse	5	piece	20	5	1050	500
P07865	1.22 floppies	5	piece	100	20	525	500
P07868	Keyboards	2	piece	10	3	3150	3050
P07885	CD Drive	2.5	piece	10	3	5250	5100
P07965	540 HDD	4	piece	10	3	8400	8000
P07975	1.44 Drive	5	piece	10	3	1050	1000
P08865	1.22 Drive	5	piece	2	3	1050	1000

Q3:- On the basis of above two tables answer the following Questionries:

- i) Find out the names of all the clients.
- ii) Retrieve the list of names and cities of all the clients.
- iii) List the various products available from the product_master table.
- iv) List all the clients who are located in Bombay.
- v) Display the information for client no 0001 and 0002.
- vi) Find the products with description as '1.44 drive' and '1.22 Drive'.
- vii) Find all the products whose sell price is greater then 5000.
- viii) Find the list of all clients who stay in in city 'Bombay' or city 'Delhi' or 'Madras'.
- ix) Find the product whose selling price is greater than 2000 and less than or equal to 5000.
- x) List the name, city and state of clients not in the state of 'Maharashtra'.