




Dezyne École College
www.dezyneecole.com

Title of Project

Web Programing

Subject Name

Web Programming

Submitted By

Tarun Manghani

Department – Bachelor of Computer Application


Semester – Third Semester

Session – 2025-2026

Project Report of
Web Programming Assessment

Submitted to
Dezyne École College
Towards the Partial Fulfilment of
3rd Semester

By
Tarun Manghani



www.dezyneecole.com

2025-2026

Acknowledgement

We take this opportunity to express our sincere gratitude to Dezyne École College for providing us with the knowledge, resources, and guidance essential to the successful completion of this project.

Our deepest thanks to our respected Principal, Dr. Vinita Mathur, for her visionary leadership and continuous encouragement. Her commitment to academic excellence and student growth has been a constant source of motivation and pride.

We are equally thankful to all our faculty members for their consistent support, expert advice, and valuable insights that shaped our learning and helped us achieve this milestone.

Lastly, we extend heartfelt thanks to everyone who directly or indirectly contributed to the success of this project.

We are proud to be part of Dezyne École College, an institution that truly nurtures professionalism, innovation, and purpose.

With sincere appreciation,

Tarun Manghani

Department of Bachelor of Computer Application

Dezyne École College, Ajmer

Table of Contents

Acknowledgement	1
Assignment 01	3
Assignment 02	6
Assignment 03	12
Assignment 04	17
Assignment 05	23
Assignment 06	31
Assignment 07	46
Assignment 08	53
Assignment 09	57
Assignment 11	72
Assignment 10	62

Assignment 01

Q1. Create an HTML and CSS code that uses an image as a background. Include a hidden element and a paragraph overlaid on the image.

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <style>

        body {

            background-image: url(Annotation\ 2026-07-07\ 124522.jpg) ;

            background-size: cover;

            text-align: center;

        }

        h1{

            font-size: 150px;

        }

        p{

            font-size: 40px;

        }

        .content{
```

```
background-color: rgb(218, 240, 246,.2);

margin-top:250px ;

}

*{

padding: 0;

margin: 0;

}

</style>

</head>

<body>

<div class="content">

<h1>Mountain</h1>


<p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Eaque, voluptatibus.</p>

</div>

</body>

</html>
```

OUTPUT:-



Mountain

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Eaque, voluptatibus.

Assignment 02

Q2. Create a Newspaper layout using HTML and CSS. Use a Heading tag for the newspaper brand name. Below it, use a Marquee tag as a running text group. Include typography elements and column counts.

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <style>

    *{

      padding:0;

      margin:0;

      box-sizing: border-box;

    }

    h1{

      text-align: center;

    }

    .box{

      background-color: beige;

      height: 100vh;

    }

    marquee{

      margin:20px 0;

      padding: 10px 0;

      font-size: 25px;
```

```
        color: black;

        border-top: 1px solid black;

        border-bottom: 1px solid black;
    }

.col-3{

    column-count: 3;

    column-rule: 2px solid black;

    margin: 10px 0;
}

.heading{

    font-size: 35px;

    text-align: center;

    margin: 30px 0;
}

.news h3{

    text-align: center;

    margin: 10px 0;
}

.title{

    text-align: center;

    padding: 20px 0;

    font-size: 40px;
}

body{

    background-color: blanchedalmond;
}

</style>

</head>
```

<body>

<div class="box">

<h1 class="title" >Times of India</h1>

<marquee behaviour="" direction="" scrollamount="25">

<h3>Latest News Paper Dated : 25 July 2026</h3>

</marquee>

<div class="col-3">

<h3>

Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam, maiores nisi et exercitationem reprehenderit eum.

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam, voluptas quae suscipit deleniti officiis impedit nobis!

</p>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam, voluptas quae suscipit deleniti officiis impedit nobis!

</p>

</div>

<h1 class="heading">Lorem ipsum dolor sit amet, consectetur adipisicing elit. Repudiandae, libero.</h1>

<div class="col-3 news">

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

</p>

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

</p>

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

</p>

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

</p>

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

<h3>

HELLO

</h3>

<p>

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

```
<h3>

HELLO

</h3>

<p>

    Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis
    quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente
    corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

</div>

<div class="footer">

</div>

</div>

</body>

</html>
```

Output:-

Times of India		
Latest News Paper Dated : 25 July 2026		
 Lorem ipsum dolor sit amet consectetur adipisicing elit. Quam, maiores nisi et exercitationem reprehenderit eum. Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus	est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam, voluptas quae suscipit deleniti officii impedit nobis! Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus	est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam, voluptas quae suscipit deleniti officii impedit nobis!
 Lorem ipsum dolor sit amet, consectetur adipisicing elit. Repudiandae, libero.		
HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO	Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO	HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam. HELLO Lorem ipsum dolor sit amet consectetur, adipisicing elit. Iusto nulla eaque id iste rerum, reiciendis quia odio voluptatibus? Dolores, voluptas cumque accusamus est cupiditate nobis. Pariatur animi sit ea sapiente corporis atque maiores a alias, expedita ullam obcaecati explicabo blanditiis rem asperiores nam.

Assignment 03

Q3. Recreate the FlexBox layout structure as shown in the reference, using appropriate CSS flex properties to align the colored blocks.

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <style>

    .con{

      height: 600px;

      width: 100%;

      border: 1px solid black;

    }

    .header,.footer{

      height: 20%;

      width: 100%;

      border: 1px solid black;

      background-color:green;

      text-align: center;

      align-content: center;

    }

    .middle{
```

```
height: 60%;  
  
width: 100%;  
  
border: 1px solid black;  
  
display: flex;  
}  
  
.left{  
  
height: 100%;  
  
width: 20%;  
  
border: 1px solid black;  
  
background-color:greenyellow;  
  
text-align: center;  
  
align-content: center;  
}.right{  
  
height: 100%;  
  
width: 80%;  
  
border: 1px solid black;  
}  
  
.top{  
  
height: 50%;  
  
width: 100%;  
  
border: 1px solid black;  
  
background-color:green;  
  
text-align: center;  
  
align-content: center;  
}
```

```
.bottom{  
    height: 50%;  
    width: 100%;  
    border: 1px solid black;  
    display : flex;  
}
```

```
.bottom1,.bottom2{  
    height: 100%;  
    width: 50%;  
    border: 1px solid black;  
    background-color: greenyellow;  
    text-align: center;  
    align-content: center;  
}
```

```
*{  
    padding: 0;  
    margin: 0;  
    box-sizing: border-box;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="con">
```

```
<div class="header">
```

Header

</div>

<div class="middle">

<div class="left">Middle Left</div>

<div class="right">

<div class="top">

Right Top

</div>

<div class="bottom">

<div class="bottom1">

Bottom Left

</div>

<div class="bottom2">

Bottom Right

</div>

</div>

</div>

</div>

<div class="footer">

Footer

</div>

</div>

</body>

</html>

Output:-

Header		
Middle Left	Right Top	
	Bottom Left	Bottom Right
Footer		

Assignment 04

Q4. Design a Dynamic Image Gallery layout using CSS Grid or Flexbox, matching the provided masonry/grid structure.

Syntax:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
<style>
```

```
  .con{
```

```
    height: 600px;
```

```
    width:100%;
```

```
    display: flex;
```

```
  }
```

```
  .box{
```

```
    /* height: 200px; */
```

```
    width: 25%;
```

```
    border: 1px solid black;
```

```
    display: flex;
```

```
    align-items: center;
```

```
    justify-content: center;
```

```
    flex-direction: column;
```

```
}
```

```
img{
```

```
width: 100%;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="con">
```

```
<div class="box">
```

```

```

```

```

```

```

```

```

```
</div>
```

```
<div class="box">
```

```

```

```

```

```

```

```

```

```
</div>
```

```
<div class="box">
```

```

```

```

```

```

```

```


</div>

<div class="box">


</div>

</div>

</body>

</html>
```

Output:-



Syntax:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
<style>
```

```
  *{
```

```
    margin: 0;
```

```
    padding: 0;
```

```
    box-sizing: border-box;
```

```
  }
```

```
  body{
```

```
    display: flex;
```

```
    height: 100px;
```

```
    border: 1px solid black;
```

```
  }
```

```
  .box{
```

```
    height: 100%;
```

```
    width: 25%;
```

```
    /*border: 1px solid black;*/
```

```
  }
```

```
  img{
```

```
    width: 100%;
```

```
  }
```

</style>

</head>

<body>

<div class="box">

</div>

<div class="box">

</div>

<div class="box">

</div>


<div class="box">

</div>

</body>

</html>

Output:-



Assignment 05

Q5. Design a Profile Card UI matching the provided visual design. Include a profile image, name, title, social icons, and interaction buttons (Subscribe/Message).

Syntax:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <title>Assignment 5 | Web Development</title>
```

```
  <link rel="stylesheet" href="fontawesome-free-7.3.1-web/css/all.min.css">
```

```
<style>
```

```
  * {
```

```
    margin: 0;
```

```
    padding: 0;
```

```
    box-sizing: border-box;
```

```
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
```

```
  }
```

```
  body {
```

```
    height: 100vh;
```

```
    display: flex;
```

```
    align-items: center;
```

```
    justify-content: center;
```

```
  }
```

```
  .con {
```

```
height: 520px;

width: 80%;


display: flex;

align-items: center;
}
```

```
.box {

height: 100%;

width: 320px;
}
```

```
.b1 {

width: 2%;

background-color: navy;

border-radius: 10px;
}
```

```
.b2 {

width: 65%;

display: flex;

align-items: center;
}
```

```
.b2 h1 {

font-size: 118px;

font-weight: bold;
```

```
color: navy;  
}
```

```
.b3 {  
  width: 38%;  
  box-shadow: 0px 0px 10px 5px rgba(0, 0, 0, 0.3);  
  /* 2px -2px 5px 1px rgba(0, 0, 0, 0.3); */  
  border-radius: 20px;  
  overflow: hidden;  
  
  display: flex;  
  flex-direction: column;  
}
```

```
.b3 .top {  
  background-color: dodgerblue;  
  background-color:;  
  width: 100%;  
  height: 30%;  
  
  position: relative;  
}
```

```
.top .circle {  
  width: 120px;  
  height: 120px;
```

background-color: white;

border: 2px solid black;

border-radius: 50%;

position: absolute;

bottom: -20px;

left: 50%;

transform: translateX(-50%);

display: flex;

align-items: center;

justify-content: center;

}

.circle img {

border-radius: 50%;

width: 100px;

height: 100px;

object-fit: cover;

}

.b3 .bottom {

width: 100%;

height: 70%;

text-align: center;

padding: 20px 0px;

```
}
```

```
.b3 h1 {
```

```
    margin-top: 20px;
```

```
}
```

```
.b3 .logos {
```

```
    margin-top: 20px;
```

```
    display: flex;
```

```
    align-items: center;
```

```
    justify-content: center;
```

```
    gap: 25px;
```

```
}
```

```
.bottom .buttons {
```

```
    display: flex;
```

```
    margin: 10px 0;
```

```
    padding: 10px;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
    gap: 20px;
```

```
}
```

```
button {
```

```
    width: 160px;
```

```
    padding: 10px 12px;
```

```
    font-size: 18px;
```

```
    border-radius: 30px;
```

```
    border: none;
```

```
background-color:dodgerblue;

color: white;

font-weight: 600;

}

.stats {

padding: 10px 0;

display: flex;

align-items: center;

justify-content: center;

gap: 100px;

}

</style>

</head>

<body>

<div class="con">

<div class="box b1"></div>

<div class="box b2">

<h1>Profile Card UI/UX Design</h1>

</div>

<div class="box b3">

<div class="top">

<div class="circle">



</div>

</div>

<div class="bottom">
```

```
<h1>Software Developer</h2>

<h2>Dezyne École College</h3>

<div class="logos">

  <h1 class="fa fa-brands fa-facebook" style="color: blue;"></h1>

  <h1 class="fa fa-brands fa-twitter" style="color: cyan;"></h1>

  <h1 class="fa fa-brands fa-instagram" style="color:palevioletred;"></h1>

  <h1 class="fa fa-brands fa-youtube" style="color: red;"></h1>

</div>

<div class="buttons">

  <button>Subscribe</button>

  <button>Message</button>

</div>

<div class="stats">

  <h2 class="fa fa-solid fa-heart">20k</h2>

  <h2 class="fa fa-solid fa-comment">20k</h2>

  <h2 class="fa fa-solid fa-share">20k</h2>

</div>

</div>


</div>

</div>

</body>
```

Output:-

Profile Card UI/UX Design



Assignment 06

Q6. Create a responsive Navigation Bar over a gradient background, with hover effects and evenly spaced menu items.

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <style>

    ul{

      list-style-type:none;

      display: flex;

      justify-content: space-evenly;

      background-color:linear-gradient(red,orange);;

      height: 50px;

      align-items: center;

      border-radius: 50px;

    }

    a{

      color: white;

      text-decoration: none;

    }
```

```
.con{  
    background:linear-gradient(red,orange);  
    background-size: 100px;  
}  
  
li:hover{  
    background-color: blue;  
    transform: scale(2);  
    transition: 1s;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="con">
```

```
<ul type="1">
```

```
<li><a href="Tarun Manghani ASSIGNMENT 01.html">Home</a></li>
```

```
<li><a href="Tarun Manghani Assignment 02.html">About</a></li>
```

```
<li><a href="Tarun Manghani Assignment 03.html">Contact</a></li>
```

```
<li><a href="Tarun Manghani Assigment 04.html">Project</a></li>
```

```
<li><a href="tabledemo.html">Gallery</a></li>
```


```
</ul>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:-



Syntax:-

#home

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <style>
```

```
    body{
```

```
      height: 100vh;
```

```
      background: linear-gradient(45deg ,red , orange 50%);
```

```
      display: flex;
```

```
      justify-content: center;
```

```
      align-items: center;
```

```
    }
```

```
    *{
```

```
margin: 0;

padding: 0;

box-sizing: border-box;
}

ul{

height: 50px;

width: 70%;

background-color: bisque;

display: flex;

list-style-type: none ;

justify-content: space-evenly;

align-items: center;

border-radius: 50px;

}

a{

text-decoration: none;

color: black;

}

li:hover{

transform: scale(1.5);

}

</style>

</head>

<body>

<ul>
```

```
<li><a href="home.html">Home</a></li>

<li><a href="aboutus.html">About Us</a></li>

<li><a href="Project.html">Project</a></li>

<li><a href="achivement.html">Achivement</a></li>

<li><a href="contact.html">Contact</a></li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

#AboutUs

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
<style>
```

```
body{
```

```
    height: 100vh;
```

```
    background: linear-gradient(45deg ,red , blue);
```

```
    display: flex;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
}
```

```
*{
```

```
    margin: 0;
```

```
padding: 0;

box-sizing: border-box;

}

ul{

height: 50px;

width: 70%;

background-color: bisque;

display: flex;

list-style-type: none ;

justify-content: space-evenly;

align-items: center;

border-radius: 50px;

}

a{

text-decoration: none;

color: black;

}

li:hover{

transform: scale(1.5);

}

</style>

</head>

<body>

<ul>

<li><a href="home.html">Home</a></li>
```

```
<li><a href="aboutus.html">About Us</a></li>

<li><a href="Project.html">Project</a></li>

<li><a href="achivement.html">Achivement</a></li>

<li><a href="contact.html">Contact</a></li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

#Project

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
<style>
```

```
body{

    height: 100vh;

    background: linear-gradient(45deg ,blue , green 50%);

    display: flex;

    justify-content: center;

    align-items: center;

}

*{

    margin: 0;

    padding: 0;
```

```
        box-sizing: border-box;
    }

    ul{

        height: 50px;

        width: 70%;

        background-color: bisque;

        display: flex;

        list-style-type: none ;

        justify-content: space-evenly;

        align-items: center;

        border-radius: 50px;

    }

    a{

        text-decoration: none;

        color: black;

    }

    li:hover{

        transform: scale(1.5);

    }

</style>

</head>

<body>

    <ul>

        <li><a href="home.html">Home</a></li>

        <li><a href="aboutus.html">About Us</a></li>
```

```
<li><a href="Project.html">Project</a></li>
```

```
<li><a href="achivement.html">Achivement</a></li>
```

```
<li><a href="contact.html">Contact</a></li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

#Achivement

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
<style>
```

```
body{
```

```
    height: 100vh;
```

```
    background: linear-gradient(45deg ,black , red 50%);
```

```
    display: flex;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
}
```

```
*{
```

```
    margin: 0;
```

```
    padding: 0;
```

```
    box-sizing: border-box;
```

```
}

ul{

    height: 50px;

    width: 70%;

    background-color: bisque;

    display: flex;

    list-style-type: none ;

    justify-content: space-evenly;

    align-items: center;

    border-radius: 50px;

}

a{

    text-decoration: none;

    color: black;

}

li:hover{

    transform: scale(1.5);

}

</style>

</head>

<body>

<ul>

    <li><a href="home.html">Home</a></li>

    <li><a href="aboutus.html">About Us</a></li>

    <li><a href="Project.html">Project</a></li>
```

```
<li><a href="achivement.html">Achivement</a></li>
```

```
<li><a href="contact.html">Contact</a></li>
```

```
</ul>
```

```
</body>
```

```
</html>
```

Contact

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
<style>
```

```
body{
```

```
    height: 100vh;
```

```
    background: linear-gradient(45deg, green , blue);
```

```
    display: flex;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
}
```

```
*{
```

```
    margin: 0;
```

```
    padding: 0;
```

```
    box-sizing: border-box;
```

```
}
```

```
ul{
    height: 50px;
    width: 70%;
    background-color: bisque;
    display: flex;
    list-style-type: none ;
    justify-content: space-evenly;
    align-items: center;
    border-radius: 50px;
}
a{
    text-decoration: none;
    color: black;
}
li:hover{
    transform: scale(1.5);
}
</style>
</head>
<body>
<ul>
    <li><a href="home.html">Home</a></li>
    <li><a href="aboutus.html">About Us</a></li>
    <li><a href="Project.html">Project</a></li>
    <li><a href="achivement.html">Achivement</a></li>
```


```
<li><a href="contact.html">Contact</a></li>
```


```
</ul>
```


```
</body>
```

```
</html>
```

Output:-







Assignment 07

Q7. Create an HTML Table for product quantities and prices. Apply CSS styling to match the blue header, borders, alternating row styles, and the total calculation row.

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <STYLE>

        /* TABLE{

            border: 3PX dotted GREEN ;

            border-collapse: collapse;

            background-color:darkslategray;

        }

tr{

    color:seagreen;

}

td{

    color:white;

    border-color: black;

}*/

body{
```

```
}
```

```
table{
```

```
    border-collapse: collapse;
```

```
    border: 1px solid black;
```

```
    text-align: center;
```

```
}
```

```
th{
```

```
    background-color: blue;
```

```
    color: white;
```

```
}
```

```
.box{
```

```
    height: 600px;
```

```
    display: flex;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
}
```

```
tr:hover{
```

```
    background-color: lightblue;
```

```
}
```

```
</STYLE>
```

```
</head>
```

```
<body>
```

```
    <table border="3px" style="border-collapse: collapse;">
```

```
        <tr>
```

```
<th>sr no.</th>

<th id="A">Product Name</th>

<th>Quatity</th>

<th>Per Unit Price</th>

<th>Amount</th>

</tr>

<tbody>

  <tr>

    <td>1.</td>

    <td>Pizza</td>

    <td>2</td>

    <td>100</td>

    <td>200</td>

  </tr>

  <tr>

    <td>2.</td>

    <td>Coca-cola</td>

    <td>10</td>

    <td>20</td>

    <td>200</td>

  </tr>

  <tr>

    <td>3.</td>

    <td>Burger</td>

    <td>10</td>
```

<td>50</td>

<td>500</td>

</tr>

<tr>

<td>4.</td>

<td>Pasta</td>

<td>50</td>

<td>10</td>

<td>500</td>

</tr>

<tr>

<td>5.</td>

<td>Maggie</td>

<td>5</td>

<td>10</td>

<td>50</td>

</tr>

<tr>

<td>6.</td>

<td>Aplly</td>

<td>20</td>

<td>10</td>

<td>200</td>

</tr>

<tr>

<td>7.</td>

<td>Diet Coke</td>

<td>10</td>

<td>50</td>

<td>500</td>

</tr>

<tr>

<td>8.</td>

<td>chips</td>

<td>10</td>

<td>10</td>

<td>100</td>

</tr>

<tr>

<td>9.</td>

<td>Soda</td>

<td>10</td>

<td>20</td>

<td>200</td>

</tr>

<tr>

<td>10.</td>

<td>BINGO Mad Angles</td>

<td>10</td>

<td>50</td>

```
        <td>500</td>

    </tr>

    <td>

        <th>Total</th>

        <th>2950</th>

    </td>

</tfoot>

</table>

</body>

</html>

</table>

</body>

</html>
```

Output:-

sr no.	Product Name	Quatity	Per Unit Price	Amount
1.	Pizza	2	100	200
2.	Coca-cola	10	20	200
3.	Burger	10	50	500
4.	Pasta	50	10	500
5.	Maggie	5	10	50
6.	Aply	20	10	200
7.	Diet Coke	10	50	500
8.	chips	10	10	100
9.	Soda	10	20	200
10.	BINGO Mad Angles	10	50	500
	Total	2950		

Assignment 08

Q8. Build a UI for an 'Assignment Switcher' with a sidebar of location buttons and a main display area with use of iframe .

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Multi-layer web demo</title>

<style>

  .box{

    height: 600px;

    border: 1px solid white;

    display: flex;

    background-color:cornsilk;

  }

  .left{

    height: 100%;

    width: 30%;

    border: 1px solid white;

  }

  .right{

    height: 100%;

    width: 70%;
```

```
        border: 1px solid black;

        background-color:white;
    }

    a{

        text-decoration: none;

        color: aliceblue;
    }

    .button{

        text-transform: capitalize;

        margin: 50px;

        height: 30px;

        width: 100px;

        background-color:orange;

        color: white;

        display: flex;

        align-items: center;

        justify-content: center;

        border-radius: 10px;

    }

</style>

</head>

<body>

    <div class="box">

        <div class="left">

            <div class="button">
```

```
        <a href="Tarun Manghani ASSIGNMENT 01.html" target="Spiderman" >Assignment 01
</a>

    </div>

    <div class="button">

        <a href="Tarun Manghani Assignment 02.html" target="Spiderman" >Assignment 02
</a>

    </div>

    <div class="button">

        <a href="Tarun Manghani Assignment 03.html" target="Spiderman" >Assignment 03
</a>

    </div>

    <div class="button">

        <a href="Assignment4.html" target="Spiderman" >Assignment 04 </a>

    </div>

    <div class="button">

        <a href="Tarun Manghani Assignment 05.html" target="Spiderman" >Assignment
05</a>

    </div>

</div>

<div class="right">

    <iframe src="" frameborder="0" height="100%" width="100%"
name="Spiderman"></iframe>

</div>

</div>

</body>

</html>
```

Output:-



Assignment 09

Q10. Design a Login Form modal with a clean UI, input fields for Email and Password, and a gradient login button over a full-page gradient background.

Syntax:-

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Assignment 9</title>

  <style>

    *{

      box-sizing: border-box;

      margin: 0;

      padding: 0;

    }

    .con{

      height: 600px;

      width: 1200px;

      background-color:blue;

      display: flex;

      justify-content: center;

      align-items: center;

      margin: auto;

    }
```

```
.box{  
    height: 80%;  
    width: 80%;  
    background-color: blue;  
}
```

```
.Margin{  
    position: absolute;  
    font-size: larger;  
    color: white;  
    top: 17%;  
    left: 46%;  
}
```

```
.Border{  
    position: absolute;  
    font-size: larger;  
    color: white;  
    top: 22%;  
    left: 46%;  
}
```

```
.Padding{  
    position: absolute;  
    font-size: larger;  
    color: white;  
    top: 29%;  
    left: 46%;
```

```
}
```

```
.Content{
```

```
    position: absolute;
```

```
    font-size: larger;
```

```
    color: white;
```

```
    top: 48%;
```

```
    left: 46%;
```

```
}
```

```
.box1{
```

```
    height: 80%;
```

```
    width: 80%;
```

```
    border: 20px solid skyblue;
```

```
    background-color:darkblue;
```

```
    margin: 5% 9%;
```

```
    padding: 8% 2% 5% 13%;
```

```
}
```

```
.box2{
```

```
    height: 80%;
```

```
    width: 80%;
```

```
    background-color:skyblue;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1 align="center">Box Modeling</h1>

<p class="Margin">Margin</p>

<p class="Border">Border</p>

<p class="Padding">Padding</p>

<p class="Content">Content</p>

<div class="con">

  <div class="box">

    <div class="box1">

      <div class="box2">

        </div>

      </div>

    </div>


  </div>

</div>

</body>

</html>
```

Box Modeling



Assignment 10

Q10. Design a Login Form modal with a clean UI, input fields for Email and Password, and a gradient login button over a full-page gradient background.

Syntax:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Log In Form</title>
```

```
<style>
```

```
  * {
```

```
    padding: 0;
```

```
    margin: 0;
```

```
    box-sizing: border-box;
```

```
  }
```

```
  body {
```

```
    height: 100vh;
```

```
    display: flex;
```

```
    align-items: center;
```

```
    justify-content: center;
```

```
    background: linear-gradient( blue ,skyblue);
```

```
  }
```

```
form {  
    height: 600px;  
    width: 430px;  
    padding: 20px;  
    background-color: white;  
    border-radius: 20px;  
    display: flex;  
    flex-direction: column;  
    justify-content: space-between;  
    gap: 10px;  
}  
form:hover {  
    box-shadow: 0 0 10px 1px rgba(0, 0, 0, 0.2);  
}  
h1 {  
    text-align: center;  
    margin: 10px 0;  
}  
.inputs {  
    display: flex;  
    flex-direction: column;  
    height: 70%;  
}
```

```
label {  
    font-weight: bold;  
    margin: 5px 0;  
}  
  
input {  
    border-radius: 8px;  
    border: 1px solid black;  
    padding: 10px 6px;  
    font-size: 16px;  
}  
  
a {  
    text-align: center;  
    color: black;  
    font-size: 16px;  
    text-decoration: none;  
}  
  
a:hover {  
    color: rgb(12, 0, 70);  
    text-decoration: underline;  
}  
  
p {  
    text-align: center;  
}
```

```
button {  
    padding: 10px;  
    font-size: 24px;  
    font-weight: bolder;  
    border-radius: 16px;  
    border: none;  
    background: linear-gradient( blue ,skyblue);  
    color: white;  
    cursor: pointer;  
}
```

```
button:hover {  
    background-color: hsl(240, 54%, 21%);  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="form">
```

```
<form action="">
```

```
<h1>Login</h1>
```

```
<div class="inputs"><br>
```

```
<label for="">Email</label>
```

```
<input type="email"><br>
```

```
<label for="">Password</label>
```

```
        <input type="text">

    </div>

    <button>Login</button>

    <p>Not a member? <a href="signup.html">Sign Up</a></p>

</form>

</div>

</body>

</html>
```

#signup

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <style>

        * {

            padding: 0;

            margin: 0;

            box-sizing: border-box;

        }

        body {

            height: 100vh;
```

```
display: flex;

align-items: center;

justify-content: center;

background: linear-gradient( blue ,skyblue);

}
```

```
form {

    height: 600px;

    width: 430px;

    padding: 20px;

    background-color: white;

    border-radius: 20px;

    display: flex;

    flex-direction: column;

    justify-content: space-between;

    gap: 10px;

}
```

```
form:hover {

    box-shadow: 0 0 10px 1px rgba(0, 0, 0, 0.2);

}
```

```
h1 {

    text-align: center;

    margin: 10px 0;

}
```

```
.inputs {

    display: flex;

    flex-direction: column;
```

```
    height: 70%;
}

label {

    font-weight: bold;

    margin: 5px 0;

}

input {

    border-radius: 8px;

    border: 1px solid black;

    padding: 10px 6px;

    font-size: 16px;

}

a {

    text-align: center;

    color: black;

    font-size: 16px;

    text-decoration: none;

}

a:hover {

    color: rgb(12, 0, 70);

    text-decoration: underline;

}

p {

    text-align: center;

}

button {
```

[illegible]

```

<input type="Radio">Male

<input type="Radio">female<br>

<label for="">Date of
Birth</label>      &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;

<input type="date" name="" id=""><br>

<label for="">Phone
no.</label>      &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;
bsp;    &nbsp;    &nbsp;

<input type="tel" name="" id="">

</div>

<div class="email">

</div>

<div class="password">

<label
for="">Password</label>      &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;
&nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;    &nbsp;

<input type="password" name="" id=""><br>

<label for="">confirm password</label>

<input type="password" name="" id="">

</div>

<div class="button">

<input type="checkbox" name="" id="">

Term and Conditions<br>

<center> <button>Signup</button></center>

<p>Already a Member ? <a href=""></a></p>

</div>


</form>

```


</body>

</html>

Output:-



A login form titled "Login" is centered on a blue gradient background. The form is white with rounded corners and contains two input fields: "Email" and "Password". Below the input fields is a blue "Login" button. At the bottom of the form, there is a link that says "Not a member? Sign Up".



A sign up form titled "sign up" is centered on a blue gradient background. The form is white with rounded corners and contains several input fields: "First Name", "last Name", "Gender" (with radio buttons for "Male" and "female"), "Date of Birth" (with a date picker showing "mm/dd/yyyy"), "Phone no.", "Password", and "confirm password". Below the input fields is a checkbox labeled "Term and Conditions". At the bottom of the form, there is a blue "Signup" button and a link that says "Already a Member ?".

Assignment 11

Q11. Implement various CSS Animation Examples including Color change, Move, Rotate, Pulse, Fade, and a Square Path Animation using keyframes.

Syntax:-

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <style>
```

```
    .con{
```

```
      height: 100vh;
```

```
      width: 100vw;
```

```
      text-align: center;
```

```
    }
```

```
    .Square-box{
```

```
      height: 250px;
```

```
      width: 80%;
```

```
      margin-left: 150px;
```

```
      margin-bottom: 50px;
```

```
display: flex;

justify-content: center;

align-items: center;

background-color: white;

}

.square{

border-radius: 10px;

height: 100px;

width: 100px;

color: white;

text-align: center;

line-height: 90px;

margin: 25px;

border: 1px solid black;

animation-duration: 3s;

animation-iteration-count: infinite;

}

.s1{

background-color: yellowgreen;

animation-name: colour;

}

@keyframes colour{

from{
```

```
        background-color: green;
    }
    to{
        background-color: yellow;
    }
}

.s2{
    background-color: blue;
    animation-name: move;
}

@keyframes move{
    0%{
        transform: translate(0);
    }
    50%{
        transform: translate(0,50px);
    }
    100%{
        transform: translate(0);
    }
}

.s3{
    background-color: red;
```

```
    animation-name: rotate;
}

@keyframes rotate{
    0%{
        transform: rotate(0);
    }
    100%{
        transform: rotate(360deg);
    }
}

.s4{
    background-color:aquamarine;
    animation-name: pulse;
}

@keyframes pulse{
    0%{
        transform: scale(1);
    }
    100%{
        transform: scale(1.5);
    }
}

.s5{
```

```
background-color:green;

animation-name: fade;
}

@keyframes fade{

  0%{

    opacity: 1;

  }

  50%{

    opacity: 0;

  }

  100%{

    opacity: 1;

  }

}

.s6{

  border: 10px solid lightgrey;

  border-top: 10px solid yellow;

  border-radius: 50%;

  animation-name: rotate;

}

.ball-box{

  height: 20%;
```

```
width: 100%;

display: flex;

justify-content: center;

align-items: center;
}

.ball{

height: 50px;

width: 50px;

border: 1px solid black;

border-radius: 50%;

margin: 15px;

animation-name: wave;

animation-duration: 1s;

animation-iteration-count: infinite;

}

.b1{

background-color: red;

animation-delay: 0.1s;

}

.b2{

background-color: Orange;

animation-delay: 0.2s;
```

```
}  
  
.b3{  
    background-color: yellow;  
    animation-delay: 0.3s;  
}  
  
.b4{  
    background-color: green;  
    animation-delay: 0.4s;  
}  
  
.b5{  
    background-color: blue;  
    animation-delay: 0.5s;  
}  
  
@keyframes wave{  
    0%{  
        transform: translateY(0px);  
    }  
    25%{  
        transform: translateY(-10px);  
    }  
    50%{  
        transform: translateY(0px);  
    }  
}
```

```
75%{  
    transform: translateY(10px);  
}  
  
100%{  
    transform: translateY(0px);  
}  
}  
  
.move-box{  
    height: 200px;  
    width: 200px;  
    border: 2px solid black;  
    margin-left: 550px ;  
}  
  
.sq1{  
    height: 50px;  
    width: 50px;  
    background: linear-gradient(blue,skyblue);  
    animation-name: move-border;  
    animation-duration: 5s;  
    animation-iteration-count: infinite;  
}  
  
@keyframes move-border{  
    0%{
```

```
        transform: translate(0px,0px);
    }
    25%{
        transform: translate(150px,0px);
    }
    50%{
        transform: translate(150px,150px);
    }
    75%{
        transform: translate(0px,150px);
    }
    100%{
        transform: translate(0px,0px);
    }
}

</style>

</head>

<body>

<div class="con">

    <h1>CSS Animation Example</h1>

    <div class="Square-box">

        <div class="square s1">Color</div>

        <div class="square s2">Move</div>
```

```
<div class="square s3">Rotate</div>
```

```
<div class="square s4">Pulse</div>
```

```
<div class="square s5">Fade</div>
```

```
<div class="square s6"></div>
```

```
</div>
```

```
<div class="move-box">
```

```
<div class="sq1"></div>
```

```
</div>
```

```
<div class="ball-box">
```

```
<div class="ball b1"></div>
```

```
<div class="ball b2"></div>
```

```
<div class="ball b3"></div>
```

```
<div class="ball b4"></div>
```



```
<div class="ball b5"></div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```



Thank You

Tarun Manghani

Web Programming Assessment

BCA Semester-3rd

2025-26