Status	Finished
Started	Thursday, 29 October 2026, 7:36 PM
Completed	Thursday, 29 October 2026, 7:39 PM
Duration	3 mins 8 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

- a. Moves the file cursor to the specified position ✓
- b. Writes data to the file
- c. Deletes the file
- d. Reads the file line by line

The correct answer is: Moves the file cursor to the specified position

Question **2**

Incorrect

Mark 0.00 out of 1.00

What is the use of seek() method in files?

- a. sets the file's previous position at the offset
- b. sets the file's current position within the file ✗
- c. sets the file's current position at the offset
- d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

- a. It reads the entire file and returns it as a list of lines ✓
- b. It reads the file and returns it as a dictionary
- c. It reads a single line from the file
- d. It reads the entire file and returns it as a string

The correct answer is: It reads the entire file and returns it as a list of lines

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. write()
- b. write_all()
- c. writelines() ✓
- d. write_list()

The correct answer is: writelines()

Question **5**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. null
- b. 0 ✓
- c. garbage
- d. 1
- e. 2

The correct answer is:
0

Question **6**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

- a. The buffer size for the file operations ✓
- b. The access mode of the file
- c. The file's read/write position
- d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **7**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

- a. The mode of the file
- b. The buffer size
- c. The size of the file
- d. The encoding format of the file ✓

The correct answer is: The encoding format of the file

Question **8**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

- a. Read ✓
- b. Write
- c. Binary
- d. Append

The correct answer is: Read

Question **9**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file
b. Flushes the internal buffer to the file ✓
c. Deletes the file content
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. w
b. wb ✓
c. r+
d. rb

The correct answer is: wb

Question **11**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position
b. move the file pointer to beginning of the file
c. move the file pointer five characters ahead from the current position ✓
d. moves the file pointer to the end of a file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **12**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

- a. writelines(list) ✓
- b. None of the mentioned
- c. write(list)
- d. writelist(list)

The correct answer is: writelines(list)

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

- a. r+ ✓
- b. w
- c. a
- d. r

The correct answer is: r+

Question **14**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

- a. tells you the file is opened or not
- b. tells you the current position within the file ✓
- c. tells you the end position within the file
- d. none of the mentioned

The correct answer is:
tells you the current position within the file

Question **15**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

- a. readlines() ✓
- b. readlist()
- c. read()
- d. readline()

The correct answer is: readlines()