Status	Finished
Started	Thursday, 29 October 2026, 7:09 PM
Completed	Thursday, 29 October 2026, 7:16 PM
Duration	6 mins 51 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. (Computer) ✗

b. Error

c. ()

d. Computer

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error

b. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

c. TypeError: update() doesn't allow list as a argument.

d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl1=tupl+tupl ✓
- b. tupl[1]=2
- c. tupl.sort()
- d. tupl.append(2)

Question **4**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- a. ['2', '3', '30', '8']
- b. ['2', '3', '8', '30']
- c. ['8', '30', '3', '2'] ✓
- d. ['30', '8', '3', '2']

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

b. False

True

c. True

False

d. False

False

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

a. (1,4,5,6,7) ✓

b. {1,3,8,9,41}

c. [1,2,3,4]

d. ("Wonder")

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. [(55,33,11)]

b. ([55,33,11])

c. [55, 33, 11] ✓

d. (55,33,11)

Question **8**

Incorrect

Mark 0.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, Yes ✗

c. "==" is not supported for set in Python

d. Yes, No

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (3,14,25)

b. (58,47,36,25)

c. Error

d. (36, 25, 14) ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}

b. SynatxError: Different types cannot be used with sets

c. {40, 10, '10', 50, 20, 60, 30} ✓

d. {40, '10', 50, 20, 60, 30}

Question **11**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain both integers and strings as its elements. ✓

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **12**

Correct

Mark 1.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- a. A new set will be created with the elements of both set1 and set2 ✓
- b. Elements of set2 will get appended to set1
- c. A new set will be created with the unique elements of set1 and set2.
- d. Elements of set1 will get appended to set2

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {2,5,3,1}
- b. {2,5,1}
- c. {3} ✓
- d. {}

Question **14**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

- a. A tuple maintains the order of items ✓
- b. We can change the tuple once created
- c. A tuple is unordered
- d. None of these

Question **15**

Incorrect

Mark 0.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. del.sampleSet("ECE") ✕

b. remove.sampleSet("ECE")

c. sampleSet.delete("ECE")

d. sampleSet.discard("ECE")