Due: Sept. 29, 11:59PM

Learning Objectives

- Monitor for optimal light exposure
- Perform symbolic, logic-based diagnosis
- Create and validate tests of the TerraBot agent
- Characterize simulated and real sensor data, using a logging facility
- Design a monitoring approach for a real-world scenario
- Prepare your agent for grow period deployment

This is a **group** assignment consisting of eight (8) parts. The first three parts are related to monitoring and testing. The next three parts are preparation for the first grow period. Part 7 is a scenario problem, similar to what will be included on the midterm and final, and Part 8 is integrating code to prepare your agent for deployment. You should decide with your teammates how to divide up the work on the first six parts, but everyone **is to work together** on Parts 7 and 8. We suggest that each person do one of the first three parts and one of the next three. We also recommend using Github for collaborating on code with your teammates.

Much of the assignment makes use of *monitors*. Monitors are similar to behaviors, except that they are enabled on a fixed period (e.g., every two minutes). Architecturally, monitors reside in the executive layer, and so they have access to both the schedule being executed and the behaviors that exist in the behavioral layer. Monitors can access sensor data, but they don't take actions, as behaviors do. Instead, they can modify the behaviors (by adjusting parameters) or can inform the executive when things are going wrong (this latter capability will not be explored in this assignment). In addition, monitors do not typically use FSM's, since they tend to do the same thing each time they are enabled. Monitors can access the sensors (self.sensors), the executive layer (self.executive), the last time the monitor was invoked (self.last_time), and the amount of time that has passed since the last time the monitor was invoked (self.dt).

Download and unzip the assignment code from Canvas. Place the folder in ~/Desktop/TerraBot/agents/ and copy the files hardware.py, layers.py, ros_hardware.py and schedule.py, from your ROS_HW directory, and copy behavior.py, greenhouse_agents.py, greenhouse_behaviors.py and ping_behavior.py, from your FSM_HW directory. Then, you need to change layers.py, by replacing the function setMonitors with this (the function is also available on the Canvas assignment page):

```
def setMonitors(self, sensors, actuator_state, monitorsList):
    self.monitors = monitorsList
    now = sensors.getTime()
    for monitor in self.monitors:
        monitor.setSensors(sensors)
        monitor.setActuatorState(actuator_state)
        monitor.setExecutive(self)
        monitor.last_time = now
        monitor.dt = 0
        monitor.activate()
```

The file monitor.py contains the general Monitor class definition, and all your agent's monitors should be a subclass of Monitor. It would help you to study the class definition to understand what it does, what functions need to be defined, and how it differs from the Behavior class. In particular, note that you have access to both the sensor values (using self.sensordata) and the actuation state (using self.actuator_state).

Part 1: Monitoring Insolation (20 points)

For this part, you will modify light_monitor.py in the areas delineated by BEGIN/END STUDENT CODE and the files greenhouse_behaviors.py and greenhouse_agent.py, as detailed below.

Up until now, we have had the lights on for an arbitrary amount of time. In actuality, plants do best when they get enough light, but not too much. In this part, you will try to reach a target value of daily light. In

Due: Sept. 29, 11:59PM

particular, you will need to keep track of the amount of light received during a day (the *insolation*), estimate how much opportunity there is for lighting the rest of the day, and modify the light limits so the Light behavior does not add too much light.

LightMonitor, defined in light_monitor.py, is a subclass of the Monitor class (see above). It takes a target value, which is the amount of light per day that the plants should receive. This is a combination of the light from the LEDs and ambient light from outside sources. We have provided a log file of ambient light data taken over the day (grader_files/ambient.log) and a function to input it (read_log_file). The function integrate_ambient computes the ambient light received **per hour** given start (ts) and end (te) times (note that we are assuming that the ambient light is roughly constant from day to day).

You will need to complete the perceive and monitor functions. The perceive function should set all of the sensor data needed by the monitor, using self.sensordata. The monitor function should:

- Keep track of the insolation received so far. **Note:** the **target** value is the amount of light over 24 hours, so you need to divide the perceived light level by 3600 to get it to the same units.
- Compute the optimal light level, given the amount needed to reach the target, the estimated remaining ambient light, and the available time left for the LEDs to be on. We have provided two helper functions: (1) non_lighting_ambient_insolation, which, given a start and end time, returns how much ambient light is estimated to be received between those two times when the LightBehavior is not running, and (2) lighting_time_left, which, given a start time, returns how much time is left in the schedule for the LightBehavior to run. Using these helper functions you can estimate how much natural light will be received during the times when the LightBehavior is not running and compute what the light level (per second) needs to be reach the target, based on light received so far and what remains to be received.
- Set this new optimal limit. You will need to modify your Light behavior in greenhouse_behaviors.py to add a function for updating the optimal level. Be sure to create a deadband around the computed optimal, so the Light behavior is not constantly changing the LED values.
- Reset the insolation every day.

Note that the RaiseTemp behavior may also add light, depending on conditions. You can either estimate how much light that behavior will add, or let the monitor adjust the light level dynamically, when any "unexpected" addition of light from the RaiseTemp behavior occurs.

Finally, you need to modify greenhouse_agents.py. In particular, import light_monitor and add the following line at the end of the LayeredGreenhouseAgent's __init__ function:

where you replace self.executive with the variable you use to save the value of ExcutiveLayer() and self.actuators with the variable you use to save the value of ROSActuators(). This adds an instance of LightMonitor with the default period of 100 seconds, which is sufficient for this problem.

To test, run TerraBot.py with the -t insolation.tst argument. You will pass the test if the agent is within 3% of the target value.

Part 2: Diagnosis (30 points total)

For this part, you will modify adder.py and diagnosis.py in the areas delineated by BEGIN/END STUDENT CODE.

The objective of this part is to model the greenhouse hardware using a symbolic (logic-based) approach and use that model to diagnose observed exceptions.

We suggest using Google ORtools for this part, although you are free to use another logic-solver if you prefer. In particular, we have developed code (in cnf.py) for converting propositional logic to conjunctive

Due: Sept. 29, 11:59PM




Figure 1: One-Bit Half and Full Adder

normal form. (CNF), which can then be solved using the ORtools SAT solver. We will be using ORtools in subsequent assignments, so it is suggested that you become familiar with this tool.

Note: In your VM, you will need to pip install pandas in order to get ORtools to work.

Step 1: Adder Circuit (4 points)

The objective of this part is to illustrate how propositional logic can be used to represent hardware and how a SAT solver, such as provided by ORtools, can be used to find solutions that satisfy the logical formulae.

One-bit adder circuits (see Figure 1) can be chained together to form multi-bit adders. The half adder is used for the low-order bit, taking in two bits and computing the sum and carry-out. The full adder is used for the rest of the bits, taking in two bits and a carry-in, and computing the sum and carry-out of the three inputs.

The file adder.py has the code needed to define half and full adders, chain them together to form n-bit adders, and solve the forward problem (giving n-bit inputs, calculate the n+1-bit output). You can run python adder.py <addend1> <addend2> (where the addends are 0-7) to see the result. Study how the logic of the adders are defined, corresponding to Figure 1, how ORtool variables are defined, and how the function add_constraint_to_model works to add CNFs to a cp_model (a part of the ORtools SAT solver toolkit).

For this step, you are to implement a function that goes the other way — computing all possible inputs that can lead to a given output. The beauty of defining things in this logic-based way is that the exact same model can be used in both directions. The only difference is how the solver works. In particular, for the forward direction, there is only one feasible solution; for the backwards direction, there are many possible solutions (e.g., 6 can be achieved by 0+6, 1+5, 2+4, etc.).

The idea here is to solve using SearchForAllSolutions, supplying a CpSolverSolutionCallback, which is invoked each time the solver finds a solution. You are to fill in the code in output_input_adder function and the SolutionCollector class. See https://developers.google.com/optimization/cp/cp_solver for hints on how to do this. The output_input_adder function should return a list of tuples, each of which is the list of bits in the first addend and the bits in the second, e.g.:

[([1, 0, 0], [1, 0, 0]), ([0, 0, 0], [0, 1, 0]), ([0, 1, 0], [0, 0, 0])] Note that the lower-order bits come first, so this list shows the three different ways that 2([0, 1, 0]) can be achieved (i.e., 1+1, 0+2, 2+0).

You can test this step by running python autograder.py -p2 -s1.

The objective of the next 3 steps is to create a model of the greenhouse's hardware and test some simple cases where the hardware is working correctly.

Due: Sept. 29, 11:59PM




Figure 2: The Greenhouse Hardware

Step 2: Modeling the Greenhouse Relations (5 points)

The greenhouse hardware (see Figure 2) should be modeled using the following set of *components* and *relations*.

- Objects: Outlet, Rasp-Pi, Arduino, Power-Board, Sensor-Board0, Sensor-Board1
- Actuators: Fans, LEDs, Pump
- Sensors: H-TO, H-T1, LightO, Light1, MoistureO, Moisture1, Wlevel
- Components: Is the *union* of objects, actuators, and sensors
- Relations:
 - working(<component>)
 True if the component (e.g., object, actuator, or sensor) is currently operational
 - connected(<component0>, <component1>)

True if the connection between the components is not broken. The connections are all the arrows in the diagram, plus each H-T (humidity-temperature), Light, and Moisture sensor is connected to its appropriate Sensor-Board. For instance, connected(H-TO, Sensor-BoardO) represents a signal connection and connected(Power-Board, LEDs) represents a power connection. The component at the tail of the arrow is componentO; the component at the head of the arrow is component1. Note #1: for the connections between a sensor and the sensor board, make the sensor componentO. Note #2: since the connection between the Arduino and Rasp-Pi is bidirectional, you should have two connected relations for them.

- powered(<object/actuator>)
 True if Outlet, Rasp-Pi, Power-Board, or an actuator is receiving power (note: the Ardunio is not explicitly powered).
- signal(<sensor/actuator>, <component >)
 True if the component has either received or generated the signal (the sensors generate sensor

Due: Sept. 29, 11:59PM

signals and the Rasp-Pi generates actuator signals). For instance, if signal(H-TO, H-TO) is True, it indicates that the humidity-temperature sensor has generated a reading. Similarly, if signal(Fans, Arduino) is True, it indicates that the Arduino has received the "fans on" signal.

- expected-result(<actuator>)
True if turning on the actuator (e.g., signal(Pump, Rasp-Pi)) leads to the expected sensor
reading (see below for more information).

Note that while the greenhouse actually has four fans, you need to model only one of them; the others are equivalent. Thus, given the diagram above, you should have a total of 78 relations: 16 working relations, 17 connected relations (12 signal connections and 5 power connections), 6 powered relations, 36 signal relations, and 3 expected-result relations. Here is how we get 36 signal relations: each of the 7 sensors generates a signal; each of the two sensor-boards receives 3 signals; the Arduino and Rasp-Pi each receive 7 sensor signals; the Rasp-Pi generates 3 actuator signals; and the Arduino and Power-Board each receive 3 actuator signals. Since there are so many relations, we recommend writing helper functions that can be used to create different relations of a given type (such as the with half_adder and full_adder examples).

To help you, we have supplied the code for the working relations in create_working_relations. You need to fill in the functions create_connected_relations, create_powered_relations, create_signal_relations, and create_expected_result_relations in diagnosis.py. The create_<x>_relations functions should all add ORtool variables to the variables dictionary that is passed in (using the helper functions create_relation and create_relations). The dictionary should have 78 entries, one for each relation described above.

Note that each relation should be represented as a Boolean variable, whose name is the relation. To enable the autograder to work correctly the relation names must be in a standard format - to that end, use the provided helper functions to generate the relation names (e.g., working('Outlet')).

Use Figure 2 as a guide to help you understand which components are connected to each other and how electricity and information flow through those connections.

You can test this step by running python autograder.py -p2 -s2

Note that the autograder will tell you if you have missing or extra relations. While it's a good idea not to have any extra relations, make sure you focus on adding any missing relations, based on the description above. Note also that without any changes, the autograder will give you 16 out of 78, since we have provided the 16 working relations.

Step 3: Modeling the Greenhouse Constraints (10 points)

To model the dynamics of how the greenhouse hardware actually works, you need to define a number of **constraints**. The following constraints are needed to sufficiently model the way electricity and information flow in the greenhouse:

- For each powered relation, you should have a constraint that represents the condition in which it is powered. Specifically, the Outlet is always powered (i.e., powered('Outlet') is True, but the Rasp-Pi and Power-Board are powered iff they are connected to the Outlet (black arrow in the diagram) and the Outlet is working. An actuator (LEDs, Fans, Pump) is powered iff it is connected to the Power-Board and the Power-Board is powered, working, and the Power-Board has received the appropriate signal for that actuator (e.g., signal(LEDs, Power-Board) is True). Note: connect(comp0, comp1 could be False if the physical wire associated with that connection was broken.
- For each signal that is received by a component, you should have a constraint that represents the condition under which the signal is received. Specifically, a signal is successfully sent from component0 to component1 iff the components are connected, component0 is working, and component0 has either received or generated the signal. Note that while there are 36 signal relations, you will need only 26 constraints, since 10 of the signals are generated, not received.
- For each of the 7 sensors, add a constraint that a sensor reading is generated (e.g., signal(Light1, Light1)) iff the sensor is working.

Due: Sept. 29, 11:59PM

• The final set of constraints relates to determining if an actuator is working. If the Rasp-Pi generates an actuator signal, then expected-result is True iff the actuator is powered and working and the Rasp-Pi receives one of the signals that is associated with that actuator (specifically, signals H-TO and H-T1 are associated with the Fans, LightO and Light1 are associated with the LEDs, and MoistureO, Moisture1, and Wlevel are associated with the Pump). So, for instance, expected-result(Fans) iff powered(Fans) and working(Fans) and (signal(H-TO, Rasp-Pi) or signal(H-T1, Rasp-Pi)). In other words, if the Rasp-Pi signals for an actuator to turn on, it can check whether the request has been met by seeing an appropriate sensor change caused by the actuator. Note that latency of effects is ignored, which is different from the actual sensors.

So, overall, you should have 42 constraints – 6 for the powered constraints, 26 for the received signal constraints, 7 for the sensor generation constraints, and 3 for the expected-result constraints. Again, since there are so many constraints, we recommend writing helper functions that can be used to create different constraints of a given type.

You need to fill in the functions create_signal_constraints, create_sensor_generation_constraints, and create_expected_result_constraints in diagnosis.py. The create_<x>_constraints functions should create CNF formulae and use add_constraint_to_model to add them to the ORtools model. To help you, we have supplied the code for the working relations in create_powered_constraints.

Run python autograder.py -p2 -s3 to test whether the constraints are all defined correctly. This is tricky to autograde, so it may be that you pass this step but fail in the next step. If that's the case, let us know and we can try to improve the autograder to catch edge cases.

Step 4: Model Inference (3 points)

This step *should* be simple if you passed steps 2 and 3. The idea is to put all the constraints together to see whether the system can make a given inference about what would happen in a specific scenario. If you passed steps 2 and 3, but are failing on this step, it likely means that the autograder for step 3 was not complete enough. Contact us, in that case, and we'll try to improve the autograder.

Run python autograder.py -p2 -s4 to test whether your complete model is defined correctly.

Step 5: Diagnosis (8 points)

Steps 2-4 test whether the model can correctly infer what components are working and connected when certain signals are received by the Rasp-Pi. In this part, you will use the same model to create a diagnostic algorithm that indicates what sets of components may *not be* working when some expected signals are *not* received.

For this part, use the approach in Step 1 to create a SolutionCollector that is notified when the SAT solver finds a solution. For each solution, the SolutionCollector should create a diagnosis consisting of the set of working and connected relations in each solution that are False (make sure each diagnosis is a Python set). When all solutions have been found, it should return a list of possible diagnoses, ordered in ascending length of the diagnosis; that is, all single-fault diagnoses should be first, followed by two-fault diagnoses, etc. Make sure not to include diagnoses that are **supersets** of other diagnoses (that is, they have the same plus more components than another diagnosis, since the simpler/smaller diagnosis already explains the problem). Also, fill in the diagnose function, which takes a set of observations (relations known to be True or False), adds them to the model, and then solves for all possible diagnoses.

Run python autograder.py -p2 -s5 to test whether the diagnosis works correctly.

The purpose of this **group** assignment is to give you the opportunity to test and tweak your agent code in preparation for the upcoming two-week, hands-off deployment, which is scheduled to start on October 10. These activities are based on feedback that we got from previous students on ways to help you think about potential tests to run. Additionally, one problem with a long deployment on remote hardware is that it is hard to debug when something does go wrong. We are also asking you to set up several strategies to monitor your agent over time to make it easier to debug.

Due: Sept. 29, 11:59PM

Part 3: Creating Test Files (20 points)

As discussed in class, extensive testing is extremely important before deploying autonomous agents. We have provided a method for describing tests that the agent needs to pass and automatically determining whether those tests succeed. Once the tests are designed, they replace a lot of the manual effort needed to do the needed testing.

To facilitate this, we provide two types of files: baseline files and test files. Baseline files start the simulator in different states by enabling you to set the sensor and actuator parameters to desired values. They enable you to test particular cases that might not occur frequently, and they enable you to start in a state that may otherwise take the simulator a long time to reach. Baseline files also enable you to designate how your plants are looking (lanky-tall and unstable due to lack of light, healthy-green and full, and droop-leaves due to lack of water). You can see an example baseline file in ~/TerraBot/param/default_baseline.bsl. The README.md file on github contains a full description of the format of baseline files.

Test files allow you to write the expectations that you have for your agent. For example, under what conditions should it always turn on the camera, ping, fan, lights, and pump? How much time from the onset of these conditions do you expect the behaviors to kick in (hint: consider the schedule)? There are a number of example .tst and .bsl files in ~/TerraBot/param/ that you can use as references (you've also used test files in assignments 1 and 2, although you didn't have to know anything about them at that time). The README.md file contains a full description of the format of test files.

The limits and optimal growing conditions for our plants are outlined in ~/TerraBot/agents/limits.py. The *limits* are the allowable sensors values and the *optimal* is when the behaviors would stop actuating. Think about the growing conditions that you would want to test in order to ensure your agent is doing its job. Does the fan come on at the right times? The lights? The water pump?

For this part, you are to create **eight (8)** tests. You may choose to create different baseline files as well. Each test can be in its own .tst file, or you can put multiple tests into a single file. The tests should enable you to ensure that your behaviors are working properly. Make sure that your tests cover a wide variety of situations that might occur when your agent is deployed (e.g., it is not acceptable to test whether the fans turn on correctly at 8 diffferent times of the day). Document all of your files using comments (#) for what your tests are testing, what you expect the starting state to be, and what you expect your actuators to do as a result. Note that your tests don't have to succeed under all conditions, but they should at least succeed under the baseline conditions that you set and you should understand (and document) the reason that they might fail.

Recall that you run tests by passing the -t flag, followed by the test file name, to TerraBot.py. Currently, you can run only one test file at a time, but if the file contains multiple tests, they will all be run.

Part 4: Logging Monitor (8 points)

For this part, you will modify logging_monitor.py in the areas delineated by BEGIN/END STUDENT CODE and the file greenhouse_agent.py, as detailed below.

Logging data is an important aspect of understanding how and why your agent is performing (this will become more evident during the grow period, and when we cover Machine Learning and explanations). In this part, you will create **logging monitor**, which should be implemented as a subclass of Monitor (see the description on page 1). Every 100 seconds, your code should log the current time, all the sensor data, and the actuator states (fan on/off, etc.) to a file. You can use the Python logging package or write your own logger.

Implement the monitor in a file named logging_monitor.py. To incorporate the monitor, you will need to modify greenhouse_agents.py to import logging_monitor and add the following line at the end of the LayeredGreenhouseAgent's __init__ function:

Due: Sept. 29, 11:59PM

where you replace self.executive with the variable you use to save the value of ExcutiveLayer() and self.actuators with the variable you use to save the value of ROSActuators(). This adds an instance of LoggingMonitor with the default period of 10 seconds, which is sufficient for this problem (Note: if you have also worked on the insolation monitor, use a list of the monitors passed to setMonitors).

Run your agent with the monitor active in the simulator (maximum speedup 100x) and on the real hardware for at least 24 hours each. Then, create graphs for each sensor (light, temperature, humidity, soil moisture, weight, water level). You may choose to have a different plot for simulated data versus hardware or you can plot them on the same graph. On each graph, also plot the times when the actuators turn on and off. Make sure to label the axes of the graphs and the lines so we can read them.

Finally, analyze the graphs in two ways. First, understand how the actuators impact the state of the TerraBot. For example, when you plot temperature, you'll notice that the temperature should go up when the lights are on and down when the fans are on. What happens when both are on? Second, compare the simulated and real data. What is similar? What is different? Do you need to update any of the limits or thresholds in your behaviors to reflect your findings? Make those changes as necessary to the version of your code on the TerraBot hardware (not the simulator version)!

Create a document (preferably submit a PDF) with your graphs and your analyses.

Note that the part where you test on the real hardware is very important preparation for the first grow period (which starts 10/2!). Although we want to see 24 hours of data, you should test on the hardware for significantly longer than that to avoid surprises when deployment happens. As discussed in lecture, try to test at different times of the day and under different conditions (e.g., humid, hot, etc.).

Note: In the past, some groups have opted to run logging as a separate ROS node, so that it can be run remotely and log data to a local machine. You are free to do so, if you prefer. In such a case, make sure that you can (easily) specify whether the TerraBot is running in the simulator or the actual hardware. See greenhouse_agent.py for an example of how to specify this on the command line (recall that you run the agent with the simulator using the -m sim flag).

Part 5: Acquiring Images (8 points)

For this part, you will modify camera_behavior.py in the areas delineated by BEGIN/END STUDENT CODE and the file greenhouse_agent.py, as detailed below.

As mentioned, the TerraBot has a color camera that enables your agent to acquire images and process them. In this part, you will write a behavior to acquire and save images.

Your agent requests an image by calling actuators.doActions with the {"camera": path_name} tuple as its last argument. path_name is a string consisting of the directory and file name where the image should be stored.

The camera behavior to implement is as follows:

- 1. For consistency, adjust the light level to some reasonable value full on is typically too bright for taking good pictures. A light level of around 400-600 is good for image collection (hint: look at how the Light behavior is implemented). Note that the TerraBot tries to adjust the shutter speed based on the light level. Since it takes a bit of time for the light level to be registered, wait a few seconds after finishing light adjustment before requesting an image.
- 2. Once your agent requests an image, you need to wait until the file shows up. This is because it takes some time for the TerraBot to acquire the image and write it to disk. Wait for at least 10 seconds and then use path.exists(pathname) to check whether the file has shown up. Note that the image appears much faster in the simulator than on the TerraBot hardware. You should check to make sure that you are waiting long enough if not, the image won't be read in properly.
- 3. If the file does not show up, wait for 20 seconds and try again, but if you've tried unsuccessfully three times in a row, give up and print a warning message.

Due: Sept. 29, 11:59PM

- 4. Acquire at most one image each time the behavior is invoked.
- 5. Acquire at most three images each day.

Start by drawing the FSM, labeling the states, conditions, and before/after functions. Then, use what you learned in Assignment 2 to create an FSM that implements the above behavior.

Once the behavior has been implemented, edit greenhouse_agent.py to import camera_behavior and add camera_behavior.TakeImage() to the list of behaviors in LayeredGreenhouseAgent.

Some things to note:

- If the path name is relative, it is relative to where TerraBot.py is run from, not where your agent is. You are probably best off using an absolute path name.
- Make sure that the directory you are writing to has been created already the command will fail if the directory does not exist!
- Make sure your image file names are different from one another, to avoid overwriting them (a good strategy is to include the unix_time in the names).
- The pathname should not contain spaces or special characters, other than dashes or underlines.
- Test that your behavior works both using the simulator and the hardware. In the past, a common source of failure during the first grow period is not successfully collecting images.
- In the past, some teams have found that the adaptive shutter speed did not work for them when tested on the TerraBot hardware. If you want to use a fixed shutter speed, invoke TerraBot.py with the -f option.

This behavior is hard to test using tester files, since there are no sensor readings that get set. We have, however, provided you with take_image.tst that tests some of the parts of the behavior. In particular, it tests whether the light is within range (400-600), that the image file is successfully written to disk, and that exactly 3 images get taken each day. You can test whether it handles failure conditions correctly by requesting an image to be written to a non-existent directory. (Hint: use baseline files to set up the correct conditions for testing, without having to wait for the appropriate times to occur).

To test the behavior, run python TerraBot.py -m sim -s <speedup> -t <dir>/take_image.tst in one terminal and python greenhouse_agent.py -L -m sim in another terminal. Note that the camera behavior has a number of steps that happen every few seconds - although it will take longer to test, we don't recommend speedup of more than 250. However, if things fail unexpectedly, you can try using a slower speedup. You can also speed up testing by (temporarily) removing all lines in greenhouse_schedule.txt, except for the LightBehavior and TakeImageBehavior entries (since the simulator won't slow down if the fans or pump aren't turned on).

Make sure you run for several simulated days – a common bug is to forget to reset the image counter and after 3 images the first day it never takes another image.

Part 6: Email Behavior (8 points)

For this part, you will modify email_behavior.py in the areas delineated by BEGIN/END STUDENT CODE and the file greenhouse_agent.py, as detailed below.

In the past, we have found it very useful to see what the TerraBot is doing every day. To this end, you will create an **email behavior** that, once a day, finds the latest image (collected using the camera behavior in Part 5) and collect the latest sensor readings and email your group, the professor, and the TA with:

- A header, which includes your group name and the date
- The latest sensor data from each sensor
- The latest image, as an attachment

Due: Sept. 29, 11:59PM

You may choose to create the email using HTML so that you can format the information nicely, but you may also just email us a plain text file (formatted in some way). The file ~/TerraBot/lib/send_email.py provides some starter code for you, that you can use as you wish (or modify for your own copy). This website also has a nice explanation about sending emails via Python and how to add attachments: https://realpython.com/python-send-email.

Notes:

- send_email.py has been recently updated. You should be sure to do a git pull in the TerraBot directory to get the latest version (also available on the Canvas assignment page).
- greenhouse_schedule.txt already includes a time to enable the email behavior. If you want it to run at a different time of day, feel free to change the schedule.
- The deployed version of the email behavior depends on Part 5. If you are working on this part before the camera behavior is available, use the interactive_agent to take an image manually, and use that to test your code. But, once the camera behavior is in place, make sure you are getting the latest image from the correct directory.
- As you test this behavior, please do not email the professor or TA! Add us to the recipient list only for deployment (but, don't forget to add us in before deployment!). We suggest that to have a flag in your behavior that indicates whether to include the instructors set it appropriately, depending on if you are testing or deploying.
- You can, however, send us a test email if you want to verify that it contains adequate information, in a reasonable format.

Part 7: Execution Monitoring Scenario (6 points)

This part will give you more practice on the types of case-study problems that the midterm and final exam cover. For the following scenario, the team should work together to answer the question in accordance with the rubric below. Submit the response in a file named scenario.txt.

Scenario: Suppose we place an additional temperature sensor in your greenhouse. At noon one day, this additional sensor starts reading a very high value over the allowable temperature limit on the TerraBot.

- Describe two tests that your agent (with additional software) could perform to understand what was going on; provide sufficient detail about what that test entails (what sensor data is used, what computation, etc.)
- For each test, describe what the test indicates is wrong and how to potentially recover from it (if possible).

Rubric:

- (4 pts) Provide 2 details for each of the 2 tests, according to the scenario (1pt/detail)
- (1 pt) Choose one of the tests and provide 2 reasons why it is preferred
- (1 pt) Provide the pro and con of the chosen test, relative to the other test

You may assume that you can use any of the other sensors on the TerraBot, including the camera and microphone, but that you cannot add any other sensors.

Part 8: Preparing for Deployment (0 points)

The first grow period starts on Monday, October 2! Your agent is expected to run autonomously for at least two weeks, without human intervention. To prepare for that, you need to do the following:

Due: Sept. 29, 11:59PM

- Integrate your various code implementations, especially greenhouse_behaviors.py. You can decide to use one person's solution, or integrate the team's solutions, but it is important that you have just one agent that is debugged and ready to run on October 2 We will be planting then, regardless of your agent's availability!!
- Make sure your deployed agent includes the camera_behavior and the email_behavior. You may also incorporate the logging_monitor and light_monitor. In that past, students have found the former extremely useful in debugging their system as it runs; the light_monitor will be needed for Grow Period B, but incorporating it now can help in debugging it for the future.
- If you analysis of the sensor values in Part 4 indicates that the limits provided are not, in fact, optimal, you are welcome to change those thresholds to what you think are better values.

Submission

Submit the following files to Canvas: adder.py, camera_behavior.py, diagnosis.py, email_behavior.py, greenhouse_agent.py, greenhouse_behaviors.py, light_monitor.py, logging_monitor.py, your test (.tst) and baseline (.bsl) files (with embedded comments), and scenario.txt.

When added to a directory with the rest of the agent files, your code should run without error.

Note: several parts modify greenhouse_agent.py; make sure that all the changes are integrated together in the file that gets submitted.