The CONTENTS Procedure

Data Set Name	WORK.IMPORT	Observations	1613
Member Type	DATA	Variables	19
Engine	V9	Indexes	0
Created	10/01/2020 20:56:28	Observation Length	280
Last Modified	10/01/2020 20:56:28	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

	Engine/Host Dependent Information				
Data Set Page Size	65536				
Number of Data Set Pages	7				
First Data Page	1				
Max Obs per Page	233				
Obs in First Data Page	218				
Number of Data Set Repairs	0				
Filename	/tmp/SAS_workE21200001AE1_localhost.localdomain/SAS_work81EC00001AE1_localhost.localdomain/import.sas7bdat				
Release Created	9.0401M6				
Host Created	Linux				
Inode Number	141470				
Access Permission	rw-rw-r				
Owner Name	sasdemo				
File Size	512KB				
File Size (bytes)	524288				

	Alphabetic List of Variables and Attributes							
#	Variable	Туре	Len	Format	Informat			
16	ACTUAL_COUNT	Num	8	BEST12.	BEST32.			
5	AGENCY_TYPE_NAME	Char	8	\$8.	\$8.			
18	CLEARED_COUNT	Num	8	BEST12.	BEST32.			
9	COUNTY_NAME	Char	45	\$45.	\$45.			
1	DATA_YEAR	Num	8	BEST12.	BEST32.			
8	DIVISION_NAME	Char	20	\$20.	\$20.			
19	JUVENILE_CLEARED_COUNT	Num	8	BEST12.	BEST32.			
14	OFFENSE_NAME	Char	19	\$19.	\$19.			
13	OFFENSE_SUBCAT_ID	Num	8	BEST12.	BEST32.			

The CONTENTS Procedure

Alphabetic List of Variables and Attributes						
#	Variable	Туре	Len	Format	Informat	
15	OFFENSE_SUBCAT_NAME	Char	23	\$23.	\$23.	
2	ORI	Char	11	\$11.	\$11.	
11	POPULATION_GROUP_CODE	Char	4	\$4.	\$4.	
12	POPULATION_GROUP_DESC	Char	34	\$34.	\$34.	
3	PUB_AGENCY_NAME	Char	42	\$42.	\$42.	
4	PUB_AGENCY_UNIT	Char	2	\$2.	\$2.	
10	REGION_NAME	Char	9	\$9.	\$9.	
6	STATE_ABBR	Char	4	\$4.	\$4.	
7	STATE_NAME	Char	11	\$11.	\$11.	
17	UNFOUNDED_COUNT	Num	8	BEST12.	BEST32.	

GENERAL SUMMARY ON HUMAN TRAFFICKING DATA SET

The MEANS Procedure

Variable	N	Mean	Std Dev	Minimum	Maximum
DATA YEAR	1613	2016.04	1.3248579	2013.00	2018.00
OFFENSE SUBCAT ID	1613	81.2033478	0.4026139	81.0000000	82.0000000
ACTUAL COUNT	1613	2.5046497	3.4595514	1.0000000	42.0000000
UNFOUNDED COUNT	1613	0.0998140	0.7256938	0	13.0000000
CLEARED COUNT	1613	1.0818351	2.2638049	0	25.0000000
JUVENILE_CLEARED_COUNT	1613	0.0626162	0.6941245	0	19.0000000

The UNIVARIATE Procedure Variable: DATA_YEAR

Moments						
N	1613	Sum Weights	1613			
Mean	2016.03968	Sum Observations	3251872			
Std Deviation	1.32485793	Variance	1.75524853			
Skewness	-0.0552618	Kurtosis	-0.9695773			
Uncorrected SS	6555905808	Corrected SS	2829.46063			
Coeff Variation	0.06571587	Std Error Mean	0.03298771			

	Basic Statistical Measures					
Location Variability						
Mean	2016.040	Std Deviation	1.32486			
Median	2016.000	Variance	1.75525			
Mode	2016.000	Range	5.00000			
		Interquartile Range	2.00000			

Tests for Location: Mu0=0						
Test	Statistic p Value					
Student's t	t	61114.88	Pr > t	<.0001		
Sign	М	806.5	Pr >= M	<.0001		
Signed Rank	s	650845.5	Pr >= S	<.0001		

Quantiles (Definition 5)			
Level	Quantile		
100% Max	2018		
99%	2018		
95%	2018		
90%	2018		
75% Q3	2017		
50% Median	2016		
25% Q1	2015		
10%	2014		
5%	2014		
1%	2014		
0% Min	2013		

The UNIVARIATE Procedure Variable: DATA_YEAR

Extreme Observations						
Low	est	High	est			
Value	Obs	Value	Obs			
2013	1356	2018	1592			
2013	1355	2018	1594			
2013	1099	2018	1595			
2013	1091	2018	1610			
2013	1090	2018	1612			

The UNIVARIATE Procedure Variable: OFFENSE_SUBCAT_ID

Moments						
N	1613	Sum Weights	1613			
Mean	81.2033478	Sum Observations	130981			
Std Deviation	0.40261392	Variance	0.16209797			
Skewness	1.47546059	Kurtosis	0.17720213			
Uncorrected SS	10636357	Corrected SS	261.301922			
Coeff Variation	0.49580951	Std Error Mean	0.0100247			

Basic Statistical Measures					
Location Variability					
Mean	81.20335	Std Deviation	0.40261		
Median	81.00000	Variance	0.16210		
Mode	81.00000	Range	1.00000		
		Interquartile Range	0		

Tests for Location: Mu0=0				
Test	St	atistic	p Val	lue
Student's t	t 8100.323		Pr > t	<.0001
Sign	М	806.5	Pr >= M	<.0001
Signed Rank	s	650845.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	82
99%	82
95%	82
90%	82
75% Q3	81
50% Median	81
25% Q1	81
10%	81
5%	81
1%	81
0% Min	81

DETAILED SUMMARY ON HUMNA TRAFFICKING DATA SET

The UNIVARIATE Procedure Variable: OFFENSE_SUBCAT_ID

Extreme Observations				
Low	Lowest		est	
Value	Obs	Value	Obs	
81	1613	82	1588	
81	1612	82	1590	
81	1611	82	1598	
81	1610	82	1602	
81	1609	82	1608	

The UNIVARIATE Procedure Variable: ACTUAL_COUNT

Moments				
N	1613	Sum Weights	1613	
Mean	2.50464972	Sum Observations	4040	
Std Deviation	3.45955138	Variance	11.9684957	
Skewness	4.40555136	Kurtosis	26.308594	
Uncorrected SS	29412	Corrected SS	19293.2151	
Coeff Variation	138.125158	Std Error Mean	0.08613955	

	Basic Statistical Measures			
	Dasic 3	Statistical Weasures		
Location Variability				
Mean	2.504650	Std Deviation	3.45955	
Median	1.000000	Variance	11.96850	
Mode	1.000000	Range	41.00000	
		Interquartile Range	1.00000	

Tests for Location: Mu0=0				
Test	St	atistic	p Val	lue
Student's t	t 29.07665		Pr > t	<.0001
Sign	м	806.5	Pr >= M	<.0001
Signed Rank	s	650845.5	Pr >= S	<.0001

Quantiles (E	Definition 5)
Level	Quantile
100% Max	42
99%	20
95%	9
90%	5
75% Q3	2
50% Median	1
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure Variable: ACTUAL_COUNT

Exti	Extreme Observations				
Low	est	High	nest		
Value	Obs	Value	Obs		
1	1613	25	62		
1	1612	25	1344		
1	1611	26	207		
1	1610	32	301		
1	1609	42	1139		

The UNIVARIATE Procedure Variable: UNFOUNDED_COUNT

Moments				
N	1613	Sum Weights	1613	
Mean	0.09981401	Sum Observations	161	
Std Deviation	0.72569379	Variance	0.52663148	
Skewness	11.4890273	Kurtosis	154.995612	
Uncorrected SS	865	Corrected SS	848.929944	
Coeff Variation	727.046016	Std Error Mean	0.01806909	

	Basic Statistical Measures			
Location Variability				
Mean	0.099814	Std Deviation	0.72569	
Median	0.000000	Variance	0.52663	
Mode	0.000000	Range	13.00000	
Interquartile Range 0			0	

Tests for Location: Mu0=0				
Test	St	atistic	p Val	lue
Student's t	t 5.524021		Pr > t	<.0001
Sign	М	33	Pr >= M	<.0001
Signed Rank	s	1105.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13
99%	2
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

DETAILED SUMMARY ON HUMNA TRAFFICKING DATA SET

The UNIVARIATE Procedure Variable: UNFOUNDED_COUNT

Extreme Observations				
Lowest		High	est	
Value	Obs	Value	Obs	
0	1613	8	1344	
0	1612	9	384	
0	1611	10	840	
0	1610	11	1439	
0	1609	13	1139	

The UNIVARIATE Procedure Variable: CLEARED_COUNT

Moments				
N	1613	Sum Weights	1613	
Mean	1.08183509	Sum Observations	1745	
Std Deviation	2.26380487	Variance	5.12481251	
Skewness	5.05215572	Kurtosis	36.9170697	
Uncorrected SS	10149	Corrected SS	8261.19777	
Coeff Variation	209.256004	Std Error Mean	0.0563666	

Basic Statistical Measures				
Location Variability				
Mean	1.081835	Std Deviation	2.26380	
Median	0.000000	Variance	5.12481	
Mode	0.000000	Range	25.00000	
		Interquartile Range	1.00000	

Tests for Location: Mu0=0					
Test	Statistic p Value				
Student's t	t 19.19284		Pr > t	<.0001	
Sign	М	370.5	Pr >= M	<.0001	
Signed Rank	s	137455.5	Pr >= S	<.0001	

Quantiles (E	Definition 5)
Level	Quantile
100% Max	25
99%	11
95%	5
90%	3
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

DETAILED SUMMARY ON HUMNA TRAFFICKING DATA SET

The UNIVARIATE Procedure Variable: CLEARED_COUNT

Extreme Observations				
Lowest		Highest		
Value	ue Obs Value Obs		Obs	
0	1613	19	655	
0	1612	23	384	
0	1611	24	313	
0	1609	25	301	
0	1608	25	1344	

The UNIVARIATE Procedure Variable: JUVENILE_CLEARED_COUNT

Moments				
N	1613	Sum Weights	1613	
Mean	0.06261624	Sum Observations	101	
Std Deviation	0.69412447	Variance	0.48180878	
Skewness	21.1549683	Kurtosis	505.3584	
Uncorrected SS	783	Corrected SS	776.675759	
Coeff Variation	1108.5374	Std Error Mean	0.01728304	

	Basic Statistical Measures			
Location Variability				
Mean	0.062616	Std Deviation	0.69412	
Median	0.000000	Variance	0.48181	
Mode	0.000000	Range	19.00000	
		Interquartile Range	0	


Tests for Location: Mu0=0						
Test	Statistic p Value					
Student's t	t 3.622987		Pr > t	0.0003		
Sign	М	25.5	Pr >= M	<.0001		
Signed Rank	s	663	Pr >= S	<.0001		

Quantiles (Definition 5)	
Level	Quantile
100% Max	19
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

DETAILED SUMMARY ON HUMNA TRAFFICKING DATA SET

The UNIVARIATE Procedure Variable: JUVENILE_CLEARED_COUNT

Extreme Observations				
Low	Lowest		est	
Value	Obs	Value	Obs	
0	1613	3	321	
0	1612	6	528	
0	1611	10	527	
0	1610	15	384	
0	1609	19	313	



The DATASETS Procedure

Data Set Name	WORK.QUERY	Observations	1613
Member Type	DATA	Variables	5
Engine	V9	Indexes	0
Created	10/01/2020 20:56:34	Observation Length	48
Last Modified	10/01/2020 20:56:34	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

	Engine/Host Dependent Information							
Data Set Page Size	65536							
Number of Data Set Pages	2							
First Data Page	1							
Max Obs per Page	1360							
Obs in First Data Page	1309							
Number of Data Set Repairs	0							
Filename	/tmp/SAS_workE21200001AE1_localhost.localdomain/SAS_work81EC00001AE1_localhost.localdomain/query.sas7bdat							
Release Created	9.0401M6							
Host Created	Linux							
Inode Number	141467							
Access Permission	rw-rw-r							
Owner Name	sasdemo							
File Size	192KB							
File Size (bytes)	196608							

	Alphabetic List of Variables and Attributes										
#	Variable	Туре	Len	Format	Informat						
4	ACTUAL_COUNT	Num	8	BEST12.	BEST32.						
5	CLEARED_COUNT	Num	8	BEST12.	BEST32.						
1	DATA_YEAR	Num	8	BEST12.	BEST32.						
3	OFFENSE_SUBCAT_ID	Num	8	BEST12.	BEST32.						
2	STATE_NAME	Char	11	\$11.	\$11.						

Obs	LIBNAME	MEMNAME	MEMLABEL	ТҮРЕМЕМ	NAME	TYPE	LENGTH	VARNUM	LABEL	FORMAT	FORMATL
1	WORK	QUERY			ACTUAL_COUNT	1	8	4		BEST	12
2	WORK	QUERY			CLEARED_COUNT	1	8	5		BEST	12
3	WORK	QUERY			DATA_YEAR	1	8	1		BEST	12
4	WORK	QUERY			OFFENSE_SUBCAT_ID	1	8	3		BEST	12
5	WORK	QUERY			STATE_NAME	2	11	2		\$	11

Obs	FORMATD	INFORMAT	INFORML	INFORMD	JUST	NPOS	NOBS	ENGINE	CRDATE	MODATE	DELOBS
1	0	BEST	32	0	1	16	1613	V9	01OCT20:20:56:34	01OCT20:20:56:34	0
2	0	BEST	32	0	1	24	1613	V9	01OCT20:20:56:34	01OCT20:20:56:34	0
3	0	BEST	32	0	1	0	1613	V9	01OCT20:20:56:34	01OCT20:20:56:34	0
4	0	BEST	32	0	1	8	1613	V9	01OCT20:20:56:34	01OCT20:20:56:34	0
5	0	\$	11	0	0	32	1613	V9	01OCT20:20:56:34	01OCT20:20:56:34	0

Obs	IDXUSAGE	MEMTYPE	IDXCOUNT	PROTECT	FLAGS	COMPRESS	REUSE	SORTED	SORTEDBY	CHARSET	COLLATE
1	NONE	DATA	0			NO	NO				
2	NONE	DATA	0			NO	NO				
3	NONE	DATA	0			NO	NO				
4	NONE	DATA	0			NO	NO				
5	NONE	DATA	0			NO	NO				

Obs	NODUPKEY	NODUPREC	ENCRYPT	POINTOBS	GENMAX	GENNUM	GENNEXT	TRANSCOD
1	NO	NO	NO	YES	0			YES
2	NO	NO	NO	YES	0			YES
3	NO	NO	NO	YES	0			YES
4	NO	NO	NO	YES	0			YES
5	NO	NO	NO	YES	0			YES

The MEANS Procedure

Variable	N	Mean	Std Dev	Minimum	Maximum
DATA_YEAR OFFENSE_SUBCAT_ID ACTUAL_COUNT CLEARED_COUNT	1613	2016.04	1.3248579	2013.00	2018.00
	1613	81.2033478	0.4026139	81.0000000	82.0000000
	1613	2.5046497	3.4595514	1.0000000	42.0000000
	1613	1.0818351	2.2638049	0	25.0000000

