Assignment # 02.

Lab # 02.


Task 1:. (A) Type and save the following programs in Visual Studio. Run these programs and observe their output.


Code:.

```
#include<iostream>
using namespace std;
int main()
{
    char letter;
    Letter = 'A';
    cout << Letter << "\n";
    Letter = 'B';
    cout<< Letter<<'\n';
    cin>> letter;
    return 0;
}
```

Output:.

```
A
B
```


3:37
452 KB/S
79
new*
1 #include<iostream>
2 using namespace std;
3 int main( )
4 {
5 char letter;
6 letter='A';
7 cout<<letter<<'\n';
8 letter='B';
9 cout<<letter<<'\n';
10 cin>>letter;
11 return 0;
12 }
} : ; " ' #


3:37
538 KB/S
79
TAB
A
B

(B)

```
#include<iostream>
using namespace std;
int main()
{
    char Letter;
    letter= 65;
    cout << letter<< '\n';
    Letter=66;
    cout<< letter<<'\n';
    return 0;
}
```

output:.

A
B


(C)


cocle:.


```
#include<iostream>
using namespace std;
int main()
{
    int letter;
    letter= 'A';
    cout <<letter<<'\n';
    letter = 'B';
    cout << letter<<'\n';
    return 0;
```


output:.

65
66


3:38
165 KB/S
80
new*
1 #include<iostream>
2 using namespace std;
3 int main( )
4 {
5 char letter;
6 letter=65;
7 cout<<letter<<'\n';
8 letter=66;
9 cout<<letter<<'\n';
10 cin>>letter;
11 return 0;
12 }
} | : | ; | " | ' | #


3:38
443 KB/S
80
TAB
A
B


3:39
445 KB/S
80
new*
1 #include<iostream>
2 using namespace std;
3 int main( )
4 {
5 int letter;
6 letter='A';
7 cout<<letter<<'\n';
8 letter='B';
9 cout<<letter<<'\n';
10 cin>>letter;
11 return 0;
12 }
} | : | ; | " | ' | #


3:39
605 KB/S
80
TAB
65
66


Task No 2::


Take two integers as input from the user apply arithematic operations on them (+, -, *, /) as print them on screen.

```
#include<iostream>
using namespace std;
int main()
{
    int a, b;
    cout<<" Enter two Integers:";
    cin>>a>>b;
    cout<<a+b<<endl;
    cout<<a-b<<endl;
    cout<<a*b<<endl;
    cout<<a/b<<endl;
    return 0;
}
```

Task No 3: Write the output of the code.

```
#include<iostream>
#include
```


3:50
3.00 KB/S
84
new*
1 #include<iostream>
2 using namespace std;
3 int main( )
4 {
5 int a,b;
6 cout<<"Enter two numbers:";
7 cin>>a>>b;
8 cout<<a+b<<endl;
9 cout<<a-b<<endl;
10 cout<<a*b<<endl;
11 cout<<a/b<<endl;
12 return 0;
13 }
: ; " ' #


3:50
52.0 KB/s
84
TAB
Enter two numbers:

Task No 3:. Write the output of the code.

```
#include "stdafx.h"
#include <iostream>
using namespace std;
int main()
{
    int val1;
    int val2;
    int val3;
    cout<<"Please enter your 3 numbers:";
    cin >> val1 >> val2 >>val3;
    cout<< val1<<'\n'<<val2<<'\n'<<val3<<'\n';
    cout<<val3<<'\n'<<val2<<'\n'<<val1<<'\n';
    system("PAUSE");
    return 0;
}
```


Output:.

Please Enter your 3 numbers:




```
1  #include"stdafx.h"
2  #include<iostream>
3  using namespace std;
4  int main( )
5  {
6     int val1;
7     int val2;
8     int val3;
9     cout<<"Please enter your 3 numbers:";
10    cin>>val1>>val2>>val3;
11    cout<<val1<<'\n'<<val2<<'\n'<<val3<<'\n';
12    system("PAUSE");
13    return 0;
14 }
```





3:58
839 KB/S
86
TAB
Please enter your 3 numbers:


Task No 4:- Formula $d = sqrt((x_2 - x_1)^2 + (y_2 - y_1)^2)$

```
#include <iostream>
#include< cmath>
using namespace std;
int main()
{
    double x1, y1, x2, y2;
    cout << "Enter values of x1, y1, x2, y2:";
    cin >> x1 >> y1 >> x2 >> y2;
    double distance = sqrt(Pow(x2 - x1,2) + Pow(y2 - y1,2
    cout << "Distance = " << distance << endl;
    return 0;
}
```

Output:-

Enter values of x1, y1, x2, y2:


9:49
new*
1 #include<iostream>
2 #include<cmath>
3 using namespace std;
4 int main()
5 {
6 double x1,y1,x2,y2;
7 cout<<"Enter values of x1,y1,x2,y2:";
8 cin>>x1>>y1>>x2>>y2;
9 double distance= sqrt(pow(x2-x1,2)+
pow(y2-y1,2));
10 cout<<"Distance="<<distance<<endl;
11 return 0;
12 }
:
;
"
'
#


9:49
TAB
Enter values of x1,y1,x2,y2:

Task 5:-

```
#include<iostream>
using namespace std;
int main()
{
    const double PI= 3.14159;
    double r, length, width, base, height;
    cout<<" Enter radius of circle:";
    cin>>r;
    cout<<" Area of circle = "<< PI*r*r <<endl;
    cout<<" Enter length, width of rectangle :";
    cin>> length >> width;
    cout<<"Area of Rectangle = "<<length*width<<endl
    cout<<" Enter base, height of triangle:";
    cin>> base >> height;
    Cout<<" Area of triangle ="<< base * height*0.5<<e
    return 0;
}
```

Output;

Enter radius of circle:

6:19 33

new*


```cpp
#include <iostream>
using namespace std;
int main(){
    const double PI = 3.14159;
    double r, length, width, base, height;

    cout << "Enter radius of circle: ";
    cin >> r;
    cout << "Area of Circle = " << PI * r * r << endl;

    cout << "Enter length width of rectangle: ";
    cin >> length >> width;
    cout << "Area of Rectangle = " << length * width << endl;

    cout << "Enter base height of triangle: ";
    cin >> base >> height;
    cout << "Area of Triangle = " << base * height * 0.5 << endl;
    return 0;
}
```

Tab | { | } | : | ; | "


6:19
TAB
Enter radius of circle:

Task No 6:.

```
#include <iostream>
using namespace std;
int main()
{
    double P1 = 12.95, P2 = 24.95, P3 = 6.95, P4 = 14.95, P5 = 3.95;
    double subtotal = P1 + P2 + P3 + P4 + P5;
    double tax = subtotal * 0.06;
    double total = subtotal + tax;
    cout << " Price 1: $ " << P1 << endl;
    cout << " Price 2: $ " << P2 << endl;
    cout << " Price 3: $ " << P3 << endl;
    cout << " Price 4: $ " << P4 << endl;
    cout << " Price 5; $ " << P5 << endl;
    cout << "-------- " << endl;
    cout << " subtotal: $ " << subtotal << endl;
    cout << " sales tax (6%.): $ " << tax << endl;
    cout << " Total: $ " << total << endl;
    return 0;
}
```

output:.


```
Price 1: $ 12.95
Price 2: $ 24.95
Price 3: $ 6.95
Price 4: $ 14.95
Price 5: 3.95
- - - - - - -
subtotal: $ 63.75
salestax (6%): $ 3.825
Total : $ 67.575
```

7:40 94

new*

```
1  #include <iostream>
2  using namespace std;
3  int main(){
4     double p1=12.95, p2=24.95, p3=6.95, p4=14.
   95, p5=3.95;
5     double subtotal = p1+p2+p3+p4+p5;
6     double tax = subtotal * 0.06;
7     double total = subtotal + tax;
8
9     cout << "Price 1: $" << p1 << endl;
10    cout << "Price 2: $" << p2 << endl;
11    cout << "Price 3: $" << p3 << endl;
12    cout << "Price 4: $" << p4 << endl;
13    cout << "Price 5: $" << p5 << endl;
14    cout << "----------" << endl;
15    cout << "Subtotal: $" << subtotal << endl;
16    cout << "Sales Tax (6%): $" << tax << endl;
17    cout << "Total: $" << total << endl;
18    return 0;
19 }
```

Tab | { | } | : | ; | "


7:40
94
TAB
Price 1: $12.95
Price 2: $24.95
Price 3: $6.95
Price 4: $14.95
Price 5: $3.95
Subtotal: $63.75
Sales Tax (6%): $3.825
Total: $67.575
[Program finished]