FERA ফেরা

D3 / FLOWS · VERSION 2.0

Application Flows

Role journeys, screen states and error recovery

Specification handover · Implementation unverified

Authors

Sadman Shaharier · Obidit Islam

Issued 11 October 2026 · Asia/Dhaka (UTC+6)

Invented synthetic-data prototype · Interactive team edition

Contents

> Click a section or use the PDF bookmarks. Requirement IDs link to their definitions. External sources are clickable. The meeting workbook contains blank fillable review fields. Application acceptance and pilot evidence remain pending.

V2 release contract 3

Changes to earlier documents 4

1 Navigation map per role 4

2 Screen inventory 4

3 Main flow (core demo journey) 11

4 First-time flow 12

5 Returning flow 13

6 Auth flow 13

7 Error and recovery flows 13

8 State transitions and recovery 15

9 Flowcharts per role 17

Actions (ACT) 20

Decisions (D) 21

IDs introduced 22

IDs referenced 22

V2 screen dependency acceptance 22

D3 / FLOWS / V2.0

Application Flows

Role journeys, screen states and error recovery · Authors: Sadman Shaharier and Obidit Islam

↗ Contents

Field	Value
Version	2.0
Date	11 Oct 2026 (Asia/Dhaka, UTC+6)
Owner	Sadman Shaharier
Authors	Sadman Shaharier; Obidit Islam
Status	V2 team handover; implementation status UNVERIFIED
Inputs	D1 and D2 Parts A/B V2.0; V2 role projections and state/decision contracts.
Notation	Screen [S-xxx] = SCREEN-xxx; action ACT-xxx; decision D-xxx; API call API-xxx; error E-xxx. UI components COMP-022 – COMP-050 are specified in D4.

V2 release contract

Authors: Sadman Shaharier and Obidit Islam. **Version:** 2.0. **Issued:** 11 October 2026, Asia/Dhaka (UTC+6).

This is the revised team specification, not evidence that the application has been built. Actual repository progress, account configuration, interviews, evaluations, and spend remain **UNVERIFIED** until evidence is attached. V1 defaults are superseded by the V2 rules below; existing requirement IDs are retained.

- This release is a **synthetic-data prototype**. Officer verification and referral delivery are simulated and labelled. The schema rejects records marked non-synthetic; the application must also prevent real reports from entering this release.
- A candidate score is similarity, not identity probability. A reviewer decision does not establish guardian authority or safe reunification. A referral row means **referral recorded**, not delivered or acknowledged.
- Draft payload stays on the device before report confirmation, but providers process audio/text beforehand with a notice. Only expiry/counter/hash metadata and cost reservations are stored server-side before submission.
- Possible duplicates remain visible. Shared phone alone never establishes one child. No physical child-return action is performed by Fera.
- Counts distinguish missing-report rows, found-report rows, and confirmed pairs. They are not a census of unique children or proof of rescue.

- Sources, diagrams, tables, code blocks, and acceptance criteria are part of the handover. The companion code must match the embedded code exactly. Team handover records change closure, evidence gaps, and release gates.

Changes to earlier documents

V2 brings parent, staff, officer and admin screens into agreement with the V2 role projections and APIs; adds manual completion, abstention, stale-decision and referral-recorded states. SCREEN-006 retains its Should priority from the earlier change history.

1 Navigation map per role

Role	Entry	Reachable screens	Home after action
Parent (no account)	Shared link or `/`	S-001 → S-002 → S-003 → S-004; S-005 (fallback); S-006 (Should); S-015 (Could)	S-004
Staff	`/staff` → S-008	S-007, S-016	S-007
Officer (verified)	`/officer` → S-008	S-009, S-010, S-011, S-012, S-014 (Could), S-016	S-009
Officer (unverified)	`/officer` → S-008	Same as staff (D1 BR-024)	S-007
Admin	`/admin` → S-008	S-013, S-011, S-012 (read), S-016	S-013

Persistent elements: COMP-022 header with "বাংলা | English" toggle (ACT-030) on every screen; COMP-023 "সিনথেটিক" (synthetic) badge on any seeded record.

2 Screen inventory

SCREEN-001 Welcome and language · Must

Attribute	Value
Purpose	Explain Fera in 2 lines and start intake
Entry / exit	`/` or shared link → S-002
Components	COMP-022, COMP-050 consent notice, primary button
Primary action	ACT-001 "শুরু করুন" / Start
Secondary	ACT-030 language toggle; link "১৩২১৯-এ কল করুন" / Call 13219 (`tel:13219`)
Data required	None

Attribute	Value
States	Loading: none (static). Empty: n/a. Error: n/a. Success: navigates to S-002
Permissions	Public
Accessibility	Single H1; consent text ≥ 16 px; start button 48 px tall

Copy: "ফেরা আপনার কথা থেকে নিখোঁজ শিশুর রিপোর্ট তৈরি করে। ফেরা পুলিশ বা সিআইডি-কে সতর্কবার্তা পাঠায় না।" / "Fera turns what you say into a missing-child report. Fera does not send alerts to police or CID."

SCREEN-002 Intake chat (voice/text) · Must

Attribute	Value
Purpose	Collect the report by voice or text; ask missing fields one at a time
Entry / exit	S-001, or draft restore → S-003 when D-004 = complete or rounds = 4; → S-005 on E-012/E-013/E-023
Components	COMP-024 chat bubble, COMP-025 voice record button, COMP-026 transcript editor, COMP-027 question prompt, text box, COMP-046 loading, COMP-048 cached badge
Primary action	ACT-002 record voice or ACT-003 type, then ACT-005 send
Secondary	ACT-004 edit transcript; ACT-006 answer question; ACT-014 open form; ACT-015 discard
Data required	Draft from `localStorage` if present
API	API-001, API-002
States	Loading: "শুনছি..." / Listening..., "বুঝে নিচ্ছি..." / Understanding...; at 10 s "এখনও কাজ চলছে, একটু অপেক্ষা করুন" / Still working, please wait. Empty: prompt "আপনার শিশুর কথা বলুন বা লিখুন" / Tell us about your child, by voice or text. Error: E-001, E-007, E-008 – E-011, E-014, E-015, E-022, E-024. Success: next question or move to S-003
Permissions	Parent (cookie created on first API call)
Accessibility	Recorder announces state via `aria-live="polite"` ; timer readable; transcript is the caption for the audio; text path always visible

Follow-up question templates (COMP-009):

Field	Bangla / English
age	"{নাম}-এর বয়স কত?" / How old is {name}?
sex	"শিশুটি ছেলে না মেয়ে?" / Is the child a boy or a girl? (buttons: ছেলে / মেয়ে / অন্য / জানি না)
district	"{নাম}-কে শেষবার কোন জেলায় দেখা গিয়েছিল?" / In which district was {name} last seen?
event time	"শেষবার কবে, কখন দেখা গিয়েছিল?" / When was {name} last seen?
phone	"আপনার মোবাইল নম্বর দিন, যাতে খবর পেলে যোগাযোগ করা যায়।" / Your mobile number, so you can be contacted.

SCREEN-003 Case review · Must

Attribute	Value
Purpose	Parent checks and edits every field before submit (D1 BR-004)
Entry / exit	S-002 → S-004 on submit; back to S-002
Components	COMP-028 field cards (editable), COMP-029 confirm bar, COMP-049 duplicate banner (only own duplicate submission), COMP-044 inline alert
Primary action	ACT-008 "যাচাই করে জমা দিন" / Check and submit (enabled only after "আমি যাচাই করেছি" / I have checked)
Secondary	ACT-007 edit field; ACT-015 discard
Data required	Draft
API	**API-003**
States	Loading: "জমা হচ্ছে..." / Submitting.... Empty: n/a. Error: E-001 (field-level), E-006, E-019, E-024. Success: S-004
Permissions	Parent
Accessibility	Each card has a visible label and value; "অজানা" / unknown shown as text, not blank; error text tied with `aria-describedby`

SCREEN-004 Case submitted and outputs · Must

Attribute	Value
Purpose	Show case reference and get GD draft, poster and 13219 summary
Entry / exit	S-003, S-005 → S-006 (Should)
Components	Reference card, COMP-033 status badge, COMP-030 output cards, COMP-031 poster preview
Primary action	ACT-009 "জিডি খসড়া" / GD draft; ACT-010 "পোস্টার" / Poster
Secondary	ACT-011 "১৩২১৯ সারাংশ" / 13219 summary (Should); ACT-012 copy; ACT-013 download PNG; `tel:13219`
Data required	Case (own)
API	**API-006**
States	Loading per card: "তৈরি হচ্ছে..." / Preparing.... Empty: n/a. Error: E-016, E-020, E-024. Success: "কপি হয়েছে" / Copied
Permissions	Parent (owner)
Accessibility	Output text in a selectable `<pre>`-like block with lang="bn"; copy confirmation announced

Every output card carries the label "খসড়া — নিজে জমা দিন" / Draft — submit it yourself (D1 BR-002).

SCREEN-005 Manual case form · Must

Attribute	Value
Purpose	Fallback when AI fails or is unavailable (FR-026)
Entry / exit	S-002 (E-012, E-013, E-014 second time, E-023) or ACT-014 → S-003
Components	COMP-032 manual form (one field per row), COMP-044
Primary action	ACT-005 "পরের ধাপ" / Next (to S-003)
Secondary	ACT-015 discard
Data required	Any extracted fields pre-filled
States	Loading: none. Error: E-001 inline. Success: S-003
Permissions	Parent
Accessibility	Fieldset groups; district as searchable select with Bangla and English names; numeric fields accept Bangla digits

SCREEN-006 Parent case status and edit · Should

Attribute	Value
Purpose	Status only; edit while allowed (BR-025)
Entry / exit	Return visit on same device; S-004 → S-003 (edit)
Components	COMP-033 status badge, reference card, edit button
Primary action	ACT-016 view status; ACT-017 "তথ্য সংশোধন" / Correct details
Data required	API-018 (Should), API-005 (Should)
States	Loading: skeleton. Empty: "এই ফোনে কোনো রিপোর্ট নেই" / No reports on this phone. Error: E-018, E-019. Success: "সংশোধন জমা হয়েছে" / Correction submitted
Permissions	Parent (owner); never shows candidate or found data
Accessibility	Status uses icon + text + colour

Status labels: "খোলা" / Open; "যাচাই চলছে" / Being checked; "বন্ধ" / Closed.

SCREEN-007 Found-child log · Must

Attribute	Value
Purpose	Staff log a found child (FR-011)
Entry / exit	S-008 (staff home) → same screen with success card

Attribute	Value
Components	COMP-034 found-child form (free text + structured fields), COMP-025 (optional voice), COMP-028, COMP-029
Primary action	ACT-019 "সংরক্ষণ করুন" / Save
Secondary	ACT-003 type description; ACT-015 clear
API	API-002 (kind found), API-007
States	Loading: "সংরক্ষণ হচ্ছে..." / Saving.... Empty: blank form. Error: E-001, E-006, E-007, E-024. Success: "সংরক্ষিত। নম্বর F-...। মিল খোঁজা হয়েছে।" / Saved. Ref F-.... Matching state queued/ running/complete/failed is explicit. (no candidate details)
Permissions	Staff, officer
Accessibility	No photo field (D1 BR-006); time field defaults to now in BST

SCREEN-008 Sign-in · Must

Attribute	Value
Purpose	Staff, officer and admin sign-in (FR-037)
Entry / exit	`/staff`, `/officer`, `/admin`, or E-002 → role home
Components	COMP-047 sign-in form; demo account hint visible only when `DEMO_MODE=1`
Primary action	ACT-018 "সাইন ইন" / Sign in
API	**API-020**
States	Loading: button spinner. Error: "ইউজারনেম বা পাসওয়ার্ড ঠিক নয়" / Username or password is incorrect (E-002); E-007
Permissions	Public
Accessibility	Autocomplete attributes; password show/hide toggle

SCREEN-009 Review queue · Must

Attribute	Value
Purpose	Officer sees cases with pending candidates (FR-014)
Entry / exit	Officer home → S-010, S-011, S-012
Components	COMP-035 queue list, COMP-036 candidate rows, COMP-033, COMP-023, district filter
Primary action	ACT-020 open a candidate
Secondary	ACT-024 map; ACT-029 sign out
API	**API-008**

Attribute	Value
States	Loading: 5 skeleton rows. Empty: "এখনো কোনো সম্ভাব্য মিল নেই। নতুন রিপোর্ট এলে স্বয়ংক্রিয়ভাবে যাচাই হবে।" / No likely matches yet. New reports are checked automatically. Error: E-002, E-003, E-021
Permissions	Officer (verified)
Accessibility	Table semantics; keyboard: ↑/↓ moves rows, Enter opens

SCREEN-010 Match review (side by side) · Must

Attribute	Value
Purpose	Compare evidence and decide (FR-015 – FR-017)
Entry / exit	S-009 → S-012 (after confirm) or S-009 (after reject)
Components	COMP-037 evidence table, COMP-038 decision panel, COMP-049 duplicate banner, score with label "মিলের মাত্রা" / similarity
Primary action	ACT-021 "মিল নিশ্চিত করুন" / Confirm match
Secondary	ACT-022 "মিল নয়" / Not a match (reason required); ACT-025 audit
API	API-009, API-010
States	Loading: two-column skeleton. Error: E-004, E-005. Success (confirm): "মিল নিশ্চিত। শিশু সুরক্ষা সেবায় রেফারেল তৈরি হয়েছে।" / Match confirmed. Referral to child-protection services created. Success (reject): "বাতিল করা হয়েছে" / Rejected
Permissions	Officer (verified)
Accessibility	Agree / differ / unknown shown as icon + word ("মিল" / match, "অমিল" / differs, "অজানা" / unknown); confirm needs a second step dialog

Confirm dialog: "আপনি কি নিশ্চিত? এতে শিশুকে সরাসরি ফেরত দেওয়া হবে না; রেফারেল নথিভুক্ত হবে (সিমুলেশন)।" / Are you sure? This will not return the child directly; it creates a referral to child-protection services.

SCREEN-011 District dashboard · Must

Attribute	Value
Purpose	Map of Open/Matched/Closed counts by district (FR-019)
Entry / exit	S-009, S-013 → S-012 via district list
Components	COMP-040 district map, COMP-041 district table (always rendered), totals, "সিনথেটিক সহ" / include synthetic toggle
Primary action	ACT-024 select a district
API	**API-012**

Attribute	Value
States	Loading: totals skeleton. Empty district: counts "০". Error: tiles fail → markers on plain background + table (offline). Success: map rendered
Permissions	Officer, admin
Accessibility	The table is the accessible equivalent of the map; markers are focusable buttons with text counts

SCREEN-012 Case detail and audit trail · Must

Attribute	Value
Purpose	Full case, duplicates, close action, audit (FR-018, FR-021, FR-022)
Entry / exit	S-009, S-010, S-011
Components	Case fields, COMP-033, COMP-049, COMP-042 audit timeline, COMP-039 close dialog
Primary action	ACT-023 "কেস বন্ধ করুন" / Close case
Secondary	ACT-025 view audit
API	API-004, API-011, API-013
States	Loading: skeleton. Error: E-004, E-005, E-017. Success: "কেস বন্ধ হয়েছে" / Case closed
Permissions	Officer (actions); admin (read, payload-redacted fields hidden)
Accessibility	Timeline as an ordered list with times in BST

Close outcomes: "শনাক্ত, রেফারেল হয়েছে" / Located, referred; "ফেরার বাইরে নিষ্পত্তি" / Resolved outside Fera.

SCREEN-013 Admin data tools · Must

Attribute	Value
Purpose	Redact identifying payloads (Must), verify officer [MOCK] (Must), import (Should)
Entry / exit	Admin home
Components	COMP-043 admin actions, user list, import text area
Primary action	ACT-027 "বন্ধ কেস বেনামী করুন" / Redact identifying payloads from eligible terminal cases
Secondary	ACT-028 verify officer [MOCK]; ACT-026 import batch
API	API-015, API-016, API-017, API-021
States	Loading: progress text. Empty: "পরিচয় তথ্য অপসারণের জন্য উপযুক্ত রিপোর্ট নেই" / No eligible reports for payload redaction. Error: E-001, E-003. Success: "{n}টি রিপোর্টের পরিচয় তথ্য অপসারণ করা হয়েছে" / {n} cases payload-redacted
Permissions	Admin

Attribute	Value
Accessibility	Destructive action needs typed confirmation "বেনামী"

SCREEN-014 Duplicate review · Could

Attribute	Value
Purpose	Mark linked records as same child or not (FR-023)
Entry / exit	S-012 duplicate banner
Components	COMP-037 (two same-kind records), buttons
Primary action	ACT-032 "একই শিশু" / Same child or "আলাদা" / Different
States	Error: E-004, E-005
Permissions	Officer

SCREEN-015 Disaster mode · Could

Attribute	Value
Purpose	Shelter volunteer logs a separated child (FR-036)
Entry / exit	Link from S-007 footer
Components	COMP-034 with banner "পরিকল্পিত সম্প্রসারণ — বন্যা ও ঘূর্ণিঝড় আশ্রয়কেন্দ্র/ Planned extension — flood and cyclone shelters
Primary action	ACT-033 log separated child
Permissions	Staff

SCREEN-016 Not found / not allowed · Must

Attribute	Value
Purpose	Single response for missing or hidden records (E-004) and role errors (E-003)
Components	COMP-045 empty state with home link
Copy	"তথ্যটি পাওয়া যায়নি।" / We couldn't find that.
Accessibility	Focus moves to the heading

3 Main flow (core demo journey)

Step	Who	Screen	Action	API	Result
1	Parent	S-001	**ACT-001**	—	Intake opens
2	Parent	S-002	ACT-002 record 40 s note	**API-001**	Transcript shown
3	Parent	S-002	ACT-004 fix a word, ACT-005 send	**API-002**	Draft + district question
4	Parent	S-002	ACT-006 "মিরপুর, ঢাকা"	**API-002**	Draft complete
5	Parent	S-003	ACT-008 check and submit	**API-003**	Case M-… open
6	Parent	S-004	ACT-009, ACT-010	**API-006**	GD draft and poster
7	Staff	S-008 → S-007	ACT-018, ACT-019	API-020, API-007	Found case F-…; matching run
8	Officer	S-008 → S-009	ACT-018, ACT-020	**API-008**	Candidate rank 1
9	Officer	S-010	**ACT-021**	API-009, API-010	Missing confirmed; found referred; referral
10	Officer	S-012	**ACT-023**	**API-011**	Missing closed
11	Officer	S-011	**ACT-024**	**API-012**	Dhaka: Missing Closed +1, Missing Matched −1; found counts unchanged by missing closure

4 First-time flow

1. Parent opens a shared link → S-001 with COMP-050 consent notice.
2. ACT-001 → S-002 shows one example sentence: "যেমন: আমার মেয়ে মীম, বয়স ১১, আজ সকালে স্কুলে যাওয়ার পথে…" / For example: My daughter Mim, 11, this morning on the way to school….
3. First mic tap triggers the browser permission prompt (D-001).
4. Parent cookie is created on the first API call; no sign-up.

5 Returning flow

Role	Flow
Parent, unfinished draft	S-002 shows "আগের খসড়া পাওয়া গেছে — চালিয়ে যাবেন?" / Earlier draft found — continue? (ACT-031 continue or ACT-015 discard). Expired after 24 h → E-019.
Parent, submitted case	S-006 shows status (Should/Could). Other device → not supported (OQ-020).
Officer	S-008 → S-009, candidates created since last visit first.

6 Auth flow

Step	Detail
Parent	No sign-in. API-001/API-002 set `fera_ps` cookie (30 days). Draft token signed separately (24 h).
Staff/officer/admin	S-008 → API-020 credentials → JWT cookie 8 h → role home (§1).
D-008 role check	Every request: role + `verified` read from DB. Unverified officer → staff home.
Expiry	Staff/officer request after 8 h → E-002 → S-008 → return to the same URL.
Sign-out	ACT-029 clears cookie → S-008.

7 Error and recovery flows

#	Edge case	Trigger	System behaviour	User message (Bangla / English)	Error	Recovery
1	Invalid input	Bad phone, age 19, text < 20 chars	Field-level validation	"সঠিক মোবাইল নম্বর দিন (০১ দিয়ে শুরু, ১১ সংখ্যা)" / Enter a valid mobile number (starts 01, 11 digits)	E-001	Fix field
2	Unintelligible voice note	Empty or garbled transcript	No draft created	"কথাগুলো পরিষ্কার শোনা যায়নি। আবার বলুন বা লিখে দিন।" / We couldn't hear that clearly. Try again or type instead.	E-010	Re-record or type
3	Wrong language detected	< 30 % Bangla or Latin letters	Stop before extraction	"বাংলা বা ইংরেজিতে বলুন বা লিখুন।" / Please speak or write in Bangla or English.	E-015	Re-enter
4	Duplicate submission	Same principal + submission UUID; identical canonical payload	Return existing case	"এই রিপোর্ট আগেই জমা হয়েছে। নম্বর: M-7K3Q2A" / Already submitted. Ref: M-7K3Q2A	200 replay, not an error	Open S-004 for existing case
5	Same child reported from another source	D1 BR-021 rule fires	Both open; linked; shown once in candidates	Officer banner: "সম্ভাব্য একই শিশু: M-..." / Possible same child: M-...	—	S-012 / S-014
6	Network failure mid-upload	Fetch fails or offline event	Draft and audio kept in browser	"ইন্টারনেট সংযোগ নেই। আপনার তথ্য রাখা আছে — সংযোগ ফিরলে আবার পাঠান।" / No internet. Your details are saved — send again when back online.	E-024	ACT-031 retry
7	Expired session	Draft > 24 h; staff JWT > 8 h	Parent: draft cleared. Staff: redirect	"আপনার খসড়ার সময় শেষ। নতুন করে শুরু করুন।" / Your draft has expired. Please start again.	E-019 / E-002	S-002 new / S-008
8	Empty data	No candidates, no cases	Explicit empty state	"এখনো কোনো সম্ভাব্য মিল নেই।" / No likely matches yet.	—	Wait; auto-check
9	Unauthorised access to a matched record	Parent/staff/unverified opens a candidate or other case URL	404 body; `access.denied` audit	"তথ্যটি পাওয়া যায়নি।" / We couldn't find that.	E-004	S-016
10	Slow STT/LLM (> 10 s)	Elapsed 10 s	Message changes; abort at 25 s	"এখনও কাজ চলছে, একটু অপেক্ষা করুন" / Still working, please wait	E-014 at 25 s	Retry once, then S-005

#	Edge case	Trigger	System behaviour	User message (Bangla / English)	Error	Recovery
11	User cancellation	ACT-015 during recording or draft	Recording stops; confirm dialog; draft deleted	"খসড়া মুছে ফেলবেন?" / Delete this draft?	—	S-001
12	Parent edits after submission	**ACT-017**	Allowed in submitted/open/ matched_pending_review; new version; candidates voided	Locked: "মিল নিশ্চিত হওয়ার পর কেস বদলানো যায় না।" / Can't edit after a match is confirmed.	E-018 when locked	S-003 or `tel:13219`
13	Officer rejects a match	**ACT-022**	Reason required (3–500 chars); case back to open if none pending; pair not re-suggested	"কারণ লিখুন" / Enter a reason	E-001 if no reason	S-009
14	Unsupported browser / no mic permission	No MediaRecorder or permission denied	Text box focused; mic button disabled with reason	"মাইক্রোফোন চালু করা যায়নি। আপনি লিখে জানাতে পারেন।" / The microphone isn't available. You can type instead.	**E-022**	Text path
15	AI fails twice / unavailable	E-012, E-013	Manual form pre-filled	"সহকারী তথ্য গুছাতে পারেনি। ফর্মটি পূরণ করুন — আপনার লেখা রাখা আছে।" / The assistant couldn't organise this. Please fill the form — your text is kept.	E-012 / E-013	S-005

8 State transitions and recovery

Kind	Persisted states	Terminal meaning
Missing	submitted → open ↔ matched_pending_review → confirmed → closed; open → closed only for outside resolution	Closed coordination record with reason; no rescue proof
Found	open ↔ matched_pending_review → referred	Referral recorded (simulation), not agency receipt
Browser draft	Device payload plus server metadata; expires on access/metadata check	Not a submitted case


See D1 BR-012/013 for complete guards. Terminal correction/reopen is a pre-pilot two-reviewer procedure; no ordinary backward transition exists in the demo.

8.1 Recovery rules

Lost submission response: retry the same UUID and receive the same reference. Changed payload with same UUID: conflict. Matching failure: case remains saved with failed/queued status and retry control; do not claim no matches until matching completes. Stale candidate: server rejects and refreshes current evidence. Confirming/voiding competitors reconciles all affected case queues. Disconnected browser: retain device draft with an expiry notice and retry same UUID. Cached script: badge and fixture intake time remain visible. Paid-call failure: manual fields remain usable.

9 Flowcharts per role

9.1 Reporter




V2 specification diagram · see adjacent rules for authority and evidence limits

9.2 Staff

Sign in to a separate browser context; describe/review the synthetic found child; confirm required district/place/time/contact; use found-only speech/extraction if needed; save with scoped UUID; see own entry and matching state. Staff sees no candidate/other-party report payload. Queue access belongs to verified officers.

9.3 Officer



V2 specification diagram · see adjacent rules for authority and evidence limits

9.4 Admin

API-021 lists users for mock verification. API-016 redacts eligible payloads only through the restricted action, preserving active evidence. API-014 returns rematch status only. API-015 imports invented samples only. API-012/013 give aggregates/safe audit; API-004 gives metadata, never child or candidate detail. Duplicate resolution, if built, is officer-only API-023. District case drill-through uses officer-only API-022.

Actions (ACT)

ID	Action	Role
ACT-001	Tap Start	Parent
ACT-002	Record voice note	Parent, staff
ACT-003	Type report or description	Parent, staff
ACT-004	Edit transcript	Parent
ACT-005	Send / next	Parent
ACT-006	Answer follow-up question	Parent
ACT-007	Edit a field	Parent, staff
ACT-008	Check and submit	Parent
ACT-009	Request GD draft	Parent
ACT-010	Request poster	Parent
ACT-011	Request 13219 summary	Parent
ACT-012	Copy text	Parent
ACT-013	Download poster PNG	Parent
ACT-014	Open manual form	Parent
ACT-015	Discard / cancel	Parent, staff
ACT-016	View case status	Parent
ACT-017	Correct details after submit	Parent
ACT-018	Sign in	Staff, officer, admin
ACT-019	Save found child	Staff, officer
ACT-020	Open candidate	Officer
ACT-021	Confirm match	Officer

ID	Action	Role
ACT-022	Reject match with reason	Officer
ACT-023	Close case with outcome	Officer
ACT-024	Use map or district table	Officer, admin
ACT-025	View audit trail	Officer, admin
ACT-026	Import invented fixture texts	Admin
ACT-027	Redact identifying payloads from eligible terminal cases	Admin
ACT-028	Verify officer [MOCK]	Admin
ACT-029	Sign out	Staff, officer, admin
ACT-030	Switch language	All
ACT-031	Retry / continue draft	Parent, staff
ACT-032	Mark duplicate same/different	Officer
ACT-033	Log separated child (disaster mode)	Staff

Decisions (D)

ID	Decision
D-001	Microphone available and permitted?
D-002	Audio length 5–120 s and ≤ 2 MB?
D-003	Transcript intelligible and Bangla/English?
D-004	Required fields complete?
D-005	AI calls used < 6?
D-006	Extraction valid within 2 attempts?
D-007	Submission UUID retry or conflicting payload?
D-008	Role officer and verified?
D-009	Pending candidates exist?
D-010	Officer confirms or rejects?
D-011	Other pending candidates remain?

ID	Decision
D-012	Referral exists?
D-013	Case editable (BR-025)?
D-014	Device online?
D-015	Session valid?
D-016	Admin typed confirmation correct?

IDs introduced

- ACT-001 – ACT-033 (one line each in "Actions")
- D-001 – D-016 (one line each in "Decisions")

IDs referenced

- SCREEN-001 – SCREEN-016 (D1)
- API-001 – API-020, E-001 – E-024 (D2)
- COMP-009 (D2); COMP-022 – COMP-050 (D4)
- BR-002, BR-004, BR-006, BR-021, BR-024, BR-025, FR-011, FR-014 – FR-019, FR-021 – FR-023, FR-026, FR-036, FR-037, STORY-019 (D1)
- OQ-020 (D1)

V2 screen dependency acceptance

- SCREEN-006 uses Must owner read API-004 and Should API-018/005 together; missing optional history does not block intake.
- SCREEN-007 voice is authorised through API-001 for own found drafts. Device permission failure routes to text.
- SCREEN-011 drill-through uses API-022 with kind-specific report counts; admin has no child-detail drill-through.
- SCREEN-013 user listing uses API-021; seeded authority is explicitly mock.
- SCREEN-014 is Could with API-023 and reasoned profile review. Possible duplicate flags do not hide reports.
- If four follow-ups expire with mandatory unknowns, SCREEN-005 lists the missing fields and preserves known values. Submit is blocked clearly until completed.
- SCREEN-010 calls confirmation a reviewer decision and a simulated referral record; no child delivery claim.

↗ Return to contents