FERA ফেরা

TEAM HANDOVER · VERSION 2.0

Team Handover & Meeting Workbook

Start here: decisions, changes, verification and evidence gates

Specification handover · Implementation unverified

Authors

Sadman Shaharier · Obidit Islam

Issued 11 October 2026 · Asia/Dhaka (UTC+6)

Invented synthetic-data prototype · Interactive team edition

Contents

> Click a section or use the PDF bookmarks. Requirement IDs link to their definitions. External sources are clickable. The meeting workbook contains blank fillable review fields. Application acceptance and pilot evidence remain pending.

1 Start here 3

2 Document and companion index 3

3 What changed against the validation report 4

4 Contracts to freeze at the meeting 6

5 Verification performed for this handover 7

6 Corrected capacity and dependency calculation 8

7 Next-meeting agenda and decisions 9

8 Evaluation and demonstration handover 9

9 Applying and maintaining the package 10

10 Sources and evidence boundaries 10

11 Meeting decision worksheet 11

TEAM HANDOVER / V2.0

Team Handover & Meeting Workbook

Start here: decisions, changes, verification and evidence gates · Authors: Sadman Shaharier and Obidit Islam

↗ Contents

Field	Value
Edition	2.0 · 11 October 2026 · Asia/Dhaka (UTC+6)
Authors	Sadman Shaharier; Obidit Islam
Team	Sadman Shaharier · Obidit Islam · Masnun Kabir
Purpose	Revised specifications, development decisions and review evidence for the next team meeting
Release boundary	Invented synthetic-data prototype; real-case pilot readiness is not established
Evidence status	Companion validation completed as described below; application, accounts, evaluations, interviews, actual task progress and spend UNVERIFIED

1 Start here

This package replaces the nine supplied Markdown specifications with V2 editions and updates their three code companions. Original files remain unchanged. Every V2 document names **Obidit Islam** as co-author alongside **Sadman Shaharier**. Existing document owners and team responsibilities are retained; authorship does not imply approval or completed implementation.

The complete handbook combines this workbook with all nine revised documents. The individual PDFs are convenient for discipline-specific review. Editable Markdown and exact code companions are included so the team can implement and maintain the same contracts. This is a specification handover; an application repository was not supplied and is not included.

Read this workbook first, then D1 for scope and rules, D2A for interfaces/schema/authority, D2B for privacy/evaluation/deployment, and D6 for the execution gates. Read D3 and D4 together when implementing screens. D5 is the ID/type index; D7 is the meeting and pitch closing pack. The registry document records assumptions and scope decisions.

2 Document and companion index

File	Team use	Principal V2 change
00_Gap_Check_and_Registry_V2.md	Establish assumptions and scope	Separate planned work from evidence; synthetic-only baseline; official-cutoff uncertainty
D1_PRD_V2.md	Product acceptance and business rules	Required fields, uncertainty, duplicates, role views, lifecycle/count semantics and pilot gates

File	Team use	Principal V2 change
D2_TRD_PartA_V2.md	API, database and authority	Draft metadata/token, scoped submission UUIDs, role DTOs, reliable matching state and atomic pair decisions
D2_TRD_PartB_V2.md	Security, privacy and quality	Full related-payload redaction, paid reservations, valid evaluation and one-database fallback
D3_App_Flow_V2.md	Screen behaviour	Manual completion, role-scoped reads, current-version decisions and explicit referral-recorded labels
D4_Design_Brief_V2.md	UI, Bangla copy and accessibility	Stronger border contrast, narrow officer layouts, shortcut controls and honest labels
D5_Background_Schema_V2.md	Shared types and ID lookup	537 unique IDs; corrected definition locations and revised TypeScript
D6_Implementation_Plan_V2.md	Task/test execution	Rebased gates; 64 tasks, 66 acceptance specifications; corrected dependencies and workload
D7_Closing_Pack_V2.md	Meeting and demonstration narrative	Honest evidence/status claims, timing labels and unresolved decisions
`code/schema_v2.sql`	Fresh demo database	17 tables; required-field, pair, history, redaction and cost controls
`code/fera_types_v2.ts`	Shared TypeScript contract	Distinct kind/state and role shapes; source spans, intervals, tokens and reservation types
`code/tokens_v2.css`	Design token source	Corrected light/dark border colours; retained token names

The three companions are embedded byte for byte in D2A section 7, D5 section 6 and D4 section 16 respectively. Edit the canonical companion and regenerate its embedded copy together. ID stability is preserved; new IDs are API-021–023, ENTITY-015–017, TC-038–066 and TASK-061–064.

3 What changed against the validation report

“Revised” below means the specification now contains the correction. It does not mean the application has passed its acceptance test. Each owner must attach repository/run/decision evidence before closing an implementation finding.

Finding	V2 correction and source	Owner	Remaining evidence
FV-01 · referral and closure	D1 BR-005/012/013; D2A API-010/011; D3; D7: confirmation records a simulated referral; closure records coordination only	Sadman + future safeguarding partner	UI/API transaction test; future identity, guardian, custody, recipient and acknowledgement procedure

Finding	V2 correction and source	Owner	Remaining evidence
FV-02 · phone dedupe	D1 BR-021/FR-022; D2A; TC-038: phone is a weak cue, reports remain visible; reviewed grouping preserves originals	Masnun	Shared-contact hard negatives; detector precision/recall; grouping audit if optional UI built
FV-03 · required/ unknown fields	D1 BR-015/016; D2A types/API; D3/D4: district compulsory; found age unknown allowed; reviewed event bounds	Obidit + Masnun	Runtime validators, manual completion, temporal/provenance negative tests
FV-04 · role permissions	D1 BR-007/024; D2A section 9; D5: owner, staff-own, officer and admin DTOs	Sadman	Every-route ownership/verification tests; no admin rematch candidate/ score leakage
FV-05 · idempotency/ counters	D2A API-001/002/003/007; schema/types: separate opaque token, authoritative draft counter, scoped UUID/hash	Sadman + Obidit	HTTP concurrent replay/conflict test; principal binding and revocation; actual provider dispatch accounting
FV-06 · database invariants	D2A section 7; schema: initial states, required fields, current versions, decision/ referral/audit coupling and immutable history	Sadman	Target PostgreSQL 16 CI, restricted runtime grants, sorted locks and concurrent application decisions
FV-07 · redaction	D1 BR-009; D2A API-016; D2B section 11; schema: direct and related payloads cleared; retained records pseudonymous	Sadman	Application/admin authority, duplicate-note cleanup, provider/export/backup policy; active linked evidence retained
FV-08 · split demonstration DB	D2B deployment; D6/D7: one database per whole journey; isolated local restart on fallback	Sadman	Cloud and offline rehearsals across separate role profiles; tested LAN HTTPS before phone microphone use
FV-09 · matching uncertainty	D1 BR-017/018; D2A adapter; D2B evaluation: national exact baseline, soft geography, unknowns and abstention	Masnun	Frozen embedding space and dev thresholds, hard negatives, no-match results and deployment spike
FV-10 · counts	D1 BR-014/FR-019; D5 DTOs; D6 demo: missing/found rows and confirmed pairs separated	Masnun	One-pair lifecycle count assertions across API, map and table
FV-11 · evaluation	D2B section 17; TASK-064; TC-056/ 057/063: identity-grouped manifest, exact denominators, cache exclusion and failure reporting	Obidit + Masnun	Manifest/hash, frozen run configuration, held-out report and baseline comparisons
FV-12 · provider processing	D1/D3/D4 notices; D2B section 11: synthetic audio/text processed before submission confirmation	Obidit	Actual account/model/endpoint terms, primary and fallback settings; lawful real-use review later
FV-13 · arithmetic/ schedule	D2B section 12; D6; this workbook: USD 4.87 input-equivalent ceiling; 184 h Round 2 and 58 h dependency lower bound	Obidit + Sadman	Actual prices/spend, completed-work inventory, owner availability and revised resource schedule

Finding	V2 correction and source	Owner	Remaining evidence
FV-14 · pitch claims	D1/D5/D7: dated reporting cohort, existing returned/rescued outcomes, coordination need as hypothesis; no partnership/scale guarantee	Sadman	Source/selection-email review; real user/agency discovery; measured product results
FV-15 · deployment fit	D2A adapters; D2B security/deploy; TC-058/059/060/065: pin model/assets, codec tests, CSP/tile rules	Masnun + Obidit	Exact hosting tier/package/runtime test; audio bounds; all offline assets bundled; no bulk OSM caching
FV-16 · screens/ accessibility	D2A API-021/022/023; D3; D4 and tokens; TC-061/062: screen paths and accessible reflow/shortcuts	Sadman	Rendered axe/manual keyboard/zoom/ screen-reader checks; admin list and district drill-through implementation

4 Contracts to freeze at the meeting

4.1 Submission and processing

Missing reports require a complete child age/range, sex selection with unknown allowed, district, non-empty last-seen place, reviewed event interval and reporter contact. Found reports require description, district/place/time interval and staff contact; age may be unknown. Names remain optional. Four follow-up rounds are a conversational limit, not permission to guess remaining required facts; use the accessible manual form.

Draft payload remains on the device before report confirmation. Audio/text can reach declared providers earlier after the processing notice. Server-side draft records contain only principal, expiry, hash, revision and paid-call count. The opaque token is outside CaseDraft. The server checks ownership, expiry and revocation; retries never reset paid-call usage.

Submission uses a client-generated UUID scoped to the authenticated principal/session. The same UUID and canonical reviewed payload returns the same case; different values conflict. A new UUID remains a separate report, even if text/phone matches. Staff and parent submissions both use this contract. Do not turn a text hash or contact phone into a child identity.

4.2 Matching and decisions

Matching begins with national eligible exact retrieval for approximately 200 records. Geography is a soft feature. Unknown found age and overlapping time uncertainty remain visible as uncertainty. Pin 384-dimensional embedding artifact revision, dtype, pooling, L2 normalisation and symmetric query-prefix policy. Qualification and duplicate thresholds are development hypotheses until calibrated and frozen; zero suggestions is a valid result. Similarity scores never mean probability of identity.

Confirmation is one transaction with sorted endpoint locks, current version/role checks, reviewer decision, candidate state, both report states, simulated referral and safe match.confirm audit. Competing pending pairs are voided and all affected reports are reconciled. Rejection records a reason and match.reject audit. Pending candidates cannot survive a report-version change. Reliable queued/running/ complete/failed matching state survives request failures; detached serverless promises are insufficient.

Ordinary terminal edits are locked. A referral row does not prove delivery, recipient acceptance, guardian identity, custody or safe return. Before a real-case pilot, define an audited correction/reopen procedure with two distinct authorised reviewers and preserved superseded history. An isolated synthetic reset is a demo operation, not that correction procedure.

4.3 Authority and privacy

Parents see their own editable report before lock, their own status and available outputs. Staff sees own found entries. Active verified officers see operational evidence/candidates. Admins see aggregate/ metadata views and rematch status only. All reads/actions require server checks and DTO allowlists; debug mode must preserve these boundaries.

Redaction clears names/Latin names, exact age, contact, source URL, source/provenance/hash/vector metadata, notes, snapshots and generated output, including related decision/referral/candidate/duplicate text. IDs, dates, coarse age, district, sex and lifecycle/audit links remain restricted pseudonymous data. Found evidence is retained until the linked missing report closes. Browser exports, provider copies and backups require separate treatment; lazy browser expiry does not guarantee deletion while the browser is closed.

V2 blocks rows marked non-synthetic; a true flag cannot detect real information disguised as synthetic. Keep every fixture invented and prevent real input at the application boundary. Do not enable real public-child news imports. Fixed templates and a review checkbox do not establish legal guardianship or lawful processing.

5 Verification performed for this handover

Check	Result	Practical limit
Revised source coverage	Nine Markdown documents and three companions, plus this workbook	Independent upstream pitch/source PRD and application repository were not supplied
Registry	537 rows / 537 unique IDs; category counts checked	IDs index requirements, not implementation completion
Embedded companions	All three exact matches; SHA-256 hashes recorded	Regenerate both copies after later edits
TypeScript	Strict compile using TypeScript 5.4.5 passed	Standalone contract file only; no runtime JSON/API validation
SQL execution	Fresh schema applied in PostgreSQL 18.3 via PGlite 0.5.8; pgvector 0.8.1	Target PostgreSQL 16 and actual managed-host/ runtime privileges remain untested
SQL behaviours	48 targeted positive/negative checks passed	Sequential companion checks; not network concurrency, API authorisation or a deployed app audit
SQL coverage examples	Required fields, shared-phone reports, unknown found age, endpoint roles, audit-coupled decisions, immutable history, redaction, UUID uniqueness and atomic cost limits	The server still owns principal checks, lock order, safe audit content and provider settlement evidence

Check	Result	Practical limit
Token contrast	V2 border contrast exceeds 3:1 against all three light and dark surfaces	Full component, focus, keyboard, zoom/reflow and assistive-technology validation pending
PDF delivery	Searchable text, rendered diagrams, contents/ bookmarks/links; workbook form fields	Complete and save forms in a compatible PDF viewer; form completion does not alter evidence status automatically

See `verification/schema_checks.json`, `document_checks.json`, `contrast_checks.json` and `pdf_checks.json` for reproducible scope/results. The portable schema check runner and pinned package versions are included. These are companion-file checks; do not present them as 48 application or safeguarding tests passed.

6 Corrected capacity and dependency calculation

The task board contains 64 tasks and 222 estimated hours overall. The Round 2 selection is TASK-001–046, TASK-059/060 and TASK-061–064: **52 tasks, 184 hours**. This adds 12 hours of V2 remediation to the original 172-hour selection. Owner estimates are **Sadman 67 h, Obidit 54 h, Masnun 63 h**.

The declared dependency graph is acyclic. Its longest Round 2 path is **58 hours**:

Sequence	Tasks	Hours
Contract and case foundation	TASK-001 → 061 → 062 → 015	16
Matching and decision UI	TASK-017 → 027 → 028 → 029 → 030	26
Verification and submission	TASK-038 → 042 → 060 → 043 → 044 → 046	16

This is a dependency lower bound. It assumes unlimited independent resources and continuous availability; owner workloads, feedback, model downloads and review queues can make elapsed delivery longer. The original printed path totalled 67 hours and included four undeclared edges, so its approximately 59-hour claim was invalid.

If no work were completed at the start of 11 October, four full days at the assumed ten hours per person per day would offer at most **120 team-hours**, before meetings, interruptions and submission buffer. That assumption is not verified capacity. First inventory actual completed work and remaining estimates; compare each owner's remaining load with actual availability. Reassign or reduce optional scope and state any omitted Must behaviour honestly. Keep the typed/manual journey, review, role enforcement, decision/audit integrity and truthful evaluation ahead of optional import, disaster UI, summary or duplicate-grouping UI.

Actual provider prices and spend remain unknown. The old extraction allowance used 1.32M input + 0.44M output tokens with output weighted four times: 3.08M input-equivalent tokens. USD 15 / 3.08 = **USD 4.87/M**, not USD 5.70/M. This is an allowance calculation, not a provider price quote. Record actual input/output/audio rates and maximum-call reservations. Default cap USD 25; a documented team budget decision may raise it within the USD 30 ceiling. Uncertain paid calls are not silently refunded.

7 Next-meeting agenda and decisions

Minutes	Discussion	Required outcome	Lead
0–10	Actual repo/deploy progress, unfinished tasks and availability	Evidence-backed remaining-work inventory and owner capacity	Sadman
10–25	V2 required fields, token/UUID, role DTOs, decision/referral/count semantics	Agreed canonical contracts; unresolved items get owner/date	All
25–35	Provider/audio/embedding/hosting spike and costs	Tested primary/fallback configuration or explicit manual/demo limitation	Obidit + Masnun
35–45	Evaluation manifest, grouped split, baselines and no-match tests	Frozen development/test boundary and reporting definitions	Masnun + Obidit
45–55	One-database demo, official cutoff/ channel/deliverables and claims	Rehearsal topology and submission checklist with verified organiser instructions	Sadman
55–60	Priorities, handover acknowledgement and next evidence check	Owner/date per unresolved action; no invented completion	All

Bring the actual repository/build link, current board, remaining owner hours, provider account configuration and price sheet, organiser selection email, manifest/ground truth if written, test logs, spend log, and any consented interview notes. Retrieve the original pitch/source PRD if their inherited assumptions remain authoritative.

Use confirmed / changed / unknown for decisions. Do not replace missing answers with “nothing built,” “zero spend,” “no interviews” or “no agency outcomes” without evidence. Record who decided, when, what evidence was examined and the next review date.

8 Evaluation and demonstration handover

Use a canonical manifest of 80 missing + 80 found + 40 additional decoys = 200 records, 60 canonical true pairs, 20 canonical no-match missing queries and 25 duplicate links within that same total. Keep identity-connected and duplicate variants in one split. The intended 40% dev/60% test split may not divide exactly by count; report actual grouped counts. Do not tune on held-out examples.

Freeze model/revision, preprocessing, prefixes, score weights, thresholds, prompt/template and manifest hashes before final evaluation. Force fixtures/cache off for quality runs. Report present-field errors and false additions separately from null agreement, conditional top-1 precision with coverage, Recall@5, clearly defined macro P@5 and aggregate shortlist precision, no-match false suggestions/abstention, duplicate precision/recall/F1, speech WER and critical-field errors. Distinguish gold-field from extracted/ speech-field matching and include baselines/failures. Repeated clips/runs are not new independent samples. Five volunteer timing sessions are exploratory; a 90% completion threshold with five participants needs five completions.

All online roles use one cloud database. All offline roles use one local database in separate browser profiles. Bundle fonts, model, fixture data and district geometry. Use a laptop for the offline microphone baseline; a LAN phone needs tested HTTPS/secure-context access. If cloud fails, restart a fresh local synthetic scenario and disclose the restart; the cloud report does not silently transfer. Optional OSM tiles require current policy/attribution/Referer compliance and cannot be bulk cached for offline use.

Label synthetic data, seeded officer verification, fixture/cache responses, simulated referral recording and compressed video time. A 38-second demonstration containing a longer voice note is edited/time-compressed, not proof of that end-to-end latency. Do not claim CID/MUN integration, real recipient acknowledgement, child return, nationally validated efficacy or results not yet measured.

9 Applying and maintaining the package

Apply `code/schema_v2.sql` to a **fresh isolated synthetic database** with the target pgvector extension installed. It is not a repeatable migration or a V1 upgrade script. Existing/live data needs backup, a reviewed versioned migration, explicit enum/data mapping and rollback rehearsal. Create missing reports initially as submitted then open; construct final fixture states through complete audited lifecycle transactions.

Use separate migration-owner, runtime and restricted redaction credentials. The runtime must not own tables, alter schema, disable triggers or truncate audit. PUBLIC function revocations in the schema are not a deployed privilege configuration; an operator must grant the exact service-role privileges and test them. Passing an admin UUID to redact_case does not authenticate an HTTP caller: server authority checks remain mandatory. Decision/cost helper functions execute inside the caller's transaction and do not replace request-level enforcement.

Keep the companion types at service boundaries and implement strict runtime validators. Convert database numeric/bigint/timestamp/vector values deliberately. Pin tested dependency/model artifacts and commit the real application lockfile. This specification does not bundle a Next.js app or define runnable npm application scripts; D2B/D6 commands are implementation targets.

After a contract edit: update the canonical companion/requirement, all affected API/flow/UI/test rows, D5 registry and companion embeds; rerun scope-appropriate checks; version the evidence and PDF exports. Do not mark TC-001–066 complete merely because the acceptance specifications exist.

10 Sources and evidence boundaries

Public sources below were verified in the preceding validation review. The V2 specifications preserve source distinctions: official sources for rules/technical contracts, reported police figures for scale, and hypotheses for unvalidated workflow need. Missing independent upstream project sources are explicitly marked.

Source	Supported use	Link
Official event page	Track 3, 14 Oct submission date, 24 Oct finale, three-member limit and 5–10-minute finale presentation; exact submission time/ channel/slide/video rules still require selection email	Hack for Humanity

Source	Supported use	Link
Daily Star report, 3 Sep 2026	Jan–Jul reporting cohort: 15,717 reported, 2,038 untraced, 13,679 reported returned/rescued; approximately 13% untraced and 74 reports/day; not a live October count	Police-figure reporting
BSS CID briefing report	Missing Children Cell / MUN authority and 13219; no Fera endorsement or integration	CID briefing
Official Personal Data Protection Act, 2026	Act identity, phased commencement and need for qualified child-data/transfer assessment; no legal compliance conclusion	Official law
Gemini terms; OpenAI data controls	Exact account/endpoint training, retention and human-review terms require review	Gemini · OpenAI
E5 model card; pgvector	384 dimensions/prefixes/normalisation and filtered retrieval behaviour	E5 · pgvector
PostgreSQL constraints	NULL/CHECK behaviour and integrity design	PostgreSQL 16
Hosting/model/speech documentation	Verify actual tier limits, local assets and tested audio formats	Vercel · Transformers.js · Speech
W3C accessibility guidance	Non-text contrast, character shortcuts and reflow tests	Contrast · Shortcuts · Reflow
OSM tile policy	Optional online attribution/Referer; no offline bulk download	Tile policy

The dated cohort disproves a blanket claim that existing agencies record no returned/rescued outcomes. Whether operational tools support Fera's proposed linked coordination workflow remains an interview/partner-discovery hypothesis. Synthetic model results cannot establish safe child identity matching or national effectiveness.

11 Meeting decision worksheet

The PDF edition provides fillable review checkboxes and meeting notes. All fields are blank/unchecked initially; they represent team decisions entered by the reviewer, not pre-approved gates. Use a compatible PDF viewer and save a completed copy with the meeting date. The editable Markdown remains the canonical specification.

Record date/attendees, progress evidence, agreed scope and unresolved actions. Confirm contract freeze, provider/deployment evidence, grouped evaluation manifest, role/redaction tests, one-database rehearsal, honest metrics/claims and official submission instructions. If evidence is missing, leave the corresponding item unchecked and record an owner/date. Real-case use needs the separate legal, safeguarding and partner-operating gate in D2B; this workbook does not approve a pilot.

Review record

Blank initially · Complete in a compatible PDF viewer · Save a meeting copy

Meeting date (YYYY-MM-DD)

Attendees

Progress evidence / repository / report references

- ☐ Required fields, tokens, UUIDs and role DTOs agreed
- ☐ Decision, referral-recorded and count semantics agreed
- ☐ Actual progress and owner availability evidenced
- ☐ Provider/audio/model/hosting configuration tested
- ☐ Grouped manifest and held-out reporting rules frozen
- ☐ Role, redaction and restricted-privilege evidence reviewed
- ☐ One-database online/offline rehearsal completed
- ☐ Metrics, cache and timing claims reviewed
- ☐ Official cutoff, channel and deliverables confirmed

Agreed scope and decisions

Open actions: issue · owner · due date

Recorded by / next review date

Use Latin characters in the editable fields for consistent cross-viewer rendering. Bangla specifications remain searchable and fully rendered. Checking a box records the reviewer's decision; it does not certify application safety or approve real-case use.

↗ Return to contents