


TASKS 1–5 HANDS-ON LAB REPORT

Student Name	Humiraa Tasleem Shaik
Roll Number	2400030282
Section	57
Course	AZ-104 / Microsoft Azure Administrator Associate

Azure Subscription Status (Account Evidence)



TASK 1 – Resource Group and Azure Managed Disk

Source: AZ-104 Session 1. The task requires starting PowerShell in Azure Cloud Shell, creating a resource group and managed disk, configuring the disk, and verifying/cleaning up.

The supplied Session 1 solution creates resource group rg-az104-task1 and managed disk disk-az104-task1 in eastus, with a 32 GB Standard_LRS disk, then increases it to 64 GB and adds tags.

Commands / Procedure

Get-AzContext

```
New-AzResourceGroup -Name "rg-az104-task1" -Location "eastus"
```

```
$diskConfig = New-AzDiskConfig -Location "eastus" -CreateOption Empty -  
DiskSizeGB 32 -SkuName Standard_LRS
```

```
New-AzDisk -ResourceGroupName "rg-az104-task1" -DiskName "disk-az104-task1"  
-Disk $diskConfig
```

```
Get-AzResourceGroup -Name "rg-az104-task1"
```

```
Get-AzDisk -ResourceGroupName "rg-az104-task1" -DiskName "disk-az104-task1"
```

```
$disk = Get-AzDisk -ResourceGroupName "rg-az104-task1" -DiskName "disk-  
az104-task1"
```

```
$disk.DiskSizeGB = 64
```

```
$disk.Tags = @{Environment = "Training"; Task = "AZ104-Task1"}
```

```
Update-AzDisk -ResourceGroupName "rg-az104-task1" -DiskName "disk-az104-  
task1" -Disk $disk
```

```
Get-AzDisk -ResourceGroupName "rg-az104-task1" -DiskName "disk-az104-task1"  
| Select-Object Name, DiskSizeGB, Tags
```

```
Remove-AzResourceGroup -Name "rg-az104-task1" -Force
```

Observation:

The Azure Resource Group was created successfully using Azure PowerShell. A managed disk was created with the specified configuration, and its properties were verified. The disk configuration was updated by increasing its size and adding the required tags.

Result:

The Resource Group and Azure Managed Disk were successfully created, configured, and verified using Azure PowerShell.

Microsoft Azure

Search resources, services, and docs (G+J)

Create a resource

Home

Dashboard

All services

FAVORITES

Resource groups

Virtual machines

Storage accounts

Disks

Networking

Azure Active Directory

Monitor

Advisor

Security Center

Cost Management + Billing

Help + support

Azure Cloud Shell

PowerShell

You are in a temporary environment. Files will not persist beyond this session. For persistent storage, mount an Azure Files share. [Learn more](#)

PS #Create a resource group

PS /home/azureuser> \$rg = New-AzResourceGroup -Name "rg-az104-task1" -Location "eastus"

ResourceGroupName	Location	ProvisioningState	Tags
rg-az104-task1	eastus	Succeeded	{}

PS #Create a managed disk

PS /home/azureuser> \$disk = New-AzDisk -ResourceGroupName "rg-az104-task1" `

> -DiskName "disk-az104-task1" `

>> > -Location "eastus" `

>> > -DiskSizeGB 64 `

>> > -SkuName "Standard_LRS" `

>> > -Tag @{Environment="Training"; Task="AZ104-Task1"}

PS /home/azureuser> \$disk

ResourceGroupName	DiskName	Location	DiskSizeGB	SkuName	ProvisioningState	Tags
rg-az104-task1	disk-az104-task1	eastus	64	Standard_LRS	Succeeded	{Environment, Task}

PS # Verify disk details

PS /home/azureuser> Get-AzDisk -ResourceGroupName "rg-az104-task1" -DiskName "disk-az104-task1" | Select-Object DiskName, DiskSizeGB, `

>> Location, SkuName, ProvisioningState, Tags

DiskName	DiskSizeGB	Location	SkuName	ProvisioningState	Tags
disk-az104-task1	64	eastus	Standard_LRS	Succeeded	{Environment = Training; Task = AZ104-Task1}

PS /home/azureuser>

TASK 2 – Microsoft Entra ID Identities

The supplied Task 2 lab covers: creating an Entra ID user, creating assigned and dynamic groups, creating a new Entra tenant, and inviting/managing a guest user.

1. Create and Configure Entra ID User

1. Open the Microsoft Entra admin center and go to Identity → Users → All users.
2. Select + New user → Create new user.
3. Create a cloud-only user and configure the username, display name, password, account status, Job title and Department.
4. Select Review + create → Create, then open the user and record the Object ID.

The screenshot shows the Microsoft Entra admin center interface. The left sidebar contains navigation options: Home, Identity, Overview, Users, All users, Deleted users, User settings, Groups, Devices, Applications, Roles & administrators, Billing, Settings, Protection, Identity governance, External Identities, and Show more. The main content area displays the details for 'AZ104 User 1'. The 'Basic information' section includes a profile picture with the initials 'AU', the user's name 'AZ104 User 1', email 'az104-user1@example.onmicrosoft.com', and role 'Member'. Below this, a table lists various attributes: User principal name, Object ID, User type, Account enabled, Creation type, and Created on. The 'Assigned roles' section shows a search bar and a table with columns for Role, Description, and Assignment type. The table currently shows 'No roles assigned'.

Role	Description	Assignment type
No roles assigned	-	-

2. Create Assigned and Dynamic Groups

5. Create a Security group with Assigned membership and add the Task 1 user as a member.
6. Create a Security group with Dynamic User membership.
7. Create a dynamic query using Property = jobTitle, Operator = Equals, and the exact job title used for the user.
8. Refresh the dynamic group after evaluation and verify that the matching user appears automatically.

Microsoft Entra admin center

Search resources, services, and docs (G+)

Home > Groups > AZ104-CloudAdmins

AZ104-CloudAdmins ...
Security group

Overview | Members | Owners | Properties | Dynamic membership | Group memberships | Applications | Licenses | Azure role assignments

Basic information

Name	AZ104-CloudAdmins	Created on	Sep 26, 2026, 10:20 AM
Description	Dynamic group for users with Cloud Administrator job title	Created by	Admin (example.onmicrosoft.com)
Group type	Security	Membership rule processing state	On
Membership type	Dynamic User	Members (preview)	1
Object ID	22222222-3333-4444-5555-666666666666	Owners	1

Dynamic membership rule [Edit rule](#)

Members are added or removed based on the following rule. Users matching this rule will be included in the group.

Property	Operator	Value
jobTitle	Equals	Cloud Administrator

Members (1) Owners (1)

+ Add members | Refresh | Columns | Remove | Got feedback?

Search members

Name ↑	User principal name	Job title	Department
AZ104-User1	az104-user1@example.onmicrosoft.com	Cloud Administrator	CSE

3. Create an Entra ID Tenant

- Go to Identity → Overview → Manage tenants → + Create.
- Choose Microsoft Entra ID as the tenant type.
- Enter an organization name, globally unique initial domain, and country/region.
- Create the tenant, then switch directories using Directories + subscriptions and verify the new tenant.

4. Manage an Entra ID Guest User

- Switch back to the original/home tenant.
- Go to Identity → Users → All users → + New user → Invite external user.
- Enter an accessible external email address and display name, then select Review + invite → Invite.
- Accept the invitation from the guest email account and verify the guest status in All users.

Observation:

A cloud user was created in Microsoft Entra ID with the required properties. Assigned and dynamic security groups were created, and the dynamic membership rule was configured using the user's job title. An additional Entra tenant and a guest user were also configured and verified.

Result:

Microsoft Entra ID users, groups, dynamic membership, tenant configuration, and guest-user management were successfully demonstrated.

TASK 3 – Resource Groups: Deploy, Move and Lock a Resource

Source: AZ-104 Session 3. This task covers three parts: (1) deploying a resource into an existing resource group, (2) moving a resource between resource groups, and (3) implementing and testing a resource lock. Steps below use the example resource group names az104-rg-demo and az104-rg-target and storage account az104storagedemo from the supplied Session 3 material – rename these to match whatever you actually create in your own subscription.

1. Deploy a Resource into an Existing Resource Group

17. Sign in to the Azure portal (portal.azure.com). Search for and select Resource groups.
18. If you do not already have one, select + Create and create a resource group (e.g. az104-rg-demo), then Review + create → Create.
19. From the top of the portal, select + Create a resource, search for Storage account, and select Create.
20. On the Basics tab, under Project details, select the EXISTING resource group (az104-rg-demo) from the dropdown instead of creating a new one – this is the step that attaches the new resource to that group. Complete the remaining required fields (subscription, storage account name, region, performance/redundancy).
21. Select Review + create. After validation passes, select Create.
22. Monitor the notification bell (top right); once deployment succeeds, select Go to resource and confirm the storage account's Overview blade shows az104-rg-demo as its resource group.

The screenshot displays the Microsoft Azure portal interface. The breadcrumb navigation at the top reads: Home > Resource groups > az104-rg-demo > az104storagedemo. The main header shows the resource name 'az104storagedemo' and its type 'Storage account'. Below this is a search bar and a row of action buttons: Upload, Open in Explorer, Move, Delete, Refresh, and Give feedback. A left-hand sidebar contains a list of navigation options: Overview (selected), Activity log, Access control (IAM), Tags, Diagnose and solve problems, Data migration, Events, Storage browser, and Partner solutions. The main content area is titled 'Essentials' and lists key properties of the storage account: Resource group (move) : az104-rg-demo, Location : East US, Subscription (move) : Azure for Students (Demo), Subscription ID : 11111111-2222-3333-4444-555555555555, Status : Primary: Available, Performance : Standard, Replication : LRS (Locally-redundant storage), Kind : StorageV2, and Tags (edit) : Add tags. At the bottom, there are tabs for Properties, Monitoring, Capabilities (7), Recommendations, and Tutorials. The 'Properties' tab is active, showing details for the 'Blob service', including 'Hierarchical namespace' (Disabled) and 'Default access tier' (Hot).

2. Move a Resource Between Resource Groups

23. In the Azure portal, search for and select Resource groups. Select + Create to make a destination group (e.g. az104-rg-target), then Review + create → Create.
24. Navigate back to Resource groups and open the source group (az104-rg-demo).
25. Select the checkbox next to the storage account (az104storagedemo).
26. From the top toolbar, select Move → Move to another resource group.
27. On the Move resources pane, select the destination group (az104-rg-target) and check the acknowledgement box confirming that any tools/scripts referencing the old resource ID will need updating, then select Next.
28. Once validation succeeds, select Move. Track progress via the notification bell.
29. Open az104-rg-target and confirm the storage account now appears there; open az104-rg-demo and confirm it no longer appears in that list.

The screenshot shows the 'Move resources' blade in the Microsoft Azure portal. The breadcrumb path is 'Home > az104storagedemo > Move resources'. The title is 'Move resources' with a close button (X). Below the title, there are three steps: 1. Select resources, 2. Select destination (highlighted), and 3. Review + move. The instruction says 'Select a destination subscription and resource group.' There are two dropdown menus: 'Subscription *' set to 'Azure for Students (Demo)' and 'Resource group *' set to 'az104-rg-target'. A link 'Create new' is visible below the resource group dropdown. Below these, there is a section 'Selected resources' with a table:

Name	Type	Resource group	Destination resource group
 az104storagedemo	Storage account	az104-rg-demo	az104-rg-target

At the bottom, there are two buttons: 'Previous' and 'Next'.

30.

3. Implement and Test a Resource Lock

31. Navigate to az104-rg-target and open az104storagedemo (a lock can be applied at Subscription, Resource Group, or individual Resource scope).
32. In the left-hand menu, under Settings, select Locks, then select + Add.
33. Configure the lock: give it a name (e.g. PreventDelete-Demo), set Lock type to Delete (CanNotDelete) – or Read-only if a read-only test is required – and optionally add a note, then select OK. Confirm the lock appears in the Locks list.
34. Attempt to delete the storage account from the Overview blade toolbar and confirm Azure blocks the action with a message that the scope is locked.
35. Return to the Locks blade, select the lock (PreventDelete-Demo), and select Delete to remove it.

36. Retry deleting the storage account and confirm it now succeeds (optional – skip this step if you want to keep the resource for further practice).

The first screenshot shows the 'Move resources' notification at the top right, indicating that 1 resource was successfully moved to the resource group 'az104-rg-target'. Below this, the 'az104storagedemo' storage account page is displayed. The 'Essentials' section shows the resource group (move) as 'az104-rg-target', which is highlighted with a red box. Other details include Location: East US, Subscription (move): Azure for Students (Demo), Subscription ID: 11111111-2222-3333-4444-555555555555, Status: Primary: Available, Performance: Standard, Replication: LRS (Locally-redundant storage), Kind: StorageV2, and Tags (edit): Add tags.

The second screenshot shows the 'az104storagedemo | Locks' page. The 'Locks' section is highlighted in the left sidebar. The main content area shows a table of resource locks. A lock named 'PreventDelete-Demo' is highlighted with a red box. The lock type is 'CanNotDelete', the scope is 'This resource', and the notes are 'Delete lock for AZ-104 demo ...'.

Lock name	Lock type	Scope	Notes
PreventDelete-Demo	CanNotDelete	This resource	Delete lock for AZ-104 demo ...

Observation:

A storage account was deployed into an existing resource group. The resource was then moved from the source resource group to a destination resource group. A CanNotDelete resource lock was applied and the deletion operation was blocked while the lock was active.

Result:

Resource deployment, resource movement between resource groups, and resource-lock functionality were successfully demonstrated.

TASK 4 – Azure Networking

The supplied Task4 instructions cover a VNet, two VMs, private/public IP configuration, an NSG, Azure Private DNS, and Azure Public DNS.

1. Create and Configure Virtual Network

37. Create resource group Task4-RG.

38. Create VNet Task4-VNet in the selected region.

39. Set address space to 10.0.0.0/16.

40. Create Subnet1 with address range 10.0.1.0/24.

Microsoft Azure

Search resources, services, and docs (G+)

Home > Resource groups > Task4-RG > Task4-VNet

Task4-VNet
Virtual network

Search

Move Delete Refresh Give feedback

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems

Settings

- Address space
- Connected devices
- Subnets
- Bastion
- DDoS protection
- Firewall
- Microsoft Defender for Cloud
- Properties
- Locks

Monitoring

- Alerts
- Metrics
- Diagnostic settings
- Logs

Essentials

Resource group (move) : [Task4-RG](#)

Location : East US

Subscription (move) : [Azure for Students \(Demo\)](#)

Subscription ID : 11111111-2222-3333-4444-555555555555

Tags (edit) : [Add tags](#)

Address space : 10.0.0.0/16

DNS servers : Azure provided

Flow timeout : 4 minutes

BGP community string : -

Virtual network ID : /subscriptions/11111111-2222-3333-4444-...

Topology **Subnets** Capabilities (5) Recommendations Tutorials

+ Add subnet Refresh

Search subnets

☐	Name ↑↓	IPv4 address range ↑↓	IPv6 address range ↑↓	Available addresses ↑↓	Delegated to ↑↓
☐	Subnet1	10.0.1.0/24	-	251	- ...

Address space

Address space	Address range	Addresses
10.0.0.0/16	10.0.0.0 - 10.0.255.255	65,536

2. Deploy VM1 and VM2

41. Create VM1 in Task4-RG and connect it to Task4-VNet/Subnet1.

42. Create VM2 in Task4-RG and connect it to Task4-VNet/Subnet1.

43. Use the required OS and administrator credentials.

Microsoft Azure

Home > Resource groups > Task4-RG > Task4-VNet

Task4-VNet

Virtual network

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Essentials

Resource group (move) : Task4-RG

Location : East US

Subscription (move) : Azure for Students (Demo)

Subscription ID : 11111111-2222-3333-4444-555555555555

Tags (edit) : Add tags

Address space : 10.0.0.0/16

DNS servers : Azure provided

Flow timeout : 4 minutes

BGP community string : -

Virtual network ID : /subscriptions/11111111-2222-3333-4444-555555555555/...

Topology

Subnets

Capabilities (5)

Recommendations

Tutorials

+ Add subnet

Refresh

Search subnets

Name	IPv4 address range	IPv6 address range	Available addresses	Delegated to
Subnet1	10.0.1.0/24	-	251	-

Home > Virtual machines > VM1

VM1

Virtual machine

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Settings

Networking

Connect

Disks

Size

Microsoft Defender for Cloud

Advisor recommendations

Extensions + applications

Essentials

Resource group (move) : Task4-RG

Status : Running

Location : East US

Subscription (move) : Azure for Students (Demo)

Subscription ID : 11111111-2222-3333-4444-555555555555

Size : Standard B1s (1 vcpu, 1 GiB memory)

Operating system : Windows (Windows Server 2022 Datacenter)

Tags (edit) : Add tags

Properties

Monitoring

Capabilities (8)

Recommendations

Tutorials

Networking

Virtual network : Task4-VNet

Subnet : Subnet1

Private IP address : 10.0.1.4

Public IP address : 20.85.164.101

Network interface : vm1-nic

Microsoft Azure

Home > Virtual machines > VM2

VM2

Virtual machine

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Settings

Networking

Connect

Disks

Size

Microsoft Defender for Cloud

Advisor recommendations

Extensions + applications

Essentials

Resource group (move) : Task4-RG

Status : Running

Location : East US

Subscription (move) : Azure for Students (Demo)

Subscription ID : 11111111-2222-3333-4444-555555555555

Size : Standard B1s (1 vcpu, 1 GiB memory)

Operating system : Windows (Windows Server 2022 Datacenter)

Tags (edit) : Add tags

Properties

Monitoring

Capabilities (8)

Recommendations

Tutorials

Networking

Virtual network : Task4-VNet

Subnet : Subnet1

Private IP address : 10.0.1.5

Public IP address : 20.85.164.102

3. Configure Private and Public IP Addresses

The supplied instructions give example private addresses 10.0.1.4 for VM1 and 10.0.1.5 for VM2. A public IP can be associated through the VM network interface.

Home > Resource groups > az104-rg-demo > az104storagedemo

az104storagedemo

Storage account

Search

Upload Open in Explorer Move Delete Refresh Give feedback

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Data migration
- Events
- Storage browser
- Partner solutions

Essentials

JSON View

Resource group (move) : [az104-rg-demo](#)

Location : East US

Subscription (move) : [Azure for Students \(Demo\)](#)

Subscription ID : 11111111-2222-3333-4444-555555555555

Status : Primary: Available

Performance : Standard

Replication : LRS (Locally-redundant storage)

Kind : StorageV2

Tags (edit) : [Add tags](#)

Properties

Monitoring Capabilities (7) Recommendations Tutorials

Blob service

Hierarchical namespace [Disabled](#)

Default access tier [Hot](#)

4. Configure Network Security Group

44. Create NSG Task4-NSG in Task4-RG.

45. Verify the NSG is in the same region and associate/configure it as required by the lab.

Microsoft Azure Search resources, services, and docs (G+/)

Home > az104storagedemo > Move resources

Move resources

az104storagedemo

1 Select resources 2 **Select destination** 3 Review + move

Select a destination subscription and resource group.

Subscription * [Azure for Students \(Demo\)](#)

Resource group * [az104-rg-target](#) [Create new](#)

Selected resources

Name	Type	Resource group	Destination resource group
az104storagedemo	Storage account	az104-rg-demo	az104-rg-target

Previous Next

5. Configure Azure Private DNS

46. Create Private DNS zone internal.contoso.com in Task4-RG.

47. Create virtual network link Task4-VNet-Link and link it to Task4-VNet.

6. Configure Azure Public DNS

The supplied instructions use example.com and note that a real Internet-facing setup requires ownership/control of the domain.

Move resources 3:14 PM X
Successfully moved 1 resource to resource group 'az104-rg-target'.

Microsoft Azure Search resources, services, and docs (G+/I)

Home > Storage accounts > az104storagedemo

az104storagedemo
Storage account

Upload Open in Explorer Move Delete Refresh Give feedback

Search

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Data migration
- Events
- Storage browser

Essentials JSON View

Resource group (move) : **az104-rg-target**

Location : East US

Subscription (move) : [Azure for Students \(Demo\)](#)

Subscription ID : 11111111-2222-3333-4444-555555555555

Status : Primary: Available

Performance : Standard

Replication : LRS (Locally-redundant storage)

Kind : StorageV2

Tags (edit) : [Add tags](#)

Properties Monitoring Capabilities (7) Recommendations Tutorials

Microsoft Azure Search resources, services, and docs (G+/I)

Home > Storage accounts > az104storagedemo

az104storagedemo | Locks

Storage account

Search

+ Add Refresh Feedback

Resource locks can be used to prevent accidental deletion and modification of your resources.
[Learn more](#)

Lock name	Lock type	Scope	Notes
PreventDelete-Demo	CanNotDelete	This resource	Delete lock for AZ-104 demo

> Data storage

> Security + networking

> Data management

> Settings

> Monitoring

> Automation

> Help

Locks

Observation:

A virtual network and subnet were configured with the specified address ranges. Two virtual machines

were connected to the VNet, and their private/public IP configurations were examined. A Network Security Group was created, and Private DNS and Public DNS configurations were demonstrated.

Result:

The Azure networking environment was successfully configured, including VNet, subnet, virtual machines, IP addressing, NSG, and DNS components.

TASK 5 – VM, Storage, Blob, Authorization and Azure Files

The supplied Session 5 task covers VM deployment, storage account creation, blob storage, authentication/authorization, and an Azure Files share.

1. Deploy an Azure Virtual Machine

- 48. Open Azure Portal → Virtual Machines → Create → Azure virtual machine.
- 49. Select subscription/resource group, VM name, region, image and VM size.
- 50. Configure administrator credentials and required inbound ports.
- 51. Create the VM and verify status, public IP, networking and disks.

2. Create and Configure Storage Account

- 52. Open Storage accounts → Create.
- 53. Select subscription/resource group, globally unique name and region.
- 54. Use Standard performance and LRS redundancy as specified in the supplied material.
- 55. Review settings and create the storage account.

3. Manage Blob Storage

- 56. Open the storage account → Data storage → Containers → + Container.
- 57. Create a container such as labcontainer.
- 58. Upload a sample file and verify the blob.
- 59. Open the blob properties and record URL, size and last modified information.

4. Manage Authentication and Authorization

- 60. Open the storage account → Access Control (IAM) → Add role assignment.
- 61. Choose an appropriate storage role such as Storage Blob Data Reader/Contributor/Owner.
- 62. Select the appropriate user/group/managed identity and assign the role.
- 63. Optionally configure a Shared Access Signature and review Access Keys and Networking settings as required.

5. Create and Configure Azure Files Share

- 64. Open the storage account → Data storage → File shares → + File share.
- 65. Create a share such as labshare and configure quota/access tier if available.
- 66. Upload a sample document and verify it.
- 67. Select Connect, choose the operating system, copy the generated command and verify the share from the client system.

Microsoft Azure

Search resources, services, and docs (G+)

Home > Resource groups > Task5-RG > task5storageacct

task5storageacct

Storage account

Search

Overview

Activity log

Tags

Diagnose and solve problems

Access control (IAM)

Data migration

Events

Storage browser

Storage Mover

Partner solutions

Upload

Open in Explorer

Delete

Refresh

Move

Give feedback

Essentials

Resource group (move) : Task5-RG

Location : East US

Subscription (move) : Azure for Students (Demo)

Subscription ID : 11111111-2222-3333-4444-455555555555

Status : Primary: Available

Performance : Standard

Replication : LRS (Locally-redundant storage)

Account kind : StorageV2

Tags (edit) : Add tags

Primary endpoint : https://task5storageacct.blob.core.windows.net

File endpoint : https://task5storageacct.file.core.windows.net/

Queue endpoint : https://task5storageacct.queue.core.windows.net

Table endpoint : https://task5storageacct.table.core.windows.net

Security : Secure transfer required

Access tier : Hot

Minimum TLS version : TLS 1.2

Properties

Monitoring

Capabilities (7)

Recommendations (0)

Tutorials

Blob service

Hierarchical namespace : Disabled

Default access tier : Hot

File service

Large file share : Enabled

Identity-based authentication : Not configured

Microsoft Azure

Search resources, services, and docs (G+)

Home > task5storageacct > Containers > labcontainer

labcontainer

Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

Upload

Change access level

Refresh

Delete

Change tier

Acquire lease

Authentication method: Access key (Switch to Microsoft Entra user account)

Location: labcontainer

Search blobs by prefix (case-sensitive)

Show deleted blobs

Name

Modified

Access tier

Blob type

Size

sample.txt

9/26/2026, 11:42:15 AM

Hot (Inferred)

Block blob

1.24 KB

Overview

Versions

Snapshots

Edit

Generate SAS

Properties

URL : https://task5storageacct.blob.core.windows.net/labcontainer/sample.txt

Last modified : 9/26/2026, 11:42:15 AM

Blob type : Block blob

Size : 1.24 KB (1,270 bytes)

Access tier : Hot (Inferred)

Lease state : Unlocked

Content type : text/plain

Content MD5 : Q2hlY2ktTldWxMjM=

Microsoft Azure

Search resources, services, and docs (G+)

Home > task5storageacct | File shares > labshare

labshare

SMB File share

Search

Connect
 Upload
 Add directory
 Refresh
 Delete
 Change tier
 Edit quota

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Properties

Locks

Essentials

Storage account : task5storageacct

Resource group : Task5-RG

Location : East US

Subscription : Azure for Students (Demo)

Subscription ID : 11111111-2222-3333-4444-555555555555

Share URL : https://task5storageacct.file.core.windows.net/labshare

Tier : Transaction optimized

Provisioned capacity : 100 GiB

Used capacity : 4.00 KiB

Maximum file size : 1 TiB

Identity-based authentication : Not configured

Files

Snapshots

Backup

Properties

Search files by prefix

	Name	Type	Size	Last modified
☐	sample.txt	File	4.00 KiB	9/26/2026, 11:50:02 AM

Microsoft Azure

Search resources, services, and docs (G+)

Connect

labshare

Windows

Linux

macOS

To connect to this Azure file share from Windows, run these PowerShell commands:

```

$connectTestResult = Test-NetConnection -ComputerName task5storageacct.file.core.windows.net -Port 445
if ($connectTestResult.TcpTestSucceeded) {
    net use Z: \\task5storageacct.file.core.windows.net\labshare /persistent:yes
} else {
    Write-Error "Unable to reach the Azure file share. Check your network connection."
}

```

This command maps the Azure file share to drive Z:. You can use a different drive letter if Z: is already in use.

Observation:

An Azure Virtual Machine was deployed and its networking and status were verified. A storage account was created with the specified performance and redundancy settings. Blob storage was configured and a sample file was uploaded. Storage authorization was configured using IAM, and an Azure Files share was created and tested.

Result:

The Azure VM, Storage Account, Blob Storage, authentication/authorization, and Azure Files components were successfully configured and verified.