

Breast Implant Postmarket Safety Reporting

Descriptive analysis of openFDA MAUDE reports for FTR/FWM product codes, 2020–2025


Scoped MDR Reports
237,194

Device Entries
241,342


Patient Entries
237,155

Reports With Follow-up
59.1%


Top Reported Complication Categories



Annual MDR Reports



Annual Product-Code Query Composition



Interpretation note: Results describe MDR reporting patterns and coded report categories. They do not estimate incidence, establish causality, identify unique patients or devices, or demonstrate comparative product safety.

Executive Overview

Reporting Quality & Follow-up


Reporter & Patient-Entry Profile

Methodology & Limitations


Reporting Quality & Follow-up

Completeness, submission timing and follow-up patterns in scoped MAUDE reports


Nonnegative Reporting Lag Distribution by Year



Distribution of Follow-up Submissions



Clinical Event-Date Completeness by Year



Missing Event Date

52,411

Event Date Missing

22.1%

Lag Available

77.9%

Negative Lag Records

149

Quality note: Missingness and reporting lag describe record completeness and submission timing. They do not measure clinical severity, device failure time, incidence or causal risk. Negative lag records are flagged separately and excluded from lag quartiles.

Executive Overview

Reporting Quality & Follow-up


Reporter & Patient-Entry Profile

Methodology & Limitations


Reporter & Patient-Entry Profile

Reporter composition and completeness of demographic fields in scoped MAUDE records


Patient-Entry Age Distribution




Patient Age Parsing Status




Top Reporter Occupations




Report Source Composition



Missing Demographic Fields



Top Source-Type Labels (Nonexclusive)



Interpretation note: Patient rows represent extracted patient entries, not verified unique individuals. Demographic missingness reflects MAUDE record completeness and should not be interpreted as population demographics.

Methodology & Interpretation Framework

Cohort definition, analytical pipeline, validation controls and appropriate use of results

237,194

Unique MDR reports

2020–2025

Receipt-date scope

98.79%

Label-link mapping coverage

59

Automated tests passed

DATA PIPELINE

01 Extract

Paginated openFDA API retrieval with resumable checkpoints and page hashes

02 Normalize

Report, device and patient-entry arrays separated into linked tables

03 Classify

Reviewed complication taxonomy v5 applied to coded report labels

04 Validate

Keys, duplicates, row counts and dashboard aggregates reconciled

COHORT

Product codes	FTR and FWM
API records	237,213
Cross-code overlaps	19
Device entries	241,342
Patient entries	237,155

INTERPRETATION RULES

- ✓ Unit of analysis is the MDR report
- ✓ Categories are nonexclusive
- ✓ Patient rows are entries, not verified individuals
- ✓ date_received is FDA receipt date
- ✓ Negative lag records are excluded from quartiles

KEY LIMITATIONS

- Passive surveillance and underreporting
- No implanted-patient or device denominator
- Incomplete and inconsistent coded fields
- Reporter and manufacturer reporting bias
- Follow-up submissions may represent the same report

APPROPRIATE USE

Descriptive surveillance, Reporting-pattern assessment, Data-quality evaluation, Hypothesis generation.

DO NOT USE FOR

Incidence estimation, Causal inference, Manufacturer safety ranking, Individual clinical decisions

Executive Overview

Reporting Quality & Follow-up

Reporter & Patient-Entry Profile

Methodology & Limitations