

NATO/PFP UNCLASSIFIED

AASTP-1
(Edition 1)TABLE OF CONTENTS**PART I 1**

CHAPTER 1 - INTRODUCTION.....	I-1-1	2
SECTION I – PURPOSE AND SCOPE OF THE MANUAL.....	I-1-1	3
SECTION II – HISTORICAL BACKGROUND OF THE MANUAL.....	I-1-5	
CHAPTER 2 – CLASSIFICATION CODES AND MIXING OF AMMUNITION AND EXPLOSIVES IN STORAGE.....	I-2-1	4
SECTION I – HAZARD DIVISIONS.....	I-2-1	5
SECTION II – COMPATIBILITY GROUPS.....	I-2-5	6
SECTION III – MIXING OF AMMUNITION AND EXPLOSIVES IN STORAGE.....	I-2-9	7
CHAPTER 3 - ABOVEGROUND STORAGE IN DEPOTS.....	I-3-1	8
SECTION I – PRINCIPLES OF THE QUANTITY-DISTANCES.....	I-3-1	9
SECTION II – DETERMINATION OF QUANTITY-DISTANCES.....	I-3-17	
SECTION III – QUANTITY-DISTANCES FOR CERTAIN TYPES OF AMMUNITION AND EXPLOSIVES.....	I-3-23	
SECTION IV – QUANTITY-DISTANCES FOR CERTAIN EXPOSED SITES.....	I-3-27	
SECTION V – STORAGE BUILDINGS: GENERAL PRINCIPLES AND INFLUENCE ON QUANTITY-DISTANCES.....	I-3-31	
SECTION VI – BARRICADES: GENERAL PRINCIPLES AND INFLUENCE ON QUANTITY-DISTANCES.....	I-3-35	
SECTION VII – INJURY AND DAMAGE TO BE EXPECTED AT DIFFERENT LEVELS OF PROTECTION FOR HAZARD DIVISION 1.1 AND GROUPING OF STRUCTURES AND FACILITIES.....	I-3-39	
SECTION VIII – Q-D RULES IN THE PARTICULAR CASE OF AMMUNITION CLASSIFIED AS 1.6N.....	I-3-55	
CHAPTER 4 – UNDERGROUND STORAGE IN DEPOTS.....	I-4-1	10
SECTION I – GENERAL.....	I-4-1	11
SECTION II – HAZARD DIVISION MATERIAL DEPENDENCE.....	I-4-5	
SECTION III – CHAMBER INTERVAL.....	I-4-7	
SECTION IV – INHABITED BUILDING DISTANCE (IBD).....	I-4-11	
SECTION V – PUBLIC TRAFFIC ROUTE DISTANCE (PTRD).....	I-4-23	
SECTION VI – EXPLOSIVES WORKSHOP DISTANCE (EWD).....	I-4-25	
SECTION VII – ABOVE GROUND EARTH-COVERED MAGAZINE (ECM).....	I-4-27	
SECTION VIII – ABOVE GROUND MAGAZINE DISTANCE (AGMD).....	I-4-29	
CHAPTER 5 - SEPARATION OF POL-FACILITIES WITHIN MILITARY INSTALLATIONS.....	I-5-1	12
CHAPTER 6 – HAZARDS FROM ELECTROMAGNETIC RADIATION TO AMMUNITION CONTAINING ELECTRO-EXPLOSIVE DEVICES.....	I-6-1	13
CHAPTER 7 – FIRE FIGHTING PRINCIPLES.....	I-7-1	14
SECTION I - GENERAL.....	I-7-1	15
SECTION II – FIRE DIVISIONS.....	I-7-3	
SECTION III – FIRE FIGHTING PRINCIPLES.....	I-7-7	
SECTION IV – FIRE FIGHTING PROCEDURES.....	I-7-9	
SECTION V – EMERGENCY PLANNING.....	I-7-17	
CHAPTER 8 – REPORTS ON ACCIDENTAL EXPLOSIONS.....	I-8-1	16
CHAPTER 9 - DEPLETED URANIUM AMMUNITION.....	I-9-1	17
ANNEX I-A – QUANTITY DISTANCE TABLES FOR ABOVE GROUND STORAGE.....	I-A-1	18
SECTION I – GENERAL NOTE AND EXPLANATION OF SYMBOLS.....	I-A-2	19
SECTION II – QUANTITY DISTANCES TABLES (Q-D TABLES).....	I-A-8	

NATO/PFP UNCLASSIFIED

-13-

CHANGE 2

NATO/PFP UNCLASSIFIED

AASTP-1
(Edition 1)

LIST OF ABBREVIATIONS

In this Manual the following abbreviations have been used, but not necessarily in all ¹ places where the word combinations appear.

Depleted Uranium	=	DU	²
Electro-Explosive Device	=	EED	
Exposed site	=	ES	
Exterior Quantity-Distance	=	EQD	
Hazard Division	=	HD	
Inhabited Building Distances	=	IBD	
Interior Quantity-Distance	=	IQD	
Inter-Magazine Distance	=	IMD	
Net Explosive Quantity	=	NEQ	
Potential Explosion Site	=	PES	
Public Traffic Route Distance	=	PTRD	
Quantity-Distance	=	Q-D	

NATO/PFP UNCLASSIFIED

NATO/PFP UNCLASSIFIED

AASTP-1
(Edition 1)

Table T.1 Compatibility Group and Chemical Hazard Symbols Required for Storage of Chemical Ammunition and Substances.

Chemical Ammunition and Substances	Compati- bility Group ²	Full Protective Clothing			Breath- ing Appara- tus	Apply No Water
		Set 1	Set 2	Set 3		
1	2	3	4	5	6	7
Toxic Agents ¹	K	X				
Tear Gas, O-Chlorobenzol	G		X			
Smoke, Titanium Tetrachloride (FM)	G		X			
Smoke, Sulphur trioxide-chlorosulphonic acid solution (FS)	G		X			
Smoke, Aluminum-zinc oxide-hexachloroethane (HC)	G				X	X
White Phosphorous (WP)	H			X		
White Phosphorous plasticized (PWP)	H			X		
Thermite or Thermate (TH)	G				X	X
Pyrotechnic Material (PT)	G				X	X
Calcium Phosphide	L				X	X
Signaling Smokes	G				X	
Isobutyl methacrylate with oil (IM)	J				X	
Napalm (NP)	J			X	X	X
Triethylaluminum (TEA)(TPA)	L			X		X

Notes:

- 1 Toxic Agents without explosives components that normally would be assigned to Hazard Division 6.1 may be stored as compatibility group K.
- 2 See Chapter 3.

NATO/PFP UNCLASSIFIED

AASTP-1
(Edition 1)

Articles may be mixed in aboveground storage as shown in the following table: 1

Table 6 - Aboveground Storage of Explosive Articles - Rules for Mixing of Compatibility Groups. 2

Compatibility Group	B	C	D	E	F	G	H	J	K	L	N	S
B	X		X ⁽¹⁾	X ⁽¹⁾	X ⁽¹⁾							X
C		X	X	X	²⁾	⁴⁾					X ⁽⁵⁾	X
D	X ⁽¹⁾	X	X	X	²⁾	⁴⁾					X ⁽⁵⁾	X
E	X ⁽¹⁾	X	X	X	²⁾	⁴⁾					X ⁽⁵⁾	X
F	X ⁽¹⁾	²⁾	²⁾	²⁾	X	⁴⁾						X
G		⁴⁾	⁴⁾	⁴⁾	⁴⁾	X						X
H							X					X
J								X				X
K									X			
L										³⁾		
N		X ⁽⁵⁾	X ⁽⁵⁾	X ⁽⁵⁾							X ⁽⁵⁾	X ⁽⁷⁾
S	X	X	X	X	X	X	X	X			X ⁽⁷⁾	X ⁽⁸⁾

LEGEND: X= Mixing permitted 4

NOTES 5

- 1) Compatibility Group B fuzes may be stored with the articles to which they will be assembled, but the NEQ must be aggregated and treated as Compatibility Group F.
- 2) Storage in the same building is permitted if effectively segregated to prevent propagation.
- 3) Compatibility Group L articles must always be stored separately from all articles of other compatibility groups as well as from all other articles of different types of Compatibility Group L.
- 4) Mixing of articles of Compatibility Group G with articles of other compatibility groups is at the discretion of the National Competent Authority.
- 5) Articles of Compatibility Group N should not in general be stored with articles in other compatibility groups except S. However, if such articles are stored with articles of

NATO/PFP UNCLASSIFIED
-1-2-10-

CHANGE 2