TABLE OF CONTENTS

LIST OF ABBREVIATIONS

In this Manual the following abbreviations have been used, but not necessarily in all places where the word combinations appear.

Depleted Uranium	=	DU
Electro-Explosive Device	=	EED
Exposed site	=	ES
Exterior Quantity-Distance	=	EQD
Hazard Division	=	HD
Inhabited Building Distances	=	IBD
Interior Quantity-Distance	=	IQD
Inter-Magazine Distance	=	IMD
Net Explosive Quantity	=	NEQ
Potential Explosion Site	=	PES
Public Traffic Route Distance	=	PTRD
Quantity-Distance	=	Q-D

Table T.1 Compatibility Group and Chemical Hazard Symbols Required for Storage of Chemical Ammunition and Substances.

Chemical Ammunition and Substances	Compati-bility Group[2]	Full Protective Clothing			Breath-ing Appara-tus	Apply No Water
		Set 1	Set 2	Set 3		
1	2	3	4	5	6	7
Toxic Agents[1]	K	X				
Tear Gas, O-Chlorobenzol	G		X			
Smoke, Titanium Tetrachloride (FM)	G		X			
Smoke, Sulpher trioxide-chlorosulphonic acid solution (FS)	G		X			
Smoke, Aluminum-zinc oxide-hexachloroethane (HC)	G				X	X
White Phosphorous (WP)	H			X		
White Phosphorous plasticized (PWP)	H			X		
Thermite or Thermate (TH)	G				X	X
Pyrotechnic Material (PT)	G				X	X
Calcium Phosphide	L				X	X
Signaling Smokes	G				X	
Isobutyl methacrylate with oil (IM)	J				X	
Napalm (NP)	J			X	X	X
Triethylaluminim (TEA)(TPA)	L			X		X

Notes:

1 Toxic Agents without explosives components that normally would be assigned to Hazard Division 6.1 may be stored as compatibility group K.

2 See Chapter 3.

Articles may be mixed in aboveground storage as shown in the following table:

Table 6 - Aboveground Storage of Explosive Articles - Rules for Mixing of Compatibility Groups.

Compatibility Group	B	C	D	E	F	G	H	J	K	L	N	S
B	X		X[1)]	X[1)]	X[1)]							X
C		X	X	X	2)	4)					X[5)]	X
D	X[1)]	X	X	X	2)	4)					X[5)]	X
E	X[1)]	X	X	X	2)	4)					X[5)]	X
F	X[1)]	2)	2)	2)	X	4)						X
G		4)	4)	4)	4)	X						X
H							X					X
J								X				X
K									X			
L										3)		
N		X[5)]	X[5)]	X[5)]							X[6)]	X[7)]
S	X	X	X	X	X	X	X	X			X[7)]	X[6)]

LEGEND: X= Mixing permitted

NOTES

1) Compatibility Group B fuzes may be stored with the articles to which they will be assembled, but the NEQ must be aggregated and treated as Compatibility Group F.

2) Storage in the same building is permitted if effectively segregated to prevent propagation.

3) Compatibility Group L articles must always be stored separately from all articles of other compatibility groups as well as from all other articles of different types of Compatibility Group L.

4) Mixing of articles of Compatibility Group G with articles of other compatibility groups is at the discretion of the National Competent Authority.

5) Articles of Compatibility Group N should not in general be stored with articles in other compatibility groups except S. However, if such articles are stored with articles of