

Contents

Overview	2
Shell Card Transaction Data API.....	2
Default Authorisation Header.....	2
Pre-requisite customer data	2
Understanding the priced transaction endpoints.....	3
Walkthrough (API) – searching for priced transactions.....	3
Additional Use Cases.....	7
Search by invoice status.....	7
Search by fixed date period	7
Search by custom date period	7
Search by account	7
Search by card data.....	8
Walkthrough (API) – searching for multipayer priced transactions	8
Additional Use Cases.....	11
Search by account	11
Search by invoice status.....	12
Search by fixed date period	12
Search by custom date period	12
FAQs	13



Quick Start Guide – searching priced transactions

Overview

The Shell Card Transaction Data API allows for the complete reporting of card transaction data. The purpose of this guide is to provide API developers a detailed walkthrough of using the Shell APIs to get priced transaction data.

Shell Card Transaction Data API

The Shell Card Transaction Data API is REST-based, which allows clients to initiate requests against the Shell Card Platform. The Shell API endpoints accept JSON-encoded request bodies, return JSON-encoded responses, and use standard HTTP response codes and authentication.

This guide should be used in conjunction with the full API specification in the Shell Developer Hub – <https://apiportal.shell.com>

Default Authorisation Header

The Shell APIs are authorised with an API key and HTTP Basic Authentication. A customer is identified as an API client and is provided a unique API key and secret for each of the supported environments.

All Shell API endpoints require the default authorisation header including the target *host*, *apikey* and a base64 encoded *Authorization* header. The *Authorization* header contains the word *Basic* followed by a base64 encoded value of *apiKey:secret*. For example:

```
Host: api-test.shell.com/test
Content-Type: application/json
Authorization: Basic RXZyQWhTeFpYcDhRQVBSSUp2bmthOnNlY3JldA==
apikey: EvrAhSxZXp8QAPRIJvnka
```

Pre-requisite customer data

The Shell Card Transaction Data API endpoints typically require one or more customer data values as part of the request body parameters. The data includes payer, account and collecting company information, which are used to locate data in the Shell Card Platform. The Shell API has several fields to represent customer information, as detailed below.

Customer Data	Shell API Field	Field description
Payer	PayerNumber	Payer Number of the selected payer. Optional if Payer Id is passed, else mandatory.
	PayerId	Payer Id (i.e. Customer Id of the Payment Customer in Cards Platform) of the selected payer. Optional if Payer Id is passed, else mandatory.
Account	AccountNumber	Account Number of the customer. Optional if Account Id is passed, else mandatory.
	AccountId	Account Id (i.e. Customer Id of the Customer in Cards Platform) of the customer. Optional if Account Number is passed, else mandatory.
Collecting Company	ColCoCode	Collecting Company Code (Shell Code). Optional if ColCo Id is passed, else mandatory.
	ColCold	Collecting Company Id (in Shell Card Platform). Optional if ColCo Code is passed, else mandatory.
	ColCoCountryCode	The 2 character ISO Code for the customer and card owning country.

This information can be programmatically retrieved at run-time using the Shell API as detailed in the 'Working with customer data' quick start guide. Alternatively, the values can be stored in a static configuration file and referenced by the customers client integration.



Quick Start Guide – searching priced transactions

Understanding the priced transaction endpoints

Priced transactions are the Shell fuel card transactions completed by a customer. The transactions can be invoiced or un-invoiced and are of type sales item or fee item.

There are two endpoints that return priced transaction details. The endpoints `/transaction/pricedtransactions` and `/transaction/pricedtransactionssummary` both take the exact same input parameters as specified in the API specification. The difference is in the data returned.

The `/transaction/pricedtransactionssummary` endpoint returns a summary of transactions by product and the location of the transaction. The `/transaction/pricedtransactions` endpoint returns the detailed information about each transaction and supports pagination.

Walkthrough (API) – searching for priced transactions



This is the basic use case for searching priced transactions in the Shell Card Platform. The search flow illustrates returning the summary and

detailed information of priced transactions. The relevant fields are **highlighted**, and some response fields have been removed for simplicity.

1. **Get customer data** - refer to the 'Working with customer data' quick start guide for further information on retrieving the payer, account, collection company and other information for a customer.
2. **Get priced transactions summary** – the API example returns all invoiced and un-invoiced transactions.

Data & Reporting Advanced

POST	<code>/fleetmanagement/v1/transaction/pricedtransactionssummary</code>
Request Body	<pre>{ "PayerNumber": "GB00000001", "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true }</pre>
Response Body	<pre>{ "TransactionsSummary": [{ "InvoiceCurrencyCode": "GBP", "InvoiceCurrencySymbol": "£", "ProductCode": "21", "ProductGroupId": 3, "ProductGroupName": "Motor gasoline" }, { "ProductId": 21, "ProductName": "Unleaded - High octane", "SiteGroupId": 109, </pre>



Quick Start Guide – searching priced transactions

	<pre> "SiteGroupName": "Default Shell Stat ions Germany", "TotalFuelQuantity": 1.000000, "TotalGrossAmount": 0.840000, "TotalNetAmount": 0.700000 } } </pre>
Developer Notes	- The <i>InvoiceStatus</i> value "A" returns both invoiced and un-invoiced data. The un-invoiced items are those that do not have an associated invoice. - The flag <i>IncludeFees</i> returns all transaction sale items and fee items. - The results show a summary of transactions by <i>ProductId</i> and <i>SiteGroupId</i>.

3. **Get details of priced transactions** – the endpoint uses the exact same input parameters as */transaction/pricedtransactionssummary*.

Data & Reporting Starter

POST	/fleetmanagement/v1/transaction/pricedtransactions
Request Body	<pre> { "PayerNumber": "GB00000001", "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true } </pre>
Response Body	<pre> { "Transactions": [{ "AccountId": 2, "AccountName": "SAPCUST0079098", "AccountNumber": "GB00000001", "AccountShortName": "SAPCUST0079", "Additional1": "additional1", "Additional2": "additional2", "Additional3": "additional3", "Additional4": "additional4", "AllowClearing": "N", "AuthorisationCode": "8218", "CardExpiry": "20250831", "CardExpiryPeriod": "2508", "CardGroupId": "", "CardGroupName": "", "CardId": 5429, "CardPAN": "7002053035755530236", "CardSequenceNumber": "023", "CardType": "GB FLT INT TMF ETOLL", "CheckDigit": "6", "ColCoExchangeRate": 0.760117, "CorrectionFlag": "N", "CreditDebitCode": "D", "CRMNumber": "", "CustomerCountry": "United Kingdom", "CustomerCountryCode": "GB", "CustomerCurrencyCode": "GBP", "CustomerCurrencySymbol": "£", "CustomerRetailPriceUnitGross": 8.00 0000, "CustomerRetailValueTotalGross": 496 .000000, "CustomerRetailValueTotalNet": 413.3 30000, "DelcoCode": "005", "DelCoExchangeRate": 0.760117, "DelcoListPriceUnitNet": 0.000000, "DelcoName": "Shell U.K. Oil Product s Limited", "InvoiceStatus": "A", "IncludeFees": true, "Fromdate": "20200101", "ToDate": "20200630", "PayerNumber": "GB00000001", "ColCoCode": "5" }] } </pre>

Quick Start Guide – searching priced transactions

```

"DelcoRetailPriceUnitNet": 6.666600,
"DelCoToColCoExchangeRate": 1.000000
,
"DelcoRetailPriceUnitGross": 8.00000
0,
"DelcoRetailValueTotalNet": 413.3300
00,
"DelcoRetailValueTotalGross": 496.00
0000,
"DiscountType": "66",
"DisputeStatus": "No Dispute",
"DriverName": "TEST",
"EffectiveDiscountInCustomerCurrency
": 0.000000,
"EffectiveDiscountInTrxCurrency": 0.
0,
"EffectiveUnitDiscountInCustomerCurr
ency": 0.000000,
"EuroRebateAmount": 0.000000,
"EuroVATAmount": 0.000000,
"FleetIDDescription": "",
"FleetIdInput": "",
"FuelProduct": false,
"IncomingCurrencyCode": "CZK",
"IncomingProductCode": "52",
"IncomingSiteDescription": "FURTHERG
ATE SERVICE STATION.",
"IncomingSiteNumber": "2217",
"InvoiceCurrencyCode": "GBP",
"InvoiceCurrencySymbol": "£",
"InvoiceDate": "20200430 00:00:00",
"InvoiceGrossAmount": 413.330000,
"InvoiceNetAmount": 413.330000,
"InvoiceNumber": "3200004383",
"InvoiceTax": 0.000000,
"IsInvoiced": true,

```

```

"IsShellSite": true,
"IssuerCode": "7002",
"Location": {
  "Latitude": "",
  "Longitude": ""
},
"NetEuroAmount": 543.770000,
"NetInvoiceIndicator": "Y",
"Network": "Shell UK",
"NetworkCode": "S",
"OdometerInput": 123456,
"OriginalSalesItemId": "",
"ParentCustomerId": null,
"ParentCustomerName": null,
"ParentCustomerNumber": "",
"PayerGroup": "25",
"PayerGroupName": "11607315 - EAST C
ITY TRADING",
"PayerName": "SAPCUST0079098",
"PayerNumber": "GB00000001",
"PINIndicator": "Unknown",
"PostingDate": "20200407 02:12:19",
"ProductCode": "52",
"ProductGroupId": 12,
"ProductGroupName": "Non Food",
"ProductName": "Batteries",
"PurchasedInCountry": "United Kingdo
m",
"PurchasedInCountryCode": "GB",
"Quantity": 62.000000,
"RebateonNetAmountInCustomerCurrency
": 0.000000,
"RebateonNetAmountInTransactionCurre
ncy": 0.000000,
"RebateRate": 0.000000,
"ReceiptNumber": "2493",

```



Quick Start Guide – searching priced transactions

	<pre> "RefundFlag": "N", "ReleaseCode": "3", "SalesItemId": 2000579, "SiteCode": "2217", "SiteCountry": "United Kingdom", "SiteGroupId": 390, "SiteGroupName": "UK 9100 ECONOMY NE TWORK_GFN_Upd", "SiteName": "FURTHERGATE SERVICE STA TION.", "TransactionCurrencyCode": "CZK", "TransactionCurrencySymbol": "Kč", "TransactionDate": "20200403", "TransactionGrossAmount": 413.330000 , "TransactionId": "g9WLex7ElVACuxFl9j 321g", "TransactionLine": "1", "TransactionNetAmount": 413.330000, "TransactionStatus": "I", "TransactionTax": 0.000000, "TransactionTime": "21:01:54", "TransactionType": "Purchase", "TransactionTypeDescription": "1-P urchase", "TrnIdentifier": "052000579", "Type": "SalesItem", "UnitDiscountInvoiceCurrency": 0.000 000, "UnitDiscountTransactionCurrency": 0 .000000, "UnitPriceInInvoiceCurrency": 6.6666 00, "UnitPriceInTransactionCurrency": 6. 666600, "UTCOffset": "+01:00:00", </pre>
	<pre> "VATApplicable": "N", "VATCategory": "89", "VATCountry": "United Kingdom", "VATonNetAmount": 0.0, "VATonNetAmountInCustomerCurrency": 0.000000, "VATRate": 0.0, "VehicleRegistration": "" }], "CurrentPage": 1, "RowCount": 132, "TotalPages": 1, "Error": { "Code": "0000", "Description": "Success" }, "RequestId": "a80a14ab-0463-4e08-b891- e9ff2d9acec8" } </pre>
Developer Notes	- The results above only show one transaction record for simplicity. - The API supports pagination and by default a maximum of 50 records are returned per API call. - If the response field <i>InvoiceNumber</i> is blank then this indicates an un-invoiced transaction. - The field <i>Type</i> indicates the type of transaction; either a <i>SalesItem</i> or a <i>FeeItem</i>.



Quick Start Guide – searching priced transactions

Additional Use Cases

This section lists the JSON request body for additional search use cases for the endpoint `/transaction/pricedtransactions`. The same use cases and input parameters apply to the endpoint `/transaction/pricedtransactions summary`.

Search by invoice status

POST	/fleetmanagement/v1/transaction/pricedtransactions
Request Body	<pre>{ "PayerNumber": "GB00000001", "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true }</pre>
Developer Notes	- The <i>InvoiceStatus</i> options include: - A = All transactions - I = Invoiced transactions - U = Un-invoiced transactions

Search by fixed date period

POST	/fleetmanagement/v1/transaction/pricedtransactions
Request Body	<pre>{ "PayerNumber": "GB00000001", "ColCoCode": "5", "InvoiceStatus": "A", "Period": 1, "IncludeFees": true }</pre>

Developer Notes

- The fixed *Period* values include:
 - 1 = 7 days
 - 2 = 30 days
 - 3 = 90 days

Search by custom date period

POST	/fleetmanagement/v1/transaction/pricedtransactions
Request Body	<pre>{ "PayerNumber": "GB00000001", "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true }</pre>
Developer Notes	- The custom date period replaces the fixed period - The custom period should be within the last 7 months - The date format is yyyyMMdd - Leave the <i>ToDate</i> field blank to return all transactions after the given <i>FromDate</i>

Search by account

POST	/fleetmanagement/v1/transaction/pricedtransactions
Request Body	<pre>{ "PayerNumber": "GB00000001", "ColCoCode": "5", "AccountId": 2, "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", }</pre>




Quick Start Guide – searching priced transactions

	<code>"IncludeFees": true</code>
Developer Notes	Provide the <i>AccountId</i> or <i>AccountNumber</i> field to filter results by account

Search by card data

POST	/fleetmanagement/v1/transaction/pricedtransactions
Request Body	<pre>{ "PayerNumber": "GB00000001", "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true, "CardId": 275549, }</pre>
Developer Notes	- Providing a <i>CardId</i> or a <i>CardPAN</i> filters the transactions for the given card - If neither field is provided, the results will include all transactions under the selected payer or account

Walkthrough (API) – searching for multipayer priced transactions



This is the basic use case for searching multipayer priced transactions in the Shell Card Platform. The relevant fields are **highlighted**, and some response fields have been removed for simplicity.

4. **Get customer data** - refer to the 'Working with customer data' quick start guide for further information on retrieving the payer, account, collection company and other information for a customer.
5. **Get details of multipayer priced transactions** – the API example returns all invoiced and un-invoiced transactions for multiple payer accounts.

Data & Reporting Starter

POST	/fleetmanagement/v1/transaction/multipayerspricedtransactions
Request Body	<pre>{ "Accounts": [</pre>

Quick Start Guide – searching priced transactions

	<pre> {"PayerNumber": "GB00000001"}, {"PayerNumber": "GB00000097"}], "ColCoCode": "5", "InvoiceStatus": "A", "FromDate": "20200101", "ToDate": "20200630", "IncludeFees": true } </pre>		
Response Body	<pre> { "Transactions": [{ "AccountId": 2, "AccountName": "SAPCUST0079098", "AccountNumber": "GB00000001", "AccountShortName": "SAPCUST0079", "Additional1": "additional1", "Additional2": "additional2", "Additional3": "additional3", "Additional4": "additional4", "AllowClearing": "N", "AuthorisationCode": "8218", "CardExpiry": "20250831", "CardExpiryPeriod": "2508", "CardGroupId": "", "CardGroupName": "", "CardId": 5429, "CardPAN": "7002053035755530236", "CardSequenceNumber": "023", "CardType": "GB FLT INT TMF ETOLL", "CheckDigit": "6", "ColCoExchangeRate": 0.760117, "CorrectionFlag": "N", "CreditDebitCode": "D", "CRMNumber": "", "CustomerCountry": "United Kingdom", </pre>	<pre> "CustomerCountryCode": "GB", "CustomerCurrencyCode": "GBP", "CustomerCurrencySymbol": "£", "CustomerRetailPriceUnitGross": 8.00 0000, "CustomerRetailValueTotalGross": 496 .000000, "CustomerRetailValueTotalNet": 413.3 30000, "DelcoCode": "005", "DelCoExchangeRate": 0.760117, "DelcoListPriceUnitNet": 0.000000, "DelcoName": "Shell U.K. Oil Product s Limited", "DelcoRetailPriceUnitGross": 8.00000 0, "DelcoRetailPriceUnitNet": 6.666600, "DelcoRetailValueTotalGross": 496.00 0000, "DelcoRetailValueTotalNet": 413.3300 00, "DelCoToColCoExchangeRate": 1.000000 , "DiscountType": "66", "DisputeStatus": "No Dispute", "DriverName": "TEST", "EffectiveDiscountInCustomerCurrency ": 0.000000, "EffectiveDiscountInTrxCurrency": 0. 0, "EffectiveUnitDiscountInCustomerCurr ency": 0.000000, "EuroRebateAmount": 0.000000, "EuroVATAmount": 0.000000, "FleetIDDescription": "", "FleetIdInput": "", </pre>	



Quick Start Guide – searching priced transactions

```

    "FuelProduct": false,
    "IncomingCurrencyCode": "CZK",
    "IncomingProductCode": "52",
    "IncomingSiteDescription": "FURTHERG
ATE SERVICE STATION.",
    "IncomingSiteNumber": "2217",
    "InvoiceCurrencyCode": "GBP",
    "InvoiceCurrencySymbol": "£",
    "InvoiceDate": "20200430 00:00:00",
    "InvoiceGrossAmount": 413.330000,
    "InvoiceNetAmount": 413.330000,
    "InvoiceNumber": "3200004383",
    "InvoiceTax": 0.000000,
    "IsInvoiced": true,
    "IsShellSite": true,
    "IssuerCode": "7002",
    "Location": {
        "Latitude": "",
        "Longitude": ""
    },
    "NetEuroAmount": 543.770000,
    "NetInvoiceIndicator": "Y",
    "Network": "Shell UK",
    "NetworkCode": "S",
    "OdometerInput": 123456,
    "OriginalSalesItemId": "",
    "ParentCustomerId": null,
    "ParentCustomerName": null,
    "ParentCustomerNumber": "",
    "PayerGroup": "25",
    "PayerGroupName": "11607315 - EAST C
ITY TRADING",
    "PayerId": 2,
    "PayerName": "SAPCUST0079098",
    "PayerNumber": "GB00000001",
    "PINIndicator": "Unknown",

```

```

    "PostingDate": "20200407 02:12:19",
    "ProductCode": "52",
    "ProductGroupId": 12,
    "ProductGroupName": "Non Food",
    "ProductName": "Batteries",
    "PurchasedInCountry": "United Kingdo
m",
    "PurchasedInCountryCode": "GB",
    "Quantity": 62.000000,
    "RebateonNetAmountInCustomerCurrency
": 0.000000,
    "RebateonNetAmountInTransactionCurre
ncy": 0.000000,
    "RebateRate": 0.000000,
    "ReceiptNumber": "2493",
    "RefundFlag": "N",
    "ReleaseCode": "3",
    "SalesItemId": 2000579,
    "SiteCode": "2217",
    "SiteCountry": "United Kingdom",
    "SiteGroupId": 390,
    "SiteGroupName": "UK 9100 ECONOMY NE
TWORK_GFN_Upd",
    "SiteName": "FURTHERGATE SERVICE STA
TION.",
    "TransactionCurrencyCode": "CZK",
    "TransactionCurrencySymbol": "Kč",
    "TransactionDate": "20200403",
    "TransactionGrossAmount": 413.330000
,
    "TransactionId": "g9WLex7ElVACuxFl9j
321g",
    "TransactionLine": "1",
    "TransactionNetAmount": 413.330000,
    "TransactionStatus": "I",
    "TransactionTax": 0.000000,

```



Quick Start Guide – searching priced transactions

```

    "TransactionTime": "21:01:54",
    "TransactionType": "Purchase",
    "TransactionTypeDescription": "1-Purchase",
    "TrnIdentifier": "052000579",
    "Type": "SalesItem",
    "UnitDiscountInvoiceCurrency": 0.000000,
    "UnitDiscountTransactionCurrency": 0.000000,
    "UnitPriceInInvoiceCurrency": 6.666600,
    "UnitPriceInTransactionCurrency": 6.666600,
    "UTCOffset": "+01:00:00",
    "VATApplicable": "N",
    "VATCategory": "89",
    "VATCountry": "United Kingdom",
    "VATonNetAmount": 0.0,
    "VATonNetAmountInCustomerCurrency": 0.000000,
    "VATRate": 0.0,
    "VehicleRegistration": ""
  },
  "CurrentPage": 1,
  "RowCount": 142,
  "TotalPages": 1,
  "Error": {
    "Code": "0000",
    "Description": "Success"
  },
  "RequestId": "a336f9ea-d916-49a6-9b2c-7ea5e6fb80a8"
}

```

Developer Notes

- The results above only show one transaction record for simplicity.
- The *InvoiceStatus* value "A" returns both invoiced and un-invoiced data. The un-invoiced items are those that do not have an associated invoice.
- The flag *IncludeFees* returns all transaction sale items and fee items.
- The input parameter *Accounts* takes a list of Payers and optionally a list of sub accounts. The Payers are identified by either *PayerId* or *PayerNumber* and the sub accounts by *AccountId* or *AccountNumber*.
- If sub account details are not provided in the *Accounts* input parameter, then all transactions for all accounts for the given payers are returned.

Additional Use Cases

This section lists the JSON request body for additional search use cases for the endpoint */transaction/multipayerspricedtransactions*.

Search by account

POST	/fleetmanagement/v1/transaction/multipayerspricedtransactions
Request Body	<pre> { "Accounts": [{ "PayerNumber": "GB00000001" }, { "PayerNumber": "GB00000097" }], "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", </pre>



Quick Start Guide – searching priced transactions

	<code>"IncludeFees": true</code>
Developer Notes	Provide the <i>AccountId</i> or <i>AccountNumber</i> field to filter results by account

Search by invoice status

POST	<code>/fleetmanagement/v1/transaction/multipayerspricedtransactions</code>
Request Body	<pre>{ "Accounts": [{"PayerNumber": "GB00000001"}, {"PayerNumber": "GB00000097"}], "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true }</pre>
Developer Notes	- The <i>InvoiceStatus</i> options include: - A = All transactions - I = Invoiced transactions - U = Un-invoiced transactions

Search by fixed date period

POST	<code>/fleetmanagement/v1/transaction/multipayerspricedtransactions</code>
-------------	--

Request Body	<pre>{ "Accounts": [{"PayerNumber": "GB00000001"}, {"PayerNumber": "GB00000097"}], "ColCoCode": "5", "InvoiceStatus": "A", "Period": 1, "IncludeFees": true }</pre>
Developer Notes	- The fixed <i>Period</i> values include: 1 = 7 days 2 = 30 days 3 = 90 days

Search by custom date period

POST	<code>/fleetmanagement/v1/transaction/multipayerspricedtransactions</code>
Request Body	<pre>{ "Accounts": [{"PayerNumber": "GB00000001"}, {"PayerNumber": "GB00000097"}], "ColCoCode": "5", "InvoiceStatus": "A", "Fromdate": "20200101", "ToDate": "20200630", "IncludeFees": true }</pre>



Quick Start Guide – searching priced transactions

Developer Notes	• The custom date period replaces the fixed period • The custom period should be within the last 7 months • The date format is yyyyMMdd • Leave the <i>ToDate</i> field blank to return all transactions after the given <i>FromDate</i>
------------------------	--

FAQs

What is the difference between /transaction/pricedtransactions and /transaction/multipayerspricedtransactions ?

The endpoint */transaction/pricedtransactions* returns transactions for a single payer and the endpoint */transaction/multipayerpricedtransactions* supports multiple payer accounts. Their request parameters for transaction data are the same for both endpoints, however */transactions/pricedtransactions* also supports searching by Card Id or Card PAN.

What is an un-invoiced item?

The endpoint */transaction/pricedtransactions* returns invoiced and un-invoiced transactions. The un-invoiced transactions are those where the *InvoiceNumber* field is blank.

How can I request transaction data older than 7 months for the transaction data API?

Transaction data through the Shell API endpoints are only available for the last 7 months. If you require older data, please contact your Shell Customer Service representative or email api@shell.com

Do priced transactions results include the most recent transactions?

The Priced Transaction data are Priced, Billed and Unbilled sales items. These are NOT real-time data but are available through the API with 24-48 hours of delay.

What is the difference between Transaction date and Posting Date?

Transaction date is the date when the transaction took place. Posting date indicates the time when the transaction was delivered into the Shell system.

Is there a limit to the amount of data I can retrieve through the Priced Transaction Data API?

There are no technical limits to the amount of data returned for a single call for Priced Transaction data. However, requests exceeding 1000 records will take longer to process, and we recommend not exceeding 5000 transaction counts in a single query.

Can I import API transaction data instead of Shell Fleet Hub transaction data?

API transaction data and Shell Fleet Hub transaction data are not identical. They have varying fields, data types, formats and structures.

In case you wish to use Shell API transaction data for importing, you will have to change your system configuration according to our Shell API specification. For any further questions, please contact the Technical Support Team at api@shell.com

