

Table 1: Robustness Tests, Women Aged 21–40, 1993–2001 BRFSS

Outcome	DD Method	DD state× FE	2 vs 0 kids	DD married	DD single	DDD
At work (OLS)	0.0203 (0.0074) [0.008]	0.0206 (0.0076) [0.009]	0.0565 (0.0101) [0.000]	0.0183 (0.0109) [0.099]	0.0457 (0.0110) [0.000]	0.0130 (0.0123) [0.298]
Exc./very good health (OLS)	0.0136 (0.0074) [0.073]	0.0119 (0.0075) [0.118]	-0.0304 (0.0092) [0.002]	0.0211 (0.0088) [0.021]	0.0082 (0.0127) [0.521]	-0.0045 (0.0114) [0.695]
Bad mental health days (NegBin)	-0.0687 (0.0332) [0.039]	-0.0615 (0.0326) [0.059]	0.1585 (0.0472) [0.001]	-0.1027 (0.0519) [0.048]	-0.0514 (0.0519) [0.322]	-0.0622 (0.0730) [0.394]
Bad physical health days (NegBin)	0.0098 (0.0398) [0.805]	0.0249 (0.0391) [0.525]	0.1213 (0.0450) [0.007]	0.0432 (0.0508) [0.394]	-0.0377 (0.0675) [0.577]	0.1226 (0.0911) [0.178]

Notes: Standard errors in parentheses; *p*-values in square brackets. All standard errors allow for arbitrary correlations within state.








Table 2: Regression-Adjusted DD and DDD Estimates for Effect of EITC Expansion on Allostatic Load, Women Aged 21–40

Outcome	Preexpansion mean (treatment group)	DD	DDD
One or more risky conditions	0.643	-0.0912 (0.0496) [0.066]	-0.0926 (0.0721) [0.199]
Two or more risky conditions	0.308	-0.0940 (0.0526) [0.074]	-0.0543 (0.0715) [0.448]
Three or more risky conditions	0.113	-0.0612 (0.0391) [0.118]	-0.0349 (0.0526) [0.507]
Poisson: total risky conditions	1.108	-0.2355 (0.0954) [0.014]	-0.2072 (0.1505) [0.169]

Notes: Standard errors in parentheses; *p*-values in square brackets. All standard errors allow for arbitrary heteroskedasticity.




Table 3: Regression-Adjusted DD and DDD Estimates for Individual Biomarkers, Women Aged 21–40

Outcome	Preexpansion mean (treatment group)	DD	DDD
<i>Panel A. Metabolic biomarkers</i>			
Risky glycated hemoglobin	0.030	-0.0038 (0.0131) [0.773]	-0.0117 (0.0186) [0.529]
Risky total cholesterol	0.082	-0.0221 (0.0344) [0.520]	0.0428 (0.0459) [0.351]
Risky HDL	0.172	-0.0267 (0.0356) [0.453]	-0.0440 (0.0469) [0.348]
Any risky metabolic condition	0.256	-0.0422 (0.0449) [0.348]	-0.0173 (0.0609) [0.776]
Poisson: number of risky metabolic conditions		-0.1853 (0.1765) [0.294]	0.0298 (0.2763) [0.914]
<i>Panel B. Cardiovascular biomarkers</i>			
Risky diastolic blood pressure	0.062	-0.0324 (0.0171) [0.059]	-0.0295 (0.0257) [0.251]
Risky systolic blood pressure	0.040	0.0036 (0.0143) [0.800]	-0.0005 (0.0230) [0.984]
Risky pulse	0.068	-0.0157 (0.0367) [0.669]	-0.0433 (0.0494) [0.381]
Any risky cardiovascular condition	0.134	-0.0338 (0.0408) [0.407]	-0.0475 (0.0555) [0.392]
Poisson: number of risky cardiovascular conditions		-0.3172 (0.2335) [0.174]	-0.4230 (0.3427) [0.217]
<i>Panel C. Inflammation biomarkers</i>			
Risky albumin	0.278	-0.0878 (0.0452) [0.052]	-0.0868 (0.0628) [0.167]
Risky C-reactive protein	0.383	-0.0830 (0.0502) [0.098]	-0.0124 (0.0700) [0.859]
Any risky inflammatory condition	0.493	-0.0955 (0.0501) [0.057]	-0.0598 (0.0714) [0.402]
Poisson: number of risky inflammatory conditions		-0.2169 (0.0993)	-0.1357 (0.1592)

Table 4: Additional Robustness Checks, Women Aged 21–40, 1993–2001 BRFSS

Outcome	1995 treatment (Footnote 12)	Excl. 2000+ (Footnote 21)	Excl. 1999+ (Footnote 21)
At work (OLS)	-0.0154 (0.0083) [0.069]	0.0344 (0.0072) [0.000]	0.0340 (0.0087) [0.000]
Exc./very good health (OLS)	0.0047 (0.0076) [0.540]	0.0145 (0.0076) [0.063]	0.0214 (0.0086) [0.017]
Bad mental health days (NegBin)	-0.0001 (0.0399) [0.998]	-0.0416 (0.0303) [0.170]	-0.0541 (0.0331) [0.102]
Bad physical health days (NegBin)	0.0234 (0.0633) [0.711]	-0.0098 (0.0372) [0.793]	-0.0348 (0.0413) [0.399]

Notes: Standard errors in parentheses; p -values in square brackets. All standard errors allow for arbitrary correlations within state. Column 1 tests whether treatment in 1995 (rebates from tax year 1994) drives results. Columns 2–3 exclude years where the Child Tax Credit was in existence.