

**Replication of "Giving Mom a Break: The Impact of Higher EITC Payments on
Maternal Health" by Evans and Garthwaite**

Tate Mason

University of Georgia

March 17, 2026

Table 2 - Sample Characteristics, Mothers Aged 21-40 (1993-1996)

Sample Characteristics, Mothers Aged 21–40, 1993–1996 BRFSS

Variable	$\leq$ High school education			College graduates		
	1 child	2+ kids	<i>p</i> -value	1 child	2+ kids	<i>p</i> -value
Average age	31.044	32.046	0.000	32.249	34.622	0.000
% currently employed	0.680	0.580	0.000	0.797	0.714	0.000
<i>Race</i>						
% white, non-Hispanic	0.761	0.713	0.000	0.789	0.846	0.000
% black, non-Hispanic	0.129	0.141	0.014	0.104	0.069	0.000
% Hispanic	0.076	0.101	0.000	0.044	0.036	0.042
% other race	0.033	0.044	0.000	0.063	0.049	0.003
<i>Marital status</i>						
% married	0.548	0.655	0.000	0.709	0.846	0.000
% separated/divorced/widowed	0.238	0.210	0.000	0.162	0.120	0.000
% never married	0.184	0.111	0.000	0.111	0.025	0.000
<i>Family income</i>						
% <20K	0.405	0.386	0.006	0.110	0.082	0.000
% $\geq 20k, \leq 50k$	0.290	0.289	0.886	0.214	0.176	0.000
% $\geq 50k$	0.209	0.237	0.000	0.601	0.667	0.000
% income missing	0.096	0.088	0.050	0.075	0.076	0.958
<i>Health outcome</i>						
% excellent/very good health	0.582	0.577	0.447	0.805	0.809	0.580
% with any bad mental health days	0.432	0.447	0.029	0.418	0.424	0.577
% with any bad physical health days	0.351	0.343	0.253	0.357	0.356	0.969
Number of bad mental health days	4.270	4.523	0.028	2.932	2.892	0.744
Number of bad physical health days	2.809	2.647	0.072	1.889	1.949	0.549
Observations	7,315	15,737		3,881	6,740	

Notes: The *p*-value tests equality of means across 1-child and 2+ child groups.

Table 3 - Differences-in-Differences OLS and Negative Binomial Estimates

Difference-in-Differences OLS and Negative Binomial Estimates
 Mothers Aged 21–40, 1993–2001 BRFSS

	Preexpansion mean (treat.)	Estimation method	DiD estimates	
			Simple	Reg. adjusted
At work	0.5797	OLS	0.0170 (0.0073) [0.0232]	0.0204 (0.0074) [0.0082]
Excellent/very good health?	0.5770	OLS	0.0095 (0.0079) [0.2330]	0.0135 (0.0075) [0.0777]
Number of bad mental health days in past month	4.5228	Negative binomial	-0.0474 (0.0306) [0.1212]	-0.0754 (0.0328) [0.0214]
Number of bad physical health days in past month	2.6472	Negative binomial	0.0140 (0.0390) [0.7192]	0.0105 (0.0390) [0.7878]

Notes: Standard errors in parentheses; p -values in square brackets. All standard errors allow for arbitrary correlations within state. Regression-adjusted estimates include dummies for age, race, marital status, number of children, month, year, and state of residence.

Table 4 - Robustness Tests

Robustness Tests, Women Aged 21–40, 1993–2001 BRFSS

Outcome	DD Method	DD state× FE	2 vs 0 kids	DD married	DD single	DDD
At work (OLS)	0.0203 (0.0074) [0.008]	0.0206 (0.0076) [0.009]	0.0565 (0.0101) [0.000]	0.0183 (0.0109) [0.099]	0.0457 (0.0110) [0.000]	0.0130 (0.0123) [0.298]
Exc./very good health (OLS)	0.0136 (0.0074) [0.073]	0.0119 (0.0075) [0.118]	-0.0304 (0.0092) [0.002]	0.0211 (0.0088) [0.021]	0.0082 (0.0127) [0.521]	-0.0045 (0.0114) [0.695]
Bad mental health days (NegBin)	-0.0687 (0.0332) [0.039]	-0.0615 (0.0326) [0.059]	0.1585 (0.0472) [0.001]	-0.1027 (0.0519) [0.048]	-0.0514 (0.0519) [0.322]	-0.0622 (0.0730) [0.394]
Bad physical health days (NegBin)	0.0098 (0.0398) [0.805]	0.0249 (0.0391) [0.525]	0.1213 (0.0450) [0.007]	0.0432 (0.0508) [0.394]	-0.0377 (0.0675) [0.577]	0.1226 (0.0911) [0.178]

Notes: Standard errors in parentheses; p -values in square brackets. All standard errors allow for arbitrary correlations within state.

Table 5 - Biomarkers for Mothers Aged 21-40 with a High School Education or Less

Biomarkers for Mothers Aged 21–40 with a High School Education or Less, NHANES

Biomarker	Obs	Mean	Risky level	% Risky
<i>Measures of inflammation</i>				
C-reactive protein (mg/Dl)	2,950	0.573	≥ 0.3 mg/Dl	0.437
Albumin (g/Dl)	2,935	4.066	< 3.8 g/Dl	0.262
Number of risky inflammation conditions	2,934	0.699		
Any risky inflammation condition	2,934			0.526
<i>Measures of cardiovascular conditions</i>				
Diastolic blood pressure (mmHg)	2,947	69.303	≥ 140 mmHg	0.046
Systolic blood pressure (mmHg)	2,952	112.205	≥ 90 mmHg	0.035
Resting pulse (beats/min)	3,090	74.975	≥ 90 BPM	0.108
Number of risky cardiovascular conditions	2,947	0.185		
Any risky cardiovascular condition	2,947			0.155
<i>Measures of metabolic conditions</i>				
Total cholesterol (mg/Dl)	2,949	189.949	≥ 240 mg/Dl	0.102
HDL (mg/Dl)	2,942	53.625	< 40 mg/Dl	0.156
Glycated hemoglobin (%)	2,992	5.204	$\geq 6.4\%$	0.026
Number of risky metabolic conditions	2,933	0.284		
Any risky metabolic condition	2,933			0.259
<i>Aggregate risks</i>				
Number of risky conditions	2,683	1.156		
One or more risky conditions	2,683			0.657
Two or more risky conditions	2,683			0.333
Three or more risky conditions	2,683			0.127

Notes: Sample restricted to mothers aged 21–40 with a high school degree or less. NHANES III, 1999/2000, 2001/2002, 2003/2004.

Table 6 - Regression Adjusted DD and DDD Estimates for Effect of EITC Expansion on Allostatic Load, Women Aged 21-40

Regression-Adjusted DD and DDD Estimates for Effect of EITC Expansion on Allostatic Load, Women Aged 21–40

Outcome	Preexpansion mean (treatment group)	DD	DDD	Two Children vs. No Children
One or more risky conditions	0.643	-0.0912 (0.0496) [0.066]	-0.0926 (0.0721) [0.199]	0.0060 (0.0371) [0.871]
Two or more risky conditions	0.308	-0.0940 (0.0526) [0.074]	-0.0543 (0.0715) [0.448]	0.1140 (0.0385) [0.003]
Three or more risky conditions	0.113	-0.0612 (0.0391) [0.118]	-0.0349 (0.0526) [0.507]	0.0689 (0.0302) [0.023]
Poisson: total risky conditions	1.1082	-0.2355 (0.0954) [0.0136]	-0.2072 (0.1505) [0.1686]	0.1586 (0.0736) [0.0312]

Notes: Standard errors in parentheses; *p*-values in square brackets. All standard errors allow for arbitrary heteroskedasticity.

**Table 7 - Regression Adjusted DD and DDD Estimates for Individual Biomarkers,
Women Aged 21-40**

Regression-Adjusted DD and DDD Estimates for Individual Biomarkers, Women Aged 21–40

Outcome	Preexpansion mean (treatment group)	DD	DDD
<i>Panel A. Metabolic biomarkers</i>			
Risky glycated hemoglobin	0.0297	-0.0038 (0.0131) [0.7727]	-0.0117 (0.0186) [0.5288]
Risky total cholesterol	0.0824	-0.0221 (0.0344) [0.5203]	0.0428 (0.0459) [0.3511]
Risky HDL	0.1724	-0.0267 (0.0356) [0.4528]	-0.0440 (0.0469) [0.3482]
Any risky metabolic condition	0.2556	-0.0422 (0.0449) [0.3482]	-0.0173 (0.0609) [0.7757]
Poisson: number of risky metabolic conditions		-0.1853 (0.1765) [0.2938]	0.0298 (0.2763) [0.9141]
<i>Panel B. Cardiovascular biomarkers</i>			
Risky diastolic blood pressure	0.0616	-0.0324 (0.0171) [0.0586]	-0.0295 (0.0257) [0.2508]
Risky systolic blood pressure	0.0400	0.0036 (0.0143) [0.7998]	-0.0005 (0.0230) [0.9836]
Risky pulse	0.0682	-0.0157 (0.0367) [0.6688]	-0.0433 (0.0494) [0.3811]
Any risky cardiovascular condition	0.1336	-0.0338 (0.0408) [0.4066]	-0.0475 (0.0555) [0.3917]
Poisson: number of risky cardiovascular conditions		-0.3172 (0.2335) [0.1742]	-0.4230 (0.3427) [0.2171]
<i>Panel C. Inflammation biomarkers</i>			
Risky albumin	0.2776	-0.0878 (0.0452) [0.0521]	-0.0868 (0.0628) [0.1672]
Risky C-reactive protein	0.3831	-0.0830 (0.0502) [0.0985]	-0.0124 (0.0700) [0.8591]
Any risky inflammatory condition	0.4932	-0.0955 (0.0501) [0.0565]	-0.0598 (0.0714) [0.4021]
Poisson: number of risky inflammatory conditions		-0.2169 (0.0993) [0.0290]	-0.1357 (0.1592) [0.3940]

Notes: Standard errors in parentheses; *p*-values in square brackets. All standard errors allow for arbitrary heteroskedasticity. DD covariates: dummies for age, race, marital status, and survey year. DDD covariates add interactions between *education*×, *kids*×, and *education*×.


Additional Robustness Checks - Footnotes 12 and 21

Additional Robustness Checks, Women Aged 21–40, 1993–2001 BRFSS


Outcome	1995 treatment (Footnote 12)	Excl. 2000+ (Footnote 21)	Excl. 1999+ (Footnote 21)
At work (OLS)	-0.0154 (0.0083) [0.0694]	0.0344 (0.0072) [0.0000]	0.0340 (0.0087) [0.0003]
Exc./very good health (OLS)	0.0047 (0.0076) [0.5400]	0.0145 (0.0076) [0.0635]	0.0214 (0.0086) [0.0166]
Bad mental health days (NegBin)	-0.0001 (0.0399) [0.9982]	-0.0416 (0.0303) [0.1698]	-0.0541 (0.0331) [0.1018]
Bad physical health days (NegBin)	0.0234 (0.0633) [0.7114]	-0.0098 (0.0372) [0.7931]	-0.0348 (0.0413) [0.3991]

Notes: Standard errors in parentheses; p -values in square brackets. All standard errors allow for arbitrary correlations within state. Column 1 tests whether treatment in 1995 (rebates from tax year 1994) drives results. Columns 2–3 exclude years where the Child Tax Credit was in existence.

Figure 4 - Time Series of Outcomes



Extension - Event Study of Outcomes (1995 Normalized to Zero)



The event study supports parallel trends for three of the outcomes. However, for the excellent/very good health reporting, it would appear that leading up to the expansion, self-reporting of good-to-excellent health was already increasing. There is a downward trend for presenting poor mental health as well, but the confidence interval encompasses zero, so it is a less compelling result. For working and poor physical health, there is evidence in favor of parallel trends. Both of these variables, relative to 1995, have little pre-event variation, validating the assumption of parallel trends.