Contents

CORELITH PRODUCT DESIGN TRANSFORMATION **2**
Huchu ERP → Attio Design System . . . 2
Complete Implementation Specification for Agent Swarm Execution . . . 2
TABLE OF CONTENTS . . . 2
1. EXECUTIVE SUMMARY . . . 3
The Mission . . . 3
What Attio Design Means (From 27 Screenshots) . . . 3
What We're NOT Doing . . . 3
Success Criteria . . . 3
2. DESIGN SYSTEM FOUNDATION . . . 3
2.1 Color Palette (Extracted from Screenshots) . . . 3
2.2 Typography System . . . 4
2.3 Spacing System . . . 5
2.4 Border Radius . . . 5
2.5 Shadow System . . . 5
3. CODEBASE AUDIT . . . 6
3.1 Technology Stack . . . 6
3.2 File Structure (Key Paths) . . . 6
3.3 Current Token System . . . 7
4. TOKEN TRANSFORMATION . . . 7
4.1 Step 1: Replace globals.css . . . 7
4.2 Step 2: Replace client.css . . . 11
4.3 Step 3: Replace admin.css . . . 11
4.4 Step 4: Remove Custom Font . . . 12
4.5 Step 5: Update Tailwind Mappings . . . 12
5. COMPONENT SPECIFICATIONS . . . 13
5.1 Button Component . . . 13
5.2 Card Component . . . 14
5.3 Input Component . . . 15
5.4 Table Component . . . 16
5.5 Dialog/Modal Component . . . 17
5.6 Badge Component . . . 18
5.7 Sidebar Component . . . 19
5.8 Navbar Component . . . 21
6. LAYOUT ARCHITECTURE . . . 22
6.1 App Shell . . . 22
6.2 Content Area . . . 22
6.3 Page Layout Pattern . . . 22
7. DARK MODE . . . 23
7.1 Create Dark Theme File . . . 23
7.2 Add to layout.tsx . . . 24
7.3 Theme Toggle Component . . . 24
7.4 Add Toggle to Navbar . . . 25
8. ANIMATION & MOTION . . . 25
8.1 Micro-interactions . . . 25
8.2 Modal Animations . . . 25
8.3 Page Load Stagger . . . 26
8.4 Skeleton Loading . . . 26
9. IMPLEMENTATION PHASES . . . 26
Phase 1: Foundation (Day 1) - 4 hours . . . 26
Phase 2: Core UI Components (Day 1-2) - 6 hours . . . 26
Phase 3: Layout Components (Day 2) - 4 hours . . . 27

Phase 4: Page Components (Day 2-3) - 8 hours . . . 27
Phase 5: Dark Mode & Polish (Day 3) - 4 hours . . . 27
10. QUALITY ASSURANCE . . . 27
10.1 Visual Checklist . . . 27
10.2 Interaction Checklist . . . 28
10.3 Dark Mode Checklist . . . 28
10.4 Performance Checklist . . . 28
11. AGENT EXECUTION PROMPT . . . 28
Context . . . 28
Rules . . . 28
Execution Order . . . 28
Communication . . . 29
Emergency Procedures . . . 29
Reference Documents . . . 29
12. APPENDICES . . . 29
Appendix A: File Change Summary . . . 29
Appendix B: Color Mapping (Old → New) . . . 29
Appendix C: Reference Links . . . 30
Appendix D: Glossary . . . 30

CORELITH PRODUCT DESIGN TRANSFORMATION

Huchu ERP → Attio Design System

Complete Implementation Specification for Agent Swarm Execution

---

Version: FINAL 1.0
Date: April 22, 2026
Author: Kamfes (Corelith AI Cofounder)
Client: Tatenda (Chris) - Corelith Founder
Reference: 27 Attio/Refero App Screenshots + Live Codebase Analysis
Standard: $5M Series A Investment-Grade Design

TABLE OF CONTENTS

1. Executive Summary
2. Design System Foundation
3. Codebase Audit
4. Token Transformation
5. Component Specifications
6. Layout Architecture
7. Dark Mode
8. Animation & Motion
9. Implementation Phases
10. Quality Assurance
11. Agent Execution Prompt
12. Appendices

---

1. EXECUTIVE SUMMARY

The Mission

Transform the Huchu ERP product UI to match Attio's industry-leading design language. This document contains every specification, token value, file path, and implementation step required for flawless execution by an agent swarm.

What Attio Design Means (From 27 Screenshots)

- **Single blue accent** (#2563EB) against grayscale surfaces
- **14px standard type** with Inter font
- **6px button radius, 8px card radius, 12px modal radius**
- **Subtle shadows**: `0 1px 3px rgba(0,0,0,0.1)`
- **Dense functional layouts** (not marketing whitespace)
- **Dark mode**: #0F0F0F canvas, #1A1A1A cards
- **Rounded corners on EVERYTHING**
- **Generous internal padding, tight external spacing**

What We're NOT Doing

- NOT rebuilding functionality
- NOT changing business logic
- NOT modifying API calls
- NOT breaking existing features
- ONLY changing visual presentation

Success Criteria

When complete, the Huchu app should: 1. Look like it was designed by Attio's team 2. Pass visual comparison with provided screenshots 3. Maintain all existing functionality 4. Build successfully (`npm run build`) 5. Support light and dark modes 6. Score >95 Lighthouse performance

---

2. DESIGN SYSTEM FOUNDATION

2.1 Color Palette (Extracted from Screenshots)

Primary Colors

Token	Hex	RGB	Usage
`--primary-50`	#EFF6FF	rgb(239,246,255)	Lightest tint
`--primary-100`	#DBEAFE	rgb(219,234,254)	Hover backgrounds
`--primary-200`	#BFDBFE	rgb(191,219,254)	Active states
`--primary-300`	#93C5FD	rgb(147,197,253)	Borders
`--primary-400`	#60A5FA	rgb(96,165,250)	Icons
`--primary-500`	#3B82F6	rgb(59,130,246)	Secondary accent
`--primary-600`	#2563EB	rgb(37,99,235)	**PRIMARY BUTTONS**
`--primary-700`	#1D4ED8	rgb(29,78,216)	Hover state
`--primary-800`	#1E40AF	rgb(30,64,175)	Pressed state
`--primary-900`	#1E3A8A	rgb(30,58,138)	Darkest

Neutral Grayscale

Token	Hex	Usage
`--neutral-0`	#FFFFFF	White backgrounds
`--neutral-25`	#FCFCFC	Subtle off-white
`--neutral-50`	#F9FAFB	Canvas, table headers
`--neutral-100`	#F3F4F6	Hover states, borders
`--neutral-200`	#E5E7EB	Borders, dividers
`--neutral-300`	#D1D5DB	Disabled states
`--neutral-400`	#9CA3AF	Placeholder text
`--neutral-500`	#6B7280	Secondary text
`--neutral-600`	#4B5563	Sidebar items
`--neutral-700`	#374151	Body text
`--neutral-800`	#1F2937	Headings
`--neutral-900`	#111827	Primary text

Semantic Colors

Token	Hex	Usage
`--success-50`	#F0FDF4	Success bg
`--success-500`	#22C55E	Success text
`--success-700`	#15803D	Success dark
`--warning-50`	#FFFBEB	Warning bg
`--warning-500`	#F59E0B	Warning text
`--warning-700`	#B45309	Warning dark
`--danger-50`	#FEF2F2	Error bg
`--danger-500`	#EF4444	Error text
`--danger-700`	#B91C1C	Error dark
`--info-50`	#EFF6FF	Info bg
`--info-500`	#3B82F6	Info text
`--info-700`	#1D4ED8	Info dark

Accent (Teal - for secondary actions)

Token	Hex	Usage
`--accent-500`	#14B8A6	Secondary buttons
`--accent-600`	#0D9488	Hover state

2.2 Typography System

Font Stack

```
Primary: Inter, -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, sans-serif
Monospace: ui-monospace, SFMono-Regular, "SF Mono", Menlo, Consolas, monospace
```

Type Scale

Token	Size	Weight	Line Height	Letter Spacing	Usage
`--text-xs`	12px	400	1.4	0.05em	Labels, badges
`--text-sm`	13px	400	1.4	0	Captions, meta
`--text-md`	14px	400	1.5	0	**BODY STANDARD**

Token	Size	Weight	Line Height	Letter Spacing	Usage
`--text-lg`	16px	500	1.5	-0.01em	Card titles
`--text-xl`	20px	600	1.3	-0.02em	Section headers
`--text-2xl`	24px	700	1.2	-0.02em	Page titles
`--text-kpi`	32px	700	1.1	-0.03em	Dashboard numbers

Typography Rules

- **Body**: 14px regular, 1.5 line height
- **Labels**: 12px uppercase, 0.05em tracking, medium weight
- **Headings**: Tighter line height (1.2-1.3), negative tracking
- **Numbers**: Tabular figures for alignment
- **Code**: Monospace, 13px

2.3 Spacing System

Base Unit: 4px

Token	Value	Usage
`--space-1`	4px	Tight gaps
`--space-2`	8px	Between related items
`--space-3`	12px	Small padding
`--space-4`	16px	Standard padding
`--space-5`	20px	Medium gaps
`--space-6`	24px	Section padding
`--space-8`	32px	Large gaps
`--space-10`	40px	Page padding

Layout Spacing

```
Sidebar width: 256px (fixed)
Header height: 56px (fixed)
Content padding: 24px
Card padding: 16px
Button padding: 8px 16px
Input padding: 8px 12px
Table cell padding: 12px 16px
```

2.4 Border Radius

Token	Value	Usage
`--radius-sm`	6px	Buttons, inputs, tags
`--radius-md`	8px	Cards, dropdowns
`--radius-lg`	12px	Modals, dialogs
`--radius-pill`	9999px	Badges, status indicators

2.5 Shadow System

Token	Value	Usage
`--shadow-card`	`0 1px 3px rgba(0,0,0,0.1)`	Cards
`--shadow-hover`	`0 4px 6px rgba(0,0,0,0.05)`	Hover lift
`--shadow-dropdown`	`0 8px 16px rgba(0,0,0,0.08)`	Dropdowns
`--shadow-modal`	`0 20px 25px rgba(0,0,0,0.1)`	Modals
`--shadow-toast`	`0 4px 12px rgba(0,0,0,0.15)`	Notifications

---

3. CODEBASE AUDIT

3.1 Technology Stack

```
Framework: Next.js 15 (App Router)
Language: TypeScript
Styling: Tailwind CSS v4
UI Library: shadcn/ui + Frappe UI React
Icons: Material Symbols (filled)
Font: Custom "SS Huchu" (to be replaced)
Auth: NextAuth.js
Database: Prisma
```

3.2 File Structure (Key Paths)

```
/tmp/huchu/
--- app/
-   --- globals.css              # BASE TOKENS - REPLACE
-   --- themes/
-   -   --- client.css           # CLIENT THEME - REPLACE
-   -   --- admin.css            # ADMIN THEME - REPLACE
-   --- layout.tsx               # ADD INTER FONT
-   --- [workspaces]/            # All workspace routes
--- components/
-   --- ui/                      # shadcn primitives
-   -   --- button.tsx            # RESTYLE
-   -   --- card.tsx              # RESTYLE
-   -   --- input.tsx             # RESTYLE
-   -   --- table.tsx             # RESTYLE
-   -   --- dialog.tsx            # RESTYLE
-   -   --- sidebar.tsx           # RESTYLE
-   -   --- badge.tsx             # RESTYLE
-   -   --- dropdown-menu.tsx     # RESTYLE
-   -   --- ...
-   --- layout/
-   -   --- app-shell.tsx         # RESTYLE
-   -   --- app-sidebar.tsx       # RESTYLE
-   -   --- navbar.tsx            # RESTYLE
-   --- [workspace]/
-       --- *-content.tsx         # RESTYLE ALL
--- lib/
-   --- platform/
-       --- branding.ts           # MAY NEED UPDATE
--- public/
    --- fonts/                    # REMOVE SS HUCHU
```

3.3 Current Token System

The app uses a sophisticated CSS custom property system: - `globals.css` defines ~100 base tokens - `client.css` overrides for client portal (warm palette) - `admin.css` overrides for admin portal (cool palette) - All use `color-mix()` for dynamic shades

PROBLEM: This system is over-engineered for Attio's simplicity. We'll replace with flat values.

---

4. TOKEN TRANSFORMATION

4.1 Step 1: Replace globals.css

FILE: `/tmp/huchu/app/globals.css`

ACTION: Replace the entire `:root` block (lines ~52-380) with:

```
:root {
  color-scheme: light;

  /* === NEUTRAL PALETTE === */
  --neutral-0:  #ffffff;
  --neutral-25: #fcfcfc;
  --neutral-50: #f9fafb;
  --neutral-100: #f3f4f6;
  --neutral-200: #e5e7eb;
  --neutral-300: #d1d5db;
  --neutral-400: #9ca3af;
  --neutral-500: #6b7280;
  --neutral-600: #4b5563;
  --neutral-700: #374151;
  --neutral-800: #1f2937;
  --neutral-900: #111827;

  /* === PRIMARY (Blue) === */
  --primary:     #2563EB;
  --primary-50:  #eff6ff;
  --primary-100: #dbeafe;
  --primary-200: #bfdbfe;
  --primary-300: #93c5fd;
  --primary-400: #60a5fa;
  --primary-500: #3b82f6;
  --primary-600: #2563eb;
  --primary-700: #1d4ed8;
  --primary-800: #1e40af;
  --primary-900: #1e3a8a;

  /* === ACCENT (Teal) === */
  --accent:      #0d9488;
  --accent-50:   #f0fdfa;
  --accent-100:  #ccfbf1;
  --accent-500:  #14b8a6;
  --accent-600:  #0d9488;

  /* === SEMANTIC === */
  --success-50:  #f0fdf4;
```

```
--success-100: #dcfce7;
--success-300: #86efac;
--success-500: #22c55e;
--success-700: #15803d;

--warning-50:  #fffbeb;
--warning-100: #fef3c7;
--warning-300: #fcd34d;
--warning-500: #f59e0b;
--warning-700: #b45309;

--danger-50:   #fef2f2;
--danger-100:  #fee2e2;
--danger-300:  #fca5a5;
--danger-500:  #ef4444;
--danger-700:  #b91c1c;

--info-50:     #eff6ff;
--info-100:    #dbeafe;
--info-300:    #93c5fd;
--info-500:    #3b82f6;
--info-700:    #1d4ed8;

/* === SURFACES === */
--surface-canvas:  var(--neutral-50);
--surface-base:    var(--neutral-0);
--surface-raised:  var(--neutral-0);
--surface-muted:   var(--neutral-100);
--surface-subtle:  var(--neutral-50);
--surface-soft:    var(--neutral-100);
--surface-active:  var(--primary-50);

/* === TEXT === */
--text-strong: var(--neutral-900);
--text-body:   var(--neutral-800);
--text-muted:  var(--neutral-500);
--text-subtle: var(--neutral-400);
--text-inverse: var(--neutral-0);

/* === ACTIONS === */
--action-primary-bg:       var(--primary-600);
--action-primary-fg:       var(--neutral-0);
--action-primary-hover:    var(--primary-700);
--action-primary-pressed:  var(--primary-800);
--action-secondary-bg:     var(--neutral-100);
--action-secondary-fg:     var(--neutral-700);
--action-secondary-hover:  var(--neutral-200);
--action-outline-bg:       transparent;
--action-outline-border:   var(--neutral-200);
--action-outline-hover:    var(--neutral-50);
--action-destructive-bg:   var(--danger-500);
--action-destructive-fg:   var(--neutral-0);
--action-destructive-hover: var(--danger-600);
--action-disabled-bg:      var(--neutral-100);
```

```
--action-disabled-fg:      var(--neutral-400);

/* === EDGES / BORDERS === */
--edge-subtle:   var(--neutral-100);
--edge-default:  var(--neutral-200);
--edge-strong:   var(--neutral-300);
--border-default: var(--edge-default);
--border-soft:    var(--edge-subtle);
--input-border:   var(--edge-default);
--input-bg:       var(--surface-base);
--focus-ring:     var(--primary-500);
--focus-ring-offset: var(--surface-canvas);

/* === SHADOWS === */
--shadow-none:    none;
--shadow-card:    0 1px 3px rgba(0,0,0,0.1);
--shadow-hover:   0 4px 6px rgba(0,0,0,0.05);
--shadow-dropdown: 0 8px 16px rgba(0,0,0,0.08);
--shadow-popover: 0 12px 24px rgba(0,0,0,0.12);
--shadow-modal:   0 20px 25px rgba(0,0,0,0.1);
--shadow-toast:   0 4px 12px rgba(0,0,0,0.15);

/* === TABLE === */
--table-header-bg:      var(--neutral-50);
--table-header-text:    var(--neutral-500);
--table-row-bg:         var(--surface-base);
--table-row-hover:      var(--neutral-50);
--table-row-selected:   var(--primary-50);
--table-row-alt:        var(--surface-base);
--table-divider:        var(--neutral-100);
--table-toolbar-bg:     rgba(255,255,255,0.9);

/* === SIDEBAR === */
--sidebar:                    var(--neutral-0);
--sidebar-border:             var(--neutral-200);
--sidebar-foreground:         var(--text-body);
--sidebar-primary:            var(--action-primary-bg);
--sidebar-primary-fg:         var(--action-primary-fg);
--sidebar-accent:             var(--surface-subtle);
--sidebar-accent-fg:          var(--text-body);
--sidebar-item-fg:            var(--neutral-600);
--sidebar-item-fg-muted:      var(--neutral-500);
--sidebar-item-icon:          var(--neutral-400);
--sidebar-item-hover-fg:      var(--text-body);
--sidebar-item-hover-bg:      var(--neutral-50);
--sidebar-item-active-bg:     var(--primary-50);
--sidebar-item-active-fg:     var(--primary-700);
--sidebar-item-active-border: var(--primary-200);
--sidebar-ring:               var(--focus-ring);

/* === CHARTS === */
--chart-1: var(--primary-500);
--chart-2: var(--accent-500);
--chart-3: var(--success-500);
```

```
--chart-4: var(--warning-500);
--chart-5: var(--danger-500);
--chart-grid:   var(--edge-subtle);
--chart-text:   var(--text-muted);

/* === SHADCN COMPATIBILITY === */
--background:          var(--surface-canvas);
--foreground:          var(--text-body);
--card:                var(--surface-base);
--card-foreground:     var(--text-body);
--popover:             var(--surface-raised);
--popover-foreground:  var(--text-body);
--primary-foreground:  var(--text-inverse);
--secondary:           var(--neutral-100);
--secondary-foreground: var(--neutral-800);
--muted:               var(--neutral-100);
--muted-foreground:    var(--neutral-500);
--accent:              var(--accent-500);
--accent-foreground:   var(--neutral-0);
--destructive:         var(--danger-500);
--border:              var(--edge-default);
--input:               var(--edge-default);
--ring:                var(--focus-ring);

/* === GEOMETRY === */
--radius:        0.5rem;     /* 8px */
--radius-sm:     0.375rem;   /* 6px */
--radius-md:     0.5rem;     /* 8px */
--radius-lg:     0.75rem;    /* 12px */
--radius-pill:   9999px;
--button-radius: 0.375rem;   /* 6px */
--card-radius:   0.5rem;     /* 8px */

/* === SPACING === */
--space-1:  4px;
--space-2:  8px;
--space-3:  12px;
--space-4:  16px;
--space-5:  20px;
--space-6:  24px;
--space-8:  32px;
--space-10: 40px;

/* === TYPOGRAPHY === */
--font-family: 'Inter', -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
--font-mono: ui-monospace, SFMono-Regular, 'SF Mono', Menlo, Consolas, monospace;

--text-xs:  12px;
--text-sm:  13px;
--text-md:  14px;
--text-lg:  16px;
--text-xl:  20px;
--text-2xl: 24px;
--text-kpi: 32px;
```

```
  --font-weight-regular:  400;
  --font-weight-medium:   500;
  --font-weight-semibold: 600;
  --font-weight-bold:     700;

  --leading-tight:  1.2;
  --leading-normal: 1.4;
  --leading-relaxed: 1.5;

  /* === MOTION === */
  --motion-duration-fast:    150ms;
  --motion-duration-base:     200ms;
  --motion-duration-normal:   300ms;
  --motion-duration-slow:     400ms;
  --motion-ease-standard:    cubic-bezier(0.16, 1, 0.3, 1);
  --motion-ease-bounce:    cubic-bezier(0.34, 1.56, 0.64, 1);
  --motion-ease-linear:    linear;

  /* === OTHER === */
  --app-canvas-wash: none;
}
```

KEEP: The rest of globals.css (utility classes, keyframes, etc.) but update any hardcoded values.

4.2 Step 2: Replace client.css

FILE: `/tmp/huchu/app/themes/client.css`

ACTION: Replace with minimal overrides:

```
/* Client Theme - Warm variant for customer portal */
:root {
  /* Slightly warmer neutrals */
  --neutral-50: #fafaf9;
  --neutral-100: #f5f5f4;
  --neutral-200: #e7e5e4;

  /* Keep everything else from globals.css */
}
```

4.3 Step 3: Replace admin.css

FILE: `/tmp/huchu/app/themes/admin.css`

ACTION: Replace with minimal overrides:

```
/* Admin Theme - Cool variant for admin portal */
[data-portal="admin"] {
  /* Slightly cooler neutrals */
  --neutral-50: #f8fafc;
  --neutral-100: #f1f5f9;
  --neutral-200: #e2e8f0;

  /* Keep everything else from globals.css */
}
```

4.4 Step 4: Remove Custom Font

FILE: `/tmp/huchu/app/globals.css`

ACTION: Remove ALL `@font-face` declarations for "SS Huchu" (4 declarations).

FILE: `/tmp/huchu/app/layout.tsx`

ACTION: 1. Remove: `--font-ibm-plex-mono` from style injection 2. Add Inter font import:

```
import { Inter } from 'next/font/google'

const inter = Inter({
  subsets: ['latin'],
  variable: '--font-inter',
  display: 'swap',
})
```

3. Update body className:

```
<body className={`${inter.variable} font-sans antialiased`}>
```

4.5 Step 5: Update Tailwind Mappings

FILE: `/tmp/huchu/app/globals.css` (Tailwind @theme block)

ACTION: Update or verify these mappings:

```
@theme inline {
  --font-sans: var(--font-inter), ui-sans-serif, system-ui, sans-serif;
  --font-mono: var(--font-mono);

  --color-surface-canvas: var(--surface-canvas);
  --color-surface-base: var(--surface-base);
  --color-surface-raised: var(--surface-raised);
  --color-surface-muted: var(--surface-muted);
  --color-surface-subtle: var(--surface-subtle);

  --color-text-strong: var(--text-strong);
  --color-text-body: var(--text-body);
  --color-text-muted: var(--text-muted);
  --color-text-inverse: var(--text-inverse);

  --color-action-primary-bg: var(--action-primary-bg);
  --color-action-primary-fg: var(--action-primary-fg);
  --color-action-secondary-bg: var(--action-secondary-bg);
  --color-action-secondary-fg: var(--action-secondary-fg);

  --color-status-success-bg: var(--success-50);
  --color-status-success-text: var(--success-700);
  --color-status-warning-bg: var(--warning-50);
  --color-status-warning-text: var(--warning-700);
  --color-status-error-bg: var(--danger-50);
  --color-status-error-text: var(--danger-700);

  --radius-sm: var(--radius-sm);
  --radius-md: var(--radius-md);
  --radius-lg: var(--radius-lg);
}
```

---

5. COMPONENT SPECIFICATIONS

5.1 Button Component

FILE: `/tmp/huchu/components/ui/button.tsx`

SPECIFICATION:

```
/* Base */
display: inline-flex;
align-items: center;
justify-content: center;
height: 36px;
padding: 8px 16px;
border-radius: var(--button-radius); /* 6px */
font-size: var(--text-md); /* 14px */
font-weight: var(--font-weight-medium); /* 500 */
line-height: 1;
gap: var(--space-2); /* 8px */
transition: all var(--motion-duration-fast) var(--motion-ease-standard);
user-select: none;

/* Primary variant */
background: var(--action-primary-bg); /* #2563EB */
color: var(--action-primary-fg); /* white */
border: none;

/* Primary hover */
:hover {
  background: var(--action-primary-hover); /* #1D4ED8 */
}

/* Primary pressed */
:active {
  transform: scale(0.97);
  background: var(--action-primary-pressed); /* #1E40AF */
}

/* Secondary variant */
background: var(--action-secondary-bg); /* #F3F4F6 */
color: var(--action-secondary-fg); /* #374151 */
border: none;

/* Secondary hover */
:hover {
  background: var(--action-secondary-hover); /* #E5E7EB */
}

/* Outline variant */
background: transparent;
color: var(--text-body);
border: 1px solid var(--action-outline-border); /* #E5E7EB */

/* Outline hover */
```

```
:hover {
  background: var(--action-outline-hover); /* #F9FAFB */
}

/* Ghost variant */
background: transparent;
color: var(--text-muted);
border: none;

/* Ghost hover */
:hover {
  background: var(--surface-muted); /* #F3F4F6 */
  color: var(--text-body);
}

/* Destructive variant */
background: var(--action-destructive-bg); /* #EF4444 */
color: var(--action-destructive-fg); /* white */

/* Destructive hover */
:hover {
  background: var(--action-destructive-hover); /* #DC2626 */
}

/* Sizes */
[data-size="sm"] { height: 32px; padding: 6px 12px; font-size: 13px; }
[data-size="md"] { height: 36px; padding: 8px 16px; font-size: 14px; }
[data-size="lg"] { height: 40px; padding: 10px 20px; font-size: 14px; }

/* Disabled */
:disabled {
  opacity: 0.5;
  cursor: not-allowed;
  pointer-events: none;
}
```

CHANGES NEEDED: - Update default variant colors - Update radius to 6px - Update height to 36px - Update padding to 8px 16px - Add active state transform

5.2 Card Component

FILE: `/tmp/huchu/components/ui/card.tsx`

SPECIFICATION:

```
/* Base */
background: var(--surface-base); /* white */
border: 1px solid var(--edge-default); /* #E5E7EB */
border-radius: var(--card-radius); /* 8px */
padding: var(--space-4); /* 16px */
box-shadow: var(--shadow-card); /* 0 1px 3px rgba(0,0,0,0.1) */
transition: box-shadow var(--motion-duration-base) var(--motion-ease-standard);

/* Hover (if interactive) */
:hover {
  box-shadow: var(--shadow-hover); /* 0 4px 6px rgba(0,0,0,0.05) */
```

```
}

/* Header */
padding-bottom: var(--space-4);
border-bottom: 1px solid var(--edge-subtle);
margin-bottom: var(--space-4);

/* Title */
font-size: var(--text-lg); /* 16px */
font-weight: var(--font-weight-semibold); /* 600 */
color: var(--text-strong);

/* Description */
font-size: var(--text-sm); /* 13px */
color: var(--text-muted);
margin-top: var(--space-1);

/* Content */
padding: var(--space-4) 0;

/* Footer */
padding-top: var(--space-4);
border-top: 1px solid var(--edge-subtle);
margin-top: var(--space-4);
display: flex;
justify-content: flex-end;
gap: var(--space-2);
```

CHANGES NEEDED: - Update border radius to 8px - Update padding to 16px - Add subtle shadow - Update header/footer border colors

5.3 Input Component

FILE: `/tmp/huchu/components/ui/input.tsx`

SPECIFICATION:

```
/* Base */
height: 36px;
width: 100%;
padding: 8px 12px;
background: var(--input-bg); /* white */
border: 1px solid var(--input-border); /* #E5E7EB */
border-radius: var(--button-radius); /* 6px */
font-size: var(--text-md); /* 14px */
color: var(--text-body);
line-height: 1.5;
transition: border-color var(--motion-duration-fast), box-shadow var(--motion-duration-fast);

/* Placeholder */
::placeholder {
  color: var(--text-subtle); /* #9CA3AF */
}

/* Focus */
:focus {
```

```
  outline: none;
  border-color: var(--primary-500); /* #3B82F6 */
  box-shadow: 0 0 0 3px var(--primary-100); /* #DBEAFE */
}

/* Disabled */
:disabled {
  background: var(--neutral-50);
  color: var(--text-muted);
  cursor: not-allowed;
}

/* Error state */
[data-error="true"] {
  border-color: var(--danger-500);
  box-shadow: 0 0 0 3px var(--danger-100);
}

/* Sizes */
[data-size="sm"] { height: 32px; font-size: 13px; }
[data-size="md"] { height: 36px; font-size: 14px; }
[data-size="lg"] { height: 40px; font-size: 14px; }
```

CHANGES NEEDED: - Update height to 36px - Update border radius to 6px - Update focus ring color - Add error state styling

5.4 Table Component

FILE: `/tmp/huchu/components/ui/table.tsx`

SPECIFICATION:

```
/* Container */
width: 100%;
border-collapse: separate;
border-spacing: 0;

/* Header */
thead tr {
  background: var(--table-header-bg); /* #F9FAFB */
  border-bottom: 1px solid var(--table-divider); /* #F3F4F6 */
}

th {
  padding: 12px 16px;
  font-size: var(--text-xs); /* 12px */
  font-weight: var(--font-weight-medium); /* 500 */
  text-transform: uppercase;
  letter-spacing: 0.05em;
  color: var(--table-header-text); /* #6B7280 */
  text-align: left;
  white-space: nowrap;
}

/* Body */
tbody tr {
```

```
  height: 48px;
  border-bottom: 1px solid var(--table-divider); /* #F3F4F6 */
  transition: background-color var(--motion-duration-fast);
}

tbody tr:hover {
  background: var(--table-row-hover); /* #F9FAFB */
}

tbody tr[data-selected="true"] {
  background: var(--table-row-selected); /* #EFF6FF */
}

td {
  padding: 12px 16px;
  font-size: var(--text-md); /* 14px */
  color: var(--text-body);
  vertical-align: middle;
}

/* Empty state */
tbody:empty::after {
  content: "No data";
  display: block;
  padding: 48px;
  text-align: center;
  color: var(--text-muted);
  font-size: var(--text-sm);
}
```

CHANGES NEEDED: - Update header style (uppercase, 12px) - Update row height to 48px - Update cell padding to 12px 16px - Update hover background - Add selected state

5.5 Dialog/Modal Component

FILE: `/tmp/huchu/components/ui/dialog.tsx`

SPECIFICATION:

```
/* Backdrop */
position: fixed;
inset: 0;
background: rgba(0,0,0,0.5);
backdrop-filter: blur(4px);
animation: fade-in 200ms ease;

/* Content */
position: fixed;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
width: 100%;
max-width: 560px;
max-height: 85vh;
overflow-y: auto;
background: var(--surface-base); /* white */
```

```
border-radius: var(--radius-lg); /* 12px */
padding: 24px;
box-shadow: var(--shadow-modal); /* 0 20px 25px rgba(0,0,0,0.1) */
animation: modal-in 300ms var(--motion-ease-standard);

/* Header */
padding-bottom: 16px;
border-bottom: 1px solid var(--edge-subtle);
margin-bottom: 16px;

/* Title */
font-size: var(--text-xl); /* 20px */
font-weight: var(--font-weight-semibold);
color: var(--text-strong);

/* Description */
font-size: var(--text-sm); /* 13px */
color: var(--text-muted);
margin-top: 4px;

/* Close button */
position: absolute;
top: 16px;
right: 16px;
width: 32px;
height: 32px;
border-radius: var(--radius-sm);
display: flex;
align-items: center;
justify-content: center;
color: var(--text-muted);
transition: all var(--motion-duration-fast);

:hover {
  background: var(--surface-muted);
  color: var(--text-body);
}

/* Footer */
display: flex;
justify-content: flex-end;
gap: var(--space-2);
padding-top: 16px;
border-top: 1px solid var(--edge-subtle);
margin-top: 16px;
```

CHANGES NEEDED: - Update border radius to 12px - Update padding to 24px - Update shadow to modal shadow - Add backdrop blur - Update animations

5.6 Badge Component

FILE: `/tmp/huchu/components/ui/badge.tsx`

SPECIFICATION:

```
/* Base */
```

```
display: inline-flex;
align-items: center;
padding: 2px 8px;
border-radius: var(--radius-pill); /* 9999px */
font-size: var(--text-xs); /* 12px */
font-weight: var(--font-weight-medium); /* 500 */
line-height: 1.5;
white-space: nowrap;

/* Variants */
[data-variant="default"] {
  background: var(--neutral-100);
  color: var(--neutral-700);
}

[data-variant="primary"] {
  background: var(--primary-50);
  color: var(--primary-700);
}

[data-variant="success"] {
  background: var(--success-50);
  color: var(--success-700);
}

[data-variant="warning"] {
  background: var(--warning-50);
  color: var(--warning-700);
}

[data-variant="danger"] {
  background: var(--danger-50);
  color: var(--danger-700);
}

[data-variant="outline"] {
  background: transparent;
  border: 1px solid var(--edge-default);
  color: var(--text-body);
}
```

CHANGES NEEDED: - Update to pill shape - Update all color combinations - Add outline variant

5.7 Sidebar Component

FILE: `/tmp/huchu/components/ui/sidebar.tsx` AND `/tmp/huchu/components/layout/app-sidebar.tsx`

SPECIFICATION:

```
/* Container */
width: 256px;
height: 100vh;
background: var(--sidebar); /* white */
border-right: 1px solid var(--sidebar-border); /* #E5E7EB */
display: flex;
flex-direction: column;
```

```
padding: 16px 0;

/* Nav Item */
display: flex;
align-items: center;
gap: 12px;
padding: 8px 16px;
margin: 2px 12px;
border-radius: var(--radius-sm); /* 6px */
font-size: var(--text-md); /* 14px */
font-weight: var(--font-weight-medium); /* 500 */
color: var(--sidebar-item-fg); /* #4B5563 */
transition: all var(--motion-duration-fast);
cursor: pointer;

/* Nav Item Hover */
:hover {
  background: var(--sidebar-item-hover-bg); /* #F9FAFB */
  color: var(--sidebar-item-hover-fg); /* #111827 */
}

/* Nav Item Active */
[data-active="true"] {
  background: var(--sidebar-item-active-bg); /* #EFF6FF */
  color: var(--sidebar-item-active-fg); /* #1D4ED8 */
}

/* Icon */
width: 20px;
height: 20px;
color: inherit;
opacity: 0.7;

/* Active icon */
[data-active="true"] .icon {
  opacity: 1;
}

/* Section Header */
padding: 8px 16px;
font-size: var(--text-xs); /* 12px */
font-weight: var(--font-weight-semibold);
text-transform: uppercase;
letter-spacing: 0.05em;
color: var(--text-muted);
margin-top: 8px;

/* Collapsed State */
&[data-collapsed="true"] {
  width: 64px;
}

&[data-collapsed="true"] .nav-item {
  justify-content: center;
```

```
  padding: 8px;
}

&[data-collapsed="true"] .nav-item span {
  display: none;
}
```

CHANGES NEEDED: - Update width to 256px - Update nav item styling - Update active state colors - Update section header style

5.8 Navbar Component

FILE: `/tmp/huchu/components/layout/navbar.tsx`

SPECIFICATION:

```
/* Container */
height: 56px;
background: var(--surface-base); /* white */
border-bottom: 1px solid var(--edge-default); /* #E5E7EB */
display: flex;
align-items: center;
justify-content: space-between;
padding: 0 16px;
position: sticky;
top: 0;
z-index: 10;

/* REMOVE: backdrop-blur-md */

/* Left section */
display: flex;
align-items: center;
gap: 16px;

/* Breadcrumbs */
font-size: var(--text-sm); /* 13px */
color: var(--text-muted);

/* Current page */
font-size: var(--text-md); /* 14px */
font-weight: var(--font-weight-semibold);
color: var(--text-strong);

/* Right section */
display: flex;
align-items: center;
gap: 12px;

/* Actions */
display: flex;
gap: 8px;

/* Mobile */
@media (max-width: 768px) {
  .breadcrumbs { display: none; }
```

```
}
```

CHANGES NEEDED: - Update height to 56px - Update border color - Remove backdrop blur - Update breadcrumb font size

---

6. LAYOUT ARCHITECTURE

6.1 App Shell

FILE: `/tmp/huchu/components/layout/app-shell.tsx`

SPECIFICATION:

```
// Remove rounded-xl border shadow-sm - make it flat
<SidebarInset className="m-0 flex h-[100dvh] min-h-[100dvh] flex-col overflow-hidden bg-surface-canvas"
  <Navbar />
  <main className="content-shell min-w-0 min-h-0 flex-1 overflow-y-auto py-6">
    {children}
  </main>
</SidebarInset>
```

CHANGES NEEDED: - Remove `m-2` - Remove `rounded-xl` - Remove `border` - Remove `shadow-sm` - Change bg to `surface-canvas`

6.2 Content Area

```
/* Max width: fluid (no max-width) */
/* Padding: 24px */
/* Gap between sections: 24px */

.content-shell {
  padding: var(--space-6); /* 24px */
}

@media (min-width: 1024px) {
  .content-shell {
    padding: var(--space-6) var(--space-8); /* 24px 32px */
  }
}
```

6.3 Page Layout Pattern

```
-------------------------------------------------------
-  Page Title (20px, semibold)                        -
-  Description (13px, muted)                          -
-                                                      -
-  ------------------------------------------------  -
-                                                      -
-  ------------------------------------------------    -
-  -  Card (8px radius, 16px padding)            -    -
-  -                                              -    -
-  -  Content...                                  -    -
-  -                                              -    -
-  ------------------------------------------------    -
-                                                      -
-  ------------ ------------ ------------              -
```

```
-  -  Card    - -  Card    - -  Card    -              -
-  -  (grid)  - -  (grid)  - -  (grid)  -              -
-  ------------ ------------ ------------              -
-------------------------------------------------------
```

---

7. DARK MODE

7.1 Create Dark Theme File

NEW FILE: `/tmp/huchu/app/themes/dark.css`

```
[data-theme="dark"] {
  color-scheme: dark;

  /* === DARK NEUTRAL PALETTE === */
  --neutral-0:  #0f0f0f;
  --neutral-25: #1a1a1a;
  --neutral-50: #262626;
  --neutral-100: #333333;
  --neutral-200: #404040;
  --neutral-300: #525252;
  --neutral-400: #737373;
  --neutral-500: #a3a3a3;
  --neutral-600: #d4d4d4;
  --neutral-700: #e5e5e5;
  --neutral-800: #f5f5f5;
  --neutral-900: #fafafa;

  /* === SURFACES === */
  --surface-canvas:  #0f0f0f;
  --surface-base:    #1a1a1a;
  --surface-raised:  #262626;
  --surface-muted:   #262626;
  --surface-subtle:  #1a1a1a;
  --surface-soft:    #262626;

  /* === TEXT === */
  --text-strong: #fafafa;
  --text-body:   #e5e5e5;
  --text-muted:  #a3a3a3;
  --text-subtle: #737373;

  /* === ACTIONS (brighter in dark) === */
  --action-primary-bg:    #3b82f6;
  --action-primary-hover: #60a5fa;
  --action-primary-pressed: #93c5fd;

  --action-secondary-bg:    #262626;
  --action-secondary-fg:    #e5e5e5;
  --action-secondary-hover: #333333;

  /* === EDGES === */
  --edge-subtle:   #262626;
  --edge-default:  #333333;
```

```
  --edge-strong:   #404040;
  --input-border:  #333333;
  --input-bg:      #1a1a1a;

  /* === SIDEBAR === */
  --sidebar:          #0f0f0f;
  --sidebar-border:   #262626;
  --sidebar-item-active-bg: rgba(59, 130, 246, 0.15);
  --sidebar-item-active-fg: #60a5fa;

  /* === TABLE === */
  --table-header-bg:  #1a1a1a;
  --table-row-hover:  #262626;
  --table-row-selected: rgba(59, 130, 246, 0.15);
  --table-divider:    #333333;

  /* === SHADOWS (stronger in dark) === */
  --shadow-card:    0 1px 3px rgba(0,0,0,0.3);
  --shadow-hover:   0 4px 6px rgba(0,0,0,0.2);
  --shadow-dropdown: 0 8px 16px rgba(0,0,0,0.4);
  --shadow-modal:   0 20px 25px rgba(0,0,0,0.5);
}
```

7.2 Add to layout.tsx

FILE: `/tmp/huchu/app/layout.tsx`

ACTION: Import dark.css:

```
import "./themes/dark.css";
```

7.3 Theme Toggle Component

NEW FILE: `/tmp/huchu/components/theme-toggle.tsx`

```
"use client";

import { useState, useEffect } from "react";
import { Button } from "@/components/ui/button";

export function ThemeToggle() {
  const [theme, setTheme] = useState("light");

  useEffect(() => {
    const root = document.documentElement;
    root.setAttribute("data-theme", theme);
  }, [theme]);

  return (
    <Button
      variant="ghost"
      size="sm"
      onClick={() => setTheme(theme === "light" ? "dark" : "light")}
    >
      {theme === "light" ? "Moon" : "Sun"}
    </Button>
```

```
  );
}
```

7.4 Add Toggle to Navbar

FILE: `/tmp/huchu/components/layout/navbar.tsx`

ACTION: Import and render ThemeToggle in the right section.

---

8. ANIMATION & MOTION

8.1 Micro-interactions

Element	Trigger	Property	From	To	Duration	Easing
Button	Hover	background	-	darker	150ms	standard
Button	Press	transform	scale(1)	scale(0.97)	100ms	ease-in
Card	Hover	box-shadow	card	hover	200ms	standard
Input	Focus	border + shadow	-	focus ring	200ms	standard
Nav Item	Hover	background	-	hover bg	150ms	standard
Table Row	Hover	background	-	hover bg	150ms	standard

8.2 Modal Animations

```
/* Fade in backdrop */
@keyframes fade-in {
  from { opacity: 0; }
  to { opacity: 1; }
}

/* Scale in content */
@keyframes modal-in {
  from { opacity: 0; transform: translate(-50%, -48%) scale(0.95); }
  to { opacity: 1; transform: translate(-50%, -50%) scale(1); }
}

/* Fade out */
@keyframes fade-out {
  from { opacity: 1; }
  to { opacity: 0; }
}

/* Scale out */
@keyframes modal-out {
  from { opacity: 1; transform: translate(-50%, -50%) scale(1); }
  to { opacity: 0; transform: translate(-50%, -48%) scale(0.95); }
}
```

8.3 Page Load Stagger

```
.stagger-children > * {
  animation: fade-in-up 400ms var(--motion-ease-standard) forwards;
  opacity: 0;
}

.stagger-children > *:nth-child(1) { animation-delay: 0ms; }
.stagger-children > *:nth-child(2) { animation-delay: 50ms; }
.stagger-children > *:nth-child(3) { animation-delay: 100ms; }
.stagger-children > *:nth-child(4) { animation-delay: 150ms; }
/* etc. */

@keyframes fade-in-up {
  from { opacity: 0; transform: translateY(8px); }
  to { opacity: 1; transform: translateY(0); }
}
```

8.4 Skeleton Loading

```
.skeleton {
  background: linear-gradient(
    90deg,
    var(--neutral-100) 0%,
    var(--neutral-200) 50%,
    var(--neutral-100) 100%
  );
  background-size: 200% 100%;
  animation: shimmer 1.5s infinite;
  border-radius: var(--radius-sm);
}

@keyframes shimmer {
  0% { background-position: 200% 0; }
  100% { background-position: -200% 0; }
}
```

---

9. IMPLEMENTATION PHASES

Phase 1: Foundation (Day 1) - 4 hours

Goal: New token system in place, app still works

Tasks: 1. [ ] Backup all files to be modified 2. [ ] Replace `globals.css` :root block with new tokens 3. [ ] Simplify `client.css` to minimal overrides 4. [ ] Simplify `admin.css` to minimal overrides 5. [ ] Add Inter font to `layout.tsx` 6. [ ] Remove SS Huchu font declarations 7. [ ] Update Tailwind theme mappings 8. [ ] Run `npm run build` - fix any errors 9. [ ] Visually verify app still renders

Deliverable: App builds with new tokens, no visual regressions

Phase 2: Core UI Components (Day 1-2) - 6 hours

Goal: All primitive components restyled

Tasks: 1. [ ] Update `Button` component (radius, colors, sizes) 2. [ ] Update `Card` component (radius, shadow, padding) 3. [ ] Update `Input` component (height, radius, focus) 4. [ ] Update `Table` component

(header, row height, hover) 5. [ ] Update `Dialog` component (radius, shadow, animation) 6. [ ] Update `Badge` component (variants, pill shape) 7. [ ] Update `DropdownMenu` component (radius, shadow) 8. [ ] Update `Select` component (radius, height) 9. [ ] Run `npm run build` - fix any errors

Deliverable: All UI primitives match Attio spec

Phase 3: Layout Components (Day 2) - 4 hours

Goal: App shell matches Attio layout

Tasks: 1. [ ] Update `Sidebar` component (width, nav items, active state) 2. [ ] Update `AppSidebar` component (section headers, collapse) 3. [ ] Update `Navbar` component (height, border, no blur) 4. [ ] Update `AppShell` component (flat, no border radius) 5. [ ] Update content padding and spacing 6. [ ] Test sidebar collapse/expand 7. [ ] Run `npm run build` - fix any errors

Deliverable: Layout matches Attio screenshots

Phase 4: Page Components (Day 2-3) - 8 hours

Goal: All page UIs restyled

Tasks: 1. [ ] Update all `*-content.tsx` files: - Page headers (title, description) - Form shells (labels, inputs, spacing) - Data tables (headers, rows, actions) - Cards and grids 2. [ ] Update `page-intro.tsx` component 3. [ ] Update `form-shell.tsx` component 4. [ ] Update `data-list-shell.tsx` component 5. [ ] Update `status-state.tsx` component 6. [ ] Update `primary-action-bar.tsx` component 7. [ ] Run `npm run build` - fix any errors

Deliverable: All pages match Attio design

Phase 5: Dark Mode & Polish (Day 3) - 4 hours

Goal: Dark mode works, animations smooth, final QA

Tasks: 1. [ ] Create `dark.css` theme file 2. [ ] Add theme toggle component 3. [ ] Add toggle to navbar 4. [ ] Test all components in dark mode 5. [ ] Verify animations (button press, modal, hover) 6. [ ] Add stagger animation to page loads 7. [ ] Add skeleton loading states 8. [ ] Test on mobile viewport 9. [ ] Run `npm run build` - fix any errors 10. [ ] Run Lighthouse audit - target >95

Deliverable: Complete Attio-quality product UI

---

10. QUALITY ASSURANCE

10.1 Visual Checklist

Colors: - [ ] Primary buttons use #2563EB - [ ] Secondary buttons use #F3F4F6 - [ ] Text uses #111827 (not pure black) - [ ] Secondary text uses #6B7280 - [ ] Borders use #E5E7EB - [ ] No hardcoded colors in components

Typography: - [ ] Inter font loaded and applied - [ ] Body text is 14px - [ ] Labels are 12px uppercase - [ ] Page titles are 20px semibold - [ ] Line heights are 1.4-1.5

Spacing: - [ ] Buttons are 36px tall - [ ] Cards have 16px padding - [ ] Tables have 12px 16px cell padding - [ ] Content has 24px padding - [ ] Sidebar is 256px wide

Radius: - [ ] Buttons are 6px radius - [ ] Cards are 8px radius - [ ] Modals are 12px radius - [ ] Badges are pill-shaped - [ ] Inputs are 6px radius

Shadows: - [ ] Cards have subtle shadow (0 1px 3px) - [ ] Hover has lift shadow (0 4px 6px) - [ ] Modals have strong shadow (0 20px 25px) - [ ] No heavy shadows on static elements

10.2 Interaction Checklist

Buttons: - [ ] Hover changes background color - [ ] Press scales to 0.97 - [ ] Disabled state is visible - [ ] Focus ring is visible

Inputs: - [ ] Focus shows blue border + ring - [ ] Placeholder is gray - [ ] Error state shows red - [ ] Disabled state is visible

Cards: - [ ] Hover lifts slightly - [ ] Shadow increases on hover - [ ] No jumpy transitions

Tables: - [ ] Header is distinct from body - [ ] Rows highlight on hover - [ ] Selected row is obvious - [ ] Sort indicators visible

Modals: - [ ] Backdrop fades in - [ ] Content scales in - [ ] Close button works - [ ] Escape key closes

10.3 Dark Mode Checklist

Surfaces: - [ ] Canvas is #0F0F0F - [ ] Cards are #1A1A1A - [ ] Elevated are #262626 - [ ] No pure white in dark mode

Text: - [ ] Primary is #FAFAFA - [ ] Secondary is #A3A3A3 - [ ] Muted is #737373 - [ ] All text readable

Borders: - [ ] Borders are visible (#333333) - [ ] Not too strong - [ ] Not invisible

Accents: - [ ] Blue is brighter (#3B82F6) - [ ] Success/warning/danger preserved - [ ] Badges visible

10.4 Performance Checklist

Build: - [ ] `npm run build` completes without errors - [ ] No TypeScript errors - [ ] No ESLint warnings - [ ] Bundle size not significantly increased

Runtime: - [ ] First paint < 1.5s - [ ] Animations at 60fps - [ ] No layout shift on load - [ ] Smooth scrolling

Accessibility: - [ ] WCAG 2.1 AA contrast ratios - [ ] Focus indicators visible - [ ] Reduced motion supported - [ ] Screen reader friendly

---

11. AGENT EXECUTION PROMPT

Context

You are an elite design engineering team. Your mission: transform the Huchu ERP codebase to match Attio's design language. You have: - Complete design token specification (Section 2) - Codebase audit (Section 3) - Exact file changes (Section 4-5) - Implementation phases (Section 9) - Quality checklist (Section 10)

Rules

1. **NEVER break existing functionality** - only change styling
2. **Use CSS custom properties** - no hardcoded colors
3. **Maintain TypeScript types** - fix any type errors
4. **Test after every phase** - `npm run build` must pass
5. **Follow the specification exactly** - no creative deviations
6. **Ask for clarification** - if anything is unclear

Execution Order

Execute in the exact phases defined in Section 9. Do not skip phases. Do not combine phases. Each phase must be verified before proceeding.

Communication

Report after each phase: - What was completed - Any issues encountered - Screenshots of key changes - Build status

Emergency Procedures

If `npm run build` fails: 1. Stop immediately 2. Identify the error 3. Fix the error 4. Re-run build 5. Do not proceed until build passes

If visual regression occurs: 1. Screenshot the issue 2. Compare with specification 3. Fix the discrepancy 4. Verify fix

Reference Documents

- This document (primary)
- Attio screenshots (visual reference)
- Huchu codebase (implementation target)

---

12. APPENDICES

Appendix A: File Change Summary

File	Action	Lines	Priority
`app/globals.css`	Replace :root block	~300	P0
`app/themes/client.css`	Simplify	~20	P0
`app/themes/admin.css`	Simplify	~20	P0
`app/themes/dark.css`	Create new	~80	P1
`app/layout.tsx`	Add Inter font	~10	P0
`components/ui/button.tsx`	Restyle	~30	P1
`components/ui/card.tsx`	Restyle	~20	P1
`components/ui/input.tsx`	Restyle	~15	P1
`components/ui/table.tsx`	Restyle	~25	P1
`components/ui/dialog.tsx`	Restyle	~30	P1
`components/ui/badge.tsx`	Restyle	~20	P1
`components/ui/sidebar.tsx`	Restyle	~40	P2
`components/layout/app-shell.tsx`	Restyle	~10	P2
`components/layout/app-sidebar.tsx`	Restyle	~30	P2
`components/layout/navbar.tsx`	Restyle	~20	P2
`components/theme-toggle.tsx`	Create new	~25	P3
`components/shared/page-intro.tsx`	Restyle	~10	P3
`components/shared/form-shell.tsx`	Restyle	~15	P3
`components/shared/status-state.tsx`	Restyle	~15	P3
`components/shared/data-list-shell.tsx`	Restyle	~20	P3
`components/shared/primary-action-bar.tsx`	Restyle	~15	P3
`components/*/*-content.tsx`	Restyle ALL	~50 each	P3

Total: ~40 files, ~1000 lines changed

Appendix B: Color Mapping (Old → New)

Old Token	Old Value	New Token	New Value
`--primary`	#2f6bff	`--primary`	#2563EB
`--neutral-900`	#1b2127	`--neutral-900`	#111827
`--surface-canvas`	#f8f9f8	`--surface-canvas`	#F9FAFB
`--text-body`	#1b2127	`--text-body`	#1F2937
`--action-primary-bg`	#2f6bff	`--action-primary-bg`	#2563EB
`--sidebar`	#fcfcfb	`--sidebar`	#FFFFFF
`--font-family`	"SS Huchu"	`--font-family`	Inter

Appendix C: Reference Links

- Attio: https://attio.com
- Inter Font: https://fonts.google.com/specimen/Inter
- Tailwind CSS: https://tailwindcss.com
- shadcn/ui: https://ui.shadcn.com

Appendix D: Glossary

Term	Definition
Token	CSS custom property (–*)
Surface	Background layer
Action	Interactive element (button)
Edge	Border/divider
Canvas	App background
Shell	Layout wrapper

END OF DOCUMENT

This specification is complete and ready for execution. Every detail has been specified. Every value has been provided. Every file has been identified. Execute with precision.