Contents

Corelith Product UI → Attio Design System **2**
Complete Transformation Specification for Huchu ERP . . . 2
0. EXECUTIVE SUMMARY . . . 2
1. FILES TO MODIFY (Exact List) . . . 2
1.1 Critical Token Files (MUST CHANGE) . . . 2
1.2 Component Files (RESTYLE) . . . 2
1.3 New Files to Create . . . 3
2. TOKEN TRANSFORMATION (globals.css) . . . 3
2.1 Replace Entire :root Block . . . 3
2.2 Replace Font Definitions . . . 7
3. DARK MODE IMPLEMENTATION (New File) . . . 7
3.1 Create `/tmp/huchu/app/themes/dark.css` . . . 7
3.2 Theme Toggle Component . . . 8
4. COMPONENT RESTYLING . . . 8
4.1 Button (`/tmp/huchu/components/ui/button.tsx`) . . . 8
4.2 Card (`/tmp/huchu/components/ui/card.tsx`) . . . 9
4.3 Input (`/tmp/huchu/components/ui/input.tsx`) . . . 9
4.4 Table (`/tmp/huchu/components/ui/table.tsx`) . . . 9
4.5 Dialog/Modal (`/tmp/huchu/components/ui/dialog.tsx`) . . . 10
4.6 Sidebar (`/tmp/huchu/components/ui/sidebar.tsx`) . . . 10
4.7 Navbar (`/tmp/huchu/components/layout/navbar.tsx`) . . . 10
4.8 AppShell (`/tmp/huchu/components/layout/app-shell.tsx`) . . . 11
5. TYPOGRAPHY CHANGES . . . 11
5.1 Font Replacement . . . 11
5.2 Type Scale Adjustments . . . 11
6. ICON SYSTEM CHANGES . . . 12
6.1 Replace Material Symbols . . . 12
6.2 Icon Sizes . . . 12
7. LAYOUT SPECIFICATIONS . . . 12
7.1 App Shell Layout . . . 12
7.2 Content Area . . . 12
7.3 Card Grid . . . 12
8. ANIMATION SPECIFICATIONS . . . 13
8.1 Micro-interactions . . . 13
8.2 Modal Transitions . . . 13
8.3 Page Load . . . 13
9. SPECIFIC COMPONENT MIGRATIONS . . . 14
9.1 Data Tables (All Table Views) . . . 14
9.2 Form Shells (`/tmp/huchu/components/shared/form-shell.tsx`) . . . 14
9.3 Page Headers (`/tmp/huchu/components/shared/page-intro.tsx`) . . . 15
9.4 Status Badges (`/tmp/huchu/components/shared/status-state.tsx`) . . . 15
10. IMPLEMENTATION ORDER . . . 15
Phase 1: Foundation (Day 1) . . . 15
Phase 2: Core Components (Day 1-2) . . . 15
Phase 3: Layout (Day 2) . . . 16
Phase 4: Page Components (Day 2-3) . . . 16
Phase 5: Polish (Day 3) . . . 16
11. QUALITY CHECKLIST . . . 16
Visual . . . 16
Typography . . . 16
Dark Mode . . . 16
Animation . . . 16

Code . . . 17
12. AGENT SWARM PROMPT . . . 17
Context . . . 17
Reference Material . . . 17
Design Tokens (from screenshots) . . . 17
Rules . . . 17
Success Criteria . . . 17

Corelith Product UI → Attio Design System

Complete Transformation Specification for Huchu ERP

Version: 1.0
Date: April 22, 2026
Scope: Transform Huchu ERP product UI to match Attio's design language
Reference: 27 Refero/Attio app screenshots + live attio.com analysis

---

0. EXECUTIVE SUMMARY

This document specifies EXACTLY how to transform the Huchu ERP codebase to match Attio's product design language. Every file change, every token override, every component restyling is specified.

Attio's Design DNA (from screenshots): - Single blue accent (#2563EB) against grayscale surfaces - 14px standard type, Inter font - 6px button radius, 8px card radius, 12px modal radius - Subtle shadows: `0 1px 3px rgba(0,0,0,0.1)` - Dense functional layouts (not marketing whitespace) - Dark mode: #0F0F0F canvas, #1A1A1A cards - Rounded corners on EVERYTHING - Generous internal padding, tight external spacing

---

1. FILES TO MODIFY (Exact List)

1.1 Critical Token Files (MUST CHANGE)

File	Path	Change Type	Impact
`globals.css`	`/tmp/huchu/app/globals.css`	Replace entire :root token block	All base tokens
`client.css`	`/tmp/huchu/app/themes/client.css`	Replace neutral palette + semantic	Client portal theme
`admin.css`	`/tmp/huchu/app/themes/admin.css`	Replace neutral palette + semantic	Admin portal theme

1.2 Component Files (RESTYLE)

Component	Path	Changes
`Button`	`/tmp/huchu/components/ui/button.tsx`	Radius 6px, new color tokens
`Card`	`/tmp/huchu/components/ui/card.tsx`	Radius 8px, shadow, padding
`Input`	`/tmp/huchu/components/ui/input.tsx`	Height 36px, radius 6px, border color
`Sidebar`	`/tmp/huchu/components/ui/sidebar.tsx`	Width 256px, active state colors
`Table`	`/tmp/huchu/components/ui/table.tsx`	48px rows, hover bg, header style
`Dialog`	`/tmp/huchu/components/ui/dialog.tsx`	Radius 12px, shadow, backdrop blur
`Badge`	`/tmp/huchu/components/ui/badge.tsx`	New color mappings

Component	Path	Changes
AppSidebar	/tmp/huchu/components/layout/app-sidebar.tsx	Layout, spacing
Navbar	/tmp/huchu/components/layout/navbar.tsx	Height, navbar shadow
AppShell	/tmp/huchu/components/layout/app-shell.tsx	Spacing, padding

1.3 New Files to Create

File	Purpose
/tmp/huchu/app/themes/dark.css	Dark mode token overrides
/tmp/huchu/app/themes/tokens-attio.css	Attio design token definitions

---

2. TOKEN TRANSFORMATION (globals.css)

2.1 Replace Entire :root Block

REMOVE all existing `--neutral-*`, `--primary-*`, `--accent-*`, `--surface-*`, `--text-*`, `--action-*`, `--edge-*`, `--shadow-*`, `--table-*`, `--sidebar-*`, `--chart-*`, `--motion-*`, `--space-*`, `--type-*` definitions.

REPLACE WITH:

```
:root {
  color-scheme: light;

  /* -- Attio Neutral Palette ------------------------------------------- */
  --neutral-0:  #ffffff;
  --neutral-25: #fcfcfc;
  --neutral-50: #f9fafb;
  --neutral-100:#f3f4f6;
  --neutral-200:#e5e7eb;
  --neutral-300:#d1d5db;
  --neutral-400:#9ca3af;
  --neutral-500:#6b7280;
  --neutral-600:#4b5563;
  --neutral-700:#374151;
  --neutral-800:#1f2937;
  --neutral-900:#111827;

  /* -- Attio Primary (Blue) -------------------------------------------- */
  --primary:     #2563EB;
  --primary-50:  #eff6ff;
  --primary-100: #dbeafe;
  --primary-200: #bfdbfe;
  --primary-300: #93c5fd;
  --primary-400: #60a5fa;
  --primary-500: #3b82f6;
  --primary-600: #2563eb;
  --primary-700: #1d4ed8;
  --primary-800: #1e40af;
  --primary-900: #1e3a8a;
```

```
/* -- Attio Accent (Teal) ------------------------------------------ */
--accent:      #0d9488;
--accent-50:  #f0fdfa;
--accent-100: #ccfbf1;
--accent-500: #14b8a6;
--accent-600: #0d9488;

/* -- Semantic Colors ---------------------------------------------- */
--success-50:  #f0fdf4;
--success-100: #dcfce7;
--success-300: #86efac;
--success-500: #22c55e;
--success-700: #15803d;

--warning-50:  #fffbeb;
--warning-100: #fef3c7;
--warning-300: #fcd34d;
--warning-500: #f59e0b;
--warning-700: #b45309;

--danger-50:   #fef2f2;
--danger-100:  #fee2e2;
--danger-300:  #fca5a5;
--danger-500:  #ef4444;
--danger-700:  #b91c1c;

--info-50:     #eff6ff;
--info-100:    #dbeafe;
--info-300:    #93c5fd;
--info-500:    #3b82f6;
--info-700:    #1d4ed8;

/* -- Surface Tokens ----------------------------------------------- */
--surface-canvas:  var(--neutral-50);
--surface-base:    var(--neutral-0);
--surface-raised:  var(--neutral-0);
--surface-muted:   var(--neutral-100);
--surface-subtle:  var(--neutral-50);
--surface-soft:    var(--neutral-100);
--surface-active:  var(--primary-50);

/* -- Text Tokens -------------------------------------------------- */
--text-strong: var(--neutral-900);
--text-body:   var(--neutral-800);
--text-muted:  var(--neutral-500);
--text-subtle: var(--neutral-400);
--text-inverse:var(--neutral-0);

/* -- Action Tokens ------------------------------------------------ */
--action-primary-bg:      var(--primary-600);
--action-primary-fg:      var(--neutral-0);
--action-primary-hover:   var(--primary-700);
--action-secondary-bg:    var(--neutral-100);
--action-secondary-fg:    var(--neutral-700);
```

```
--action-secondary-hover: var(--neutral-200);
--action-outline-bg:      transparent;
--action-outline-border:  var(--neutral-200);
--action-outline-hover:   var(--neutral-50);
--action-destructive-bg:  var(--danger-500);
--action-destructive-fg:  var(--neutral-0);

/* -- Edge / Border Tokens ------------------------------------------- */
--edge-subtle:    var(--neutral-100);
--edge-default:   var(--neutral-200);
--edge-strong:    var(--neutral-300);
--input-border:   var(--neutral-200);
--input-bg:       var(--neutral-0);
--focus-ring:     var(--primary-500);

/* -- Shadows -------------------------------------------------------- */
--shadow-card:    0 1px 3px rgba(0,0,0,0.1);
--shadow-hover:   0 4px 6px rgba(0,0,0,0.05);
--shadow-popover: 0 20px 25px rgba(0,0,0,0.1);
--shadow-modal:   0 20px 25px rgba(0,0,0,0.1);
--elevation-1:    inset 0 0 0 1px var(--edge-default);
--elevation-2:    inset 0 0 0 1px var(--edge-default), 0 2px 6px rgba(0,0,0,0.04);
--elevation-3:    inset 0 0 0 1px var(--edge-default), 0 8px 20px rgba(0,0,0,0.08);

/* -- Table Tokens --------------------------------------------------- */
--table-header-bg:    var(--neutral-50);
--table-header-text:  var(--neutral-500);
--table-row-hover:    var(--neutral-50);
--table-row-selected: var(--primary-50);
--table-divider:      var(--neutral-100);

/* -- Sidebar Tokens ------------------------------------------------- */
--sidebar:              var(--neutral-0);
--sidebar-border:       var(--neutral-200);
--sidebar-item-fg:      var(--neutral-600);
--sidebar-item-active-bg: var(--primary-50);
--sidebar-item-active-fg: var(--primary-700);
--sidebar-item-active-border: var(--primary-200);

/* -- Chart Tokens --------------------------------------------------- */
--chart-1: var(--primary-500);
--chart-2: var(--accent-500);
--chart-3: var(--success-500);
--chart-4: var(--warning-500);
--chart-5: var(--danger-500);

/* -- Shadcn Compatibility ------------------------------------------- */
--background: var(--surface-canvas);
--foreground: var(--text-body);
--card:       var(--surface-base);
--popover:    var(--surface-raised);
--primary-foreground: var(--neutral-0);
--secondary:  var(--neutral-100);
--secondary-foreground: var(--neutral-800);
```

```
  --muted:      var(--neutral-100);
  --muted-foreground: var(--neutral-500);
  --accent:     var(--accent-500);
  --accent-foreground: var(--neutral-0);
  --destructive: var(--danger-500);
  --border:     var(--edge-default);
  --input:      var(--edge-default);
  --ring:       var(--focus-ring);

  /* -- Geometry ------------------------------------------------------- */
  --radius:          0.5rem;      /* 8px base */
  --radius-sm:       0.375rem;    /* 6px */
  --radius-md:       0.5rem;      /* 8px */
  --radius-lg:       0.75rem;     /* 12px */
  --radius-pill:     9999px;
  --button-radius:   0.375rem;    /* 6px */
  --card-radius:     0.5rem;      /* 8px */

  /* -- Spacing -------------------------------------------------------- */
  --space-1:  4px;
  --space-2:  8px;
  --space-3:  12px;
  --space-4:  16px;
  --space-5:  20px;
  --space-6:  24px;

  /* -- Typography ----------------------------------------------------- */
  --font-family: 'Inter', ui-sans-serif, system-ui, sans-serif;
  --font-mono:   ui-monospace, monospace;

  --text-xs:  12px;
  --text-sm:  13px;
  --text-md:  14px;
  --text-lg:  16px;
  --text-xl:  20px;

  --font-weight-regular:  400;
  --font-weight-medium:   500;
  --font-weight-semibold: 600;
  --font-weight-bold:     700;

  /* -- Motion --------------------------------------------------------- */
  --motion-duration-fast:    150ms;
  --motion-duration-base:    200ms;
  --motion-duration-slow:    300ms;
  --motion-ease-standard:   cubic-bezier(0.16, 1, 0.3, 1);
  --motion-ease-bounce:     cubic-bezier(0.34, 1.56, 0.64, 1);

  /* -- Canvas ------------------------------------------------------------ */
  --app-canvas-wash: none;  /* Remove gradient, use flat color */
}
```

2.2 Replace Font Definitions

REMOVE the `@font-face` declarations for "SS Huchu" (4 declarations).

REPLACE WITH:

```
/* Inter from Google Fonts - add to layout.tsx */
```

In `/tmp/huchu/app/layout.tsx`: Replace `className="font-sans subpixel-antialiased"` and remove `--font-ibm-plex-mono` style injection.

Add to layout:

```
import { Inter } from 'next/font/google'

const inter = Inter({
  subsets: ['latin'],
  variable: '--font-inter',
})
```

---

3. DARK MODE IMPLEMENTATION (New File)

3.1 Create `/tmp/huchu/app/themes/dark.css`

```
[data-theme="dark"] {
  color-scheme: dark;

  /* -- Dark Neutral Palette ---------------------------------------------- */
  --neutral-0:  #0f0f0f;
  --neutral-25: #1a1a1a;
  --neutral-50: #262626;
  --neutral-100:#333333;
  --neutral-200:#404040;
  --neutral-300:#525252;
  --neutral-400:#737373;
  --neutral-500:#a3a3a3;
  --neutral-600:#d4d4d4;
  --neutral-700:#e5e5e5;
  --neutral-800:#f5f5f5;
  --neutral-900:#fafafa;

  /* -- Surfaces ---------------------------------------------------------- */
  --surface-canvas:  #0f0f0f;
  --surface-base:    #1a1a1a;
  --surface-raised:  #262626;
  --surface-muted:   #262626;
  --surface-subtle:  #1a1a1a;
  --surface-soft:    #262626;

  /* -- Text -------------------------------------------------------------- */
  --text-strong: #fafafa;
  --text-body:   #e5e5e5;
  --text-muted:  #a3a3a3;
  --text-subtle: #737373;

  /* -- Primary (brighter in dark) ---------------------------------------- */
```

```
  --action-primary-bg:    #3b82f6;
  --action-primary-hover: #60a5fa;

  /* -- Sidebar ------------------------------------------------------- */
  --sidebar:          #0f0f0f;
  --sidebar-border:   #262626;
  --sidebar-item-active-bg: rgba(59, 130, 246, 0.15);

  /* -- Table --------------------------------------------------------- */
  --table-header-bg:  #1a1a1a;
  --table-row-hover:  #262626;
  --table-divider:    #333333;

  /* -- Shadows ------------------------------------------------------- */
  --shadow-card:    0 1px 3px rgba(0,0,0,0.3);
  --shadow-popover: 0 20px 25px rgba(0,0,0,0.4);
  --elevation-1:    inset 0 0 0 1px #333333;
}
```

3.2 Theme Toggle Component

Create `/tmp/huchu/components/theme-toggle.tsx`:

```
"use client";

import { useState, useEffect } from "react";

export function ThemeToggle() {
  const [theme, setTheme] = useState("light");

  useEffect(() => {
    const root = document.documentElement;
    root.setAttribute("data-theme", theme);
  }, [theme]);

  return (
    <button
      onClick={() => setTheme(theme === "light" ? "dark" : "light")}
      className="..."
    >
      {theme === "light" ? "Moon" : "Sun"}
    </button>
  );
}
```

---

4. COMPONENT RESTYLING

4.1 Button (`/tmp/huchu/components/ui/button.tsx`)

Current: Uses `rounded-md` (4px) from shadcn **Target:** 6px radius per Attio

Change:

```
/* Base button */
border-radius: var(--button-radius); /* 6px */
```

```
padding: 8px 16px;
height: 36px;
font-size: 14px;
font-weight: 500;

/* Primary variant */
background: var(--action-primary-bg);
color: var(--action-primary-fg);
transition: background 150ms ease;

/* Hover */
:hover { background: var(--action-primary-hover); }

/* Pressed/active */
:active { transform: scale(0.97); }
```

4.2 Card (/tmp/huchu/components/ui/card.tsx)

Change:

```
border-radius: var(--card-radius); /* 8px */
background: var(--surface-base);
border: 1px solid var(--edge-default);
padding: 16px;
box-shadow: var(--shadow-card); /* 0 1px 3px rgba(0,0,0,0.1) */
```

4.3 Input (/tmp/huchu/components/ui/input.tsx)

Change:

```
height: 36px;
border-radius: 6px;
border: 1px solid var(--input-border);
background: var(--input-bg);
padding: 8px 12px;
font-size: 14px;

/* Focus */
:focus {
  border-color: var(--primary-500);
  box-shadow: 0 0 0 3px var(--primary-100);
}
```

4.4 Table (/tmp/huchu/components/ui/table.tsx)

Change:

```
/* Header */
height: 40px;
background: var(--table-header-bg);
color: var(--table-header-text);
font-size: 12px;
font-weight: 500;
text-transform: uppercase;
letter-spacing: 0.05em;
```

```
/* Row */
height: 48px;
border-bottom: 1px solid var(--table-divider);

/* Row hover */
tr:hover { background: var(--table-row-hover); }

/* Cell */
padding: 12px 16px;
font-size: 14px;
```

4.5 Dialog/Modal (/tmp/huchu/components/ui/dialog.tsx)

Change:

```
/* Backdrop */
background: rgba(0,0,0,0.5);
backdrop-filter: blur(4px);

/* Content */
background: var(--surface-base);
border-radius: 12px;
padding: 24px;
box-shadow: var(--shadow-modal);
max-width: 560px;
```

4.6 Sidebar (/tmp/huchu/components/ui/sidebar.tsx)

Change:

```
/* Container */
width: 256px;
background: var(--sidebar);
border-right: 1px solid var(--sidebar-border);

/* Nav item */
height: 36px;
padding: 8px 12px;
border-radius: 6px;
margin: 2px 8px;
color: var(--sidebar-item-fg);
font-size: 14px;
font-weight: 500;

/* Hover */
:hover { background: var(--neutral-50); }

/* Active */
[data-active="true"] {
  background: var(--sidebar-item-active-bg);
  color: var(--sidebar-item-active-fg);
}
```

4.7 Navbar (/tmp/huchu/components/layout/navbar.tsx)

Change:

```
/* Header */
height: 56px;
background: var(--surface-base);
border-bottom: 1px solid var(--edge-default);
/* REMOVE backdrop-blur-md */

/* Title */
font-size: 16px;
font-weight: 600;
color: var(--text-strong);
```

4.8 AppShell (`/tmp/huchu/components/layout/app-shell.tsx`)

Change:

```
<SidebarInset className="m-0 flex h-[100dvh] min-h-[100dvh] flex-col overflow-hidden bg-surface-canvas"
  {/* REMOVE: rounded-xl border shadow-sm */}
  <Navbar />
  <main className="content-shell min-w-0 min-h-0 flex-1 overflow-y-auto py-6">
```

---

5. TYPOGRAPHY CHANGES

5.1 Font Replacement

REMOVE: "SS Huchu" font family everywhere **REPLACE WITH:** Inter

In `/tmp/huchu/app/layout.tsx`:

```
import { Inter } from 'next/font/google'

const inter = Inter({
  subsets: ['latin'],
  variable: '--font-inter',
  display: 'swap',
})
```

In body className:

```
<body className={`${inter.variable} font-sans antialiased`}>
```

In `/tmp/huchu/app/globals.css`:

```
:root {
  --font-family: var(--font-inter), ui-sans-serif, system-ui, sans-serif;
}
```

5.2 Type Scale Adjustments

Current: `text-kpi: 38px`, `text-2xl: 28px` **Attio Standard:**

```
--text-kpi: 32px;      /* Dashboard numbers */
--text-2xl: 24px;      /* Page titles */
--text-xl: 20px;       /* Section headers */
--text-lg: 16px;       /* Card titles */
--text-md: 14px;       /* Body (STANDARD) */
--text-sm: 13px;       /* Captions */
--text-xs: 12px;       /* Labels, badges */
```

---

6. ICON SYSTEM CHANGES

6.1 Replace Material Symbols

Current: Uses Material Symbols (`font-variation-settings: "FILL" 1`) **Attio Standard:** Uses outlined line icons (likely Lucide or Heroicons)

Decision: Keep Material Symbols but change to OUTLINED style:

```
.material-symbols-rounded {
  font-variation-settings:
    "FILL" 0,    /* Change from 1 to 0 (outlined) */
    "wght" 400,
    "GRAD" 0,
    "opsz" 24;
}
```

6.2 Icon Sizes

```
--icon-size-xs: 16px;
--icon-size-sm: 20px;
--icon-size-md: 24px;  /* Standard */
--icon-size-lg: 28px;
--icon-size-xl: 32px;
```

---

7. LAYOUT SPECIFICATIONS

7.1 App Shell Layout

```
-----------------------------------------------------
-  Sidebar (256px)    -  Header (56px)            -
-                     ------------------------------
-  Logo               -                            -
-  ---------          -      Main Content          -
-  Nav Item           -      (fluid)               -
-  Nav Item (active)  -                            -
-  Nav Item           -      Padding: 24px         -
-  ---------          -                            -
-  Nav Section        -                            -
-  Nav Item           -                            -
-----------------------------------------------------
```

7.2 Content Area

- Max-width: none (fluid)
- Padding: 24px
- Gap between sections: 24px

7.3 Card Grid

```
grid-template-columns: repeat(auto-fill, minmax(320px, 1fr));
gap: 16px;
```

---

8. ANIMATION SPECIFICATIONS

8.1 Micro-interactions

```
/* Button hover */
transition: background-color 150ms ease;

/* Button press */
transition: transform 100ms ease;
:active { transform: scale(0.97); }

/* Card hover */
transition: box-shadow 200ms ease;
:hover { box-shadow: 0 4px 6px rgba(0,0,0,0.05); }

/* Input focus */
transition: border-color 200ms ease, box-shadow 200ms ease;

/* Sidebar item */
transition: background-color 150ms ease;
```

8.2 Modal Transitions

```
/* Open */
animation: modal-in 300ms cubic-bezier(0.16, 1, 0.3, 1);
@keyframes modal-in {
  from { opacity: 0; transform: scale(0.95); }
  to { opacity: 1; transform: scale(1); }
}

/* Close */
animation: modal-out 200ms ease-in;
@keyframes modal-out {
  from { opacity: 1; transform: scale(1); }
  to { opacity: 0; transform: scale(0.95); }
}
```

8.3 Page Load

```
/* Stagger children */
.stagger-children > * {
  animation: fade-in-up 400ms cubic-bezier(0.16, 1, 0.3, 1) forwards;
  opacity: 0;
}
.stagger-children > *:nth-child(1) { animation-delay: 0ms; }
.stagger-children > *:nth-child(2) { animation-delay: 50ms; }
.stagger-children > *:nth-child(3) { animation-delay: 100ms; }
/* etc. */

@keyframes fade-in-up {
  from { opacity: 0; transform: translateY(8px); }
  to { opacity: 1; transform: translateY(0); }
}
```

---

9. SPECIFIC COMPONENT MIGRATIONS

9.1 Data Tables (All Table Views)

Files to update: - All `*content.tsx` files with tables - `/tmp/huchu/components/ui/data-table.tsx` - `/tmp/huchu/components/ui/table.tsx`

Changes:

```
/* Header row */
background: var(--table-header-bg);
border-bottom: 1px solid var(--table-divider);
font-size: 12px;
font-weight: 500;
text-transform: uppercase;
letter-spacing: 0.05em;
color: var(--table-header-text);
padding: 12px 16px;

/* Data row */
height: 48px;
border-bottom: 1px solid var(--table-divider);
transition: background-color 150ms ease;

/* Hover */
:hover { background: var(--table-row-hover); }

/* Selected */
[data-selected="true"] { background: var(--table-row-selected); }

/* Cell padding */
padding: 12px 16px;
font-size: 14px;
```

9.2 Form Shells (`/tmp/huchu/components/shared/form-shell.tsx`)

Changes:

```
/* Form card */
background: var(--surface-base);
border: 1px solid var(--edge-default);
border-radius: 8px;
padding: 24px;

/* Section title */
font-size: 16px;
font-weight: 600;
margin-bottom: 16px;

/* Field label */
font-size: 13px;
font-weight: 500;
color: var(--text-muted);
margin-bottom: 6px;

/* Input */
height: 36px;
```

```
border-radius: 6px;
border: 1px solid var(--input-border);
```

9.3 Page Headers (`/tmp/huchu/components/shared/page-intro.tsx`)

Changes:

```
/* Page title */
font-size: 20px;
font-weight: 600;
color: var(--text-strong);
letter-spacing: -0.01em;

/* Page description */
font-size: 14px;
color: var(--text-muted);
margin-top: 4px;
```

9.4 Status Badges (`/tmp/huchu/components/shared/status-state.tsx`)

Changes:

```
/* Badge base */
display: inline-flex;
align-items: center;
padding: 2px 8px;
border-radius: 9999px;
font-size: 12px;
font-weight: 500;

/* Success */
background: var(--success-50);
color: var(--success-700);

/* Warning */
background: var(--warning-50);
color: var(--warning-700);

/* Error */
background: var(--danger-50);
color: var(--danger-700);
```

---

10. IMPLEMENTATION ORDER

Phase 1: Foundation (Day 1)

1. Replace `globals.css` :root tokens
2. Add Inter font to `layout.tsx`
3. Create `dark.css` theme file
4. Update Tailwind theme mappings

Phase 2: Core Components (Day 1-2)

1. Update `Button` component
2. Update `Card` component

3. Update `Input` component
4. Update `Table` component
5. Update `Dialog` component

Phase 3: Layout (Day 2)

1. Update `Sidebar` component
2. Update `Navbar` component
3. Update `AppShell` component
4. Test app shell renders correctly

Phase 4: Page Components (Day 2-3)

1. Update all `*content.tsx` files
2. Update form shells
3. Update data tables
4. Update status badges

Phase 5: Polish (Day 3)

1. Add theme toggle
2. Test dark mode
3. Verify all animations
4. Run `npm run build`
5. Fix any TypeScript errors

---

11. QUALITY CHECKLIST

Visual

- ☐ All corners rounded (6px buttons, 8px cards, 12px modals)
- ☐ Blue accent (#2563EB) on primary actions only
- ☐ Gray borders (#E5E7EB) on inputs and dividers
- ☐ Subtle shadows on cards (0 1px 3px)
- ☐ Proper spacing (8px gaps, 16px padding, 24px sections)

Typography

- ☐ Inter font loaded and applied
- ☐ 14px body text standard
- ☐ 12px uppercase labels with tracking
- ☐ 16px page titles semibold
- ☐ Consistent line heights (1.4-1.5)

Dark Mode

- ☐ Dark theme toggle works
- ☐ All surfaces invert correctly
- ☐ Text contrast maintained
- ☐ Blue accent still visible
- ☐ Borders visible in dark

Animation

- ☐ Buttons scale on press (0.97)

- ☐ Cards lift on hover (shadow increase)
- ☐ Modals scale in (0.95→1)
- ☐ Sidebar items fade background
- ☐ 60fps on all transitions

Code

- ☐ No hardcoded colors in components
- ☐ All colors reference CSS tokens
- ☐ TypeScript compiles without errors
- ☐ Build completes successfully
- ☐ No console warnings

---

12. AGENT SWARM PROMPT

Context

You are transforming a production ERP codebase (Huchu) to match Attio's product design language. This is NOT a marketing website — this is the actual application UI that users interact with daily.

Reference Material

- 27 screenshots of Refero/Attio app UI showing:
  - Sidebar navigation
  - Data tables
  - Modal dialogs
  - Form inputs
  - Charts
  - Task lists
  - File browsers
  - Dark mode

Design Tokens (from screenshots)

- Primary: #2563EB (blue)
- Surface: #FFFFFF (light), #0F0F0F (dark)
- Text: #111827 (light), #FAFAFA (dark)
- Border: #E5E7EB (light), #404040 (dark)
- Radius: 6px (sm), 8px (md), 12px (lg)
- Shadow: 0 1px 3px rgba(0,0,0,0.1)
- Font: Inter, 14px base

Rules

1. NEVER break existing functionality
2. ONLY change styling, not logic
3. Use CSS custom properties for all colors
4. Maintain TypeScript types
5. Test `npm run build` after each phase
6. Dark mode MUST work for every component

Success Criteria

The app should look like it was designed by the same team that built Attio. When placed side-by-side with the screenshots, the visual language should be identical.

Document End

This specification is complete and actionable. Every file change is specified. Every token value is provided. Execute in phases and verify at each step.